

030-17898

VOID SHEET

TO: License Fee Management Branch
FROM: Region I
SUBJECT: VOIDED APPLICATION

Handwritten:
MAR 5 1996
122922

Control Number: 122922
Applicant: Industrial Corrosion Management, Inc.
Date Voided: 4/10/96
Reason for Void: One-Time Extension of expiration date of certain
byproduct, source and special nuclear material licenses
by five years has been granted for License No.
29-19571-01 (030-17898). Before review.

M. A. Perkins 4/18/96
Signature Date

Attachment:
Official Record Copy of
Voided Action

FOR LFMB USE ONLY

Final Review of VOID Completed:

☒ Refund Authorized and processed (8720)

☐ No Refund Due

☐ Fee Exempt or Fee Not Required

Comments: License extended
by rulemaking

120085

Log completed

Processed by: AA

OFFICIAL RECORD COPY

ML 10

MAR - 6 1996

Richard S. Levine
President
Industrial Corrosion Management, Inc.
1152 Route 10
Randolph, NJ 07869

SUBJECT: LICENSE RENEWAL APPLICATION


Dear Mr. Levine:

This is to acknowledge receipt of your application for renewal of materials(s) license identified below. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Any correspondence regarding the renewal application should reference the control number specified below.

Sincerely,

Original Signed By:
Cheryl K. Buracker

 Sheryl Villar
Licensing Administrative Specialist
Division of Nuclear Materials Safety

License No. 29-19571-01
Docket No. 030-17898
Control No. 122922

DOCUMENT NAME: S:\PENDING\INCORM.DTL

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N			
NAME	MPerkins/gcb		SVillar				
DATE	03/06/96		03/6/96		03/ /96		03/ /96

OFFICIAL RECORD COPY

ML 10

035-17898

X

Industrial Corrosion Management, Inc.
1152 Route 10
Randolph, NJ 07869
201-584-0330
FAX: 201-584-0515
February 20, 1996


Licensing Assistant Section
Nuclear Materials Safety Branch
U.S. Nuclear Regulatory Commission, Region 1
475 Allendale Road
King of Prussia, PA 19406-1415

Dear Sir:

We wish to renew our license number 29-19571-C1 which expires April 30, 1996. Enclosed please find our check in the amount of \$720 representing the fee for materials category 3P. Also enclosed is NRC Form 313, Application For Material License with the appropriate information, and a copy of our existing NRC license.

If there are any questions, please call.

Very truly yours,



Richard S. Levine
President

RSL/sa
Enc.

OFFICIAL RECORD COPY

ML 10

122922

FEB 23 1996

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: 9 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (T-6 F33), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW. 030-17898

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND,
MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA,
RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO
RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARIETTA STREET, NW, SUITE 2900
ATLANTA, GA 30323-0199

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN,
SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
801 WARRENVILLE RD.
LISLE, IL 60532-4351

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS,
LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA,
OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH,
WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 76011-8064

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- ☐ A. NEW LICENSE
☐ B. AMENDMENT TO LICENSE NUMBER _____
☒ C. RENEWAL OF LICENSE NUMBER 29-19571-01

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip code)

Industrial Corrosion Management, Inc.
1152 Route 10
Randolph, New Jersey 07869

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

1152 Route 10
Randolph, New Jersey 07869

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Richard S. Levine

TELEPHONE NUMBER

(201) 584-0330 X3014

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL

- a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE.

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

9. FACILITIES AND EQUIPMENT

10. RADIATION SAFETY PROGRAM

11. WASTE MANAGEMENT

12. LICENSEE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY 3P

AMOUNT
ENCLOSED \$720

13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER - TYPED/PRINTED NAME AND TITLE

Richard S. Levine

SIGNATURE

Richard S. Levine

DATE

02/20/96

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		
APPROVED BY				DATE	

Industrial Corrosion Management, Inc.
1152 Route 10
Randolph, NJ 07869
201-584-0330
FAX: 201-584-0515
February 20, 1996

Renewal of NRC license 29-19571-01, Form NRC 313, Items #5-11:

Item #5:

Material Possessed is Nickel 63 as plated sources or foils in sealed Gas Chromatography detectors not to exceed 20 millicuries per source.

Item: Hewlett Packard Electron Capture Detector, Model 18803-60520, serial number C2136, dated 1/89 used in HP 5840 series Gas Chromatograph.

Item: Hewlett Packard Electron Capture Detector, Model 19235, serial number L7708, dated 4/90 used in HP 5890 series Gas Chromatograph.

Item: Hewlett Packard Electron Capture Detector, Model 19235, serial number L3681, dated 3/88 used in HP 5890 series Gas Chromatograph.

Item: Hewlett Packard Electron Capture Detector, Model 19233, serial number L5033, dated 3/89 used in HP 5890 series Gas Chromatograph.

Item: Hewlett Packard Electron Capture Detector, Model 19235, serial number L3882, dated 7/88 used in HP 5890 series Gas Chromatograph.

Item #6:

Each of the above listed detectors will be used in Gas Chromatograph instrumentation for the purpose of pesticide residue analysis per US EPA methodologies.

Item #7:

The responsible individuals for ICM's Radiation Safety Program are:

Richard S. Levine (Radiation Safety Officer)
BS Chemistry, Carnegie-Mellon University, 1968
MS Chemistry, University of Illinois, 1971
20+ years experience with Gas Chromatographs
Radiation Safety Officer for ICM since 1985.

Thomas Mancuso (Assistant Radiation Officer)
BS Chemistry, William Paterson State College, 1983
15 years experience with Gas Chromatographs
GC, GC/MS Manager at ICM since 1986.

Elizabeth Price (Assistant Radiation Officer)
BS Chemistry, Duke University, 1956
MS Environmental Engineering, New Jersey Institute of Technology, 1976
20+ years experience with Gas Chromatographs
Alternate Radiation Officer for ICM since 1985.
Pesticide/PCB residue specialist

We do not repair or service any of the above specified, sealed electron capture detectors. All repairs are made by Hewlett Packard. The detectors are returned to their facilities for this purpose when necessary.

ICM does, however, perform wipe tests on each of the electron capture detectors once every six months. These wipes are sent to:

National Leak Test Center
PO Box 1480
N. Tonawanda, NY 14120
716-693-0550
TIN: 16-1234141

for evaluation. Their reports are maintained on file at ICM, Randolph, NJ

Item #8:

No other employee at ICM is involved with the electron capture detectors from a radiation aspect. Their involvement is strictly limited to the use of the Gas Chromatography instrumentation for designated analytical purposes. These persons have been approved by the US EPA and the New Jersey Department of Environmental Protection to be qualified for the Pesticide/PCB residue analysis which utilizes the electron capture, Nickel 63, detectors.

Ms. Paula Koleno-Blaze, ICM's Quality Assurance Manager, maintains all of the reports on the wipe results.

Item #9:

ICM's facility is maintained under 24 hour, burglar and fire protection. Only authorized personnel are permitted throughout. The electron capture detectors are never dismantled or opened on our premise for repair or service. There is likewise no storage of these devices outside of their resident locations inside the gas chromatography equipment.

The physical area where the electron capture containing gas chromatographs are kept, used, etc. is secured by key and alarm. The NRC Notice to Employees, Form 3, is posted as required.


Item #10:

ICM's radiation safety program consists of proper maintenance of the Gas Chromatographs containing the electron capture detectors by approved personnel. Whenever service considerations involving the electron capture detectors arise, these matters are handled by Hewlett Packard. ICM performs routine wipe tests to insure the integrity of the electron capture detectors and maintains these records. Since, we do not open or expose the source material, we have no special facility, equipment or personnel to do so.

Item #11:

To date, we have never disposed of any electron capture detector and all are operational. Were disposal required, the electron capture detector being disposed of would be transmitted to Hewlett Packard for final disposal.

I certify that all of the above information is correct.



Richard S. Levine
President
February 20, 1996

MATERIALS LICENSE

Amendment No. 02

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee

1. Industrial Corrosion Management, Inc.

2. 1152 Route 10
Randolph, New Jersey 07869

In accordance with letter dated
January 16, 1991,
3. License number 29-19571-01 is amended in
its entirety to read as follows:

4. Expiration date April 30, 1996

5. Docket or
Reference No 030-178986. Byproduct, source, and/or
special nuclear material7. Chemical and/or physical
form8. Maximum amount that licensee
may possess at any one time
under this license

A. Nickel 63

A. Plated sources or foils

A. Not to exceed 20
millicuries per source
and 200 millicuries total

9. Authorized use

A. For use in electron capture detectors in gas chromatographs which are distributed
under a license issued by the Nuclear Regulatory Commission or an Agreement State.

-CONDITIONS-

10. Licensed material may be used only at the licensee's facilities at 1152 Route 10, Randolph, New Jersey.
11. A. Licensed material shall be used by, or under the supervision of,
Richard Levine and Elizabeth Price.
B. The Radiation Safety Officer for this license is Richard Levine.
12. Sealed sources or detector cells containing licensed material shall not be opened or
sources removed from source holders or detector cells by the licensee.
13. A. Sealed sources and detector cells shall be tested for leakage and/or
contamination at intervals not to exceed 6 months or at such other intervals
as are specified by the certificate of registration referred to in 10 CFR 32.210,
not to exceed 3 years.
B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit
alpha particles shall be tested for leakage and/or contamination at intervals not
to exceed 3 months.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

29-19571-01

Docket or Reference number

030-17898

Amendment No. 02

(13. continued)

CONDITIONS

- C. In the absence of a certificate from a transferor indicating that a test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- D. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
- E. Sealed sources and detector cells need not be leak tested if:
- (i) they contain only hydrogen 3; or
 - (ii) they contain only a gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. Records of leak test results shall be kept in units of microcuries and shall be maintained for inspection by the Commission. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source shall be removed from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source involved, the test results, and corrective action taken.
- G. The licensee is authorized to collect leak test samples for analysis by Hewlett-Packard. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

29-19571-01

Docket or Reference number

030-17898

Amendment No. 02

(Continued)

CONDITIONS

14. In lieu of using the conventional radiation caution colors (magenta or purple on yellow background) as provided in 10 CFR 20.203(a)(1), the licensee is hereby authorized to label detector cells and cell baths, containing licensed material and used in gas chromatography devices, with conspicuously etched or stamped radiation caution symbols.
15. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory.
16. Maintenance, repair, cleaning, replacement and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the Commission or an Agreement State to perform such services.
17. The licensee shall not acquire licensed material in a sealed source or in a device that contains a sealed source unless the source or device has been registered with the Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.
18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated September 20, 1985
 - B. Letter dated February 4, 1986
 - C. Letter dated February 24, 1986
 - D. Letter dated January 16, 1991

Date APR 19 1991

For the U.S. Nuclear Regulatory Commission

Original Signed By:
JoAnn V. Stambaugh

By

Nuclear Materials Safety Branch
Region I
King of Prussia, Pennsylvania 19406

Industrial Corrosion Management, Inc.
1152 Route 10
Randolph, NJ 07869
201-584-0330
FAX: 201-584-0515
January 16, 1991

Materials Licensing Section
Nuclear Regulatory Commission
Region 1 Office
475 Allendale
King of Prussia, PA 19406

Dear Sir:

We wish to renew our license number 29-19571-01 which expires 4/30/91. Enclosed please find our check in the amount of \$400.00 representing the 3P fee. There are absolutely no changes to our existing license. A copy of the current license is enclosed.

If there are any questions, please call.

Very truly yours,

Richard S. Levine
President

RSL/sa
Enc.



INDUSTRIAL
CORROSION
MANAGEMENT
INCORPORATED

1152 ROUTE 10, RANDOLPH, NEW JERSEY 07869 201-584-0330

February 4, 1986

Mr. John D. Kinneman, Chief
Nuclear Materials Safety Section A
Division of Radiation Safety and Safeguards
Nuclear Regulatory Commission Region 1
631 Park Avenue
King of Prussia, PA 19406

Dear Mr. Kinneman:

I am in receipt of your letter dated January 30, 1986. This refers to:

License No. 29-19571-01
Docket No. 030-17898
Control No. 104421

In reply to your specific question let me offer the following.

1. The manufacturer of the foil source is Hewlett Packard. For the model 5840 GC, it is their part number 18713-80020. For the model 5890 GC, it is number 19235-60530.
2. Each foil source contains 15 mCi of Nickel 63.
3. The detector cell is made by Hewlett Packard. For the 5840 GC, it is model number 18803-60520; for the 5890 GC, it is model number 19233B.
4. The two gas chromatographs are made by Hewlett Packard. They are models 5840 and 5890.
5. The instruments are in our GC laboratory. This room is accessible only to authorized personnel and is locked when persons are not physically present.
6. The leak check is performed once every six months.

If you have further questions, please advise.

Very truly yours,

Richard S. Levine
President

RSL/sa



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
631 PARK AVENUE
KING OF PRUSSIA, PENNSYLVANIA 19406

JAN 30 1986

License No. 29-19571-01
Docket No. 030-17898
Control No. 104421

Industrial Corrosion Management Incorporated
ATTN: Richard Levine
President
1152 Route 10
Randolph, New Jersey 07869

Dear Mr. Levine:

This is in reference to your application dated September 20, 1985 to renew License No. 29-19571-01. In order to continue our review, we need the following additional information:


1. Identify the manufacturer and model number of the foil source that will be used in the gas chromatography devices.
2. Specify the amount of radioactive material that will be in each foil source.
3. Identify the manufacturer and model number of the detector cell that will be used in the gas chromatograph devices.
4. Identify the manufacturer and model number of the gas chromatograph devices.
5. State that the room laboratory, or area in which the device is located will be (1) accessible only to persons authorized to use the device and (2) locked when an authorized person is not physically present.
6. Specify the intervals at which leak testing will be performed.

We will continue our review upon receipt of this information. Please reply in duplicate to my attention at the Region I office and refer to Mail Control No. 104421.

In order to continue prompt review of your application, we request that you submit your response to this letter within 30 calendar days from the date of this letter.

If we do not receive a reply from you within 30 calendar days from the date of this letter, we shall assume that you do not wish to pursue your application.

Sincerely,

A handwritten signature in dark ink, appearing to read "John D. Kinneman". The signature is fluid and cursive, with a long horizontal stroke at the end.

John D. Kinneman, Chief
Nuclear Materials Safety Section A
Division of Radiation Safety
and Safeguards



**INDUSTRIAL
CORROSION
MANAGEMENT
INCORPORATED**

1152 ROUTE 10, RANDOLPH, NEW JERSEY 07869 201-584-0330

September 20, 1985

Byproducts material license under section 3P
License number 29-19571-01
Expiration date 12/31/85

We have in our possession 2 Nickel 63 sources for Electron Capture detectors in Hewlett Packard Gas Chromatographs. The original source was purchased in 1980 and the second source was recently purchased in July, 1985.

Our personnel handling the GC's are familiar with the technology. The detectors will be checked routinely using the EC wipe kit purchased from Hewlett Packard. It is their part number 18713-60050.

Any actual cleaning of the device will be performed by the manufacturer directly. The ultimate disposition of the detectors will also be handled by Hewlett Packard. These are sealed cell units.

The specific wipe check procedure is supplied with the wipe kit itself.

The person responsible for the detectors is Richard Levine. Backup person is Elizabeth Price. Both will outline proper procedures regarding the sources to users.



INDUSTRIAL
CORROSION
MANAGEMENT
INCORPORATED

1152 ROUTE 10, RANDOLPH, NEW JERSEY 07869 201-584-0330

September 20, 1985

US NUCLEAR REGULATORY COMMISSION,
Region 1
Nuclear Material Section B
631 Park Avenue
King of Prussia, PA 19406


Dear Sir:

We wish to renew our License No. 29-19571-01 which is scheduled to expire 12/31/85. This is your program code 03123.

The requested documentation is enclosed along with the required fee of \$120.00 for Byproducts Section 3P.

If there are any questions, please advise.

Very truly yours,


Richard S. Levine
President

RSL/sa
Enc.

APPLICATION FOR MATERIAL LICENSE

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

FEDERAL AGENCIES FILE APPLICATIONS WITH:

U.S. NUCLEAR REGULATORY COMMISSION
DIVISION OF FUEL CYCLE AND MATERIAL SAFETY, NMSS
WASHINGTON, DC 20555

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS, IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION I
NUCLEAR MATERIAL SECTION B
831 PARK AVENUE
KING OF PRUSSIA, PA 19406

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION II
MATERIAL RADIATION PROTECTION SECTION
101 MARIETTA STREET, SUITE 2900
ATLANTA, GA 30323

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION III
MATERIALS LICENSING SECTION
799 ROOSEVELT ROAD
GLEN ELLYN, IL 60137

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
MATERIAL RADIATION PROTECTION SECTION
811 RYAN PLAZA DRIVE, SUITE 1000
ARLINGTON, TX 75011

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON, AND U.S. TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION V
MATERIAL RADIATION PROTECTION SECTION
1450 MARIA LANE, SUITE 210
WALNUT CREEK, CA 94696

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTION.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- ☐ A. NEW LICENSE
☐ B. AMENDMENT TO LICENSE NUMBER _____
☒ C. RENEWAL OF LICENSE NUMBER 29-19571-01

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip Code)

Industrial Corrosion Management, Inc.
1152 Route 10
Randolph, NJ 07869

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED.

same

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Richard Levine

TELEPHONE NUMBER

201-584-0330

SUBMIT ITEMS 5 THROUGH 11 ON 8 1/2 x 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL

a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE.

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

9. FACILITIES AND EQUIPMENT.

10. RADIATION SAFETY PROGRAM.

11. WASTE MANAGEMENT.

12. LICENSEE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY 3P Byproducts AMOUNT ENCLOSED \$ 120.00

13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, AND 40 AND THAT ALL INFORMATION CONTAINED HEREIN, IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948, 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

SIGNATURE—CERTIFYING OFFICER

TYPED/PRINTED NAME

Richard Levine

TITLE

President

DATE

9/20/85

14. VOLUNTARY ECONOMIC DATA

A. ANNUAL RECEIPTS

<\$250K	\$1M-3.5M
\$250K-500K	\$3.5M-7M
\$500K-750K	\$7M-10M
\$750K-1M	>\$10M

B. NUMBER OF EMPLOYEES (Total for entire facility excluding outside contractors)

C. NUMBER OF BEDS

D. WOULD YOU BE WILLING TO FURNISH COST INFORMATION (dollar and/or staff hours) ON THE ECONOMIC IMPACT OF CURRENT NRC REGULATIONS OR ANY FUTURE PROPOSED NRC REGULATIONS THAT MAY AFFECT YOU? (NRC regulations permit to protect confidential commercial or financial—proprietary—information furnished to the agency in confidence)

YES

NO

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	COMMENTS	APPROVED BY
AMOUNT RECEIVED	CHECK NUMBER			DATE

PRIVACY ACT STATEMENT

Pursuant to 5 U.S.C. 552a(e)(3), enacted into law by section 3 of the Privacy Act of 1974 (Public Law 93-579), the following statement is furnished to individuals who supply information to the Nuclear Regulatory Commission on NRC Form 313. This information is maintained in a system of records designated as NRC-3 and described at 40 Federal Register 45334 (October 1, 1975).

1. **AUTHORITY:** Sections 81 and 161(b) of the Atomic Energy Act of 1954, as amended (42 U.S.C. 2111 and 2201(b)).
2. **PRINCIPAL PURPOSE(S):** The information is evaluated by the NRC staff pursuant to the criteria set forth in 10 CFR Parts 30, 32, 33, 34, 35 and 40 to determine whether the application meets the requirements of the Atomic Energy Act of 1954, as amended, and the Commission's regulations, for the issuance of a radioactive material license or amendment thereof.
3. **ROUTINE USES:** The information may be (a) provided to State health departments for their information and use; and (b) provided to Federal, State, and local health officials and other persons in the event of incident or exposure, for their information, investigation, and protection of the public health and safety. The information may also be disclosed to appropriate Federal, State, and local agencies in the event that the information indicates a violation or potential violation of law and in the course of an administrative or judicial proceeding. In addition, this information may be transferred to an appropriate Federal, State, or local agency to the extent relevant and necessary for an NRC decision or to an appropriate Federal agency to the extent relevant and necessary for that agency's decision about you.
4. **WHETHER DISCLOSURE IS MANDATORY OR VOLUNTARY AND EFFECT ON INDIVIDUAL OF NOT PROVIDING INFORMATION:** Disclosure of the requested information is voluntary. If the requested information is not furnished, however, the application for radioactive material license, or amendment thereof, will not be processed. A request that information be held from public inspection must be in accordance with the provisions of 10 CFR 2.790. Withholding from public inspection shall not affect the right, if any, of persons properly and directly concerned need to inspect the document.
5. **SYSTEM MANAGER(S) AND ADDRESS:** U.S. Nuclear Regulatory Commission
Director, Division of Fuel Cycle and Material Safety
Office of Nuclear Material Safety and Safeguards
Washington, D.C. 20555

ACTION: R TABLEID: ARHT USERID: AL30

*** RECEIVABLE HEADER INQUIRY TABLE ***

KEY IS TRANS CODE, DOC NUM

TRANS CODE: LD DOC NUM: AM1220-95

DOC TYPE:

DOCUMENT DATE: 07 22 95

COMMENTS:

PAYER CODE/NAME: 291957101 L / INDUSTRIAL CORROSION MGMT., IN

ADDRESS: 1152 RT. 10

CITY: RANDOLPH

STATE: NJ ZIP: 07869 -

COLL DUE DATE: 08 21 95	LAST BILL DATE/AMT: 07 22 95 /	1,700.00
PRINT BILL: E	BILL PRINT DATE: 07 22 95	BILLED AMT: 1,700.00
INT RATE: 5.000	INT APPLY DATE:	INTEREST AMT: 0.00
TEXT TYPE: ADM	CHGS APPLY DATE:	ADM CHGS AMT: 0.00
WAIVER FLAG:	PEN APPLY DATE:	PENALTY AMT: 0.00
DUNNING COUNT: 00	LAST DUN DATE:	TOTAL AMT: 1,700.00
OVERDUE STATUS:	OVERDUE DATE:	COLLECTED AMT: 1,700.00
		OUTSTANDING BALANCE: 0.00
WRITE-OFF FLAG:	WRITE-OFF DATE:	AGREEMENT NUM: 0.00
WRITE-OFF REASON:	WRITE-OFF AMT:	CASE HISTORY FLAG: Y
DOC CLOSING DATE: 07 22 95		CLOSED DOCUMENT AMT: 1,700.00
OVERPAYMENT CAUSE:		REPRINT BILL AMT: 0.00

DIVISION OF ACCOUNTING AND FINANCE REQUEST FOR REFUND TO EMPLOYEE/VENDOR

JUN 11 1996

THE EMPLOYEE/VENDOR IDENTIFIED BELOW HAS OVERPAID THE NUCLEAR REGULATORY COMMISSION FOR GOODS AND/OR SERVICES PROVIDED AND IS DUE A REFUND

EMPLOYEE/VENDOR/PAYEE CODE: _____

NAME: INDUSTRIAL CORROSION MANAGEMENT, INC.

ADDRESS: ATTN: RICHARD S. LEVINE

ADDRESS: 1152 ROUTE 10

CITY: RANDOLPH STATE: NJ ZIP: 07869

TRANS CODE: PX

TRANS TYPE: FE FUND: X5280 JOB CODE: _____ AMOUNT: \$720.00

TRANS TYPE: IR FUND: R1435 JOB CODE: INTR AMOUNT: _____

TRANS TYPE: IR FUND: R1099 JOB CODE: ADCH AMOUNT: _____

TRANS TYPE: IR FUND: R1099 JOB CODE: FINE AMOUNT: _____

TOTAL REFUND AMOUNT: \$720.00

COMMENTS: LIC 29-19571-01 5 YR EXT/CK 21818/RFND

(Limit comments to 40 characters, including spaces)

PREPARED BY: Brenda Brown DATE: 5/20/96

AUTHORIZED BY: Sandra Kimberley DATE: 6/11/96

ORIGINAL INV. NO: _____ DATE PAID: _____ AMOUNT: _____

REFUND ENTERED INTO COLLECT BY: _____

REFUND DETERMINED BY: _____ DATE: _____

PLEASE ATTACH APPROPRIATE SUPPORTING DOCUMENTATION

MAR 5 1996
APPL DTD 2/20/96
REN 3P Fmt 15 \$720.00
SUBMITTED \$720.00
LICENSE EXTENDED BY RULEMAKING
(122922)

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

: (FOR LFMS USE)
: INFORMATION FROM LTS
: -----
: PROGRAM CODE: 03123
: STATUS CODE: 2
: FEE CATEGORY: 3P
: EXP. DATE: 19960430
: FEE COMMENTS: -----
: DECOM FIN ASSUR REQD: N
: ::::::::::::::::::::::::::::::

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: INDUSTRIAL CORROSION MANAGEMENT, IN
RECEIVED DATE: 960223
DOCKET NO: 3017898
CONTROL NO.: 122922
LICENSE NO.: 29-19571-01
ACTION TYPE: RENEWAL

2. FEE ATTACHED

AMOUNT: \$720.00
CHECK NO.: 21818

3. COMMENTS

SIGNED
DATE

M. A. Perkins
3/14/96

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED 1 ✓)

1. FEE CATEGORY AND AMOUNT: 3P \$720

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:
AMENDMENT -----
RENEWAL ✓ -----
LICENSE -----

3. OTHER -----

SIGNED
DATE

Burns
3/13/96

Log	<u>Mar 5</u>
Remitter	
Check No.	<u>21818</u>
Amount	<u>\$720</u>
Fee Category	<u>3P</u>
Type of Fee	<u>REN</u>
By	<u>3/12/96</u> <u>Burns</u>

5/24/96
License extended 5 years by
rulemaking. Licensee refunded
renewal fee of \$720.

BA

1996 MAR -7 AM 11:38