

IE-07  
PUBLIC

June 13, 1996


Garianne Howard  
Regional Radiation Program  
EPA Region 7  
U.S. Environmental Protection Agency  
726 Minnesota Avenue  
Kansas City, KS 66101

Dear Ms. Howard:

In accordance with the 1992 Memorandum Of Understanding between the Nuclear Regulatory Commission (NRC) and the Environmental Protection Agency (EPA), I am enclosing the EPA Referral Form(s) on air emissions from a licensee recently inspected by NRC Region III staff. Should you require any additional information regarding the details of the air emissions, the resulting doses, or the methods used to obtain these doses, please refer these inquiries to the licensee representative indicated in the "Contact" entry on the Form. No violations associated with air effluents were identified during our inspection.

Please contact this office at (708) 829-9806 if you have any other questions regarding the inspection findings.

Sincerely,



Monte Phillips, Chief  
Nuclear Materials Inspection  
Branch 2

License No. 24-17205-01  
Docket No. 030-12360

Enclosure: As stated

cc w/encl: J. Piccone, NMSS

bcc w/encl: R. Lickus

DOCUMENT NAME: G:\LTRS2LIC\MTLS\030\96312360.EPA

To receive a copy of this document, indicate in the box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

OFFICE	DNMS/RIII	C	DNMS/RIII	N						
NAME	RHAYS:jaw	MPHILLIPS								
DATE	06/13/96	06/14/96								

OFFICIAL RECORD COPY

9606240290 960613  
PDR ADOCK 03012360  
C PDR

INSPECTION REFERRAL FORM

To: Regional Radiation Program Manager, Environmental Protection Agency  
(see address of regional office on the back of the form)

From: Nuclear Regulatory Commission, Region III

Inspector: Robert P. Hays

Phone: (708) 829-9819

Inspection Date: May 23, 1996

License No: 24-17205-01

Licensee: Freeman Hospitals and Health System

Contact: Kevin Atkins, Manager  
Nuclear Medicine Department

Phone: (417) 623-2801

Address: 1102 West 32nd Street  
Joplin, MO 64804

Licensee's ALARA goal if greater than 20% of Appendix B, Part 20:

\_\_\_\_\_ % Appendix B, Part 20 ( \_\_\_\_\_ mrem) **Not applicable**

If >20% Appendix B. has NRC approved this goal? \_\_\_\_\_ (Yes) \_\_\_\_\_ (No)

Classification of Effective Dose Equivalent:

Above licensee's ALARA goal? \_\_\_\_\_ (Yes) ☒ (No)

Above NRC Regulatory Guide 8.37 ALARA Goal?  
[100  $\mu$ Sv/yr (10 mrem/yr)] \_\_\_\_\_ (Yes) ☒ (No)

Insufficient information to estimate dose? \_\_\_\_\_ (Yes) ☒ (No)