



Bonney Forge

Gulf + Western Manufacturing Company

201 West Mount Street, Carlinville, Illinois 62626
(217) 854-9611, TWX: 910-663-2651

May 14, 1984

Bonney Forge Part 21

Director, Office of Inspection and Enforcement
U. S. Nuclear Regulatory Commission
Washington, D.C. 20555

Attn: Dr. W. F. Anderson
M.S. 359E/W

Dear Sir:

Enclosed is the entire list of Bonney Forge heat numbers affected by reference to my notification letter of 2/15/84. Some of the heat numbers may repeat throughout the attachments as these are the lists sent to each individual customer.

The heat numbers highlighted in yellow have been either returned to us unused or satisfactorily dispositioned as of this date by the end user; ie, a backup chemical analysis or exempted by Para. NX2610 of ASME Section III.

Also enclosed is one of our product catalogs showing the commodities we furnish per your request.

If there are any further questions or comments please do not hesitate to call.

Very truly yours,

D. L. Kale
Quality Control Manager

cc: P.R. Benavides
D. Ketrin

8504110545 840514
PDR PT21 EMVBONF
84 PDR

IE 19
1/1
RETURN OR 6 TO
W. F. Anderson
Eulke-359

9

Q

5

[illegible]

L. P. Canuso

84

Capitol Pipe & Steel

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
1753	36	10	604BB ✓	F316	11023-00N	2" 6000# Coup.
"	41	63	119DD ✓	F316	"	2" 3000# Cap
1844	34	19	119DD ✓	F316	89518-00	2 x 1/2 3000# Red. Thrd
"	27	19	119DD ✓	F316	"	2 x 1/2 3000# SW Red.
"	36	50	664BB ✓	F316	"	1/4 Hex Hd. Plug
"	32	7	324BB ✓	F316	"	1 1/4 x 1/2 3000# Red.
"	27	14	119DD ✓	F316	"	2 x 1/2 3000# Red.
"	20	4	665BB ✓	F304	"	3/4 Hex Hd. Plug
2366	14	30	247DD ✓	F304	D-10537-75N	3 x 2 3000# Red.
2537	10	2	323BB ✓	F304	D-10564-75	3 x 2 3000# Red. Coup.
"	10	22	247DD ✓	F304	"	"
2829	15	100	283DD ✓	F316	14030-00N	2" 3000# Coup.
3400	7	4	348BB ✓	F304	D12185-75N	14-12 x 4 Std. WOL
4440	42	4	354BB ✓	F304L	D15433-00N	Flat x 2 3000# SOL
"	44	2	420BB ✓	F304L	"	Flat x 1 3000# SOL
4462	4	10	900Z ✓	LF2	D12258-75N	3/4 x 1/2 3000# SW Red.
"	5	10	900Z ✓	LF2	"	3/4 3000# SW Boss
"	1	10	900Z ✓	LF2	"	3/4 x 1/2 3000# Red. Cou
"	2	10	900Z ✓	LF2	"	3/4 3000# Boss
4979	33	28	BV61 ✓	F316	D18323-75N	3/4 x 1/2 3000# TOL
"	34	24	BV61 ✓	F316	"	8-3 x 1/2 3000# TOL
5319	63	4	BG72 ✓	A105	D16760-00N	3 1/2 x 1/2 XS NOL 3000
5435	43	2	823X ✓	F304	D16760-00N Add	8-3 x 1/2 XH WOL
5594	14	10	BV61 ✓	F316	D16786-00N	1 x 1/2 3000# TOL
6422	64	2	BX45 ✓	A105	D18177-00N	5 x 2 6000# NOL
"	63	2	BX45 ✓	A105	"	4 x 2 6000# NOL
"	66	2	BX45 ✓	A105	"	10-8 x 2 6000# NOL
"	65	2	BX45 ✓	A105	"	6 x 2 6000# NOL

Capitol Pipe & Steel

132
2/20/9

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
6422	44	2	BU94 ✓	A105	D18177-00N	2-1 1/4 x 1/2 6000# NOL
"	43	2	BU94 ✓	A105	"	1-3/4 x 1/2 6000# NOL
"	59	2	BX35 ✓	A105	"	5-4 x 1 1/2 6000# NOL
"	56	2	BX35 ✓	A105	"	2 x 1 1/2 6000# NOL
"	58	2	BX35 ✓	A105	"	3 1/2-3 x 1 1/2 NOL
"	57	2	BX35 ✓	A105	"	2 1/2 x 1 1/2 6000# NOL
"	4	2	BG72 ✓	A105	"	1 1/2-1 1/4 x 1/2 3000# NOL
"	2	2	BG72 ✓	A105	"	3/4 x 1/2 3000# NOL
"	3	2	BG72 ✓	A105	"	1 x 1/2 3000# NOL
"	5	2	BG72 ✓	A105	"	2 1/2-2 x 1/2 3000# NOL
"	32	2	BJ57 ✓	A105	"	4-3 1/2 x 1 1/2 3000# NOL
"	35	2	BJ57 ✓	A105	"	12-8 x 1 1/2 3000# NOL
"	30	2	BJ57 ✓	A105	"	2 1/2 x 1 1/2 3000# NOL
"	31	2	BJ57 ✓	A105	"	3 x 1 1/2 3000# NOL
"	33	2	BJ57 ✓	A105	"	5 x 1 1/2 3000# NOL
"	45	2	BJ57 ✓	A105	"	6-2 1/2 x 1/2 6000# NOL
"	6	2	BG72 ✓	A105	"	8-3 x 1/2 3000# NOL
"	42	2	BJ52	A105	"	10-8 x 2 3000# NOL
"	29	2	BJ57 ✓	A105	"	2 x 1 1/2 3000# NOL
"	34	2	BJ57 ✓	A105	"	6 x 1 1/2 3000# NOL
6457	17	14	BG72 ✓	WPB	D18189-00N	1 x 1/2 3000# NOL
"	16	18	BG72 ✓	WPB	"	"
6784	1	2	685Z ✓	F304L	D19200-00N	12-8 x 1 1/2 3000# SOL
6882	1	6	804X ✓	F304	D23019-00N	2 x 1/2 XS WOL
8127	1	12	182A ✓	LF2	D23780-00N	1 1/2 3000# Thrd. Cap
9005	2	6	CG77 ✓	A105	D23819-00N	1 1/2 3000# Union Nut
"	2A	6	CG77 ✓	A105	"	"
9040	21	24	329B ✓	F304	D23775-00Q	1 1/2 x 1 3000# Boss

Capitol Pipe & Steel

84 710

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
9040	1	6	188B ✓	C20	D23775-00Q	2 x 1 1/4 3000# Boss
"	2	6	188B ✓	C20	"	1 1/2 x 1 1/4 3000# Bos
"	26	1	546A ✓	F316	"	1 1/2 x 3/4 6000# SOL
9058	1	2	BR22 ✓	F304	D23135-75N	36-12 x 1 WOL
9365	87	6	378B ✓	F316L	D23222-75N	1 x 1/2 3000# TOL
"	88	4	378B ✓	F316L	"	2 1/2-2 x 1/2 3000# TOL
"	77	74	378B ✓	F316L	"	8-3 x 1/2 3000# SOL
"	76	6	378B ✓	F316L	"	2 1/2-2 x 1/2 3000# SOL
9460	67	6	562A ✓	F316L	D24486-75N	36-14 x 3/4 3000# SOL
"	66	1	562A ✓	F316L	"	12-6 x 3/4 3000# SOL
"	63	4	562A ✓	F316L	"	8-3 x 1/2 3000# TOL
"	67	6	562A ✓	F316L	"	36-14 x 3/4 3000# SOL
9686	16	15	434B ✓	F304L	I-24670-00N	12-6 x 3/4 3000# SOL
"	17	8	434B ✓	F304L	"	5-3 x 3/4 3000# SOL
"	19	3	436B ✓	F304L	"	10-6 x 1 3000# TOL
"	20	3	436B ✓	F304L	"	2 x 1 3000# TOL
9723	10	3	329B ✓	F304	D24720-00N	8 x 3/4 3000# SOL
"	2	2	329B ✓	F304	"	3/4 3000# Boss (45° bevel)
9750	5	4	484B ✓	F304	D24698-00N	36-1 1/4 x 1/2 WOL
"	6	8	329B ✓	F304	"	3 x 1/2 WOL
"	2	200	484B ✓	F304	"	2 1/2-2 x 1/2 Std. WOL
0020	2	15	547B ✓	F316L	D27103-00N	2 1/2-2 x 1/2 3000# SOL
"	1	15	547B ✓	F316L	"	1 x 1/2 3000# SOL
0167	5	24	552B ✓	F304	D26646-75N	2 x 1 1/2 3000# SOL
"	11	24	556B ✓	F316	"	2 x 3/4 6000# SOL
0237	3	250	651B ✓	F316	D27218-00N	1" 6000# H/Coup.
0398	1	6	642B ✓	F316	D27872-00N	4 x 1 1/2 3000# SOL
0422	1	8	642B ✓	F316L	D26697-75N	3 1/2-3 x 1 1/4 6000# SOL

465

13

Chicago Tube & Iron

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
5367	3	2	666Z ✓	F304	V18052	4 x 1 3000# SOL
7732+1	35	1	546A ✓	F316	N00305	1 x 3/4 6000# SOL
7732	29	5	546A ✓	F316	"	12-6 x 3/4 3000# SOL
"	28	5	546A ✓	F316	"	10-3 x 3/4 6000# SOL
"	20	5	546A ✓	F316	"	5-3 x 3/4 3000# SOL
"	27	5	546A ✓	F316	"	2 1/2-1 1/4 x 3/4 6# SOL
"	21	5	546A ✓	F316	"	1 x 3/4 6000# SOL
"	25	5	546A ✓	F316	"	16 x 1/2 3000# SOL
"	3	1	496Z ✓	F316	"	20-12 x 2 6000# SOL
"	3	4	110A ✓	F316	"	"
9752	1	2	488B ✓	F304	N00431	2 1/2 x 2 6000# SOL
"	6	12	488B ✓	F304	"	3 x 2 6000# SOL
"	9	12	488B ✓	F304	"	4 x 2 6000# SOL
"	10	5	381B ✓	F304	"	6 x 2 6000# SOL
"	1	4	381B ✓	F304	"	2 1/2 x 2 6000# SOL
"	12	5	381B ✓	F304	"	10-8 x 2 6000# SOL
"	12	1	470A ✓	F304	"	10-8 x 2 6000# SOL
"	1	2	690B ✓	F304	"	2 1/2 x 2 6000# SOL
"	3	12	690B ✓	F304	"	4 x 2 6000# SOL
"	10	1	381B ✓	F304	"	6 x 2 6000# SOL
9805	8	6	488B ✓	F304	N00437	10-8 x 2 6000# SOL
"	13	6	438B ✓	F304	"	12-6 x 3/4 NOL
"	12	12	438B ✓	F304	"	5-3 x 3/4 NOL
0391	1	1	651B ✓	F316	N00487	10 x 3/4 6000# SOL
0520	17	9	582B ✓	F304	N00508	10-3 x 3/4 NOL
"	17	1	582B ✓	F304	"	10-3 x 3/4 NOL

Dravo Corp.

3

EPG Engineered Systems (Paola)

[illegible]

$\backslash$ [illegible]

Gulfalloy

209

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
1976	2	28	270DD ✓	90/10	22-27-13836	2" 3000# 90° Ell
3650	11	4	597DD ✓	F304L	22-27-15832	1 1/2 3000# 90° Ell
3807	16	20	160A ✓	F304	22-27-17360	2 FPT x 1 1/2 Coup.
4633	4	9	960Z ✓	F316	22-27-17385	4 x 1 3000# SOL
5263	18	3	588Z ✓	F304	22-27-18504	3 x 3/4 3000# SOL
7023	4	8	964Z ✓	F11	29-27-909384	10-3 x 3/4 6000# SOL
0249	6	40	585B ✓	F304	22-27-24309	1" 6000# SW Boss
"	2	10	552B ✓	F304	22-27-24309	1 1/2 6000# Boss
"	3	10	585B ✓	F304	"	1" 6000# Boss
"	2	9	552B ✓	F304	"	1 1/2 6000# SW Boss
0478	1	1	BM58 ✓	F304	29-27-902840	3 x 1 6000# SOL
0732	1	1	580B ✓	F304	29-27-903191	1 1/2 NPT x 1 SW Red. Ir
"	1	2	585B ✓	F304	29-27-903191	"
0850	1	16	585B ✓	F304	29-22-90334	3 x 1 S40 LOL
0923	1	6	245C	F304	29-27-903644	3/4 Spec. H/Coup.
0941	1	1	585B ✓	F304	29-27-900193	2 x 1 3000# SW LOL
1358	1	20	246C	F304	29-27-903628	3/4 Spec. Boss
8960	1	1	168AA ✓	F304	22-27-04174 Repl.	16 x 4 Std. WOL
7967	4	3	411K ✓	F304	21-27-00403-4B	1" 3000# Coup.
9346	65	5	BX34 ✓	A105	21-27-1531	5-3 x 3/4 XS NOL 5 1/2
"	63	5	BX34 ✓	A105	"	36-14 x 3/4 3000# NOL
"	66	5	BX34 ✓	A105	"	2 1/2 x 3/4 3000# NOL
9768	206	2	BN75 ✓	A105	22-27-06774	2" 3000# Boss

125

Guyon Alloys

841

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
7594	2	1	546A ✓	F316	A-34126-NW	3 x 3/4 6000# LOL
8268	349	300	CH50 ✓	A105	A-51563-NW	2 x 1 6000# Reducer
8825	75	30	497DD ✓	A105	A-52084-NW	1/4 6000# Thrd. Cap
9026	49	49	521BB ✓	F304	A-51469	36-14 x 3/4 PE NOL 3 1/2
"	90	20	BU94 ✓	A105	"	6-2 1/2 x 1/2 XXS NOL
"	88	20	BU94 ✓	A105	"	36-8 x 1/2 XXS NOL PE
"	65	50	BG72 ✓	A105	"	8-3 x 1/2 XXS PE NOL
"	66	50	BG72 ✓	A105	"	36-10 x 1/2 XXS PE NOL
"	77	50	BJ57 ✓	A105	"	12-8 x 1/2 XS PE NOL
"	78	50	BJ57 ✓	A105	"	24-14 x 1 1/2 XS PE NOL
"	48	50	521BB ✓	F304	"	12-6 x 3/4 XS PE NOL
"	62	10	491Z ✓	F304	"	10-8 x 2 XS PE NOL 3 1/2
"	62	10	694Z ✓	F304	"	"
"	47	37	521BB ✓	F304	"	5-3 x 3/4 PE NOL 3 1/2
"	49	1	588Z ✓	F304	"	36-14 x 3/4 XS PE NOL
"	93	20	521BB ✓	F304	"	10-3 x 3/4 XXS PE NOL
"	103	19	BK93 ✓	F304	" add #1	2" 3000# SW Coup.
"	91	20	521BB ✓	F304	"	10-3 x 3/4 XXS PE NOL
9026+1	86	20	BU94 ✓	F304	"	36-8 x 1/2 XXS PE NOL
9150	5	10	546A ✓	F316	A-51521-NW	2 1/2 x 3/4 6000# SOL
9284	4	10	388B ✓	M400	A-44669-LAN	1/2 3000# Thrd. Coup.
9609	4	3	546A ✓	F316	A-55531N	2 x 3/4 6000# SOL
9738	8	7	329B ✓	F304	A-53595N	3/4 3000# H/Coupling
"	3	8	BM58 ✓	F304	A-53595N	1 1/2 3000# Coup.
9775	11	1	329B ✓	F304	A-51972-NW	3 x 3/4 S40 LOL
9978	2	2	514B ✓	F11	A-52113-W	8 x 2 3000# SOL
0073	1	3	482B ✓	F316L	A-52155-NW	6 s80 x 3/4 s40 WOL
0361	1	10	587B ✓	F304	A-57266N	3 x 1 S40 BW LOL

248

Guyon Alloys

279

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
0389	12	3	582B ✓	F304	A-62320NW	2 x 3/4 3000# SOL
0538	9	7	639B ✓	F316L	A-56608-BRN	5 x 3/4 3000# SOL
0601	17	10	585B ✓	F304	A-60044-LAN	1 x 3/4 6000# SOL
0662	2	80	163C ✓	F316	A-47701-NC	3 x 1/2 6000# SOL
0700	17	5	585B ✓	F304	A-57619-N	1 1/2 x 1 3000# SOL
"	21	25	582B ✓	F304	"	36-14 x 3/4 3000# SOL
0753	5	20	582B ✓	F304	A-56756-BRN	3 x 1/2 6000# SOL
"	4	10	580B	F304	A-56756-BRN	3 x 1 6000# SOL
0808	21	1	585B ✓	F304	A-57698-N	10-6 x 1 3000# SOL
0877	6	20	246C	F316	A-62689-NW	10 x 3/4 6000# EOL
"	7	3	651B ✓	F316	A-62689-NW	6 x 3/4 6000# EOL
"	7	5	246C	F316	"	" 220
"	7	4	556B ✓	F316	"	"
"	7	8	170C ✓	F316	"	"
0918	1	8	585B ✓	F304	A-47796-NC	10-6 x 1 3000# SOL
"	3	8	585B ✓	F304	"	Flat x 1 3000# SOL
1063	16	2	587B ✓	F304	A-60055-LAN	1 1/2 x 3/4 6000# SOL
"	15	1	587B ✓	F304	"	3 x 1 3000# SOL
1079	5	25	436B ✓	F304L	A-56455-BRN	1 1/2 Rd. Plugs
1239	2	4	188B ✓	A20	A-47683-NC	1" Thrd. Hex Hd. Plugs
"	1	3	107C ✓	A20	"	3/4" Thrd. Hex Hd. Plugs
1266	17	4	170C ✓	F316	A-47698-NC	1 1/2 x 1 3000# SOL
"	27	4	170C ✓	F316	"	2 x 1 Std. WOL
"	28	4	170C ✓	F316	"	2 1/2 x 1 Std. WOL
"	19	7	170C ✓	F316	"	2 1/2 x 1 3000# SOL
"	20	4	170C ✓	F316	"	3 1/2-3 x 1 3000# SOL
"	26	4	170C ✓	F316	"	1 1/2 x 1 Std. WOL

Guyon Alloys

518

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
1266	29	4	170C ✓	F316	A-47698-NC	3 1/2-3 x 1 Std. WOL
"	22	4	557B ✓	F316	"	2 1/2-2 x 1/2 Std. WOL
"	21	4	557B ✓	F316	"	1 1/2- 1 1/4 x 1/2 Std WOL
"	10	4	557B ✓	F316	"	1 1/2-1 1/4 x 1/2 3000 SO
2035	1	3	653B ✓	F304L	A-62803-NW	4 x 2 s80 WOL
9825	15	2	437K ✓	A105	A-22665	18 x 16 Std. WOL
"	14	3	210P ✓	A105	A-22665	16 x 16 Std. WOL
0519	45	1	389AA ✓	A105	A-25409-NW	48 x 30 Std. WOL
2805	164	55	BR57 ✓	A105	A-28539-NW	3/8 6000# Coup.
"	172	55	BR57 ✓	A105	"	3/8 6000# H/Coup.
"	77	60	BN66 ✓	A105	"	3/8 3000# H/Coup.
3389	4	1	387BB ✓	C20	A-34359-NW	1 x 3/4 3000# SOL
3542	1	53	478DD ✓	M400	A-33293-NC	1/2 3000# SW Coup.
"	1	147	479DD ✓	M400	"	1/2 3000# SW Coup. ✓
4162	1	3	342DD ✓	WPB	A-31273-N	10 x 8 XH WOL
4204	1	1	342DD ✓	WPB	A-31305-N	12 x 8 XH WOL
4282	1	1	345DD ✓	A105	A-31377-N	10 x 8 XH WOL
4505	55	4	554Z ✓	F304L	A-34359-NW	2 x 1 3000# SOL
4611	306	25	224A ✓	M400	A-31711-LAN	1 1/2 3000# H/Coup.
4706	1	1	342DD ✓	A105	A-45418-NW	18 x 8 XH WOL
5011	101	10	161A ✓	F304L	A-44917-NW	5-4 x 1 1/4 3000# SOL
"	100	10	161A ✓	F304L	"	3 1/2-3 x 1 1/4 3000# SOL
"	102	10	161A ✓	F304L	"	8-6 x 1 1/4 3000# SOL
"	103	10	161A ✓	F304L	"	18-10 x 1 1/4 3000# SOL
"	104	10	161A ✓	F304L	"	36-20 x 1 1/4 3000# SOL
9026	103	9	BL03 ✓	F304	A-51469 Add #1	2" 3000# SW Coupling ✓

Hub, Inc.

83

[illegible]

ITT Grinnell

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
7476	1	1	546A ✓	F316	KER 15053F	4 x 3/4 6000# SOL
8055	2	2	470A ✓	F304	" 15696F	6 x 2 6000# SOL
8358	4	20	377B ✓	F304L	" 16133	5-3 x 3/4 3000# SOL
8434	2	16	377B ✓	F304L	" 16217	"
8442	1	40	377B ✓	F304L	" 16213F	6 s40 x 3/4 3000# SOL
"	4	8	308B ✓	F304L	" "	4 s80 x 2 3000# SOL
"	2	2	435B ✓	F304L	" "	6 s40 x 1 3000# TOL
8668	1	4	419B ✓	F304L	" 16684	3 x 3/4 3000# SOL
8761	2	4	309B ✓	F22	" 16811	4 x 2 6000# SOL
8898	1	2	309B ✓	F22	" 16983F	4 x 2 6000# SOL
1006	3	6	488B ✓	M400	" 17188	3 x 2 6000# SOL
"	2	10	488B ✓	M400	" 17188	6 x 2 6000# SOL
1332	10	2	653B ✓	F304	" 17496I	3 x 2 3000# SOL
1454	3	2	653B ✓	F304	" 17654P	3 x 2 3000# SOL
9905+1	5	8	486AA ✓	LF2	" 10048	10-3 x 3/4 6000# SOL
0615	1	6	330BB ✓	WPB	" 10969	36 x 18 WOL
1754	5	1	215DD ✓	WPB	" 12446	42 x 30 Std. WOL
2844	5	2	341DD ✓	A105	" 13144	25.75 x 12 WOL
3268	1	10	450BB ✓	F11	13127AD	2 x 1 6000# Insert
5047	1	6	195AA ✓	F304L	KER 13804F	8 x 3 WOL
5496	4	1	686Z ✓	F304L	" 14062F	5-3 x 3/4 3000# SOL
8707	1	8	250AA ✓	WPB	" 8672	24 x 12 WOL
8912	5	4	168AA ✓	F304	" 8996	10 x 14 WOL
8802	2	1	281AA ✓	A105	" 8908	42 x 30 Std. WOL

Robert James

[illegible]

JOLLET VALVES

15

Liberty Equipment

90

McJunkin Corp.

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
7530	1	1	530A ✓	A105	27-91222	12 x 8 s80 WOL
8779	3	50	568A ✓	F316	31-2019700	2 1/2 x 1 6000# SOL
1267	1	6	BX45 ✓	A105	31-34671-00	10-8 x 2 XXS NOL
9003	7	25	BP13 ✓	A105	32-11596 Add 1	3/4 3000# H/Coup. Boss
9067	505	10	BP13 ✓	A105	27-5000	3/4 3000# BOSS
"	530	20	BG46 ✓	A105	"	3/4 3000# Boss
"	432	10	BR85 ✓	A105	"	1 1/2 6000# Boss
"	506	10	BM79 ✓	A105	"	1/2 3000# Boss
"	376	10	BR85 ✓	A105	"	1 1/2 6000# Boss
"	588	10	BJ88 ✓	A105	"	20-12 x 2 6000# NOL 6 1/2
"	589	10	BJ88 ✓	A105	"	6 x 2 6000# NOL 6 1/2
"	594	20	BM65 ✓	A105	"	36-12 x 1 6000# NOL 6 1/2
"	595	30	BM65 ✓	A105	"	10-3 x 1 6000# NOL 6 1/2
"	602	10	BJ95 ✓	A105	"	24-14 x 1 1/2 3000# NOI
"	603	30	BJ95 ✓	A105	"	6-5 x 1 1/2 3000# NOL
"	604	20	BJ95 ✓	A105	"	3 x 1 1/2 3000# NOL 6 1/2
"	590	10	BJ88 ✓	A105	"	3 x 2 6000# NOL 6 1/2
9221	1	24	BM79 ✓	WPB	32-10190	1/2 3000# Boss
"	1	34	BR07 ✓	WPB	"	"
8918	4	10	935X ✓	WP316	32-02674	8-3 x 1/2 WOL
"	3	10	935X ✓	WP316	"	2 1/2-2 x 1/2 WOL
9387	33	4	586P ✓	F304L	27-06438	5-3 x 1 1/2 3000# LOL
"	32	4	586P ✓	F304L	"	12-6 x 1 1/2 3000# LOL
9420	12	10	605P ✓	F11	27-06254	3/4 x 1/2 Red. Insert

Marmon/Keystone

[illegible]

36

35

1

[illegible]

[illegible]

Pullman Power Prod.

U2

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
1105	3220	4	324BB✓	F316	7667-796	1 1/2 x 3/4 6000# Rd.In
"	3179	4	324BB✓	F316	"	"
"	3221	4	324BB✓	F316	"	"
3263	N2704	4	406DD✓	F304L	8087-274	24 x 18 S10 WOL
3619+1	32	2	420BB✓	F304L	8087-304	16 x 1 3000# NOL
"	22	3	420BB✓	F304L	"	24 x 1 3000# NOL
"	31	2	420BB✓	F304L	"	22 x 1 3000# NOL
3619	17	3	598DD✓	F304L	"	24 x 18 S10 WOL
"	18	1	573DD✓	F304L	"	24 s10 x 6 s40 WOL
3643	8	1	420BB✓	F304L	8087-308	1" 3000# H/Coup.
"	4	1	420BB✓	F304L	"	4 s40 x 1 3000# SOL
"	2	2	420BB✓	F304L	"	3 s40 x 1 3000# SOL
3834	11	2	161A✓	F304L	8087-333	3 x 1 1/4 3000# SOL
4494	79	1	354BB✓	F304L	8087-274	10 x 2 3000# SOL
4969	1	1	689A✓	A105	7936-130	8" Spec.Ins.Welded Noz.
5067	10	4	554Z✓	F304L	8087-349	4 x 1 3000# NOL
"	8	1	554Z✓	F304L	"	3 x 1 XS NOL
5191	4	6	161A✓	F304L	8088-196	24 s10 x 1 1/4 3000#SOL
"	1	1	294A✓	F304L	"	24 x 18 WOL
5399	11	1	534Z✓	F304L	8087-374	14 x 1 3000# SOL
5498	N1765	1	161A✓	F304L	8088-209	Flat x 1 1/4 3000# SOL
5751	8	2	161A✓	F304L	8088-216	3 x 1 6000# SOL
6097	2	1	731X✓	F304L	8087-445	3 x 3/8 3000# SOL
"	14	2	354BB✓	F304L	"	3 x 1 1/2 6000# SOL
6922	11	1	BL53✓	A105	8088-305	12 x 1 3000# NOL
"	10	4	BL53✓	A105	"	14 x 1 3000# NOL
6999	34	2	572A✓	F304L	8088-319	12 x 3/4 3000# SOL
"	36	1	572A✓	F304L	"	8 x 3/4 3000# SOL

Pullman Power Prod.

350

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
6999	37	2	572A ✓	F304L	8088-319	8 x 3/4 3000# SOL
8630	32	2	436B ✓	F304L	8088-378	3 x 1 3000# SOL
"	33	1	419B ✓	F304L	"	8 x 3/4 3000# SOL
"	28	5	436B ✓	F304L	"	18 x 1 3000# SOL
"	31	1	495B ✓	F304L	"	3 x 2 3000# SOL
"	30	2	491B ✓	F304L	"	"
"	29	5	436B ✓	F304L	"	18 x 1 3000# NOL
9988	5	2	436B ✓	F304L	8087-0186	3 x 1 3000# SOL
8981	3	2	436B ✓	F304L	8088-441	3 x 1 3000# SOL
"	2	1	436B ✓	F304L	"	"
9236	8	2	329B ✓	F304	8405-1103	1 1/4 x 3/4 Red. Insert
9419	16	1	377B ✓	F304L	8088-361	3 x 3/4 3000# SOL
"	21	15	435B ✓	F304L	"	3 x 1 3000# SOL
"	22	1	377B ✓	F304L	"	3 x 3/4 3000# SOL
"	19	3	308B ✓	F304L	"	3 x 2 3000# SOL
"	3	245	435B ✓	F304L	"	6 x 1 3000# SOL
"	3	15	436B ✓	F304L	"	"
9572	15	1	495B ✓	F304L	8087-0136	6 x 2 3000# SOL
"	6	1	495B ✓	F304L	"	4 x 2 3000# SOL
"	16	2	495B ✓	F304L	"	"
"	3	5	495B ✓	F304L	"	3 x 2 3000# SOL
"	9	16	435B ✓	F304L	"	10 x 1 3000# SOL
"	11	9	435B ✓	F304L	"	4 x 1 3000# SOL
"	10	2	435B ✓	F304L	"	8 x 1 3000# SOL
"	4	2	435B ✓	F304L	"	4 x 1 3000# SOL
"	8	3	435B ✓	F304L	"	3 x 1 3000# SOL
"	7	2	435B ✓	F304L	"	4 x 1 3000# SOL
"	13	2	435B ✓	F304L	"	4 x 1 3000# SOL

344

Pullman Power Prod.

U3

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
9572	18	2	435B ✓	F304L	8087-0136	2 1/2 x 1 3000# SOL
"	13	2	436B ✓	F304L	"	10 x 1 3000# NOL
"	19	4	436B ✓	F304L	"	4 x 1 XS NOL
"	14	4	436B ✓	F304L	"	8 x 1 3000# NOL
9649	1	1	436B ✓	F304L	8087-0152	16 x 1 3000# NOL
"	3	2	436B ✓	F304L	"	3 x 1 3000# SOL
"	4	1	436B ✓	F304L	"	"
"	5	1	436B ✓	F304L	"	4 x 1 3000# SOL
"	7	1	436B ✓	F304L	"	12 x 1 3000# SOL
"	8	1	419B ✓	F304L	"	12 x 3/4 3000# SOL
9650	4	7	495B ✓	F304L	8088-400	3 x 2 3000# SOL
"	11	8	495B ✓	F304L	"	"
"	3	1	495B ✓	F304L	"	14 x 2 3000# SOL
"	4	8	495B ✓	F304L	"	3 x 2 3000# SOL
"	15	2	495B ✓	F304L	"	8 x 2 3000# SOL
"	1	2	436B ✓	F304L	"	8 x 1 SOL
"	2	4	436B ✓	F304L	"	24 x 1 SOL
"	5	1	436B ✓	F304L	"	3 x 1 SOL
"	6	1	419B ✓	F304L	"	3 x 3/4 SOL
"	7	1	436B ✓	F304L	"	8 x 1 SOL
"	8	2	436B ✓	F304L	"	20 x 1 SOL
"	9	1	436B ✓	F304L	"	18 x 1 SOL
"	10	1	436B ✓	F304L	"	4 x 1 SOL
"	12	1	436B ✓	F304L	"	3 x 1 SOL
"	13	1	419B ✓	F304L	"	3 x 3/4 SOL
"	14	1	419B ✓	F304L	"	8 x 3/4 SOL
"	16	1	436B ✓	F304L	"	3 x 1 SOL
9725	1	1	436B ✓	F304L	8087-0159	4 x 1 3000# SOL

U3

Pullman Power Prod.

Job No.	Item No.	Quantity	Heat No.	Mat'l.	Customer P.O.#	Description
9725	12	1	436B ✓	F304L	8087-0159	3 x 1 3000# SOL
"	11	8	436B ✓	F304L	"	3 x 1 3000# SOL
"	2	1	495B ✓	F304L	"	3 x 2 3000# SOL
"	4	1	436B ✓	F304L	"	3 x 1 3000# SOL
"	6	1	436B ✓	F304L	"	3 x 1 3000# SOL
"	7	1	436B ✓	F304L	"	2 1/2 x 1 3000# SOL
"	9	1	436B ✓	F304L	"	3 x 1 3000# SOL
"	10	1	436B ✓	F304L	"	3 x 1 3000# SOL
"	5	2	436B ✓	F304L	"	3 x 1 3000# SOL
9726	4	7	436B ✓	F304L	8088-416	3 x 1 3000# SOL
"	1	1	436B ✓	F304L	"	3 x 1 3000# SOL
"	2	1	436B ✓	F304L	"	"
"	3	1	436B ✓	F304L	"	"
9896	7	1	436B ✓	F304L	8087-0177	2 1/2 x 1 3000# SOL
"	6	1	436B ✓	F304L	"	Flat x 1 3000# SOL
9960	7	1	436B ✓	F304L	8088-425	10 x 1 S40S SOL
"	6	1	436B ✓	F304L	"	3 x 1 3000# SOL
9988	2	1	436B ✓	F304L	8087-0186	8 x 1 S40 NOL
0195	2	2	436B ✓	F304L	8087-0212	3 x 3/4 6000# SOL
"	1	1	436B ✓	F304L	"	8 s40s x 1 3000# SOL
0354	2	1	436B ✓	F304L	8087-0234	12 x 3/4 WOL
0373	2	1	436B ✓	F304L	8087-0236	12 s140 x 3/4 s160 WOL
"	6	1	436B ✓	F304L	"	12 s80 x 1 s60 SOL
"	7	2 ✓	436B ✓	F304L	"	4 x 1 3000# SOL
0517	2	1	436B ✓	F304L	8087-0250	4 x 3/4 6000# SOL
"	3	2	436B ✓	F304L	"	8 x 1 3000# SOL
0687	3	1	435B ✓	F304L	8087-0272	8 x 1 3000# SOL
9592	1	1	617P ✓	WP304	2810-117	3 x 1 1/2 3000# SOL

Reactor Controls

Handwritten cursive letters 'a', 'z', and '3' on a three-line staff.

D. F. SHAW

3

Southwest Fab.

3

Stainless Pipe & Fittings

[illegible]

Source: <http://www.fishbase.org>

[illegible]

Tyler-Dawson

54

BS&B Safety Systems
P.O.Box 45590
Tulsa, OK 74145-0590

Barr Supply
Box 451 RR #1
Channahon, IL 60410

L. P. Canuso
P.O.Box 378
Deptford, N.J. 08096

Capitol Pipe
301 City Line Ave.
Bala-Cynwyd, Pa. 19004

Chicago Tube & Iron
2531 W. 48th St.
Chicago, IL 60632

Consolidated Pipe
P.O.Box 2472
Birmingham, AL 35201

Dodson Steel
P.O.Box 279
Metroatlanta
Ellenwood, GA 30049

Dravo Corp.
1115 Gilman Ave.
Marietta, OH 45750

EPG Engineered Systems
P.O.Box B
Paola, KS 66071

EPG Services
P.O.Box 3031
Houston, TX 77001

Gulfalloy
P.O.Box 52518
Houston, TX 77052

Guyon Alloys
950 S. 4th St.
Harrison, N.J. 07029

Hub, Inc.
2146 Flintstone Dr.
Tucker, GA 30084

Hysen Supply
2425 Hyde Park Blvd.
Niagara Falls, N.Y. 14305

ITT Grinnell
P.O.Box 566
Kernersville, N.C. 27284

Robert James
P.O.Box 1672
Buffalo, N.Y. 14216

Joliet Valves
P.O.Box 400
Minooka, IL

Liberty Equipment
620 East Bruneau
Kennewick, WA 99336

Marmon-Keystone
300 Morgan Center Main St.
Butler, PA. 16001

McJunkin Corp.
P.O.Box 513
Charleston, W.V.

Mutual Manufacturing & Supply
3300 Spring Grove Ave.
Cincinnati, OH 45225

Permutit
1915 Old Philadelphia Pike
Lancaster, PA 17604

Power Piping
829 Beaver Ave.
Pittsburgh, PA 15233

Pullman Power Products
P.O.Box 3308
Williamsport, PA 17701

Reactor Controls
1245 S. Winchester Blvd.
San Jose, CA. 95128

B.F.Shaw
P.O.Box 228
Wilmington, DE 19899

Southwest Fab.
P.O.Box 9449
Houston, TX 77011

Stainless Pipe & Fittings
37 Rogers St.
Cambridge, MA 02142

• Taylor Forge Canada LTD
• Hamilton Branch
P.C.Box 511
• 1675 Burlington St. East
Hamilton, Ontario CANADA L8N3H8

Tubeco, Inc.
123 Varick Ave.
Brooklyn, N.Y. 11237

Tube-Flo
(See Capitol Pipe)

Tyler-Dawson
P.O. Box Drawer X
Admiral Station
Tulsa, OK 74112