

May 15, 1996

1CAN059604

U. S. Nuclear Regulatory Commission Document Control Desk Mail Station P1-137 Washington, DC 20555

Subject:

Arkansas Nuclear One - Unit 1

Docket No. 50-313 License No. DPR-51 Monthly Operating Report

Gentlemen:

The Arkansas Nuclear One - Unit 1 Monthly Operating Report for April 1996 is attached. This report is submitted in accordance with ANO-1 Technical Specification 6.12.2.3.

Very truly yours,

Dwight C. Mims

Director, Nuclear Safety

DCM/eas attachment

200132

9605200336 960430 PDR ADOCK 05000313 R PDR SE24

U. S. NRC May 15, 1996 1CAN059604 Page 2

cc: Mr. Leonard J. Callan
Regional Administrator
U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

NRC Senior Resident Inspector Arkansas Nuclear One P.O. Box 310 London, AR 72847

Mr. George Kalman
NRR Project Manager Region IV/ANO-1 & 2
U. S. Nuclear Regulatory Commission
NRR Mail Stop 13-H-3
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

OPERATING DATA REPORT

DOCKET NO:

50-313

DATE:

May 15, 1996

COMPLETED BY: M. S. Whitt

TELEPHONE:

(501) 858-5560

OPERATING STATUS

1.	Unit Name: Arkansas Nuclear One - Unit 1
2.	Reporting Period: April 1-30
3.	Licensed Thermal Power (MWt): 2,568
4.	Nameplate Rating (Gross MWe): 903
5.	Design Electrical Rating (Net MWe): 850
6.	Maximum Dependable Capacity (Gross MWe): 883
7.	Maximum Dependable Capacity (Net MWe): 836
8.	If Changes Occur in Capacity Ratings (Items Number 3 Through 7) Since Last Report, Give Reasons: N/A
9.	Power Level To Which Restricted. If Any (Net MWe): None
10.	Reasons For Restrictions. If Any: N/A

		MONTH	YR-TO-DATE	CUMULATIVE			
11.	Hours in Reporting Period	719.0	2,903.0	187,290.0			
12.	Number of Hours Reactor was						
	Critical	719.0	2,903.0	139,735.0			
13.	Reactor Reserve Shutdown						
	Hours	0.0	0.0	5,044.0			
14.	Hours Generator On-Line	719.0	2,903.0	137,384.9			
15.	Unit Reserve Shutdown Hours	0.0	0.0	817.5			
16.	Gross Thermal Energy Generated						
	(MWH)	1,842,687	7,276,768	319,750,684			
17.	Gross Electrical Energy						
	Generated (MWH)	642,427	2,532,808	107,102,854			
18.	Net Electrical Energy						
	Generated (MWH)	616,212	2,427,741	101,925,954			
19.	Unit Service Factor	100.0	100.0	73.4			
20.	Unit Availability Factor	100.0	100.0	73.8			
21.	Unit Capacity Factor						
	(Using MDC Net)	102.5	100.0	65.1			
22.	Unit Capacity Factor						
	(Using DER Net)	100.8	98.4	64.0			
23.	Unit Forced Outage Rate	0.0	0.0	10.0			
24.	Shutdowns Scheduled Over Next 6 Mo	nths (Type Date and	Duration of Each)	h			
	Refueling outage 1R13, scheduled to commence September 20, 1996 with an approximate duration of 39						
	days.	January Suprember 1	es, 1999 mili ilii approxim	THE WALLEST OF ST			
25.							
	Startup: N/A	Dominated Dute of					
26.	Units in Test Status (Prior to Commerce	cial Operation):					
20.	None	da operation).					

	rorccast	Acmeved
INITIAL CRITICALITY		08/06/74
INITIAL ELECTRICITY		08/17/74
COMMERCIAL OPERATION		12/19/74

AVERAGE DAILY UNIT POWER LEVEL

DOCKET NO: 50-313

UNIT: One

DATE: May 15, 1996

COMPLETED BY: M. S. Whitt

TELEPHONE: (501) 858-5560

MONTH April 1996

DAY	AVERAGE DAILY POWER LEVEL
	(MWe-Net)

1	***************************************	860
2	***************************************	860
3	********************************	859
4	*************	859
5		860
6	***************************************	859
7	*****************************	859
8	***************	859
9	**********************************	858
10	***********************************	858
11	*************************************	859
12	***: ******************************	858
13	***************************************	857
14	*******************************	855
15	***************************************	858
16	***************************************	859
17	***************************************	857
18	**********************************	857
19	***************************************	856
20	******************************	854
21	***************************************	854
22	*********************************	853
23	**************	854
24	***************************************	855
25	***************************************	855
26	***************************************	857
27		856
28		855
29	***************************************	856
30	*******************************	856

AVGS: 857

INSTRUCTION

On this format, list the average daily unit power level in MWe-Net for each day in reporting month. Complete to the nearest whole megawatt.

UNIT SHUTDOWNS AND POWER REDUCTIONS **REPORT FOR APRIL 1996**

DOCKET NO.

50-313

UNIT NAME

ANO Unit 1

DATE

May 15, 1996 M. S. Whitt

COMPLETED BY TELEPHONE

501-858-5560

SHUTTING DOWN

REASON²

METHOD OF

REACTOR3

LICENSEE EVENT

REPORT#

SYSTEM CODE⁴

COMPONENT CODE5

CAUSE & CORRECTIVE ACTION TO PREVENT RECURRENCE

none

NO.

F: Forced S: Scheduled Reason:

2

A - Equipment Failure (Explain)

B - Maintenance of Test

C - Refueling

DURATION

(HOURS)

TYPE1

DATE

D- Regulatory Restriction

E - Operator Training & License Examination

F - Administration G - Operational Error

H - Other (Explain)

3

4 - Continuation

Exhibit I - Same Source

Exhibit G - Instructions

for Preparation of Data

Entry Sheets for Licensee

Event Report (LER) File (NUREG-0161)

Method: 1 - Manual

2 - Manual Scram. 3 - Automatic Scram.

5 - Load Reduction

9 - Other

NRC MONTILLY OPERATING REPORT OPERATING SUMMARY APRIL 1996 UNIT ONE

The unit operated the entire month of April at 100% power.

Reporting Period: April 1996

REFUELING INFORMATION

- Name of facility: Arkansas Nuclear One Unit 1
- Scheduled date for next refueling shutdown: September 20, 1996 2.
- Scheduled date for restart following refueling: November 4, 1996 3.
- Will refueling or resumption of operation thereafter require a technical specification change or other license amendment? If answer is yes, what, in general, will there be? If answer is no, has the reload fuel design and core configuration been reviewed by your Plant Safety Review Committee to determine whether any unreviewed safety questions are associated with the core reload (Ref. 10CFR Section 50.59)?

Yes, relocate the reactor coolant system (RCS) pressure-temperature protective limits and the variable low RCS pressure trip to the Core Operating Limits Report.

Scheduled date(s) for submitting proposed licensing action and supporting information:

April 1996

Important licensing considerations associated with refueling, e.g., new or different fuel design or supplier, unreviewed design or performance analysis methods, significant changes in fuel design, new operating procedures.

None planned

- The number of fuel assemblies (a) in the core and (b) in the spent fuel storage pool:
 - a) 177
- b) 745
- The present licensed spent fuel pool storage capacity and the size of any increase in licensed storage capacity that has been requested or is planned, in number of fuel assemblies:

present 968

increase size by 0

The projected date of the last refueling that can be discharged to the spent fuel pool assuming the present licensed capacity:

DATE: 1996 (Loss of full core off-load capability)