NRC FORM 374 PAGE 1 OF 9 PAGES **U.S. NUCLEAR REGULATORY COMMISSION** Amendment No. 52 MATERIALS LICENSE Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below. Licensee 4. Expiration Date: November 30, 2022 In accordance with letter dated February 06, 2020. 1. U. S. Department of Health & Human Services AR KEG Centers for Disease Control & Prevention 5. Docket No.: 030-04001 Reference No.: 2. 1600 Clifton Road, N.E. 3. License number: 10-06772-01 is Atlanta, GA 30329-4018 amended in its entirety to read as follows: 7. Chemical and/or physical form Maximum amount that licensee 6. Byproduct, source, 8. 9. Authorized use and/or special nuclear may possess at any one time material under this license A. Any byproduct material A. Anv A. 100 millicuries per A. For research and development as with Atomic Numbers 1 radionuclide and 5 curies defined in 10 CFR 30.4: calibration and B. 2 millicuries per radionuclide and millicuries total through 83 with checking of the licensee's instruments; and quality control standards for the Exceptions licensee's instruments. B. Any Β. Any byproduct material B. For research and development as radionuclide and 25 defined in 10 CFR 30.4; calibration and with Atomic Numbers 84 through 96 checking of the licensee's instruments; and quality control standards for the licensee's instruments. C. Hydrogen-3 C. Any 250 millicuries total C. For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.

NRC	FORM 374A		U.S. NUCI	LEAR REGU	ILATORY COMMISSION		PAGE 2 OF 9 PAGES
	MATERIALS LI SUPPLEMENTAF		License Number 10-06772-01 Amendment No. 8	52	Docket or Refere 030-04001	ence Ni	umber
6.	Byproduct, source, and/or special nuclear material	7. Chemical a	and/or physical form	8.	Maximum amount that licensee may possess at any one time under this license	9.	Authorized use
D.	Phosphorus-32	D. Any	AUCLEA	D.	350 millicuries total	D.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
E.	Sulfur-35	E. Any	ATES	E.	350 millicuries total	E.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
F.	Chromium-51	F. Any	LS OF	F	350 millicuries total	F.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
G.	lodine-125	G. Any	×INN ×	°4(G.)	220 millicuries total	G.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
H.	Polonium-210	H. Sealed So Model P-2	ources (NRD, LLC, 2041)	H.	5 millicuries per source and 10 millicuries total	H.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
l.	Thorium-228	I. Any		I.	1 millicurie total	I.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.

NRC	FORM 374A			U.S. NUCLEAR REGU	LATORY COMMISSION		PAGE <sup>3</sup> OF <sup>9</sup> PAGES
	MATERIALS LIC SUPPLEMENTAR			License Number 10-06772-01 Amendment No. 52	Docket 030-0	t or Reference Nu 4001	umber
6.	Byproduct, source, and/or special nuclear	7.	Chemic	al and/or physical form 8.	Maximum amount tha may possess at any o		Authorized use
J.	material Thorium-230	J.	Any	AUCLEAR R	under this license 1 millicurie total	J.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
K.	Uranium-233	K.	Any	K.	1 millicurie total	к. СОЛ	For research and development as defined in 10 CFR 70.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
L.	Uranium-234	L.	Any	LS OF	1 millicurie total	" MM/SS	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
M.	Uranium-235-irradiated and unirradiated	M.	Any		0.7 millicuries total	М.	For research and development as defined in 10 CFR 70.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
N.	Uranium-236	N.	Any	N.	1 millicurie total	N.	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
0.	Plutonium-238	0.	Any	O.	1 millicurie total	O.	For research and development as defined in 10 CFR 70.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.

Bypro and/or mater	MATERIALS LIC SUPPLEMENTAR	Y SHE	ET	License Number 10-06772-01 Amendment No. 52		Docket or Reference 030-04001	Num	iber
and/or mater	or special nuclear	7.	Chemical on			<u> </u>		
P. Pluto	rial				may possess a	at any one time	9. /	Authorized use
	onium-239	Ρ	Any	AUCLEAR	P. 1 millicurie to	ital F	( ( (	For research and development as defined in 10 CFR 70.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
). Pluto	onium-240	Q. /	Any	A FS	Q. 1 millicurie to		( ( (	For research and development as defined in 10 CFR 70.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
R. Pluto	onium-242	R	Any C		R. 1 millicurie to	ital MISS	( ( (	For research and development as defined in 10 CFR 70.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.
6. Califo	Fornium-252	S	Any	×inn ×××	S. 1 millicurie to $\downarrow$		( ( (	For research and development as defined in 10 CFR 30.4; calibration and checking of the licensee's instruments; and quality control standards for the licensee's instruments.

NRC	FORM 374A	U.S. NUCLEAR REGULATORY CO	MISSION	PAGE <sup>5</sup> OF <sup>9</sup> PAGES	
	MATERIALS LICENSE	License Number 10-06772-01			
	SUPPLEMENTARY SHEET	Amendment No. 52			
6.	Byproduct, source, 7. Chemical a and/or special nuclear material		ss at any one time	. Authorized use	
Т.	Nickel-63 T. Sealed, Pl	ated, or Foil Sources T. 400 million	uries total T	To be used for sample analysis in compatible gas chromatography devices that have been registered either with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State and have been distributed in accordance with a Commission or Agreement State specific license authorizing distribution to persons specifically authorized to receive, possess, and use the devices.	
		CONDITIONS	S		
10.	Licensed material may be used or store	ed at the licensee's facilities located at:	S S		
	A. 1600 Clifton Road N.E., Atlanta, Ge		.0		
	B. 4770 Buford Highway, Chamblee, C	-	4		
	C. 602 Webb Gin House Road, Lawre	nceville, Georgia			
11.	<ul> <li>A. Licensed material shall only be use Committee. The licensee shall main material.</li> </ul>	d by, or under the supervision of, indivion that indivion the supervision of, individuals designated a			
	B. The Radiation Safety Officer (RSO)	for this license is Cynthia S. Long.			

12. The licensee shall not use the licensed material in or on humans.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMI	SSION	PAGE 6 OF 9 PAGES
MATERIALS LICENSE	License Number 10-06772-01	Docket or Reference Number 030-04001	
	Amendment No. 52		

- 13. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
- 14. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
  - B. Not withstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
  - C. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
  - D. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
  - E. Sealed sources need not be tested if they contain only hydrogen 3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
  - F. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	SSION	PAGE 7 OF 9 PAGE	ES
MATERIALS LICENSE	License Number 10-06772-01	Docket or Reference Number 030-04001		
SUPPLEMENTARY SHEET	Amendment No. 52			

- G. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- H. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- I. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 15. Sealed sources or Detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
- 16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 17. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- 18. A. Detector cells containing a titanium tritide foil or scandium tritide foil shall only be used in conjunction with a properly operating temperature control mechanism which prevents the foil temperature from exceeding that specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations from an Agreement State.
  - B. When in use, detector cells containing a titanium tritide foil or scandium tritide foil shall be vented to the outside.

NRC	FORM	374A
-----	------	------

MATERIALS LICENSE	License Number 10-06772-01	Docket or Reference Number 030-04001
	Amendment No. 52	

19. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:

- A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
- B. A record of each such disposal permitted under this license condition shall be retained for 3 years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
- 20. Notwithstanding the requirements of License Condition 21, the licensee is authorized to make program changes and changes to procedures specifically identified in the letter dated November 9, 2012, which were previously approved by the U.S. Nuclear Regulatory Commission and incorporated into the license without prior Commission approval as long as:
  - A. The proposed revision is documented, reviewed, and approved by the licensee's Radiation Safety Committee in accordance with established procedures prior to implementation;  $\star \star \star \star \checkmark$
  - B. The revised program is in accordance with regulatory requirements, will not change the license conditions, and will not decrease the effectiveness of the Radiation Safety Program;
  - C. The licensee's staff is trained in the revised procedures prior to implementation; and
  - D. The licensee's audit program evaluates the effectiveness of the change and its implementation.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	PAGE 9 OF 9 PAGES	
MATERIALS LICENSE	License NumberDocket or Reference Number10-06772-01030-04001		
SUPPLEMENTARY SHEET	Amendment No. 52		

21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

FIND YW

- A. Letter dated November 9, 2012 (ML12323A240)
- B. Letter dated April 19, 2013 (ML13123A366)

## FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: April 8, 2020

By:

Steven Shaffer Region 1