NOV 1.

Docket No. 50-263

Northern States Power Company ATTN: Mr. L. O. Mayer, Dir-ctor of Nuclear Support Services 414 Nicollet Mall Minneapolis, Minnesota 55401

Gentlemen:

Change No. 12 License No. DPR-22

Your letters dated October 26 and October 31, 1973, proposed changes to the Technical Specifications of Provisional Operating License No. DPR-22 for the Monticello Nuclear Generating Plant that would correct errors and inadequacies, correct discrepancies in Change No. 2 to the Technical Specifications dated January 14, 1972, and incorporate changes into the Technical Specifications which are necessary to permit operation of the Off-Gas Holdup System.

373

During our review, we informed your staff that certain modifications to the proposed changes were necessary to meet Regulatory requirements. These modifications have been made.

We have reviewed your request and have determined that the proposed changes do not present significant hazards considerations and that there is reasonable assurance that the health and safety of the public will not be endangered by operation in the proposed manner. A copy of our related Safety Evaluation is enclosed.

Accordingly, pursuant to Section 50.59 of 10 CFR Part 50, the Technical Specifications appended to Provisional Operating License No. DPR-22 are hereby changed by deleting Change No. 2 dated January 14, 1972, and by replacing the existing pages 7, 10, 15, 30, 48, 49, 51, 62, 68, 70, 92, 93, 134, 150, 164, 168-170, 173, 173A, 177-179, 216, and 216A with the revised pages enclosed herewith.

Further discussions will be held between our staffs regarding additional operating procedures and technical specifications for operation of your radioactive waste treatment system for both liquid and off-gas releases

Northern States Power Company - 2 -

NOV 1 5 1973

to meet as low as practical considerations prior to issuance of a full-term license. The enclosed changes provide the technical specifications necessary for initial operation of the augmented off-gas system.

Sincerely,

Original Signed by D. J. Slowholt

Donald J. Skovholt Assistant Director for Operating Reactors Directorate of Licensing

Enclosures:

- 1. Safety Evaluation
- 2. Revised pages: 7, 10, 15, 30, 48, 48A, 49, 51, 62, 68, 70, 92, 93, 134, 150, 164, 168, 169, 170, 170A, 170B, 173, 173A, 177, 177A, 178, 178A, 179, 179A, 179B, 216, and 216A

cc w/enclosures: Donald E. Nelson, Esquire VP and GC Northern States Power Company 414 Nicollet Mall Minneapolis, Minnesota 55401

Gerald Charnoff Shaw, Pittman, Potts, Trowbridge & Madden 910 - 17th Street, N. W. Washington, D. C. 20006

Howard J. Vogel, Esquire Knittle & Vogel 814 Flour Exchange Building Minnespolis, Minnesota 55415

Stave Gadler, P. E. 2120 Carter Avenue St. Paul, Minnesota 55108

See next page for additional cc

Northern States Fower Company - 3 -

cc (continued): Harriett Lansing, Esquire Assistant City Attorney City of St. Paul 638 City Hall St. Paul, Minnesota 55102

Ken Drugan Minnesota Pollution Control Agency 717 Delaware Street, S. E. Minneapolis, Minnesota 55440

Warren R. Lawson, M. D. Secretary & Executive Officer State Department of Health 717 Delaware Street, S. E. Minneapolis, Minnesota 55440

Environmental Library of Minnesota 1222 S. E. 4th Street Minnespolis, Minnesota 55414

cc w/enclosures and cys of NSP ltrs
 dtd 10/26 & 10/31/73:
Mr. Hans L. Hamester
ATTN: Joan Sause
Office of Radiation Programs
Environmental Protection Agency
Room 647A East Tower, Waterside Hall
401 M Street, S. W.
Washington, D. C. 20460

Mr. Gary Williams Federal Activities Branch Environmental Protection Agency 1 N. Wacker Drive, Room 822 Chicago, Illinois 60606

Distribution Docket File AEC PDR Local PDR RP Reading Branch Reading JRBuchanan, ORNL TBAbernathy, DTIE VMoore, L:BWR DJSkovholt, L:OR TJCarter, L:OR ACRS (16) RO (3) OGC RVollmer, L:QA DLZiemann, L:ORB #2 FDAnderson, L:ORB #2 RMDiggs, L:ORB #2 NDube, L:OPS MJinks, DRA (4) SKari, L:RP PCollins, L:OLB BScharf, DRA (15)

X7403 3	OR UNT	1 Children	1	
AME FDAnders		DLZiemann	DJSKoukolt	
BATE 11/13/73	sent on any sense when a sub-transformer dear to and the sent the first of the latter being on the	11/15/73	11/5/73	