-SAP W

Merch 22, 1972

American Potash & Chemical Company ATIN: 0, L. Beigle Plant Monager 258 Ann Street West Chicago, Illinois 60185 Docket No. 40-2061

Cont Lemen :

This refers to the inspection conducted by Mr. Achley of this office on Pobrusry 29 and March 1, 1972, of activities authorised by AEC License No. STA-563 and to the discussion of our findings held with you at the conclusion of the inspection.

The inspection was an emanination of the activities conducted under your license as they relate to rediction safety and to compliance with the Commission's rules and regulations and the requirements of your license. The inspection consisted of selective amminations of procedures and representative records, interviews with personnel, and observations and independent measurements made by the inspector.

In addition to the above, the inspector emamined actions you have taken as described in your letter dated April 28, 1970, to the Director, Division of Gompliance, with respect to the items of apparent non-compliance found during our inspection of Merch 23 and 24, 1970. The inspector also emamined the circumstance of a high film bedge emposure occurring during the third calendar quarter of 1970 and reported to the Countesion in a letter dated September 16, 1970. We have no further questions regarding these methers.

Buring this inspection, it was found that certain of your activities appear to be in noncompliance with ABC requirements. The items and reference to the partiment requirements are listed in the enclosure

| 850708028 PDR FOIA RAPKIN85- | | 766 | | | |
|------------------------------------|---------|---------|---------|--|--|
| OFFICE > | CO: III | co:III | CO:III | | |
| SURNAME > | jdg | Alladom | Grie | | |
| DATE > | 3-22-72 | 3-22-70 | 3-22-72 | | |

to this letter. Please provide us in writing, within 20 days, with your comments concerning these items, any steps which have been or will be taken to correct them, any steps which have been or will be taken to provent recurrence and the date all corrective sections or proventive measures were or will be completed.

We understand a letter will be submitted by you to our Division of Materials Licensing to request a change in the name of the licenses on ABC License No. STA-583 from American Potesh & Chemical Company to Kerr-MeGoe Chemical Corp.

Should you have questions concerning this inspection, we will be glad to discuss them with you.

Sincerely yours,

Boyce E. Grier Regional Director

Backeure: Bescription of Moncompliance Items

bcc: G. W. Roy, CO (2)
L. Kornblith, CO
CO Files
PDR
NSIC
R. H. Engelken, CO

LICENSE NO. STA-583

Certain antivities under your license appear to be in menocapliance with ABC regulations and license requirements as indicated below:

1. 10 CFR 40.64(b), "Reports," states that each licensee who is authorized to possess at any one time and location more than 1000 kilograms of uranium or thorium, or any ecubination thereof, shall submit to the Commission within 30 days after Jone 30 of each year, a statement of his source material inventory. The reports shall be submitted to the U. S. Atomic Energy Commission, Post Office Box E, Oak Ridge, Tennessee, 37830, and shall include the Reporting Identification Symbol (RIS) assigned by the Commission to the licensee.

Contrary to the above, a statement of your source material inventory for the period ending June 30, 1971, was not submitted to the Commission as required.

2. Meanne Condition No. 8 of your license states that therium is to be used in accordance with the procedures described in your application dated May 19, 1969. On page 11 attached to the May 19, 1969 application it is stated that, "Our presses is essentially the sulfuric said method for extracting therium from Monasite ere."

Contrary to the above, it was learned during this inspection that beginning in January 1970, your process has been the sedium hydroxide saustic method for extracting thorium from Honosite ere.

| OFFICE > | |
|----------------------|---|
| SURNAME > | |
| DATE | |
| Form AEC-318 (Rev. 9 | -53) AECM 0240 apo e43-15-81465-1 445-678 |