



1000 MINERAL POINT AVE.
P.O. BOX 5003
JANESVILLE, WI 53547-5003
608•756•6000



Bringing Serious Healthcare Close to Home

August 30, 1996

Mr. Darrel G. Wiedeman
Senior Health Physicist
Nuclear Materials Inspection Branch I
US Nuclear Regulatory Commission
Region III
801 Warrenville Rd.
Lisle, IL 60532-4351

RE: By-Product Material License #48-02411-01
Mercy Hospital
Janesville, WI

Dear Mr. Wiedeman:

We are in receipt of your letter dated August 14, 1996 and submit the following information per your request. We have revised our policies and procedures with relation to performance of bioassay procedures on individuals involved with administering dosages of I-131 to hospitalized patients. The policies and procedures have been revised to include that bioassay procedures be performed on individuals preparing or administering radioiodine-131 to hospitalized patients within 12-72 hours after administration of the material.

Results of the bioassay testing will be documented as required. This will be available for review at future inspections. It should be noted that this has been implemented as of this date.

We would like to thank you for your cooperation in this matter. Should you have any questions or require additional information, please feel free to contact us at your convenience.

Very truly yours,

Thomas R. Hansen, M.D.
Radiation Safety Officer

9609300136 960924
PDR ADDCK 03003428
C PDR

ASK•A•NURSE For free 24-hour health information call 608-756-6100 or 800-236-4676
Part of the Mercy Health System

SEP 09 1996