Docket No. 50-271

Mr. R. W. Capstick Licensing Engineer Vermont Yankee Nuclear Power Corporation 1671 Worcester Road Framingham, Massachusetts 01701

Dear Mr. Capstick:

SUBJECT: REVIEW OF RECIRCULATION PIPING SYSTEM ANALYSIS

Re: Vermont Yankee Nuclear Power Plant

DISTRIBUTION
Docket File
NRC PDR
Local PDR
ORB#2 Reading
HThompson
SNorris
RHermann
DVassallo
EJordan
BGrimes
JPartlow
ACRS (10)/OELD

FCherny Gray File RKirkwood

By letters dated April 22, May 14, and July 10, 1985, you provided information describing the scope of the Recirculation System Pipe Replacement Program at Vermont Yankee and requested approval of the Pressure Vessel Research Committee (PYRC) recommended damping values (ASME Code Case N-411) for response spectrum seismic piping analysis for the Recirculation and portions of the Residual Heat Removal (RHR) system at Vermont Yankee. We have reviewed the information you have submitted and have determined that our review and approval of the analyses used for the Recirculation Program is necessary. We have reached this determination based on your description of changes in the analysis methods, your request for approval for use of the PVRC damping which differs from that described in your FSAR and the guidance contained in Generic Letter 84-07 with regard to 10 CFR 50.59.

We have completed our review with respect to the mechanical engineering aspects; (1) the use of PVRC damping (ASME Code Case N-411), (2) the use of the ASME B3J.1 Power Piping Code for the replacement piping analysis and (3) the use of three dimensional earthquake and 33 Hz cutoff frequency for the analysis and find the methods to be acceptable. The staff review of the structural engineering aspects of the replacement program are under review and will be the subject of separate correspondence.

A copy of our Safety Evaluation is enclosed

Sincerely,

8508010511 850722 PDR ADOCK 05000271 Original signed by/

Domenic B. Vassallo, Chief Operating Reactors Branch #2 Division of Licensing

Enclosure: As stated

cc/w enclosure: See next page

ORB#2:DL SNorris:rc 07/19/85 ORB#2:DL RHermann 07/19/85 MEB:DE , O, FCherny 07/19/85 ORB#2:DL DVassallo 07/22/85 Mr. R. W. Capstick Vermont Yankee Nuclear Power Corporation Vermont Yankee Nuclear Power Station

cc:

Mr. W. F. Conway President & Chief Executive Officer Vermont Yankee Nuclear Power Corp. R. D. 5, Rox 169 Ferry Road Brattleboro, Vermont 05301

Mr. Donald Hunter, Vice President Vermont Yankee Nuclear Power Corp. 1671 Worcester Road Framingham, Massachusetts 01701

New England Coalition on Nuclear Pollution Hill and Dale Farm R. D. 2, Box 223 Putney, Vermont 05346

Mr. Walter Zaluzny Chairman, Board of Selectman Post Office Box 116 Vernon, Vermont 05345

J. P. Pelletier, Plant Manager Vermont Yankee Nuclear Power Corp. Post Office Box 157 Vernon, Vermont 05354

Raymond N. McCandless
Vermont Division of Occupational
& Radiological Health
Administration Building
10 Baldwin Street
Montpelier, Vermont 05602

Honorable John J. Easton Attorney General State of Vermont 109 State Street Montpelier, Vermont 05602

John A. Ritscher, Esquire Ropes & Gray 225 Franklin Street Boston, Massachusetts 02110 W. P. Murphy, Vice President &
Manager of Operations
Vermont Yankee Nuclear Power Corp.
R. D. 5, Box 169
Ferry Road
Brattleboro, Vermont 05301

Mr. Gerald Tarrant , Commissioner Vermont Department of Public Service 120 State Street Montpelier, Vermont 05602

Public Service Board State of Vermont 120 State Street Montpelier, Vermont 05602

Vermont Yankee Decommissioning Alliance Box 53 Montpelier, Vermont 05602-0053

Resident Inspector
U. S. Nuclear Regulatory Commission
Post Office Box 176
Vernon, Vermont 05354

Vermont Public Interest Research Group, Inc. 43 State Street Montpelier, Vermont 05602

Thomas A. Murley
Regional Administrator
Region I Office
U. S. Nuclear Regulatory Commission
631 Park Avenue
King of Prussia, Pennsylvania 19406