

- . SSFR

Task: Allegation A-116

Reference No.: 4-84-A-06-11

Characterization: It is alleged that unauthorized changes and additions have been made to J. A. Jones concrete placement records by unknown personnel.

Assessment of Allegation: Actual concrete placement records to which the unauthorized changes and additions were allegedly made were not specifically identified to the NRC staff. Thus, the NRC technical staff addressed this allegation by looking for evidence of such alterations during the review of records related to other allegations concerning concrete placement records (including Allegations A-129, A-130, A-131, A-140, A-141, A-159, and A-335, which are related to inspector qualifications, unreviewed records, poor placement practices, and records signed off by inspectors on dates when they allegedly were not on site). These allegations have been addressed by the NRC staff as described in this assessment.

The NRC staff reviewed concrete placement records by looking for any evidence of unauthorized changes or additions, or falsification of documents. The staff looked for whiteouts on records, documents or portions of document packages that appeared new but that had old dates, errors in dates, duplicate originals, and other evidence indicating falsification or unauthorized alteration.

The review conducted by the NRC staff revealed no obvious evidence of unauthorized additions or modifications to J. A. Jones records, even though one apparent falsification was identified in assessing Allegation A-335, where concrete curing records were signed by inspectors on dates when they were apparently not on site. This issue was determined to have no safety significance as described in the assessment of Allegation A-335. However, the staff has referred the matter to the NRC Office of Investigations (OI).

Based on the NRC staff's review of this allegation, no case of alteration or falsification of documents related to J. A. Jones concrete placement records has been discovered, except as noted herein. This allegation has neither safety significance nor generic implications.

Potential Violations: None.

Actions Required: None.

References

1. Assessments of Allegation: A-129, A-130, A-131, A-140, A-141, A-159, and A-335.

Statement Prepared By:

J. Strosnider

Date

Reviewed By:

Team Leader

Date

Reviewed By:

Site Team Leader(s)

Date

Approved By:

Task Management

Date

Document Name:  
SSER A-116

FILE

Requestor's ID:  
CONNIE

Author's Name:

Document Comments:

FINAL SSER ROUTING

A-116

Revision :	0	1	2	3
Denny Crutchfield	<i>[Signature]</i>			
Jim Gagliardo	<i>[Signature]</i>			

FINAL  
WEE  
SSW  
proof  
6/25

Document Name:  
SSER A-116

Requestor's ID:  
CONNIE

Author's Name:

Document Comments:

*FINAL*

*Re type  
Do not Re route*

SSER

Task: Allegation A-116

Reference No.: 4-84-A-06-11

Characterization: It is alleged that unauthorized changes and additions have been made to J. A. Jones concrete placement records by unknown personnel.

Assessment of Allegation: Actual concrete placement records to which the unauthorized changes and additions were allegedly made were not specifically identified to the NRC staff. Thus, the NRC technical staff addressed this allegation by looking for evidence of such alterations during the review of records related to other allegations concerning concrete placement records (including Allegations A-129, A-130, A-131, A-140, A-141, A-159, and A-335, which are related to inspector qualifications, unreviewed records, poor placement practices, and records signed off by inspectors on dates when they allegedly were not on site). These allegations have been addressed by the NRC staff as described in this assessment.

The NRC staff reviewed concrete placement records by looking for any evidence of unauthorized changes or additions, or falsification of documents. The staff looked for whiteouts on records, documents or portions of document packages that appeared new but that had old dates, errors in dates, duplicate originals, and other evidence indicating falsification or unauthorized alteration.

The review conducted by the NRC staff revealed no obvious evidence of unauthorized additions or modifications to J. A. Jones records, even though one apparent falsification was identified in assessing Allegation A-335, where concrete curing records were signed by inspectors on dates when they were apparently not on site. This issue was determined to have no safety significance as described in the assessment of Allegation A-335. However, ~~the staff has referred the matter to the NRC Office of Investigations (OI).~~

Based on the NRC staff's review of this allegation, no case of alteration or falsification of documents related to J. A. Jones concrete placement records has been discovered, except as noted herein. This allegation has neither safety significance nor generic implications.

Potential Violations: None.

Actions Required: None.

References

1. Assessments of Allegation: A-129, A-130, A-131, A-140, A-141, A-159, and A-335.

Statement Prepared By:

J. Strosnider

Date

Reviewed By:

Team Leader

Date

Reviewed By:

Site Team Leader(s)

Date

Approved By:

Task Management

Date