



PSE&G Public Service
Electric and Gas
Company

80 Park Plaza, Newark, NJ 07101 / 201 430-8217 MAILING ADDRESS / P.O. Box 570, Newark, NJ 07101

Robert L. Mittl General Manager
Nuclear Assurance and Regulation

October 1, 1985

Director of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
7920 Norfolk Avenue
Bethesda, MD 20814

Attention: Mr. Walter Butler, Chief
Licensing Branch 2
Division of Licensing

Gentlemen:

HOPE CREEK GENERATING STATION
DOCKET NO. 50-354

We have reviewed the draft Hope Creek Environmental Protection Plan (EPP) submitted by your letter of July 26, 1985. PSE&G's comments are as follows, (Note: underlined words have been added and [bracketed] words deleted from the text):

4.2.2 Terrestrial Ecology Monitoring

The applicant will implement the Salt Drift Monitoring Program to assess the impacts of cooling tower salt drift on the environment in the HCGS vicinity provided to NRC by letter dated March [18] 28, 1984 from Robert L. Mittl, Public Service Electric and Gas Company, to A. Schwencer, U.S. Nuclear Regulatory Commission.

The monitoring program shall commence one year prior to the onset of commercial operation of the HCGS and include [one year of] low-power testing and [two years of] operational data up to three years from receipt of license or until such earlier time that the licensee can demonstrate that the objectives of the study have been fulfilled. Annual monitoring reports shall be submitted to the NRC for review.

5.1 Review [and Audit]

The licensee shall provide for review [and audit] of compliance with the EPP. The [audits] review shall be conducted independently of the individual or groups responsible

851003014B 851001
PDR ADDCK 05000354
A PDR

Cool
1/0

Director of Nuclear
Reactor Regulation


2

10/1/85

for performing the specific activity. A description of the organization structure utilized to achieve the independent review [and audit] function and results of the [audit] review activities shall be maintained and made available for inspection.

Should you have any questions concerning these comments, please contact us.

Very truly yours,



C D. H. Wagner
USNRC Licensing Project Manager

FH1 1/2