

NOV 1 1985

Docket No. 50-458

Mr. William J. Cahill, Jr.
Senior Vice President
River Bend Nuclear Group
Gulf States Utilities Company
Post Office Box 2951
Beaumont, Texas 77704
ATTN: Mr. J. E. Booker

Dear Mr. Cahill:

Subject: Request for Additional Information - Emergency Procedures for
Containment Venting

As a part of the NRC staff's review of your application for an operating license for River Bend Station, the staff has determined the need for additional information in the area of emergency procedures for containment venting. The request for information is included in the enclosure as Items 1-3.

These items represent information the staff will require on or before August 1, 1986 in order to complete their assessment of containment venting procedures.

Please inform NRC Project Manager, Stephen Stern, of your schedule to provide this information and for clarification or further discussion on this topic.

Sincerely,

Original Signed By:

Walter R. Butler, Chief
Licensing Branch No. 2
Division of Licensing

Enclosure: As stated

cc w/enclosure:
See next page

DISTRIBUTION

Docket File

LB2 Reading
JPartlow

NRC PDR
FHylton
BGrimes

Local PDR
SStern
EJordan

PRC System
ACRS (16)
GMezitis

NSIC
OELD, Attorney
MMcCoy

LB#2/ML
SStern ml
11/ /85

LB#2/DL
WButler
11/ /85

8511070540 851101
PDR ADOCK 05000458
F PDR

1985

Docket No. 50-458

Mr. William J. Cahill, Jr.
Senior Vice President
River Bend Nuclear Group
Gulf States Utilities Company
Post Office Box 2951
Beaumont, Texas 77704
ATTN: Mr. J. E. Booker

Dear Mr. Cahill:

Subject: Request for Additional Information - Emergency Procedures for
Containment Venting

As a part of the NRC staff's review of your application for an operating license for River Bend Station, the staff has determined the need for additional information in the area of emergency procedures for containment venting. The request for information is included in the enclosure as Items 1-3.

These items represent information the staff will require on or before August 1, 1986 in order to complete their assessment of containment venting procedures.

Please inform NRC Project Manager, Stephen Stern, of your schedule to provide this information and for clarification or further discussion on this topic.

Sincerely,

Original Signed By:

Walter R. Butler, Chief
Licensing Branch No. 2
Division of Licensing

Enclosure: As stated

cc w/enclosure:
See next page

DISTRIBUTION

Docket File
LB2 Reading
JFartlow

NRC PDR
EHylton
BGrimes

Local PDR
SStern
EJordan

PRC System
ACRS (16)
GMezetis

NSIC
GELD, Attorney
MMcCoy

LB#2/L
SStern ml
11/1/85

LB#2/DL
WDutler
11/1/85

WB



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

NOV 1986

Docket No. 50-458

Mr. William J. Cahill, Jr.
Senior Vice President
River Bend Nuclear Group
Gulf States Utilities Company
Post Office Box 2951
Beaumont, Texas 77704
ATTN: Mr. J. E. Booker

Dear Mr. Cahill:

Subject: Request for Additional Information - Emergency Procedures for
Containment Venting

As a part of the NRC staff's review of your application for an operating license for River Bend Station, the staff has determined the need for additional information in the area of emergency procedures for containment venting. The request for information is included in the enclosure as Items 1-3.

These items represent information the staff will require on or before August 1, 1986 in order to complete their assessment of containment venting procedures.

Please inform NRC Project Manager, Stephen Stern, of your schedule to provide this information and for clarification or further discussion on this topic.

Sincerely,

A handwritten signature in cursive script that reads "Walter R. Butler".

Walter R. Butler, Chief
Licensing Branch No. 2
Division of Licensing

Enclosure: As stated

cc w/enclosure:
See next page

Mr. William J. Cahill, Jr.
Gulf States Utilities Company

River Bend Nuclear Plant

cc:

Troy B. Conner, Jr., Esq.
Conner and Wetterhahn
1747 Pennsylvania Avenue, NW
Washington, D.C. 20006

Ms. Linda B. Watkins/Mr. Steven Irving
Attorney at Law
355 Napoleon Street
Baton Rouge, Louisiana 70802

Mr. William J. Reed, Jr.
Director - Nuclear Licensing
Gulf States Utilities Company
P. O. Box 2951
Beaumont, Texas 77704

Mr. David Zaloudek
Nuclear Energy Division
Louisiana Department of
Environmental Quality
P. O. Box 14690
Baton Rouge, Louisiana 70898

Richard M. Troy, Jr., Esq.
Assistant Attorney General in Charge
State of Louisiana Department of Justice
234 Loyola Avenue
New Orleans, Louisiana 70112

Mr. J. David McNeill, III
William G. Davis, Esq.
Department of Justice
Attorney General's Office
7434 Perkins Road
Baton Rouge, Louisiana 70808

Resident Inspector
P. O. Box 1051
St. Francisville, Louisiana 70775

H. Anne Plettinger
3456 Villa Rose Drive
Baton Rouge, Louisiana 70806

Gretchen R. Rothschild
Louisianians for Safe Energy, Inc.
1659 Glenmore Avenue
Baton Rouge, Louisiana 70775

James W. Pierce, Jr., Esq.
P. O. Box 23571
Baton Rouge, Louisiana 70893

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
Office of Executive Director
for Operations
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

Enclosure

REQUEST FOR ADDITIONAL INFORMATION

Please provide your commitment to furnish the following information on or before August 1, 1986:

- (1) Additional flow paths for emergency venting including justification for vent path valve operability (capability to open and reclose) and the survivability of the 3-inch vent path.
- (2) The effects of containment venting on ductwork failure (if used as a pathway), and the resulting consequences of subjecting equipment near the failed duct to the steam/radiation environment.
- (3) The technical bases that support the criteria used by the Emergency Director to vent containment (e.g., status of plant including anticipated rate of pressurization, existing meteorology, containment radioactivity, etc.). Since the identification of an Emergency Director is not in the approved BWR Owners Group EPGs, the staff considers actions based on these parameters as potential deviations from the generic EPGs and, as such, require justification.