



# THE CLEVELAND ELECTRIC ILLUMINATING COMPANY

P.O. BOX 5000 - CLEVELAND, OHIO 44101 - TELEPHONE (216) 622-9800 - ILLUMINATING BLDG. - 55 PUBLIC SQUARE

*Serving The Best Location in the Nation*

MURRAY R. EDELMAN

VICE PRESIDENT  
NUCLEAR

August 21, 1985  
PY-CEI/NRR-0318 L

Mr. B. J. Youngblood, Chief  
Licensing Branch No. 1  
Division of Licensing  
U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555

Perry Nuclear Power Plant  
Docket Nos. 50-440; 50-441  
Pump and Valve Inservice  
Testing Program  
License Condition 26

Dear Mr. Youngblood:

Attached is Revision 1 to the Perry Nuclear Power Plant Unit 1 Inservice Testing Program (IST) for Pumps and Valves (Document No. 80A5237, Rev. 1). The original PV IST Program was submitted by letter dated June 15, 1983 (PY-CEI/NRR-0051L). Since then, changes have been made to the Program to ensure compatibility with the Perry Technical Specifications, the PNPP Final Safety Analysis Report, and NRC guidance documents.

Attached also to this letter is a status and cross-reference of the relief requests from both revisions. Please feel free to call if you have any questions concerning this matter.

Very truly yours,

Murray R. Edelman  
Vice President  
Nuclear Group

MRE:njc

Attachment

cc: Jay Silberg, Esq.  
John Stefano (2)  
J. Grobe

*Boo! Limited  
11 Dist*

8508270085 850821  
PDR ADOCK 05000440  
A PDR

The following is a status of the relief requests, for the PNPP Pump and Valve Inservice Testing Program (Document No. 80A5237), along with a cross reference linking the two sets of relief requests in Revisions 0 and 1.

<u>REVISION 0</u>	<u>STATUS/REF.</u>	<u>REVISION 0</u>	<u>STATUS/REF.</u>
General Req. Pumps, G-1 (Page I-8)	Deleted	Valve Req. CS-1 1B21 (Page III-10-9)	No Change (Ref. VR-10)
General Req. Valves, G-1 (Page I-9)	Revised (Ref. VR-2)	Valve Req. RR-1 1B21 (Page III-10-10)	No Change (Ref. VR-20)
General Req. Valves G-2 (Page I-10)	Deleted	Valve Req. RR-2 1B21 (Page III-10-11)	No Change (Ref. VR-20)
Pump Req. 1E51 (Page-II-1-5)	Revised (Ref. PR-1)	Valve Req. RR-3 1B21 (Page III-10-12)	No Change (Ref. VR-20)
Pump Req. 1P45 (Page II-1-6)	Revised (Ref. PR-6)	Valve Req. RR-4 1B21 (Page III-10-13)	Revised (Ref. VR-6)
Pump Req. 1C45 (Page II-1-7)	Revised (Ref. PR-3)	Valve Req. RR-1 1P43 (Page III-11-4)	No Change (Ref. VR-13)
C/S Req. CS-1 1B21 (Page III-1-3)	Revised (Ref. VR5)	Valve Req. RR-2 1P43 (Page III-11-5)	No Change (Ref. VR-28)
Valve Req. RR-1 1B21 (Page III-1-4)	Revised (Ref. VR-28)	Valve Req. RR-3 1P43 (Page III-11-6)	No Change (Ref. VR-29)
Valve Req. RR-1 1P11 (Page III-2-3)	Deleted	Valve Req. CS-1 1E51 (Page III-13-7)	No Change (Ref. VR-23)
Valve Req. CS-1 1P52 (Page III-5-3)	Revised (Ref. VR-15)	Valve Req. CS-2 1E51 Page III-13-8)	No Change (Ref. VR-9)
Valve Req. RR-1 1P52 (Page III-5-4)	No Change (Ref. VR-28)	Valve Req. RR-1 1E51 (Page III-13-9)	Revised (Ref. VR-14)

<u>REVISION 0</u>	<u>STATUS/REF.</u>	<u>REVISION 0</u>	<u>STATUS/REF.</u>
Valve Req. CS-1 1E12 (Page III-14-16)	No Change (Ref. VR-8)	Valve Req. CS-1 1E21 (Page III-21-4)	No Change (Ref. VR-8)
Valve Req. CS-2 1E12 (Page III-14-17)	No Change (Ref. VR-8)	Valve Req. CS-2 1E21 (Page III-21-5)	No Change (Ref. VR-23)
Valve Req. CS-2 1E12 (Page III-14-18)	No Change (Ref. VR-23)	Valve Req. RR-1 1P22 (Page III-22-3)	No Change (Ref. VR-29)
Valve Req. CS-4 1E12 (Page III-14-19)	Revised (Ref. VR-22)	Valve Req. RR-1 1P45 (Page III-25-9)	No Change (Ref. VR-21)
Valve Req. CS-5 1E12 (Page III-14-20)	No Change (Ref. VR-8)	Valve Req. RR-2 1P45 (Page III-25-10)	Deleted
Valve Req. RR-1 1E12 (Page III-14-21)	Revised (Ref. VR-30)	Valve Req. CS-1 1C11 (Page III-28-5)	No Change (Ref. VR-11)
Valve Req. RR-2 1E12 (Page III-14-22)	Deleted	Valve Req. RR-1 1C11 (Page III-28-6)	No Change (Ref. VR-12)
Valve Req. RR-1 1G41 (Page III-15-6)	No Change (Ref. VR-28)	Valve Req. RR-2 1C11 (Page III-28-7)	No Change (Ref. VR-41)
Valve Req. CS-1 1G33 (Page III-16-4)	No Change (Ref. VR-40)	Valve Req. RR-3 1C11 (Page III-28-8)	Deleted
Valve Req. RR-1 1C41 (Page III-19-16)	No Change (Ref. VR-18)	Valve Req. RR-4 1C11 (Page III-28-9)	No Change (Ref. VR-28)
Valve Req. CS-1 1E22 (Page III-20-7)	No Change (Ref. VR-8)	Valve Req. CS-1 1N27 (Page III-31-5)	No Change (Ref. VR-19)
Valve Req. CS-2 1E22 (Page III-20-6)	No Change (Ref. VR-23)	Valve Req. CS-2 1N27 (Page III-31-6)	No Change (Ref. VR-8)
Valve Req. RR-1 1E22 (Page III-20-7)	No change (Ref. VR-25)		

REVISION 1

STATUS/REF.

Generic Req.  
GR-1  
(Page 5)

Added

PUMP REQUIRED

PR-1  
Page 10

Revised- Ref. Pump Req. 1E51 (Page II-1-5)

PR-2  
Page 11

Added

PR-3  
Page 12

Revised - Ref. Pump Req. 1C41 (Page II-1-7)

PR-4  
Page 13

Added

PR-5  
Page 14

Added

PR-6  
Page 15

Revised - Ref. Pump Req. 1P45 (Page II-1-7)

PR-7  
Page 16

Added

PR-8  
Page 17

Added

PR-9  
Page 18

Added

VALVE REQUIRED

VR-1  
Page 35

Added

VR-2  
Page 36

Revised - Ref. General Req. Valves G-1 (Page I-9)

VR-3  
Page 37

Added

VR-4  
Page 38

Added

<u>REVISION 1</u>	<u>STATUS/REF.</u>
VR-5 Page 39	Revised - Ref. Valve Req. CS-1, 1B21 (Page III-1-3)
VR-6 Page 40	Revised - Ref. Valve Req. RR-4 1B21 (Page III-10-13)
VR-7 Page 41	Added
VR-8 Page 42	Ref. Valve Req's: CS-1, 1E12 (Page III-14-16) CS-2, 1E12 (III-14-17) CS-5, 1E12 (III-14-20) CS-1, 1E22 (III-20-7) CS-1, 1E21 (III-21-4) CS-2, 1N27 (III-31-6)
VR-9 Page 43	Ref. Valve Req. CS-2, 1E51 (Page III-13-8)
VR-10 Page 44	Ref. Valve Req. CS-1, 1B21 (Page III-10-9)
VR-11 Page 45	No Change - Ref. Valve Req. CS-1, 1C11 (Page III-28-5)
VR-12 Page 46	No Change - Ref. Valve Req. RR-1, 1C11 (Page III -28-6)
VR-13 Page 47	No Change - Ref. Valve Req. RR-1, 1P43 (Page III-11-4)
VR-14 Page 48	Revised - Ref. Valve Req. RR-1, 1E51 (Page III-13-9)
VR-15 Page 49	Revised - Ref. Valve Req. CS-1, 1P52 (Page III-5-3)
VR-16 Page 50	Added
VR-17 Page 51	Added
VR-18 Page 52	No Change - Ref. Valve Req. RR-1, 1C41 (Page III-19-6)
VR-19 Page 53	No Change - Ref. Valve Req. CS-1, 1N27 (Page III-31-5)
VR-20 Page 54	No Change - Ref. Valve Req: RR-1, 1B21 (PAGE III-10-10) RR-2, 1B21 (Page III-10-11) RR-3, 1B21 (Page III-10-12)
VR-21 Page 55	No Change- Ref. Valve Req. RR-1, 1P45 (Page III-25-9)

<u>REVISION 1</u>	<u>STATUS/REF.</u>
VR-22 Page 56	Added
VR-23 Page 57	No Change - Ref. Valve Req: CS-1, 1E51 (Page III-13-7) CS-2, 1E12 (Page III-14-18) CS-2, 1E22 (Page III-20-6) CS-2, 1E21 (Page-III-21-5)
VR-24 Page 58	Added
VR-25 Page 59	No Change - Ref. Valve Req. RR-1, 1E22 (Page III-20-7)
VR-26 Page 60	Added
VR-27 Page 61	Added
VR-28 Page 62	No Change - Ref. Valve Req: RR-1, 1G41 (Page III-15-6) RR-4, 1C11 (Page III-28-9) RR-1, 1B21 (Page III-1-4) RR-1 1P52 (III-5-4) RR-2, 1P43 (III-11-5)
VR-29 Page 63	No Change - Ref. Valve Req: RR-1, 1P22 (Page III-22-3) RR-3, 1P43 (Page III-11-6)
VR-30 Page 64	Revised: RR-1, 1E12 (Page III-14-22)
VR-31 Page 65	Added
VR-32 Page 66	Added
VR-33 Page 67	Added
VR-34 Page 68	Added
VR-35 Page 69	Added
VR-36 Page 70	Added
VR-37 Page 71	Added
VR-38 Page 72	Added

<u>REVISION 1</u>	<u>STATUS/REF.</u>
VR-39 Page 73	Added
VR-40 Page 74	Revised: Ref. Valve Req. CS-1, 1G33 (Page III-16-4)
VR-41 Page 75	No Change - Ref. Valve Req. RR-2, 1C11 (Page III-28-7)
VR-42 Page 76	Added
VR-43 Page 77	Added
VR-44 Page 78	Added
VR-45 Page 79	Added