



ESK-97-117

June 19, 1997

U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Attention: Document Control Desk

Subject: Quad Cities Nuclear Power Station Units 1 and 2
Status of Diagnostic Evaluation Team (DET)
Materiel Condition Improvements
Docket Nos. 50-254 and 50-265

- Reference: (a) J. O'Conner to J. Taylor letter concerning DET Response dated December 30, 1993
- (b) E. S. Kraft, Jr. to USNRC letter (ESK-96-197) concerning Status of DET Improvements dated October 30, 1996

In reference (b), I stated that Quad Cities Station would complete the replacement of the signal cables (triple shielded cables) for the Unit 2 Source Range Monitors (SRMs) and Intermediate Range Monitors (IRMs) during Q2R14. Prior to the outage, a management review determined that other priority work needed to be accomplished in the vicinity of this cable replacement. This work included the permanent repair to eliminate the furmanite clamp on the 2A Reactor Recirculation Pump flange (DET commitment). Also accomplished was insulation removal in the drywell in response to Generic Letter 96-03.

It was also determined that the modification would require the installation of extensive conduit runs. This resulted in a significant increase, over what had been previously assumed, in both the scope and cost of the modification, and in the radiation dose estimate. Therefore, the signal and drive cable replacement was removed from the outage scope. An evaluation will be completed to determine future plans concerning this modification. Our final resolution of this issue will be transmitted to you by August 5, 1997.


9706250175 970619
PDR ADOCK 05000254
P PDR



June 19, 1997

If you have any questions concerning this letter, please contact Charles Peterson, Regulatory Affairs Manager, at (309) 654-2241, extension 3609.

Respectfully,


E. S. Kraft, Jr.
Site Vice President
Quad Cities Station

cc: A. B. Beach, Regional Administrator, Region III
R. M. Pulsifer, Project Manager, NRR
C. G. Miller, Senior Resident Inspector, Quad Cities
W. D. Leech, MidAmerican Energy Company
D. C. Tubbs, MidAmerican Energy Company
F. A. Spangenberg, Regulatory Affairs Manager, Dresden
INPO Records Center
Office of Nuclear Facility Safety, IDNS
DCD License (both electronic and hard copies)
M. E. Wagner, Licensing, ComEd