

22 APR 1986

Docket Nos.: 50-369
and 50-370

Mr. H. B. Tucker, Vice President
Nuclear Production Department
Duke Power Company
422 South Church Street
Charlotte, North Carolina 28242

Dear Mr. Tucker:

SUBJECT: ELIMINATION OF ARBITRARY INTERMEDIATE PIPE BREAKS, MCGUIRE NUCLEAR
STATION, UNITS 1 AND 2

By letter dated October 22, 1985, and supplemented February 4, 1986, you forwarded for NRC review and approval, a technical document proposing the elimination of certain intermediate pipe breaks in high energy lines (other than the RCS primary loops) for McGuire Nuclear Station. We have completed our review of these submittals. Enclosed is our Safety Evaluation Report in which we find that your proposal is an acceptable deviation from Section 3.6.2 of the Standard Review Plan (NUREG-0800, Revision 1).

Contact your project manager, Darl Hood, at (301) 492-8060 if you have any questions regarding the enclosure.

Sincerely,

B. J. Youngblood, Director
PWR Project Directorate #4
Division of PWR Licensing-A

Enclosure:
As stated

cc: See next page

DISTRIBUTION:

Docket Files	H Brammer
NRC PDR	G Bagchi
Local PDR	E Sullivan
PRC System	R Ballard
NSIC	C Rossi
PD#4 Reading Files	J Milhcan
BJ Youngblood	
OELD	
E Jordan	
B Grimes	
J Partlow	
D Hood	
M Duncan	
ACRS (10)	

DSH
PWR#4:DPWR-A
DHood:lr
04/18/86

JMD
4/18/86

DSH/lr
PWR#4:DPWR-A
BJ Youngblood
04/18/86

8604250346 860422
PDR ADOCK 05000369
P PDR

Mr. H. B. Tucker
Duke Power Company

McGuire Nuclear Station

cc:

Mr. A. Carr
Duke Power Company
P. O. Box 33189
422 South Church Street
Charlotte, North Carolina 28242

Dr. John M. Barry
Department of Environmental Health
Mecklenburg County
1200 Blythe Boulevard
Charlotte, North Carolina 28203

Mr. F. J. Twogood
Power Systems Division
Westinghouse Electric Corp.
P. O. Box 355
Pittsburgh, Pennsylvania 15230

County Manager of Mecklenburg County
720 East Fourth Street
Charlotte, North Carolina 28202

Mr. Robert Gill
Duke Power Company
Nuclear Production Department
P. O. Box 33189
Charlotte, North Carolina 28242

Chairman, North Carolina Utilities
Commission
Dobbs Building
430 North Salisbury Street
Raleigh, North Carolina 27602

J. Michael McGarry, III, Esq.
Bishop, Liberman, Cook, Purcell
and Reynolds
1200 Seventeenth Street, N.W.
Washington, D. C. 20036

Mr. Dayne H. Brown, Chief
Radiation Protection Branch
Division of Facility Services
Department of Human Resources
P.O. Box 12200
Raleigh, North Carolina 27605

Senior Resident Inspector
c/o U.S. Nuclear Regulatory Commission
Route 4, Box 529
Huntersville, North Carolina 28078

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission,
101 Marietta Street, N.W., Suite 2900
Atlanta, Georgia 30323

L. L. Williams
Operating Plants Projects
Regional Manager
Westinghouse Electric Corporation - R&D 701
P. O. Box 2728
Pittsburgh, Pennsylvania 15230