

April 11, 1995

TO: NRC REGION 2
c/o Oscar DeMiranda & Jim Dockery
101 Marietta St. N.W. Suite 2900
Atlanta, Ga 30323-0199

TO: Office of the Administrator
Wage and Hour Division, Room S3502
Employment Standards Administration
U.S. Department of Labor
200 Constitution Avenue, NW
Washington, D.C. 20210

FROM: [Redacted]
Gary L. Phipps

SUBJECT: FLORIDA POWER & LIGHT MANAGEMENT'S PUNITIVE ACTION FOR SAFETY CONCERNs.

PURPOSE OF FILING COMPLAINT AT THIS TIME: To put on record this act of discrimination, and to prevent future acts of discrimination because it is often difficult to show with direct evidence that an employer acted with an improper and biased motivation. So often allegedly unbiased decisions are merely some-pretext for discrimination. I also want to state at this time for the record that I do not seek monetary gain, punishment or revenge for the regrettable action of a few. Note: Under identity protection I would prefer my name not become public and I understand that my name will be revealed at the work location.

9705190180 970512
PDR FOIA
BINDER 96-485

On October 3, 1994, I started writing a letter to the NRC in response to the news that the simulator Personnel were to be excluded from working the unit #1 refueling outage, but instead of mailing the letter I showed it to Rick Curtis (President of the Union Local) after the union meeting, he said he would look into it.

Rick intern, talked to Chris Burton (Plant General Manager) about simulator personnel working the plant outage based on the fact that temporary workers were to be on sight and based on the memorandum/letter concerning simulator personnel. It was agreed upon that simulator

in accordance with the Freedom of Information

2-95 *C REQUESTS 6 1
FOIA 96-485 → 1-21

EXHIBIT 2
PAGE 1 OF 6 PAGES
Rec'd. 6/28/95
VAD

personal would work the same hours as the I&C Personnel.

Note: Thus far simulator Personnel were not allowed to work any overtime unless it was to make emergency repairs to get the simulator running again. That was the policy. On October 26, 1994 I had a conversation with Jim Lewis (Simulator Co-worker) at shift change and he told me that they came up with a decision to work us in the simulator. Jim Lewis said that Jim Martin (Head Supervisor of the Simulator) said the I&C department wanted to only offer you (Jim Lewis) the overtime in the plant. (Jim Martin also said) It would be unfair if they would not offer it to both of you they would not get either of you.

The Plant was going to take Jim and work him in the Plant during the outage and have me work in the simulator. The problem is that Jim is senior to me and he would have a choice of where he wanted to work in that situation. Jim Lewis also has about eight years on the simulator and I only have Two. That is another reason Jim Martin did not like that idea. The part I don't think was right is I am more qualified in nuclear I&C work than Jim Lewis. I worked in Nuclear Power for 15 years before working in the simulator shop, Jim had worked in fossil Plants before transferring to the nuclear division and had only a few months at St. Lucie I&C shop before going to the simulator. Jim Lewis has had very limited training on nuclear systems other then red badge training and general entry. Don't misunderstand me Jim is a very smart and knowledgeable I&C technician I am just making some comparison. Enclosed is a copy of my qualification in the nuclear field.

As I brought this to managements attention here are some excuses given to me. Reason for singling me out.

1. Members of management said we didn't need the extra labor that we had enough with temporary employees. (They are to ask all qualified permanent employees for overtime first before temporary employees are given overtime.)
2. You're not qualified on our systems. I asked are temporary employees? Are utility workers that are up relieved?
3. Then it was we wouldn't work enough hours to make it worth while. Management made some changes after I talked to Rick Curtis and was going to let one of us simulator personnel go to work the outage but the plant didn't want me. They said Jim was qualified because he had worked the outages before.
Note: I have worked two outages before and installed PCM'S on loop power supplies that were safety related. I worked pressurizer pressure loop calibrations, NIS cable installation. feedwater transmitter repairs and other jobs I just can't recall at this time. I guess that work didn't count. But I am sure they took credit for it to start up the units with.

4. You don't understand how we work around here at St. Lucie Plant, your not at Turkey Point anymore. I though I worked for Florida Power and Light. And I have read some of the administrative procedure such as ADM 8.02 St. Lucie Plant conduct of maintenance and Turkey

Points Plant conduct of maintenance O-ADM-701, I find they are very similar. I also find that some of the maintenance supervisors take liberties in their interpretation of these procedures which is where I guess I have had some conflicts. As you can see these excuses are just excuses.

Let me bring up some of my actions that I feel have prejudiced management in my direction

Back ground event:

1. In June 1991 while working on 4A emergency Diesel at Turkey Point I discovered and reported to speak out a discrepant condition with the swagelock tubing fitting installation. At first I was chastised and thought that I was trying to delay unit start-up. Also it stated that I did not know what I was talking about, I informed speak-out if they could not handle it I would go to NRC. I didn't make many friends the truth was many other workers reported to supervision about the swagelock problem, it was blown off.

When a Swagelock company Rep came and looked at the tubing he said his company would not honor the installation and a full inspection and repair would be required. It took two weeks for the diesel generator vendor to make the repairs and absorb the cost of the fittings and it was found 20% of the fittings on one of the diesels were replaced and 40% on the other were replaced. At the end I was given a letter of commendation and a cross pen. News does travel between nuclear Plants. On September 22 1992 I bid a job at St. Lucie Plant and then on October 8, 1992 I rebid it because of some problem the plant had with the job posting. I thought I might have trouble so I sent my second bid by certified mail and sent a second copy of my bid to the union by certified mail. The St Lucie Plant signed for my bid but lost it. I sent a letter to Mr. Goldberg and confronted the union. Finally they excepted the bid and I transferred up to the Lucie Plant, I tell you this because I feel I had to face some opposition in the local management. Loosing a signed for bid. I have to question when things go beyond chance and when are they directed.

Current Events:

2. During the Feb 94 unit 2 one of the problems I had with supervision where we got into a conflict. I was given RCS pressure transmitter loop to calibrate. Jose Hernandez was assigned to help me. He was from a fossil plant, ex-navy, utility worker up relieving as I&C journeyman. He was good but had no training on St. Lucie's reactor protection circuits and I didn't either. The operators for the first set were helpful and took the first channel out of service. We had problems with the test pump but after rebuilding the pump the problems were solved and we finished the loop. Note: There was pressure for us to do it fast and when we were done the supervisors knew we worked hard and thanked us. The next day a new set of operators came on and they didn't want to take the channel out of service but they did. The issue was brought up about training by the operators. We removed the swagelock tubing fittings but they were overtightened and galled when we took them off. After calibration we reported the problems to our supervisor James Kawa and he wanted us to put the transmitter bystables back in service without connecting the tubing or

valving it in and go to the next transmitter. I said the loop can't perform its function. And that would violate the system configuration. (Note: configuration management manual is a nuclear division procedure obtained at Juno document control) I believe the reactor was vented and I know that nobody would have known the difference but if something happened and we didn't get back to that transmitter repair, we would have a problem. Also the procedure didn't have any provision for this, it stated to work on one channel at a time from cold to 100% power (See Attached Copy). When I mentioned system configuration and questioned how it was to be maintained with this procedures. I asked the supervisor to check with operations I felt they too would feel the loop must be functioning before we put it back in service. I said if the NPS said it was ok that I would have no problem putting that loop back in service and go on to the next loop. The perception at the time I was slowing things down and did not want to follow supervision directions.

3. Toward the end of the outage I was assigned to replace the tubing of the feedwater transmitters the PWO said I needed a clearance. The unit status was 350 °Rx going to 547° by morning. I wanted a specific clearance for this job to close the root valves, he wanted to give me a generic clearance I argued that the plant would be coming up in the morning and operations would be pressurizing the secondary feedwater lines to start cleaning up chemistry. He said I didn't need a clearance to close the valves and I said I can close the local isolation valves to the transmitter but not root valves. He finally agreed to get a clearance but I know he didn't like it. You can ask Mr. Hernandez he was assigned to work with me on that job too.

4. On July 11, 1994, I reported to speakout about an indicator problem I had with the new versatile indicators that are replacing our old sigma indicators. On August 2, 1994 Speak out reported that they found no problem. Well I called John Luchka the speakout man that was handling the concern #NSS-PSL-94-093. I invited him to come to the simulator on September 5, 1994 Monday Morning at 0530. The simulator was free and nobody was scheduled to be around. I picked out 11 indicators and typed up a sheet so he could write the as found values down and then I had a column set up for actual values. I set up the simulator Mr. Luchka came in wrote down the values and then he quickly became aware of what I was taking about. He missed 7 or 8 of the 11. I am sure he went back to the person that he talked to and explained what the problem was and I feel someone figured out who was the one that complained. It also must be noted that one of the operators stopped by and saw Mr. Luchka with me. A week or so later Jim Lewis is informed we won't be working the outage. The problem has compounded to be more than my original description because of hidden failures see attached star report that I turned in for a detailed explanation of the problem.

I feel the start of the Point of discrimination was October 26, 1994 that is when the final decision was made not to work me in the plant. I know I have taken a while to get this letter in but I tried to work the problems out with management thru the union. We came close. (See list of what I turned into management I was working toward).

On February 13, 1995 I went to a meeting and the results of Chuck Scott's investigation confirmed disparate treatment, see attached letter. I do not agree with all the conclusion of the investigation. One of the things Mr. Scott never talked to my co-worker Jose Hernandez or other workers of that

outage on that shift. Mr. Scott didn't review the procedure involved or the PWO'S I worked that outage. He was able to get this conclusion just from talking to a couple of the I&C department supervisors. They want all their rights even though that's what lead them to this problem and I only wanted them to yield some of them for a short time in order to let things settle down, and get back on a working relationship. They want to say it is just personality, but I disagree and during your investigation and interviews with my co-workers I urge you to give them confidence that your looking for the truth and wanting to insure proper corrective action if needed. The fear factor must be reduced. No one wants to lose their job or have discrimination brought against them. They have seen what can happen.

The final straw came on February 14, 1995, when two things happen.

1. In a conversation with my supervisor Don Houldsworth about 5:45am I felt threatened, it went like this:

This morning Don Houldsworth asked about how the meeting went and what the outcome was. I replied it looks like we will be working the outages when there are snows and the whole shop works, or when temporary employees but they are still doing to work out the details on that. Don got mad and said if you have screwed up what I got going here our relationship is going to change for the worst. He also said this was all a bunch of shit I am stirring up. I got the best job and I am screwing it up. I said that's not true and I think we need to get a meeting together and go through this. I also said you don't want to say this bunch of shit. He said to me do you want me to put this in writing? I response by saying you don't want to do that.

2. That Morning I wrote this up and went over to the I&C shop to talk to union representative Joe Sorentino. I wanted to tell him about the conversation I had with my boss and give him a written copy. He informed me that during the up coming snow outage that the simulator boys weren't to be included because we were not qualified. Joe asked how could they have worked this weekend? Managements reply was they were working under close direct supervision.

(This was a special call out to go on top of the pressurizer at 100% Rx to install ultra sonic sensors so it could be determined where and what was leaking. The plan was to determine what the plant needed to fix the unit before shutting it down the next weekend. I worked a double shift and so did Jim Lewis. Note: It was 140° on top of the pressurizer and the I&C shop needed us to fill the crews or they would have had to force workers into do the job.) He felt that was bullshit and so do I. The company has had two years to get me qualified and I have been after them since July of 1994 in a very serious way. They can bring temporary employees in the plant to train them in a couple of days and then they are off and working. They can train employees that transferred into the shop when I did and after I did. I forced them to look at what they have been saying about me and my qualifications and then they realized the gaps in their program.

I called Ron Fields at PH#(1-301-415-5965) NRC Representative the next morning and told him I had to talk to him about a discrimination complaint, he already had an appointment set up to see me on another unrelated issue. We met February 20, 1995 and I gave him a brief explanation of what's going on. Ron Feilds contacted the Atlanta NRC office to turn over the investigation. Oscar DeMiranda from the Atlanta office of investigations called me March 2, 1995

and in our conversation he said he would mail me a letter with information to file my complaint. I was charged to compiie my complaint in witting and mail it back to him and a copy sent to the department of labor.

My life has been very busy going to school 3/4 time and having mid term college exams, out of town wedding, car repairs, illness just to mention a few things. These are a few of the reasons I have been so slow in returning this information. I hope this gives you a clear picture of what's going on. Please feel free to call me anytime. If I am not home please leave a message and I will get back to you as soon as possible. I thank you very much.

Sincerely,

Gary L. Phipps

Gary L. Phipps

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 1

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 004 - RAYTHEON

PID #	QUAL	NAME	MARGIN	-- TEDE --			GUIDE/EXT -			SKIN	EXTREMITY	ACCUM	DAC HRS
				SITE	YEAR	'TE	ANNUAL	UPPER	LOWER				
X			1000	0	0	1000	4500	0	0	0	0	0.00	
XG			990	10	10	1000	4500	10	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			944	56	138	1000	4500	148	0	0	0	0.00	
			869	131	131	1000	4500	146	0	0	0	0.00	
XG	X		1000	0	0	1000	4500	0	0	0	0	0.00	
			1995	155	211	2150	4500	211	0	0	0	0.00	
			861	139	139	1000	4500	139	0	0	0	0.00	
XG			934	66	66	1000	4500	66	0	0	0	0.00	
			397	603	834	1000	4500	834	0	0	0	0.00	
			966	34	34	1000	4500	34	0	0	0	0.00	
			976	24	24	1000	4500	24	0	0	0	0.00	
			1116	384	529	1500	4500	562	0	0	0	0.00	
			1000	0	0	1000	4000	0	0	0	0	0.00	
			985	15	15	1000	4500	15	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
X			993	7	7	1000	4500	7	0	0	0	0.00	
			1000	0	0	1000	4000	0	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			261	739	794	1000	4500	794	0	0	0	0.00	
			999	1	1	1000	4500	1	0	0	0	0.00	
			976	24	24	1000	4500	24	0	0	0	0.00	
XCG			380	620	620	1000	4500	620	0	0	0	0.00	
			568	432	432	1000	4500	432	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			488	512	794	1000	4500	810	0	0	0	0.00	
			510	490	490	1000	4500	500	0	0	0	0.00	
			2019	131	1083	2150	4500	1186	0	0	0	0.00	
			661	339	339	1000	4500	339	0	0	0	0.00	
			898	102	102	1000	4500	102	0	0	0	0.00	
			996	4	4	1000	4500	4	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			989	11	11	1000	4500	11	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			630	370	370	1000	4500	370	0	0	0	0.00	
			815	187	187	1000	4500	187	0	0	0	0.00	
			770	230	230	1000	4500	230	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			902	98	98	1000	4500	98	0	0	0	0.00	
			1000	0	0	1000	4500	0	0	0	0	0.00	
			263	37	389	1000	4500	389	0	0	0	0.00	
			972	28	28	1000	4500	28	0	0	0	0.00	

Information in this record was deleted
in accordance with the Freedom of Information
Act, exemption
FOIA 96-495 6

SSS/S

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 2

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 004 - RAYTHEON

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
XCG			917	84	83	1000	4500	83	0	0	0.00
X			913	87	87	1000	4500	87	0	0	0.00
			634	366	415	1000	4500	448	0	0	0.00
			752	740	1148	1500	4500	1222	0	0	0.00
X			989	11	11	1000	4500	11	0	0	0.00
			530	970	970	1500	4500	1075	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
XG			981	19	19	1000	4500	19	0	0	0.00
X			936	64	64	1000	4500	64	0	0	0.00
			2150	0	342	2150	4500	342	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			965	35	35	1000	4500	35	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
X			980	20	20	1000	4500	20	0	0	0.00
XG			984	16	16	1000	4500	16	0	0	0.00
X			2150	0	106	2150	4500	106	0	0	0.00
XG			932	68	68	1000	4500	68	0	0	0.00
XG			420	580	840	1000	4500	840	0	0	0.00
			471	525	529	1000	4500	535	0	0	0.00
XG			1000	0	0	1000	4500	0	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
X			1525	625	867	2150	4500	937	0	0	0.00
XG			878	122	122	1000	4500	122	0	0	0.00
X			2056	94	546	2150	4500	546	0	0	0.00
XG			935	65	65	1000	4500	65	0	0	0.00
			875	125	125	1000	4500	325	0	0	0.00
XG			1000	0	0	1000	4500	0	0	0	0.00
X			2150	0	0	2150	4500	0	0	0	0.00
X			951	49	83	1000	4500	95	0	0	0.00
X			715	285	298	1000	4500	298	0	0	0.00
X			2150	0	0	2150	4500	0	0	0	0.00
XG			1759	391	391	2150	4500	415	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
XG			917	83	83	1000	4500	83	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
X			997	3	3	1000	4500	3	0	0	0.00
X			985	15	15	1000	4500	15	0	0	0.00
			2055	95	95	2150	4500	95	0	0	0.00
			233	767	789	1000	4500	890	0	0	0.00
			978	23	22	1000	4500	22	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 3

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 004 - RAYTHEON

PID #	QUAL	NAME	MARGIN	-- TEDE --	SITE	YEAR	- GUIDE/EXT -	SITE	ANNUAL	Skin	Extremity	Accum.
										Upper	Lower	DAC HRS
X			745	255	255		1000	4500	268	0	0	0.00
X			893	107	107		1000	4500	107	0	0	0.00
			955	45	45		1000	4500	45	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
X			983	17	17		1000	4500	17	0	0	0.00
X			962	538	538		1500	4500	561	0	0	0.00
YG			2064	86	86		2150	4500	86	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
			659	341	958		1000	4500	1328	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
XG			459	531	531		1000	4500	602	0	0	0.00
			822	178	263		1000	4500	263	0	0	0.00
XCG			844	656	656		1500	4500	689	0	0	0.00
			1512	638	1004		2150	4500	1020	0	0	0.00
			978	22	22		1000	4500	22	0	0	0.00
			981	19	19		1000	4500	19	0	0	0.00
			998	2	2		1000	4500	2	0	0	0.00
X			535	465	465		1000	4500	465	0	0	0.00
XX			984	16	16		1000	4500	16	0	0	0.00
X			985	15	15		1000	4500	15	0	0	0.00
			2150	0	0		2150	4500	0	0	0	0.00
			1892	258	258		2150	4300	258	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
			648	352	352		1000	4500	352	0	0	0.00
			976	24	24		1000	4500	24	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
X			2117	33	667		2150	4500	679	0	0	0.00
X			977	23	23		1000	4500	23	0	0	0.00
			1000	~	0		1000	4500	0	0	0	0.00
			932	6	68		1000	4500	78	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
XG			807	193	193		1000	4500	193	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
			960	40	40		1000	4500	40	0	0	0.00
			1000	0	0		1000	4500	0	0	0	0.00
X			954	46	46		1000	4500	46	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: FSL
REPORT: DEXPC10R
PAGE: 4

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 007 - COMBUSTION ENG

PID #	QUAL	NAME	MARGIN	-- TEDE --		GUIDE/EXT		EXTREMITY		ACCUM.
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	DAC HRS
X				1343	807	1926	2150	4500	2499	0 0 0.00
XCG				1000	0	21	1000	4500	21	0 0 0.00
X				1000	0	427	1000	4500	427	0 0 0.00
X				1000	0	8	1000	4500	8	0 0 0.00
XG				472	1678	1840	2150	4500	2005	0 0 0.00
X				1335	815	923	2150	4500	975	0 0 0.00
X				1030	1120	1636	2150	4500	1636	0 0 0.00
X				1396	754	1627	2150	4500	1759	0 0 0.00
G				1000	0	58	1000	4500	58	0 0 0.00
X				1433	717	1087	2150	4500	1167	0 0 0.00
XGC				1000	0	0	1000	4500	0	0 0 0.00
X				1210	940	1255	2150	4500	1255	0 0 0.00
X				1000	0	293	1000	4500	345	0 0 0.00
X				1112	1038	2065	2150	4500	2286	0 0 0.00
X				625	875	1778	1500	4500	2052	0 0 0.00
G				1000	0	0	1000	4500	0	0 0 0.00
X				1094	1056	1427	2150	4500	1470	0 0 0.00
X				2^63	87	460	2150	4500	460	0 0 0.00
X				1862	288	288	2150	4500	288	0 0 0.00
X				1000	0	0	1000	4500	0	0 0 0.00
X				1000	0	261	1000	4500	264	0 0 0.00
X				2^50	0	704	2150	4500	754	0 0 0.00
X				1000	0	0	1000	4500	0	0 0 0.00
X				1189	961	961	2150	4500	961	0 0 0.00
X				1026	1124	1775	2150	4500	1843	0 0 0.00
X				755	1395	1459	2150	4500	1459	0 0 0.00
XCG				1444	706	920	2150	4500	934	0 0 0.00
X				1220	930	2097	2150	4500	2217	0 0 0.00
X				1906	244	244	2150	4500	244	0 0 0.00
X				908	1242	1389	2150	4500	1389	0 0 0.00
X				1182	968	1232	2150	4500	1245	0 0 0.00
X				1176	974	1732	2150	4500	1764	0 0 0.00
XG				2150	0	265	2150	4500	317	0 0 0.00
X				814	1336	1938	2150	4500	2015	0 0 0.00
XCG				1000	0	0	1000	4500	0	0 0 0.00
X				2150	0	243	2150	4500	243	0 0 0.00
XG				1468	682	1252	2150	4500	1258	0 0 0.00
X				1000	0	18	1000	4500	18	0 0 0.00
X				795	1318	2100	2150	4500	2292	0 0 0.00
XCG				1000	0	742	1000	4500	904	0 0 0.00
X				890	845	951	1735	4500	1028	0 0 0.00
X				989	1161	1437	2150	4500	1458	0 0 0.00
XCG				1740	410	813	2150	4500	884	0 0 0.00
X				2113	37	274	2150	4500	274	0 0 0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPCIOR
PAGE: 5

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 007 - COMBUSTION ENGINE

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE	YEAR	- GUIDE/EXT - SITE	ANNUAL	SKIN	EXTREMITY	ACCUM.	
									UPPER	LOWER	DAC HRS
X				1986	164	816	2150	4500	887	0	0
X				1603	547	597	2150	4500	597	0	0
X				2135	15	137	2150	4500	147	0	0
X				1566	584	2072	2150	4500	2248	0	0
X				704	1446	1619	2150	4500	1799	0	0
X				927	1223	1718	2150	4500	1789	0	0
X				833	1317	1804	2150	4500	1856	0	0
X				798	1352	1384	2150	4500	1384	0	0
X				1814	336	1231	2150	4500	1437	0	0
X				1009	0	1196	1000	4500	1281	0	0
X				2150	0	0	2150	4500	0	0	0.00
X				686	1464	1464	2150	4500	1509	0	0
X				1000	0	13	1000	4500	13	0	0
X				1878	272	272	2150	4500	283	0	0
X				1265	885	885	2150	4500	885	0	0
X				1711	434	816	2150	4500	816	0	0
X				1420	730	730	2150	4500	730	0	0
X				1000	0	271	1000	4500	271	0	0
X				1511	639	1623	2150	4500	1797	0	0
X				1261	889	1057	2150	4500	1284	0	0
X				1736	414	518	2150	4500	518	0	0
X				1751	399	399	2150	4500	495	0	0
X				2134	16	127	2150	4500	127	0	0
X				785	1365	1366	2150	4500	1366	0	0
X				619	1531	1609	2150	4500	1631	0	0
G				1000	0	0	1000	4500	0	0	0.00
XG				1979	171	379	2150	4500	388	0	0
XG				1763	387	633	2150	4500	653	0	0

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 6

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 010 - ELECTRICAL MAINT

PID #	QUAL	NAME	MARGIN	-- TEDE --	SITE	YEAR	- GUIDE/EXT -	SITE	ANNUAL	SKIN	EXTREMITY	ACCUM.	DAC HRS
			827	173	415		1000	4500	415	0	0	0.00	
			962	38	38		1000	4500	38	0	0	0.00	
			939	61	61		1000	4500	61	0	0	0.00	
			983	17	17		1000	4500	17	0	0	0.00	
			1000	0	22		1000	4500	22	0	0	0.00	
			792	208	208		1000	4500	219	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			606	394	394		1000	4500	443	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			853	147	147		1000	4500	147	0	0	0.00	
			788	212	477		1000	4500	477	0	0	0.00	
			990	10	10		1000	4500	10	0	0	0.00	
			991	10	10		1000	4500	10	0	0	0.00	
			950	42	42		1000	4500	42	0	0	0.00	
			824	176	229		1000	4500	229	0	0	0.00	
			983	17	17		1000	4500	17	0	0	0.00	
			987	13	13		1000	4500	13	0	0	0.00	
			571	429	429		1000	4500	453	0	0	0.00	
			981	19	19		1000	4500	19	0	0	0.00	
			932	68	68		1000	4500	68	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			958	42	42		1000	4500	42	0	0	0.00	
			999	1	1		1000	4500	1	0	0	0.00	
			975	24	24		1000	4500	24	0	0	0.00	
			447	3	3		450	4500	3	0	0	0.00	
			939	61	61		1000	4500	61	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			546	454	816		1000	4500	848	0	0	0.00	
			992	8	8		1000	4500	8	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			941	59	59		1000	4500	59	0	0	0.00	
			573	427	793		1000	4500	793	0	0	0.00	
			450	0	0		450	4500	0	0	0	0.00	
			984	16	16		1000	4500	16	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			578	422	422		1000	4500	422	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			917	83	83		1000	4500	83	0	0	0.00	
			943	57	57		1000	4500	57	0	0	0.00	
			918	82	82		1000	4500	92	0	0	0.00	
			1000	0	0		1000	4500	0	0	0	0.00	
			984	16	16		1000	4500	16	0	0	0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 7

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 010 - ELECTRICAL MAINT

PID #	QUAL	NAME	MARGIN	TEDE		GUIDE/EXT		SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER	
SXG			1000	0	0	1000	4500	0	0	0	0.00
			995	5	5	1000	4500	5	0	0	0.00
			648	352	352	1000	4500	364	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			987	13	13	1000	4500	13	0	0	0.00
Y	XG		1000	0	0	1000	4500	0	0	0	0.00
			568	432	432	1000	4500	455	0	0	0.00
			950	50	50	1000	4500	50	0	0	0.00
X	X		807	193	193	1000	4500	211	0	0	0.00
			628	372	372	1000	4500	372	0	0	0.00
			960	40	40	1000	4500	40	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
Y			999	1	1	1000	4500	1	0	0	0.00
			752	248	248	1000	4500	268	0	0	0.00
			974	26	26	1000	4500	26	0	0	0.00
SX			480	520	1255	1000	4500	1255	0	0	0.00
YG			501	499	499	1000	4500	522	0	0	0.00
SX			587	413	413	1000	4500	433	0	0	0.00
SXG			960	40	40	1000	4500	40	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			874	126	558	1000	4500	573	0	0	0.00
SX			951	49	49	1000	4500	49	0	0	0.00
SX			988	12	12	1000	4500	12	0	0	0.00
SXG			977	23	23	1000	4500	23	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			950	50	50	1000	4500	50	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC16R
PAGE: 8

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 011 - ELECT MAINT ITIN

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
			676	324 435	1000 4500	435	0 0	0.00
			892	108 108	1000 4500	120	0 0	0.00
			516	484 509	1000 4500	535	0 0	0.00
			910	90 90	1000 4500	90	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 9

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 012 - HP UTILITY WORKERS

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
XG				478 522 522	1000 4500	522	0 0	0.00
				831 169 169	1000 4500	169	0 0	0.00
X				973 27 27	1000 4500	27	0 0	0.00
				657 343 343	1000 4500	364	0 0	0.00
				784 216 216	1000 4500	216	0 0	0.00
				847 153 153	1000 4500	153	0 0	0.00
SX				969 31 31	1000 4500	31	0 0	0.00
X				970 30 30	1000 4500	30	0 0	0.00
SX				932 68 68	1000 4500	68	0 0	0.00
				810 190 495	1000 4500	528	0 0	0.00
				774 226 226	1000 4500	226	0 0	0.00
				892 108 108	1000 4500	108	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 10

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 013 - FPL - NON-PSL

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				1000 0 0	1000 4500	0	0 0	0 0.00
				443 7 7	450 4500	7	0 0	0 0.00
				1000 0 0	1000 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				1000 0 0	1000 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				1000 0 0	1000 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				1000 0 0	1000 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				414 36 36	450 4500	36	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00
				450 0 0	450 4500	0	0 0	0 0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 11

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 014 - HEALTH PHYSICS

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER	
SX			723	277	277	1000	4500	277	0	0	0.00
X			682	326	373	1000	4500	392	0	0	0.00
SX			771	229	229	1000	4500	241	0	0	0.00
			974	26	26	1000	4500	26	0	0	0.00
SX			717	283	283	1000	4500	327	0	0	0.00
SX			887	113	113	1000	4500	113	0	0	0.00
			997	3	3	1000	4500	3	0	0	0.00
SX			324	676	676	1000	4500	676	0	0	0.00
SX			617	383	383	1000	4500	399	0	0	0.00
SX			589	911	911	1000	4500	975	0	0	1.00
			973	27	27	1000	4500	27	0	0	0.00
SXG			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			870	130	130	1000	4500	130	0	0	0.00
			1125	375	753	1500	4500	793	0	0	0.00
			364	636	906	1000	4500	916	0	0	0.00
SX			781	219	219	1000	4500	219	0	0	0.00
SX			682	318	318	1000	4500	318	0	0	0.00
SX			928	72	90	1000	4500	90	0	0	0.00
SX			988	12	12	1000	4500	12	0	0	0.00
			657	343	343	1000	4500	343	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			686	314	405	1000	4500	406	0	0	0.00
			996	4	4	1000	4500	4	0	0	0.00
SX			881	119	119	1000	4500	119	0	0	0.00
SXG			1000	0	0	1000	4500	0	0	0	0.00
			665	835	835	1500	4500	850	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
			627	373	373	1000	4500	373	0	0	0.00
			758	742	742	1500	4500	742	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SXG			934	66	66	1000	4500	77	0	0	0.00
			939	61	61	1000	4500	61	0	0	0.00
SX			941	59	59	1000	4500	59	0	0	0.00
SX			893	107	107	1000	4500	107	0	0	0.00
SX			519	481	481	1000	4500	504	0	0	0.00
SX			607	393	393	1000	4500	393	0	0	0.00
SX			832	168	178	1000	4500	178	0	0	0.00
SX			656	344	344	1000	4500	344	0	0	0.00
SX			781	219	219	1000	4500	240	0	0	0.00
SX			861	139	139	1000	4500	139	0	0	0.00
SX			973	27	27	1000	4500	27	0	0	0.00
SX			552	448	582	1000	4500	594	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 12

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 014 - HEALTH PHYSICS

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -			EXTREMITY		ACCUM.
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
SX			890	110	110	1000	4500	110	0	0	0.50
X			611	389	638	1000	4500	658	0	0	0.00
SXG			949	51	51	1000	4500	51	0	0	0.00
SX			880	120	120	1000	4500	120	0	0	0.00
SX			879	121	121	1000	4500	121	0	0	0.00
			974	26	26	1000	4500	26	0	0	0.00
SX			869	131	131	1000	4500	131	0	0	0.00
SX			898	102	102	1000	4500	102	0	0	0.00
SX			798	202	202	1000	4500	222	0	0	0.00
SX			352	648	648	1000	4500	648	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 13

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 015 - HEALTH PHYSICS CONTR

PID #	QUAL	NAME	MARGIN	-- TEDE --		GUIDE/EXT -			EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS	
X				1113	387	531	1500	4500	574	0	0	0.00
X				664	336	367	1000	4500	367	0	0	0.00
				820	180	1078	1000	4500	1167	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				728	272	849	1000	4500	849	0	0	0.00
				721	279	279	1000	4500	279	0	0	0.00
				574	430	1321	1000	4500	1471	0	0	0.00
				943	57	127	1000	4500	146	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				866	134	232	1000	4500	232	0	0	0.00
				585	415	728	1000	4500	754	0	0	0.00
				898	102	156	1000	4500	156	0	0	0.00
				616	384	522	1000	4500	538	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				805	195	431	1000	4500	665	0	0	0.00
				788	212	812	1000	4500	821	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				446	554	554	1000	4500	573	0	0	0.00
				596	304	746	1000	4500	746	0	0	0.00
				715	285	1093	1000	4500	1206	0	0	0.00
				704	296	296	1000	4500	321	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				688	312	430	1000	4500	523	0	0	0.00
				776	224	308	1000	4500	324	0	0	0.00
				983	17	17	1000	4500	17	0	0	0.00
				945	55	55	1000	4500	55	0	0	0.00
XCG				966	534	1133	1500	4500	1315	0	0	0.00
XCG				865	135	135	1000	4500	135	0	0	0.00
				599	401	907	1000	4500	920	0	0	0.00
				574	426	919	1000	4500	965	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 14

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 017 - I & C

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
X			694	306	306	1000	4500	306	0	0	0.00
X			681	319	319	1000	4500	319	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			862	138	138	1000	4500	138	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
X			634	366	366	1000	4500	386	0	0	0.00
			804	196	317	1000	4500	333	0	0	0.00
X			970	30	30	1000	4500	30	0	0	0.00
X			525	475	475	1000	4500	509	0	0	0.00
X			662	338	338	1000	4500	338	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
XG			584	416	416	1000	4500	450	0	0	0.00
X			826	174	370	1000	4500	370	0	0	0.00
X			1000	0	0	1000	4500	0	0	0	0.00
XG			1000	0	0	1000	4500	0	0	0	0.00
			988	12	12	1000	4500	12	0	0	0.00
Y			1000	0	0	1000	4500	0	0	0	0.00
			940	60	60	1000	4500	60	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			667	333	333	1000	4500	343	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
X			787	213	213	1000	4500	213	0	0	0.00
X			985	15	15	1000	4500	15	0	0	0.00
XCG			781	219	219	1000	4500	219	0	0	0.00
XG			548	452	534	1000	4500	534	0	0	0.00
X			772	228	228	1000	4500	228	0	0	0.00
			402	598	598	1000	4500	692	0	0	0.00
			763	237	237	1000	4500	237	0	0	0.00
			1000	0	1	1000	4500	1	0	0	0.00
X			633	367	700	1000	4500	700	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			898	102	102	1000	4500	102	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
YG			880	120	120	1000	4500	120	0	0	0.00
			950	50	50	1000	4500	50	0	0	0.75
SX			889	111	111	1000	4500	111	0	0	0.00
X			655	345	345	1000	4500	369	0	0	0.00
			781	219	219	1000	4500	233	0	0	0.00
			853	147	147	1000	4500	147	0	0	0.00
			912	88	88	1000	4500	88	0	0	0.00
			738	262	320	1000	4500	367	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			496	504	504	1000	4500	523	0	0	0.00
X			259	741	741	1000	4500	794	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 15

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 017 - I & C

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EX. -		EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
	X		985	15	15	1000	4500	15	0	0	0.00
	X		659	341	341	1000	4500	353	0	0	0.00
	X		644	356	356	1000	4500	389	0	0	0.00
	XG		899	102	102	1000	4500	112	0	0	0.00
	XG		837	163	163	1000	4500	163	0	0	0.00
	XG		746	255	254	1000	4500	276	0	0	0.00
	XG		1000	0	0	1000	4500	0	0	0	0.00
	XG		1000	0	0	1000	4500	0	0	0	0.00
	XG		897	103	103	1000	4500	103	0	0	0.00
	XG		1000	0	0	1000	4500	0	0	0	0.00
	ISX		1000	0	0	1000	4500	371	0	0	0.00
	XCG		633	367	367	1000	4500	11	0	0	0.00
	XCG		989	11	11	1000	4500	97	0	0	0.00
	XCG		918	82	82	1000	4500	372	0	0	0.00
	XCG		755	245	350	1000	4500	0	0	0	0.00
	XCG		1000	0	0	1000	4500	0	0	0	0.00
	XCG		1000	0	0	1000	4500	335	0	0	0.00
	XCG		665	335	335	1000	4500	17	0	0	0.00
	XCG		983	17	17	1000	4500	195	0	0	0.00
	XCG		805	195	195	1000	4500	614	0	0	0.00
	XCG		385	614	614	1000	4500	0	0	0	0.00
	XCG		1000	0	0	1000	4500	882	0	0	0.00
	Y		185	815	815	1000	4500	0	0	0	0.00
	X		1000	0	0	1000	4500	339	0	0	0.00
	X		675	325	325	1000	4500	351	0	0	0.00
	XG		649	351	351	1000	4500	467	0	0	0.00
	SX		562	438	438	1000	4500	26	0	0	0.00
	X		974	26	26	1000	4500	624	0	0	0.00
	X		417	583	598	1000	4500	111	0	0	0.00
	X		889	111	111	1000	4500	190	0	0	0.00
	X		810	190	190	1000	4500	0	0	0	0.00
	XG		1000	0	0	1000	4500	455	0	0	0.00
	XG		545	455	455	1000	4500	435	0	0	0.00
	XG		582	418	418	1000	4500	60	0	0	0.00
	XG		940	60	60	1000	4500	217	0	0	0.00
	Y		783	217	217	1000	4500	229	0	0	0.00
	Y		71	229	229	1000	4500	46	0	0	0.00
	Y		954	46	46	1000	4500	486	0	0	0.00
	Y		557	443	443	1000	4500	326	0	0	0.00
	Y		698	302	302	1000	4500	332	0	0	0.00
	Y		668	332	332	1000	4500	89	0	0	0.00
	Y		911	89	89	1000	4500	246	0	0	0.00
	Y		754	246	246	1000	4500	742	0	0	0.00
	Y		770	730	730	1500	4500				

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 16

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 017 - I & C

PID #	QUAL	NAME	MARGIN	-- TEDE --		GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS	
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER		
	X			499	501	514	1000	4500	545	0	0	0.00
	X			558	442	533	1000	4500	533	0	0	0.00
				809	191	191	1000	4500	212	0	0	0.00
				671	829	829	1500	4500	877	0	0	0.00
				853	147	396	1000	4500	417	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 17

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

*DEPARTMENT: 018 - I & C I

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
([REDACTED])	([REDACTED])			798 202 202 874 126 373	1000 4500 1000 4500	202 407	0 0 0.00 0 0 0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPRT: DEXPC10R
PAGE: 18

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE METERING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 020 - PROJECTS & MAINT SUPPORT

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE	YEAR	- GUIDE/EXT - SITE	ANNUAL	SKIN	EXTREMITY	ACCUM.	
									UPPER	LOWER	DAC HRS
X				715	784	784	1500	4500	784	0	0 0.00
X				997	3	3	1000	4500	3	0	0 0.00
				972	21	21	1000	4500	21	0	0 0.00
				963	37	37	1000	4500	37	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				997	3	3	1000	4500	3	0	0 0.00
				990	10	10	1000	4500	10	0	0 0.00
SX				1000	0	0	1000	4500	0	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				1096	404	404	1500	4500	404	0	0 0.00
				876	124	137	1000	4500	137	0	0 0.00
				994	6	6	1000	4500	6	0	0 0.00
				281	1219	1219	1500	4500	1219	0	0 0.00
				972	28	28	1000	4500	28	0	0 0.00
				605	895	895	1500	4500	895	0	0 0.00
				815	185	185	1000	4500	185	0	0 0.00
				998	2	2	1000	4500	2	0	0 0.00
				989	11	11	1000	4500	11	0	0 0.00
				856	144	387	1000	4500	387	0	0 0.00
SXG				1000	0	0	1000	4500	0	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				999	1	1	1000	4500	1	0	0 0.00
				339	1162	1161	1500	4500	1161	0	0 0.00
XCG				858	142	142	1000	4500	142	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				988	12	12	1000	4500	12	0	0 0.00
				790	711	710	1500	4500	790	0	0 0.00
				506	497	494	1000	4500	494	0	0 0.00
				968	32	32	1000	4500	32	0	0 0.00
				987	13	23	1000	4500	23	0	0 0.00
				987	13	13	1000	4500	13	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				560	440	503	1000	4500	552	0	0 0.00
				648	352	352	1000	4500	370	0	0 0.00
				379	621	621	1000	4500	621	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				1000	0	0	1000	4500	0	0	0 0.00
				586	414	414	1000	4500	414	0	0 0.00
				921	579	579	1500	4500	631	0	0 0.00
SX				1000	0	0	1000	4500	0	0	0 0.00
				978	22	379	1000	4500	379	0	0 0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 19

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 020 - PROJECTS & MAINT SUPPORT

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE	YEAR	GUIDE/EXT - SITE	ANNUAL	SKIN	EXTREMITY UPPER	EXTREMITY LOWER	ACCUM. DAC HRS
X			915	85	85	1000	4500	85	0	0	0.00
			988	12	12	1000	4500	12	0	0	0.00
			802	698	698	1500	4500	698	0	0	0.00
			996	4	4	1000	4500	4	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
SX	X		844	156	156	1000	4500	156	0	0	0.00
			999	1	1	1000	4500	1	0	0	0.00
			875	125	125	1000	4500	125	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			920	80	80	1000	4500	80	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			931	69	69	1000	4500	69	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			760	740	740	1500	4500	770	0	0	0.00
			720	280	809	1000	4500	868	0	0	0.00
			940	60	60	1000	4500	60	0	0	0.00
			978	22	22	1000	4500	33	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			715	285	285	1000	4500	285	0	0	0.00
			545	455	455	1000	4500	455	0	0	0.00
			964	36	72	1000	4500	72	0	0	0.00
			945	55	55	1000	4500	55	0	0	0.00
			955	45	45	1000	4500	45	0	0	0.00
			922	78	122	1000	4500	132	0	0	0.00
			881	119	119	1000	4500	119	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			977	23	23	1000	4500	23	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			974	26	26	1000	4500	26	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			544	956	1392	1500	4500	1392	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 20

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS

EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 021 - MECH MAINT

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS	
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER		
				999	1	1	1000	4500	1	0	0	0.00
R				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				995	5	5	1000	4500	5	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 21

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

DEPARTMENT: 022 - MECH MAINTENANCE

SORTED BY: DEPT/NAME

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
				998 2 2	1000 4500	2	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				999 1 1	1000 4500	1	0 0	0.00
				999 1 1	1000 4500	1	0 0	0.00
				997 3 3	1000 4500	3	0 0	0.00
				972 28 28	1000 4500	28	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				978 22 22	1000 4500	22	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				991 9 9	1000 4500	9	0 0	0.00
				999 1 1	1000 4500	1	0 0	0.00
				944 56 349	1000 4500	378	0 0	0.00
				978 22 268	1000 4500	302	0 0	0.00
				887 113 177	1000 4500	217	0 0	0.00
				996 4 4	1000 4500	4	0 0	0.00
				821 179 345	1000 4500	356	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				994 6 6	1000 4500	6	0 0	0.00
				954 46 343	1000 4500	343	0 0	0.00
				975 25 236	1000 4500	236	0 0	0.00
				952 48 48	1000 4500	48	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 22

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 023 - OPERATIONS NUCLEAR

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -			EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			900	100	100	1000	4500	100	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			919	81	81	1000	4500	81	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SXG			810	190	190	1000	4500	190	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			931	69	69	1000	4500	69	0	0	0.00	
SX			878	122	122	1000	4500	122	0	0	0.00	
SXCG			926	74	74	1000	4500	74	0	0	0.00	
SX			891	102	102	1000	4500	102	0	0	0.00	
SX			881	119	119	1000	4500	120	0	0	0.00	
SX			822	178	178	1000	4500	178	0	0	0.00	
SX			944	56	56	1000	4500	56	0	0	0.00	
X			922	78	78	1000	4500	78	0	0	0.00	
SX			766	234	234	1000	4500	256	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SXCG			1000	0	0	1000	4500	0	0	0	0.00	
SXCG			920	80	80	1000	4500	80	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			928	72	72	1000	4500	72	0	0	0.00	
SXG			996	4	4	1000	4500	4	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			887	113	113	1000	4500	113	0	0	0.00	
SXG			1000	0	0	1000	4500	0	0	0	0.00	
SX			871	129	129	1000	4500	140	0	0	0.00	
SX			1000	0	15	1000	4500	15	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			850	150	150	1000	4500	150	0	0	0.00	
SX			996	4	4	1000	4500	4	0	0	0.00	
SXG			996	4	4	1000	4500	4	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			678	322	322	1000	4500	322	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			988	12	12	1000	4500	12	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			763	237	237	1000	4500	247	0	0	0.00	
SX			987	13	13	1000	4500	23	0	0	0.00	
SX			785	215	215	1000	4500	215	0	0	0.00	
SXG			969	31	31	1000	4500	31	0	0	0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 23

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 023 - OPERATIONS NUCLEAR

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -			EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS	
SX			876	124	124	1000	4500	124	0	0	0.00	
SX			903	97	97	1000	4500	97	0	0	0.00	
SX			871	123	129	1000	4500	139	0	0	0.00	
SX			895	105	105	1000	4500	105	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			822	178	178	1000	4500	178	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			832	168	168	1000	4500	168	0	0	0.00	
SX			903	97	97	1000	4500	97	0	0	0.00	
SX			915	85	85	1000	4500	85	0	0	0.00	
SXG			996	4	4	1000	4500	4	0	0	0.00	
SXCG			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			961	19	19	1000	4500	19	0	0	0.00	
SX			782	218	218	1000	4500	234	0	0	0.00	
SX			825	175	175	1000	4500	175	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			954	46	46	1000	4500	46	0	0	0.00	
SX			750	250	250	1000	4500	250	0	0	0.00	
SXCG			912	87	87	1000	4500	87	0	0	0.00	
SX			928	72	72	1000	4500	72	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			982	18	18	1000	4500	18	0	0	0.00	
SXG			1000	0	0	1000	4500	0	0	0	0.00	
SXCG			878	122	122	1000	4500	122	0	0	0.00	
SX			767	233	233	1000	4500	233	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			887	113	113	1000	4500	113	0	0	0.00	
SXCG			968	32	32	1000	4500	32	0	0	0.00	
SX			915	85	85	1000	4500	96	0	0	0.00	
SX			945	55	55	1000	4500	56	0	0	0.00	
SX			998	2	2	1000	4500	2	0	0	0.00	
SX			1010	0	0	1000	4500	0	0	0	0.00	
SX			830	140	140	1000	4500	140	0	0	0.00	
SXG			964	36	36	1000	4500	36	0	0	0.00	
SX			807	193	193	1000	4500	204	0	0	0.00	
SX			997	3	3	1000	4500	3	0	0	0.00	
SXG			778	222	222	1000	4500	222	0	0	0.00	
SX			952	48	48	1000	4500	48	0	0	0.00	
SX			1000	0	0	1000	4500	0	0	0	0.00	
SX			933	67	67	1000	4500	67	0	0	0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 24

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 023 - OPERATIONS NUCLEAR

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
SX			845	155	155	1000	4500	155	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			740	260	260	1000	4500	271	0	0	0.00
SXCG			984	16	16	1000	4500	16	0	0	0.00
SXCG			772	228	228	1000	4500	228	0	0	0.00
SXCG			927	73	73	1000	4500	73	0	0	0.00
SXCG			737	263	263	1000	4500	264	0	0	0.00
XG			924	76	76	1000	4500	76	0	0	0.00
SX			922	78	78	1000	4500	78	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			896	104	104	1000	4500	104	0	0	0.00
SX			931	69	69	1000	4500	69	0	0	0.00
SXCG			998	2	2	1000	4500	2	0	0	0.00
SXCG			784	216	216	1000	4500	216	0	0	0.00
SXG			985	15	15	1000	4500	15	0	0	0.00
SX			942	58	58	1000	4500	58	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			856	144	144	1000	4500	144	0	0	0.00
SX			807	193	193	1000	4500	193	0	0	0.00
SXCG			999	1	1	1000	4500	1	0	0	0.00
SXCG			1000	0	0	1000	4500	0	0	0	0.00
SXCG			961	35	35	1000	4500	35	0	0	0.00
SX			961	2	2	1000	4500	2	0	0	0.00
SX			750	250	250	1000	4500	272	0	0	0.00
SXG			933	67	67	1000	4500	67	0	0	0.00
SX			907	93	93	1000	4500	93	0	0	0.00
SXG			999	1	1	1000	4500	1	0	0	0.00
SX			990	10	10	1000	4500	10	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			989	11	11	1000	4500	11	0	0	0.00
SXCG			999	1	1	1000	4500	1	0	0	0.00
SX			920	80	80	1000	4500	80	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SXCG			824	176	176	1000	4500	176	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			979	21	21	1000	4500	21	0	0	0.00
XCG			967	33	33	1000	4500	33	0	0	0.00
SX			944	56	56	1000	4500	56	0	0	0.00
SX			968	32	32	1000	4500	32	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 25

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 024 - OP SUPPORT & TEST

PID #	QUAL	NAME	MARGIN	-- TEDE --		GUIDE/EXT -		EXTREMITY		ACCUM.		
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS	
				989	11	11	1000	4500	11	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	10	1000	4500	10	0	0	0.00
X	X			862	138	138	1000	4500	138	0	0	0.00
X				983	17	17	1000	4500	17	0	0	0.00
X				883	117	117	1000	4500	117	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				987	13	13	1000	4500	13	0	0	0.00
X				949	51	51	1000	4500	51	0	0	0.00
				992	8	8	1000	4500	8	0	0	0.00
				983	17	17	1000	4500	17	0	0	0.00
				988	12	12	1000	4500	12	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
SX	XCG			1000	0	0	1000	4500	0	0	0	0.00
X				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				946	54	54	1000	4500	54	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				942	58	58	1000	4500	58	0	0	0.00
SX				1000	0	0	1000	4500	0	0	0	0.00
SXG				1000	0	0	1000	4500	0	0	0	0.00
XG				992	8	8	1000	4500	8	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				999	1	1	1000	4500	1	0	0	0.00
SX	XG			944	56	56	1000	4500	56	0	0	0.00
XCG				905	95	95	1000	4500	95	0	0	0.00
				1000	0	2	1000	4500	2	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 26

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

DEPARTMENT: 025 - NUCLEAR ASSURANCE

MARGIN	-- TEDE --		- GUIDE/EXT -			EXTREMITY		ACCUM. DAC HRS
	SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	
967	13	13	1000	4500	13	0	0	0.00
995	5	5	1000	4500	5	0	0	0.00
885	115	115	1000	4500	115	0	0	0.00
921	79	79	1000	4500	79	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
450	0	0	450	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
450	0	0	450	4500	0	0	0	0.00
1985	15	15	2000	4000	15	0	0	0.00
1177	823	823	2000	4500	880	0	0	0.00
450	0	0	450	4500	0	0	0	0.00
974	26	26	1000	4500	26	0	0	0.00
1934	66	66	2000	4500	66	0	0	0.00
1000	0	147	1000	4500	147	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
999	1	2	1000	4500	2	0	0	0.00
433	17	17	450	4500	17	0	0	0.00
718	282	282	1000	4500	282	0	0	0.00
896	104	104	1000	4500	104	0	0	0.00
436	14	14	450	4500	14	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
970	30	30	1000	4500	30	0	0	0.00
994	6	6	1000	4500	6	0	0	0.00
436	14	14	450	4500	14	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
450	0	0	450	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
998	2	237	1000	4500	271	0	0	0.00
957	43	43	1000	4500	43	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0.00
983	17	17	1000	4500	17	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSI
REPORT: DEXPC10R
PAGE: 27

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 026 - CORRECTIVE ACTION/MIS

PID #	QUAL	NAME	MARGIN	-- TEDE --		GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER	
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			978	22	22	1000	4500	22	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 28

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 027 - RAD CHEM & CHEM

PID #	QUAL	NAME	MARGIN	-- TEDE --	SITE	YEAR	- GUIDE/EXT -	SITE	ANNUAL	SKIN	EXTREMITY	ACCUM.	DAC HRS
X	SX		1000		0	0	1000	4500	0	0	0	0.00	
	SX		1000		0	0	1000	4500	0	0	0	0.00	
	SX		1000		0	0	1000	4500	0	0	0	0.00	
	SX		999		1	1	1000	4500	1	0	0	0.00	
	SX		1000		0	0	1000	4500	0	0	0	0.00	
	XCG		995		5	5	1000	4500	5	0	0	0.00	
	SXG		997		3	3	1000	4500	3	0	0	0.00	
	SX		1000		0	0	1000	4500	0	0	0	0.00	
	SX		966		34	34	1000	4500	34	0	0	0.00	
	SX		1000		0	0	1000	4500	0	0	0	0.00	
	SXG		965		35	35	1000	4500	35	0	0	0.00	
	SXCG		971		29	29	1000	4500	29	0	0	0.00	
	SX		996		4	4	1000	4500	4	0	0	0.00	
	SX		999		1	1	1000	4500	1	0	0	0.00	
	SX		935		65	65	1000	4500	65	0	0	0.00	
	SX		1000		0	0	1000	4500	0	0	0	0.00	
	SX		1000		0	0	1000	4500	0	0	0	0.00	
	X		995		5	5	1000	4500	5	0	0	0.00	
	SX		993		7	7	1000	4500	7	0	0	0.00	
	SX		900		100	100	1000	4500	112	0	0	0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 29

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

DEPARTMENT: 028 - REACTOR ENGINEERING

SORTED BY: DEPT/NAME

PID #	QUAL	NAME	MARGIN	TEDE -- SITE YEAR	GUIDE/EXT -- SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
	X	(REDACTED)		896 104 104	1000 4500	104	0 0	0.00
				937 63 63	1000 4500	63	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00
				1000 0 0	1000 4500	0	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 30

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 029 - MAINT PROGRAMS

PID #	QUAL	NAME	MARGIN	-- TEDE --	SITE	YEAR	- GUIDE/EXT -	SITE	ANNUAL	SKIN	EXTREMITY	ACCUM.	
											UPPER	LOWER	DAC HRS
X				1000		0	0	1000	4500	0	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
X				998		2	2	1000	4500	2	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
XG				981		19	19	1000	4500	19	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
				998		2	2	1000	4500	2	0	0	0.00
SX				997		3	3	1000	4500	3	0	0	0.00
X				974		26	26	1000	4500	26	0	0	0.00
X				981		17	17	1000	4500	17	0	0	0.00
X				001		0	0	1000	4500	0	0	0	0.00
SX				000		0	0	1000	4500	0	0	0	0.00
X				973		27	27	1000	4500	27	0	0	0.00
				369		31	31	1000	4500	31	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
				968		32	32	1000	4500	32	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
X				999		1	1	1000	4500	1	0	0	0.00
XG				939		61	61	1000	4500	61	0	0	0.00
				989		11	11	1000	4500	11	0	0	0.00
				999		1	1	1000	4500	1	0	0	0.00
XG				1178		322	322	1500	4500	322	0	0	0.00
X				998		2	2	1000	4500	2	0	0	0.00
				971		29	29	1000	4500	29	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
				1000		0	0	1000	4500	0	0	0	0.00
SXG				1000		0	0	1000	4500	0	0	0	0.00

DATE : 96/20/96 TIME : 00:17:04

PLANT REPORT PAGE 31 DEXPC10R PSL

FLORIDA POWER & LIGHT MANUFACTURING EXPOSURE MONITORING & ACCESS CONTROL SYSTEM

卷之三

**FLORIDA POWER & LIGHT
RADIACTION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS**

REVIEW SUMMARY REPORT

MARGIN SITE TEDE SITE GUIDE / EX-
YEAR ANNUAL

**FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS**

EXPLANATION BY REPORTER

SCHENK / NAME

DEPARTMENT: 030 - SECURITY/NON-Security

NAME _____

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 34

FLOORDA POWER & LIGHT

PREDICTION OF MONITORING ACCURACY - BROWNS CYSYSTE

EXERCISES BY CHAPTER

SORTED BY : DEPT / NAME

DEPARTMENT: 031 - SECURITY/EPL

PID #	QUAL	NAME
	XG	
	XG	
	XK	
		XG

SORTED BY : DEPT/NAME

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 35

FILM RIDER POWER & LIGHT DATAUTICAL EXECUTIVE MONITORING & ACCESS CONTROL SYSTEM

卷之三

SUPPORTED BY: DEPT./NAME

DEPARTMENT: 033 - INVENTORY CONTROL

PIN # CHAI NAME

270

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 36

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 034 - SYSTEM COMPONENT ENG

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	
				1000	0	1000	4500	0	0	0.00
				1000	0	1000	4500	0	0	0.00
				998	2	1000	4500	2	0	0.00
				1000	0	1000	4500	0	0	0.00
X				916	84	1000	4500	84	0	0.00
				991	9	1000	4500	9	0	0.00
X				1000	0	1000	4500	0	0	0.00
				945	55	1000	4500	55	0	0.00
X				825	175	1000	4500	230	0	0.00
X				1000	0	1000	4500	0	0	0.00
				858	142	1000	4500	159	0	0.00
				890	110	1000	4500	110	0	0.50
				1000	0	1000	4500	0	0	0.00
				983	17	1000	4500	17	0	0.00
				1000	0	1000	4500	0	0	0.00
				1000	0	1000	4500	0	0	0.00
				964	36	1000	4500	36	0	0.00
				996	4	1000	4500	4	0	0.00
				1000	0	1000	4500	0	0	0.00
				1000	0	1000	4500	0	0	0.00
				954	46	1000	4500	83	0	0.00
				909	91	1000	4500	91	0	0.00
				909	91	1000	4500	91	0	0.00
				887	113	1000	4500	113	0	0.00
				997	3	1000	4500	3	0	0.00
				1000	0	1000	4500	0	0	0.00
				998	2	1000	4500	2	0	0.00
				950	50	1000	4500	50	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 37

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 035 - US NCLR REC COMIT

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -			EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	
			1000	0	0	1000	4500	0	0	0	0.00
			441	9	109	450	4500	109	0	0	0.00
			450	0	0	450	4500	0	0	0	0.00
			445	5	5	450	4500	5	0	0	0.00
			444	6	56	450	4500	56	0	0	0.00
			450	0	110	450	4500	110	0	0	0.00
			450	0	2	450	4500	2	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 38

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 036 - CONTRACT QC

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
X			1659	491 634	2150	4500	634	0 0 0.00
X			750	1250 1563	2000	4500	1750	0 0 0.00
XG			1796	354 468	2150	4500	468	0 0 0.00
X			973	27 27	1000	4500	27	0 0 0.00
			964	36 50	1000	4500	50	0 0 0.00
X			1910	240 445	2150	4500	445	0 0 0.00
X			1904	246 375	2150	4500	375	0 0 0.00
X			986	14 193	1000	4500	193	0 0 0.00
X			1688	462 462	2150	4500	490	0 0 0.00

DATE : 06 / 20 / 96
TIME : 00 : 17 : 04

PLANT: PSL
REPORT: DEXPCL0R
PAGE: 39

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM

EXPLANATORY REPORT

SEARCHED BY : DEPT / NAME

10

THE MUSEUM

MARGIN	SITE	YEAR	SITE	ANNUAL	SITE	SKIN	UPPER	LOWER	DAL HRS
1000	0	0	1000	4500	0	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0	0.00
450	0	0	450	4500	0	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0	0.00
998	2	2	1000	4500	2	0	0	0	0.00
1000	0	9	1000	4500	9	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0	0.00
1000	0	0	1000	4500	0	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 40

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 039 - CONTRACTOR/PAINTERS

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		EXTREMITY		ACCUM.		
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS	
	X			433	17	17	450	4500	17	0	0	0.00
	X			882	118	168	1000	4500	180	0	0	0.00
	XG			985	15	15	1000	4500	15	0	0	0.00
	X			1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				989	11	11	1000	4500	11	0	0	0.00
				968	12	12	1000	4500	12	0	0	0.00
				406	594	700	1000	4500	734	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				495	505	651	1000	4500	651	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				986	14	14	1000	4500	14	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	211	1000	4500	232	0	0	0.00
				1000	0	34	1000	4500	34	0	0	0.00
				786	214	252	1000	4500	252	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 41

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 040 - MANAGEMENT PSD

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE	YEAR	- GUIDE/EXT - SITE	ANNUAL	SKIN	EXTREMITY UPPER	LOWER	ACCUM. DAC HRS	
				999	1	1	1000	4500	1	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				998	2	2	1000	4500	2	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				996	4	16	1000	4500	16	0	0	0.00
				956	44	44	1000	4500	44	0	0	0.00
				980	20	20	1000	4500	20	0	0	0.00
				997	3	3	1000	4500	3	0	0	0.00

UPDATE: 06/20/96

PLANT : PSL
REPORT : DEXPC10R
PAGE : 42

FLORIDA POWER & LIGHT

DATA ACQUISITION SYSTEMS MONITORING AND COUNTING - BEMAS

EXERCISES

THERMOTROPIC POLYMERS

SORTED BY : DEPT/NAME

- GUIDE / EXT - EXTREMITY ACCUM.

ACCUM.

DATE: 05/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 43

FLORIDA POWER & LIGHT

RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS

EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 042 - PROTECTIVE SERVICES

PID #	QUAL.	NAME	MARGIN	TEDE SITE	YEAR	GUIDE/EX-SITE ANNUAL		SKIN	EXTREMITY	ACCUM DAC HRS
						GUIDE	EX-SITE			
SXCG			980	20	20	1000	4500	20	0	0 .00
SXG			972	28	28	1000	4500	28	0	0 .00
SKG			893	107	107	1000	4500	107	0	0 .00
SX			1000	0	0	1000	4500	0	0	0 .00
SX			997	3	3	1000	4500	3	0	0 .00
SX			450	0	0	450	4500	0	0	0 .00
SXG			970	30	30	1000	4500	30	0	0 .00
SXCG			1000	0	0	1000	4500	0	0	0 .00
SX			1000	0	0	1000	4500	0	0	0 .00
SX			1000	0	0	1000	4500	0	0	0 .00
SXG			1000	0	0	1000	4500	0	0	0 .00
SXCG			1000	0	0	1000	4500	0	0	0 .00
SXG			1000	0	0	1000	4500	0	0	0 .00
SXG			1000	0	0	1000	4500	0	0	0 .00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 44

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 044 - NUCLEAR ENGR

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
R			930	70	70	1000	4500	70	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			980	20	20	1000	4500	20	0	0	0.00
			915	85	85	1000	4500	85	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			953	47	47	1000	4500	47	0	0	0.00
			989	11	11	1000	4500	11	0	0	0.00
			450	0	0	450	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			982	18	18	1000	4500	18	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			999	1	1	1000	4500	1	0	0	0.00
			450	0	0	450	4500	0	0	0	0.00
			447	3	3	450	4500	3	0	0	0.00
			998	2	2	1000	4500	2	0	0	0.00
			450	0	0	450	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			429	21	21	450	4500	21	0	0	0.00
	XG		983	17	17	1000	4500	17	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			450	0	0	450	4500	0	0	0	0.00
			979	21	21	1000	4500	21	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			985	15	15	1000	4500	15	0	0	0.00
			937	63	63	1000	4500	63	0	0	0.00
			969	11	11	1000	4500	11	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			948	52	52	1000	4500	52	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			976	24	24	1000	4500	24	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 46

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 044 - NUCLEAR ENGR

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
				1000 0 0	1000 4500	0	0 0	0 0 0.00
				1000 0 0	1000 4500	0	0 0	0 0 0.00
				450 0 0	450 4500	0	0 0	0 0 0.00
				1000 0 0	1000 4500	0	0 0	0 0 0.00
				457 543 543	1000 4500	596	0 0	0 0 0.00
				1000 0 0	1000 4500	0	0 0	0 0 0.00
				450 0 0	450 4500	0	0 0	0 0 0.00
				998 2 2	1000 1500	2	0 0	0 0 0.00
				1000 0 0	1000 4500	0	0 0	0 0 0.00
				1000 0 0	1000 4500	0	0 0	0 0 0.00
				931 69 69	1000 4500	87	0 0	0 0 0.00
				450 0 0	450 4500	0	0 0	0 0 0.00
				999 1 1	1000 4500	1	0 0	0 0 0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT : PSL
REPORT : DEXPC10R
PAGE : 47

FLORIDA POWER & LIGHT

RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - RENAISS

DEPARTMENT 046 - OUTAGE MANAGEMENT RESOURCE CTRL

EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

NAME	QUAL	PID #	MARGIN	TEDE	SITE	YEAR	GUIDE/EXT ANNUAL	SITE	SKIN	EXTREMITY LOWER	ACCUM DAC HRS	
							GUIDE	EXT	ANNUAL	SITE	SKIN	EXTREMITY LOWER
950			50	50		1000	45.30	50		0	0	0.00
836			164	164		1000	45.30	180		0	0	0.00
916			90	90		1000	45.30	90		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			151	151		1000	45.30	151		0	0	0.00
849			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			0	0		1000	45.30	0		0	0	0.00
1000			54	54		1000	45.30	54		0	0	0.00
1000			0	0		1000	45.00	0		0	0	0.00
1000			0	0		1000	45.00	0		0	0	0.00
915			85	85		1000	45.00	85		0	0	0.00
1000			0	0		1000	45.00	0		0	0	0.00
982			18	18		1000	45.00	18		0	0	0.00
1000			0	0		1000	45.00	0		0	0	0.00
1000			0	0		1000	45.00	0		0	0	0.00
965			35	35		1000	45.00	35		0	0	0.00
1000			0	0		1000	45.00	0		0	0	0.00
1000			0	0		1000	45.00	0		0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 48

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 047 - PROT. AND CONTROL SYSTEM

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 49

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

DEPARTMENT: 049 - FPL - NDC/PSI

PID #	QUAL	NAME	MARGIN	-- TEDE --			- GUIDE/EXT -			EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER		
				450	0	450	4500	0	0	0	0.00	
450			1000	0	16	1000	4500	16	0	0	0.00	
1000			439	11	11	450	4500	11	0	0	0.00	
439			366	84	175	450	4500	175	0	0	0.00	
366			1000	0	0	1000	4500	0	0	0	0.00	
1000			1000	0	0	1000	4500	0	0	0	0.00	
1000			450	0	0	450	4500	0	0	0	0.00	
450			393	57	57	450	4500	68	0	0	0.00	
393			912	88	88	1000	4500	105	0	0	0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 50

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 050 - NON-FPL NDE/ISI

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS	
				SITE	YEAR	SITE	ANNUAL		UPP.R	LOWER		
				946	54	54	1000	4500	54	0	0	0.00
				540	460	460	1000	4500	460	0	0	0.00
				722	278	1418	1000	4500	1443	0	0	0.00
				875	125	960	1000	4500	972	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 51

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 051 - HP ALARA/SEC/CON/LAUND

PID #	QUAL	NAME	MARGIN	-- TEDE --		GUIDE/EXT -		EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
	X		969	31	31	1000	4500	31	0	0	0.00
			403	617	668	1000	4500	746	0	0	0.00
	X		973	27	27	1000	4500	27	0	0	0.00
	XCG		680	320	405	1000	4500	415	0	0	0.00
	X		976	24	24	1000	4500	24	0	0	0.00
			983	17	688	1000	4500	754	0	0	0.00
			284	716	1000	1000	4500	1000	0	0	0.00
	XG		816	184	964	1000	4500	986	0	0	0.00
			445	555	1059	1000	4500	1509	0	0	0.00
	XG		964	36	92	1000	4500	92	0	0	0.00
			992	8	8	1000	4500	8	0	0	0.00
			477	523	523	1000	4500	553	0	0	0.00
	XG		956	44	44	1000	4500	44	0	0	0.00
			756	244	341	1000	4500	341	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
	X		727	773	1124	1500	4500	1124	0	0	0.00
			982	18	18	1000	4500	18	0	0	0.00
	X		973	27	27	1000	4500	27	0	0	0.00
			824	176	206	1000	4500	229	0	0	0.00
	XY		995	5	409	1000	4500	421	0	0	0.00
			904	96	96	1000	4500	96	0	0	0.00
	X		514	486	486	1000	4500	486	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			985	15	15	1000	4500	15	0	0	0.00
			678	322	569	1000	4500	569	0	0	1.41
	X		971	29	29	1000	4500	29	0	0	0.00
			44	25	25	450	4500	25	0	0	0.00
	X		762	740	1047	1500	4500	1168	0	0	0.00
			840	160	160	1000	4500	160	0	0	0.00
	XCG		716	284	657	1000	4500	683	0	0	0.00
			773	727	1516	1500	4500	1533	0	0	0.00
			606	894	2447	1500	4500	2672	0	0	0.72
	X		999	501	501	1500	4500	501	0	0	1.41
			744	756	1656	1500	4500	1667	0	0	0.00
	X		976	24	24	1000	4500	24	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
	X		925	575	996	1500	4500	1020	0	0	0.00
			768	232	261	1000	4500	277	0	0	0.00
			712	288	309	1000	4500	327	0	0	0.00
			996	4	669	1000	4500	881	0	0	0.00
			965	35	35	1000	4500	35	0	0	0.00
			550	450	450	1000	4500	450	0	0	0.00
			545	455	539	1000	4500	539	0	0	0.00
			968	32	127	1000	4500	1029	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 52

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 051 - HP ALARA/DECON/LAUND

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
				990 10 10	1000 4500	10	0 0	0.00
				957 543 558	1500 4500	591	0 0	2.82

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10K
PAGE: 53

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMA'S
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 052 - CONTRACTOR/MECH MNTN

PID #	QUAL.	NAME	MARGIN	TEDE	SITE	YEAR	GUIDE/EXT SITE ANNUAL		SKIN		EXTREMITY		ACCUM DAC HRS
							1000	4500	1000	4500	0	0	
1000			0	0			1000	4500	0	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
523			477	477			1000	4500	0	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
1908			92	265			1000	4500	0	0	0	0	0.00
657			343	343			1000	4500	0	0	0	0	0.00
989			11	11			1000	4500	11	0	0	0	0.00
000			0	0			1000	4500	0	0	0	0	0.00
986			14	14			1000	4500	14	0	0	0	0.00
1000			0	0			1000	4500	0	0	0	0	0.00
			0	0			1000	4500	0	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSI
REPORT: DEXPC108
PAGE: 54

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 053 - CONTRACTOR/ELEC MAIN

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
[REDACTED]	[REDACTED]	[REDACTED]	988	12 12	1000 4500	12	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 55

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 054 - CONTRACTOR AL&C M&N

PID #	QUAL	NAME	MARGIN	-- TEDE --			GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL	UPPER		LOWER		
[REDACTED]	[REDACTED]	[REDACTED]	957	43	43	1000	4500	43	0	0	0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 56

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 055 - INFORMATION SRVCS

PID #	QUAL	NAME	MARGIN	TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
999				1 1	1000 4500	1	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00
1000				0 0	1000 4500	0	0 0	0.00

DATE : 06/20/96
TIME : 00:17:04

PLANT REPORT PAGE 57 PSL EXPCLOR

FLORIDA POWER & LIGHT

PERIODICALS EXPOSURE PUBLICATIONS & PLATES CUNIUS DEDICATI - PERGAMUS

EXPOSURE SUMMARY REPORT

DEPARTMENT - LICENSING

DODGE & COBB

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 58

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 070 - SGRP - NON-FPL

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -			SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL	UPPER		LOWER		
(REDACTED)	(REDACTED)	(REDACTED)	450 1000	0 0	0 31	450 1000	4500 4500	0 31	0 0	0 0	0.00 0.00	

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 59

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 071 - SGRP - FPL

PID #	QUAL	NAME	MARGIN	TEDE --		GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS	
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER		
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 60

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 080 - MAINT BUDGET/OUTAGE PROJ.

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
SXG			327	673 745	1000 4500	764	0 0	0.00
Y			1100	400 400	1500 4500	432	0 0	0.00
			941	559 859	1500 4500	942	0 0	0.00
			931	69 69	1000 4500	69	0 0	0.00
			935	65 65	1000 4500	65	0 0	0.00
SX			935	65 65	1000 4500	65	0 0	0.00
			963	537 825	1500 4500	884	0 0	0.00
			998	2 2	1000 4500	2	0 0	0.00
SX			936	1214 1317	2150 4500	1358	0 0	0.00
			835	165 227	1000 4500	227	0 0	0.00
			977	23 23	1000 4500	23	0 0	0.00
			821	1329 1329	2150 4500	1427	0 0	0.00
			1000	0 0	1000 4500	0	0 0	0.00
SX			654	846 846	1500 4500	929	0 0	0.00
			1000	0 0	1000 4500	0	0 0	0.00
X			829	171 171	1000 4500	171	0 0	0.00
X			919	81 165	1000 4500	165	0 0	0.00
X			1450	700 700	2150 4500	720	0 0	0.00
			724	276 276	1000 4500	276	0 0	0.00
SX			729	271 271	1000 4500	283	0 0	0.00
X			986	514 733	1500 4500	776	0 0	0.00
			681	319 319	1000 4500	319	0 0	0.00
			1000	0 0	1000 4500	0	0 0	0.00
			886	114 114	1000 4500	114	0 0	0.00
SXG			989	11 11	1000 4500	11	0 0	0.00
Y			704	296 296	1000 4500	317	0 0	0.00
X			1096	654 654	1750 4500	666	0 0	0.00
			1000	0 0	1000 4500	0	0 0	0.00
SX			716	784 784	1500 4500	784	0 0	0.00
X			874	126 126	1000 4500	136	0 0	0.00
X			884	116 116	1000 4500	116	0 0	0.00
X			372	1128 1357	1500 4500	1404	0 0	0.00
X			841	155 159	1000 4500	169	0 0	0.00
Y			1083	417 417	1500 4500	432	0 0	0.00
X			940	60 60	1000 4500	60	0 0	0.00
			781	219 219	1000 4500	231	0 0	0.00
			622	878 878	1500 4500	878	0 0	0.00
			1008	492 492	1500 4500	492	0 0	0.00
			646	354 354	1000 4500	354	0 0	0.00
			879	621 621	1500 4500	659	0 0	0.00
			795	205 205	1000 4500	225	0 0	0.00
			1068	432 432	1500 4500	457	0 0	0.00
			1000	0 0	1000 4500	0	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 61

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMA'S
EXPOSURE SUMMARY REPORT

DEPARTMENT: 081 - VALVE AND WELDING

SORTED BY: DEPT/NAME

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER	
X			897	103	103	1000	4500	103	0	0	0.00
X			781	219	537	1000	4500	556	0	0	0.00
			1041	459	617	1500	4500	617	0	0	0.00
X			841	159	159	1000	4500	159	0	0	0.00
			988	12	12	1000	4500	12	0	0	0.00
X			997	3	3	1000	4500	3	0	0	0.00
X			890	110	110	1000	4500	110	0	0	0.00
X			973	27	27	1000	4500	27	0	0	0.00
			793	207	207	1000	4500	207	0	0	0.00
			1000	0	82	1000	4500	93	0	0	0.00
SK			675	325	404	1000	4500	432	0	0	0.00
			966	34	34	1000	4500	34	0	0	0.00
SX			894	106	247	1000	4500	263	0	0	0.00
XG			965	35	35	1000	4500	35	0	0	0.00
			562	438	438	1000	4500	438	0	0	0.00
			933	1067	1471	2000	4500	1486	0	0	0.00
XG			867	133	133	1000	4500	149	0	0	0.00
			879	121	121	1000	4500	139	0	0	0.00
			879	121	121	1000	4500	121	0	0	0.00
X			867	133	133	1000	4500	133	0	0	0.00
			983	17	17	1000	4500	17	0	0	0.00
SX			695	305	305	1000	4500	305	0	0	0.00
X			855	145	234	1000	4500	234	0	0	0.00
XG			769	231	256	1000	4500	256	0	0	0.00
			907	93	343	1000	4500	343	0	0	0.00
			850	150	150	1000	4500	163	0	0	0.00
			928	72	72	1000	4500	72	0	0	0.00
			946	54	54	1000	4500	54	0	0	0.00
SX			897	103	103	1000	4500	103	0	0	0.00
SX			990	10	10	1000	4500	10	0	0	0.00
			774	226	226	1000	4500	226	0	0	0.00
			830	170	170	1000	4500	213	0	0	0.00
R			1000	0	12	1000	4500	12	0	0	0.00
			626	374	374	1000	4500	374	0	0	0.00
SX			894	1256	1256	2150	4500	1330	0	0	0.00
*			801	199	199	1000	4500	216	0	0	0.00
SX			699	101	101	1000	4500	101	0	0	0.00
			923	577	577	1500	4500	589	0	0	0.00
			393	57	89	450	4500	89	0	0	0.00
SX			861	139	139	1000	4500	139	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			937	65	63	1000	4500	63	0	0	0.00
			1056	444	444	1500	4500	518	0	0	0.00
			909	91	91	1000	4500	91	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 62

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 081 - VALVE AND WELDING

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	DAC HRS	
	SX			940	60	60	1000	4500	60	0	0
				927	573	647	1500	4500	668	0	0
				818	182	182	1000	4500	4178	0	0
				930	70	70	1000	4500	70	0	0
				725	275	275	1000	4500	275	0	0
				785	215	641	1000	4500	641	0	0
				970	30	221	1000	4500	221	0	0
				528	472	667	1000	4500	694	0	0
				1000	0	0	1000	4500	0	0	0.00
				966	34	34	1000	4500	34	0	0.00
				904	1096	1096	2000	4500	1096	0	0.00
				974	66	166	1000	4500	166	0	0.00
				9	89	135	1000	4500	135	0	0.00
				976	524	524	1500	4500	597	0	0.00
				887	113	238	1000	4500	252	0	0.00
				983	17	17	1000	4500	17	0	0.00
				891	109	109	1000	4500	109	0	0.00
				1000	0	0	1000	4500	0	0	0.00
				988	12	12	1000	4500	12	0	0.00
				1000	0	411	1000	4500	411	0	0.00
				1000	0	0	1000	4500	0	0	0.00
				787	213	213	1000	4500	213	0	0.00
				672	328	328	1000	4500	328	0	0.00
				584	416	416	1000	4500	462	0	0.00
				759	241	334	1000	4500	374	0	0.00
				954	46	46	1000	4500	46	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 63

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 082 - STATIONARY EQUIP

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER	
X				1000	0	1000	4500	0	0	0	0.00
				1308	192	1500	4500	192	0	0	0.00
				1000	0	1000	4500	0	0	0	0.00
				1239	262	1500	4500	278	0	0	0.00
				1000	0	1000	4500	0	0	0	0.00
X				924	76	1000	4500	76	0	0	0.00
X				979	21	1000	4500	21	0	0	0.00
X				1000	0	1000	4500	0	0	0	0.00
SX				988	12	1000	4500	12	0	0	0.00
SX				969	31	1000	4500	31	0	0	0.00
SXG				945	55	1000	4500	55	0	0	0.00
X				737	263	1000	4500	277	0	0	0.00
SX				969	31	1000	4500	31	0	0	0.00
				1000	0	1000	4500	0	0	0	0.00
				957	43	1000	4500	43	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 64

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 083 - ROTATING EQUIP

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -			EXTREMITY		ACCUM.
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS
SX			1000	0	0	1000	4500	0	0	0	0.00
XG			985	15	15	1000	4500	15	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
X			929	71	71	1000	4500	71	0	0	0.00
X			935	65	65	1000	4500	65	0	0	0.00
X			974	26	164	1000	4500	186	0	0	0.00
			99H	2	2	1000	4500	2	0	0	0.00
			944	56	56	1000	4500	56	0	0	0.00
			964	36	36	1000	4500	36	0	0	0.00
SX			933	67	67	1000	4500	67	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
SX			1256	244	244	1500	4500	244	0	0	0.00
SX			1000	0	0	1000	4500	0	0	0	0.00
X			939	61	61	1000	4500	61	0	0	0.00
X			773	227	227	1000	4500	227	0	0	0.00
			929	71	71	1000	4500	71	0	0	0.00
			902	98	98	1000	4500	98	0	0	0.00
			983	17	17	1000	4500	17	0	0	0.00
			965	35	35	1000	4500	35	0	0	0.00
			989	11	11	1000	4500	11	0	0	0.00
			926	74	74	1000	4500	74	0	0	0.00
SX			965	35	35	1000	4500	35	0	0	0.00
SXG			994	6	6	1000	4500	6	0	0	0.00
			932	68	68	1000	4500	68	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			915	85	85	1000	4500	85	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00
			955	45	45	1000	4500	45	0	0	0.00
			981	19	19	1000	4500	19	0	0	0.00
			970	30	30	1000	4500	30	0	0	0.00
			942	58	58	1000	4500	58	0	0	0.00
			1000	0	0	1000	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 65

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 090 - SPEAKOUT

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
[REDACTED]	[REDACTED]	[REDACTED]	1000	0 0	1000 4500	0	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT : PSL
REPORT : DEXPC10R
PAGE : 66

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 091 - PROCUREMENT ENG

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 68

F L O R I D A P O W E R & L I G H T
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 094 - HUMAN RESOURCES

PID #	QUAL	NAME	MARGIN	-- TEDE -- SITE YEAR	- GUIDE/EXT - SITE ANNUAL	SKIN	EXTREMITY UPPER LOWER	ACCUM. DAC HRS
[REDACTED]	[REDACTED]	[REDACTED]	1000	0 0	1000 4500	0	0 0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 69

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT

SORTED BY: DEPT/NAME

DEPARTMENT: 095 - MEDICAL FACILITY

PID #	QUAL	NAME	MARGIN	-- TEDE --			- GUIDE/EXT - SITE	ANNUAL	SKIN	EXTREMITY		ACCUM. DAC HRS
				SITE	YEAR					UPPER	LOWER	
	Y		450	0	0		450	4500	0	0	0	0.00
	X		450	0	0		450	4500	0	0	0	0.00
	X		450	0	0		450	4500	0	0	0	0.00
	X		450	0	0		450	4500	0	0	0	0.00
	X		450	0	0		450	4500	0	0	0	0.00
	X		450	0	0		450	4500	0	0	0	0.00
	X		450	0	0		450	4500	0	0	0	0.00
	X		450	0	0		450	4500	0	0	0	0.00
	Y		450	0	0		450	4500	0	0	0	0.00
			450	0	0		450	4500	0	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 70

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 096 - SERVICES

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -		SKIN	EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL		UPPER	LOWER	DAC HRS	
[REDACTED]	XCG	[REDACTED]		1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
	X		960		40	40	1000	4500	40	0	0	0.00

DATE: 06/20/96
TIME: 00:17:04

PLANT: PSL
REPORT: DEXPC10R
PAGE: 71

FLORIDA POWER & LIGHT
RADIATION EXPOSURE MONITORING & ACCESS CONTROL SYSTEM - REMACS
EXPOSURE SUMMARY REPORT
SORTED BY: DEPT/NAME

DEPARTMENT: 097 - FIREWATCH

PID #	QUAL	NAME	MARGIN	-- TEDE --		- GUIDE/EXT -			EXTREMITY		ACCUM.	
				SITE	YEAR	SITE	ANNUAL	SKIN	UPPER	LOWER	DAC HRS	
R				981	19	19	1000	4500	19	0	0	0.00
				892	108	108	1000	4500	108	0	0	0.00
				882	118	118	1000	4500	118	0	0	0.00
				967	33	33	1000	4500	33	0	0	0.00
				928	72	72	1000	4500	73	0	0	0.00
				970	30	30	1000	4500	30	0	0	0.00
				910	90	90	1000	4500	90	0	0	0.00
				939	61	61	1000	4500	61	0	0	0.00
				938	62	62	1000	4500	62	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				989	11	11	1000	4500	11	0	0	0.00
				922	78	78	1000	4500	78	0	0	0.00
				1000	0	0	1000	4500	0	0	0	0.00
				875	125	125	1000	4500	125	0	0	0.00
				996	4	4	1000	4500	4	0	0	0.00
				970	30	30	1000	4500	30	0	0	0.00

BBBBBBBBBBBB	NN	NN	JJJJJJJJJJJJ
BBBBBBBBBBBB	NNN	NN	JJJJJJJJJJJJ
BB	BB	NNNN	NN JJ
BB	BB	NN NN	NN JJ
BB	BB	NN NN	NN JJ
BBBBBBBBBBB	NN NN	NN	JJ
BBBBBBBBBBB	NN NN	NN	JJ
BB	BB	NN NN	NN JJ
BB	BB	NN NNN	JJ JJ
BB	BB	NN NNN	JJ JJ
BBBBBBBBBBBB	NN NN	JJJJJJJJJJ	
BBBBBBBBBBBB	NN N	JJJJJJJJ	

FFFFFFF	2222222222	3333333333	11	6666666666
FFFFFFF	2222222222	33333333333	111	666666666666
FF	22	22 33	33	1111
FF				66
FF			11	66
FFFFFFF	22	3333	11	6666666666
FFFFFFF	22	3333	11	666666666666
FF	22	33	11	66
FF	22	33	11	66
FF	22	33	11	66
FF	2222222222	33333333333	1111111111	666666666666
FF	2222222222	33333333333	1111111111	666666666666

9999999999	6666666666	00000000	6666666666	2222222222	00000000
99999999999	666666666666	0000000000	666666666666	222222222222	0000000000
99	66	00 0000	66 66	22	22 00 0000
99	66	00 00 00	66		22 00 00 00 00
99	66	00 00 00	66		22 00 00 00 00
999999999999	666666666666	00 00 00	666666666666	22	00 00 00 00
999999999999	666666666666	00 00 00	666666666666	22	00 00 00 00
99	66	00 00 00	66 66	22	00 00 00 00
99	66	0000 00	66 66	22	0000 00 00
99	66	0000 00	66 66	22	0000 00 00
999999999999	666666666666	0000000000	666666666666	222222222222	0000000000
999999999999	666666666666	00000000	666666666666	222222222222	0000000000

JOB04677BNJ

END OF PRINT

9.22.01

EXTENDED SPOOLING FACILITY

Information in this record was deleted
in accordance with the Freedom of Information
Act, exemptions 6
FOIA- 96-485

888/6

PID
LST
NM

FRST
INTL

DDE
SITE
ANL

CED

1678
1531
1479
1464
1446
1395
1365
1352
1336
1329
1318 + 37
1317
1256
1250
1242
1223
1223
1219
1214
1213
1201
1178
1162
1138
1128
1124
1120
1096
1090
1067
1056
1048
1007
974

996-06-20 09.17.05

96-06-20 09.17.05

PID
LST
NM

FRST
INTL

DDE
SITE
ANL

970
961
956
940
935
930
923
922
911
895
894
889
878
875
865
846
845
835
829
826
823
815
807
806
799
797
784
780
773
767
767
764 + 1
756
754
742
741
740
740
740
740 + 8
739
732
730
720 + 35
719
715
711
706
700
698
698

PID

LST
NM

FRST
INTL

DDE
SITE
ANL

688
682
676
674
673
671 - 7
656
654
648
640
639
638
637
636
636
628
625
624

619
617
614
603
602
598
598
594
592
590
586
585
584
580
579
575
564
555
554
547
545
544
543
543
541
538
538
535
534
531
526
525 - 4

PHT
LST
NM

FRST
INTL

DDE
SITE
ANL

523
522
520
520
514
512
510
505
504 +2
502
501
501 1 2
499
498
497
495
492
492
491
490
490
489
489
485
481
480
477
477
475
472
469
468
465
462
461
461
460
460
458
456
455
455
455
454
454
452
448
447
444
443

196-06-20 09.17.05

P

PID LST
NM

FRST
INTL

DDE
SITE
ANL

443
442
442
440
439
438
438
437
436
434 + 5
432
431
430
429
429
427
426
426
424
422
422
420
419
418
417
416
416
416
415
414
413
413
412
412
411
411
410
409
409
409
407
404
404
399
399
395
394
393
391
391

PID	LST NM	FRST INTL	DDE SITE ANL
			390
			390
			387
			384
			384
			383
			381
			379
			379
			377
			376
			375
			374
			373
			372
			372
			371
			370
			370
			369
			369
			367
			367
			366
			366
			365
			365
			363
			362
			362
			358
			356
			354
			354
			353
			352
			352
			352
			352
			351
			351
			350
			349
			346
			345
			344
			343
			343
			343
			341

196-06-20 09.17.05

PID	LST NM	FRST INTL	DDE SITE ANL
			341
			340
			339
			339
			338
			336
			336
			335
			335
			335
			333
			332
			332
			329
			328
			326
			325
			325
			324
			323 + 2
			322
			322
			322
			321
			320
			320
			319
			319
			318
			318
			317
			316
			316
			312
			309
			308
			308
			306
			306
			306
			305
			304
			302
			302
			297
			297
			297
			296
			296

96-06-20 09.17.05

P

PID	LST NM	FRST INTL	DDE SITE ANL
			295
			295
			291
			290
			289
			289
			289
			288
			288
			288
			287
			287
			286
			285
			285
			284
			283
			283
			282
			281
			280
			280
			279
			279
			278
			278
			277
			277
			275
			274
			273
			272
			272
			272
			271
			271
			271
			270
			269
			268
			267
			265
			264
			263
			263
			262
			262
			261
			260

96-06-20 09.17.05

P

PID	LST NM	FRST INTL	DDE SITE ANL
			260
			259
			259 + 2
			258
			258
			258
			257
			255
			255
			254
			253
			251
			250
			249
			248 + 6
			247
			246
			246
			246
			245
			245
			245
			245
			244
			244
			244
			243
			242
			241
			241
			240
			239
			237
			237
			234
			233
			233
			233
			232
			231
			231
			230
			230
			230
			229
			229
			229
			228
			227

196-06-20 09.17.05

PID LST
NM

FRST
INTL

DDE
SITE
ANL

226
226
226
226
225
225
224
223
222
220
220
220
219
219
219
219
219
219
219
219
218
218
217
217
217
216
216
216
215
215
214
213
213
213
213
212
210
208
208
208
207
205
205
204
204
203
203
203
202

196-06-20 09.17.05

PF

PID
NM

LST
INTL

FRST
INTL

DDE
SITE
ANL

202
202
201
201
199
199
198
197
196
196
195
194
194
193
193
193
192
191
191
190
190
190
190
187
186
185
185
183
182
182
182
181
180
180
180
179
179
179
178
178
178
178
176
176
176
176
175
175
175

996-06-20 09.17.05

P7

PID	LST NM	FRST INTL	DDE SITE ANL
			175
			175
			174
			173
			173
			172
			172
			172
			171
			171
			171
			171
			171
			170
			169
			169
			169
			168
			168
			168
			167
			167
			165
			165
			164
			164
			163
			160
			160
			160
			159
			158
			158
			158
			156
			156
			156
			155
			155
			155
			155
			154
			153
			153
			153
			151
			150

+3

196-06-20 09.17.05

PA

PID LST
NM

FRST
INTL

DDE
SITE
ANL

150
150
150
148
147
147
146
146
145
145
145
145
144
144
144
143
142
142
142
142
142
141
140
140
139
139
139
139
138
138
138
135
135
135
135
134
134
133
133
133
132
132
131
131
131
130
129
129
129

196-06-20 09.17.05

PA

PID	LST NM	FRST INTL	DDE SITE ANL
			+ 2
			127
			126
			126
			126
			125
			125
			125
			125
			125
			125
			124
			124
			124
			123
			122
			122
			122
			121
			121
			121
			120
			120
			120
			119
			119
			119
			119
			119
			118
			118
			117
			117
			116
			115
			114
			113
			113
			113
			113
			112
			112
			111

96-06-20 09.17.05

PA

PID	LST NM	FRST INTL	DDE SITE ANL
[REDACTED]	[REDACTED]	[REDACTED]	111
			111
			110
			110
			110
			109
			109
			109
			108
			108
			108
			108
			107
			107
			107
			107
			106
			106
			106
			106
			106
			105
			105
			104
			104
			103
			103
			103
			103
			103
			102
			102
			102
			102
			101
			101
			101
			100
			100
			99
			98
			98
			98
			97
			97

96-06-20 09.17.05

PA

PID LST
NM

FRST
INTL

DDE
SITE
ANL

97
97
97
96
95
95
95
94
94
93
93
93
92
92
91
91
91
91
91
90
90
90
90
89
89
89
88
88
88
87
87
87
87
87
86
86
85
85
85
85
85
85
85
85
84

96-06-20 09.17.05

PA

PID	LST NM	FRST INTL	DDE SITE ANL
			84
			83
			83
			83
			82
			82
			81
			81
			80
			80
			80
			79
			79
			79
			79
			79
			78
			78
			78
			76
			76
			75
			74
			74
			73
			73
			72
			72
			72
			72
			71
			71
			71
			70
			70
			69
			69
			69
			69

96-06-20 09.17.05

PA

PID LST
NM

FRST
INTL

DDE
SITE
ANL

69
68
68
68
68
68
68
68
68
67
67
66
66
66
66
65
65
65
65
65
65
65
65
64
63
63
63
62
62
62
62
61
61
61
61
61
61
61
60
60
60
60
59
59

196-06-20 09.17.05

PA

LST
NM

FRST
INTL

DDE
SITE
ANG

59
59
58
58
58
58
57
57
57
57
57
57
57
56
56
56
56
55
55
55
55
55
55
54
54
54
54
52
52
51
51
50
50
50
50
49
49
49
49
49

196-06-20 09.17.05

p7

PID	LST NM	FRST INTL	DDE SITE ANL
			48
			48
			48
			48
			47
			47
			46
			46
			46
			46
			46
			46
			45
			45
			45
			45
			44
			44
			44
			44
			43
			43
			43
			43
			43
			42
			42
			42
			42
			42
			41
			41
			41
			41
			40
			40
			40
			40
			40
			39
			39
			38
			38
			37

96-06-20 09.17.05

PAC

PID LST NM

FRST
INTL

DDE
SITE
ANL

37
37
37
37
37
37
36
36
36
36
36
36
36
36
35
35
35
35
35
35
35
35
35
35
35
35
35
35
34
34
34
34
34
33
33
33
33
32
32
32
32
32
32

96-06-20 09.17.65

PA

LST
PID NM

FRST
INTL

DDE
SITE
ANL

96-06-20 09.17.05

PA

PID	LST NM	FRST INTL	DDE SITE ANL
			26
			26
			26
			25
			25
			25
			25
			25
			25
			25
			24
			24
			24
			24
			24
			24
			24
			24
			24
			24
			24
			23
			23
			23
			23
			23
			22
			22
			22
			22
			22
			22
			22
			22
			22
			21
			21
			21
			21
			21
			20
			20
			20
			20
			19
			19

196-06-20 09.17.05

PA

PID	LST NM	FRST INTL	DDE SITE ANL
[REDACTED]	[REDACTED]	[REDACTED]	19
			19
			19
			19
			19
			19
			19
			19
			19
			18
			18
			18
			18
			18
			18
			18
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			17
			16
			16
			16
			16
			16
			16
			16
			16
			16
			15
			15
			15

196-06-20 09.17.05

PA

LST
PID NM

FRST
INTL

DDE
SITE
ANL

96-06-20 09.17.05

PA

PID	LST NM	FRST INTL	DDE SITE ANL
			12
			12
			12
			12
			12
			12
			11
			11
			11
			11
			11
			11
			11
			11
			11
			11
			11
			11
			11
			11
			10
			10
			10
			10
			10
			10
			10
			9
			9
			9
			8
			8
			8
			8
			7
			7
			6

96-06-20 09.17.05

PA(

ES 4
NM

FRST
INTL

DDE
SITE
ANL

96-06-20 09.17.05

PA

PID

137

FRST
INTL

DDE
SITE
ANL

The image consists of two vertical, dark, textured columns. The left column features a thin, light-colored vertical line running down its center. The right column contains a small circular hole near the top. The entire image is enclosed within a thick black border.

1

96-06-20 09.17.05

PAC

DDE SITE ANL

FRST INTL

LST NM

PID

96-06-20 09.17.05

PA

PA

DDE
SITE
ANL


FRST
INTL

LST
NM

PID

6-06-20 09-17-05

96-06-20 09:17:05



PAC

DDE
SITE
ANL

FRST
INTL

LST
NM

PID

36-06-20 09.17.05

DDE
SITE
ANL

FRST
INTL

LST
NM
PID

96-06-20 09.17.05

PA

PA

DDE
SITE
ANL

FRST
INTL

EST

96-06-20 09.17.05

DDE SITE ANL

FIRST INTL

LST NM

PID

DDE
SITE
ANL

FRST
FRNTL

LST
NM
PID


96-06-20 09.17.05

DDE SITE ANL

FRST INTL

LAST NM

PID



96-06-20 09-17-05

PA

DDE
SITE
ANL

INT
EST

LST
NM

.....

A horizontal black bar with a thin white line above it.

This is a dark, grainy photograph of a long, horizontal structure, likely a bridge or dam, viewed from a low angle. A white railing runs along the bottom edge of the structure. The image is heavily damaged by water, appearing as a dark, mottled mass.

36-06-20-09.17.05

DDE
SITE
ANL

FIRST
INTL

LST
NM

PID

96-06-20 09.17.05

PA

DDE SITE ANL

FRST INTL

LST NM

PID


PA:

DDE SITE ANL

FRST INTL

LST NM

PID



96-06-20 09-17-05

PA

DDE
SITE
ANL

FRST
INTL

P1D

96-06-20 09:17:05

2A

DDE
SITE
ANL


FRST
INTL

LST
NM

PID

36-06-20 09.17.05

PAC



16-06-20 09.17.05

DDE SITE ANL

FIRST INTL

LST NM
PID

6-06-20 09.17.05

The image shows a document page with several horizontal redacted sections. On the left side, vertical labels are visible: 'DDE SITE ANL' at the top, followed by 'FRST INTL' and 'LST NM' in the middle, and 'PID' at the bottom. A large, faint circular mark is centered on the page, overlapping some of the redacted areas. The redacted sections appear as thick, dark horizontal bands.


DDE
SITE
ANL

FRST
INTL

LST
NM

PID

D E W R L D M P D N U G D F M A S R G J R R J S D R J B D J G J S P R R R L J T R K F H G L P G L T



DDE
SITTE
ANL

EST
INTL


LST NH

10. The following table gives the number of hours worked by 1000 workers in a certain industry.

卷之三

100

96-06-20 09.17.05



96-06-20 09.17.05