


8011140 255

Allowable Peak Rod LHGR (kw/ft)



Core XII Fuel Exposure (EFPD)

Figure 8-1

Core XII Allowable Peak Rod LHGR versus Exposure

POOR ORIGINAL




Figure 3.2-1
Core XII Allowable Peak Rod LHGR versus Exposure

TABLE OF CONTENTS (Con't.)

	<u>Page No.</u>
7.3 CONTROL ROD DROP INCIDENT	48
7.4 ISOLATED LOOP STARTUP INCIDENT	49
7.5 LOSS OF LOAD INCIDENT	49
7.6 LOSS OF FEEDWATER FLOW INCIDENT	49
7.7 LOSS OF COOLANT FLOW INCIDENT	49
7.8 CONTROL ROD EJECTION ACCIDENT	50
7.9 STEAM LINE RUPTURE ACCIDENT	50
7.10 STEAM GENERATOR TUBE RUPTURE ACCIDENT	50
7.11 LOSS OF COOLANT ACCIDENT	50
7.12 OTHER INCIDENTS AND TRANSIENTS	50
8.0 <u>PROPOSED CHANGES TO TECHNICAL SPECIFICATIONS</u>	54
9.0 <u>STARTUP PROGRAM</u>	55
10.0 <u>REFERENCES</u>	56
<u>APPENDIX A: LOSS OF COOLANT ACCIDENT ANALYSIS</u>	57
<u>APPENDIX B: ADDITIONAL LOCA ANALYSIS</u>	71
<u>APPENDIX C: ADDITIONAL LOCA ANALYSIS WITH REVISED UPPER HEMISPHERICAL HEAD TEMPERATURE</u>	75

POOR ORIGINAL