

Docket



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555
March 22, 1988

Docket No. 50-267

Mr. R. O. Williams, Jr.
Vice President, Nuclear Operations
Public Service Company of Colorado
P. O. Box 840
Denver, Colorado 80201-0840

Dear Mr. Williams:

SUBJECT: FORT ST. VRAIN - DETAILED CONTROL ROOM
DESIGN REVIEW (TAC NO. 56125)

We have completed our review of your submittal dated February 10, 1988 (P-88066) concerning specific changes you wish to make in the Spring of 1988. These changes are part of your detailed control room design review (DCRDR). The specific changes have been submitted to the staff in earlier correspondence as referenced in your submittal.

The staff has performed a review of your submittal and found that there are no specific outstanding unresolved issues concerning the changes. Since one change, CN-1395, involved the safety parameter display system, the staff separately reviewed that Safety Evaluation. From these reviews, and discussions held with Messrs. Holmes and Neihoff of your staff on March 7, 1988, the staff concludes your proposed changes are acceptable for implementation. The staff may conduct a post-implementation audit and review of these changes and you may be required to make future changes as a result of this audit and review.

The staff is also continuing its review of your submittal dated October 20, 1987 (P-87357) concerning other unresolved issues of the DCRDR. From this submittal, there are two human engineering deficiencies (HEDs) that remain unresolved. These are HED 495 and HED 691. The enclosure contains our current evaluation and concerns on these HEDs. We request that you provide a response that will enable us to resolve these concerns and complete the overall DCRDR. You should provide the information requested within 60 days of the date of this letter.

8803290338 880322
PDR ADOCK 05000267
P PDR

The information requested in this letter affects fewer than 10 respondents, so that OMB clearance is not required under P.L. 96-511.

Sincerely,

10)

Kenneth L. Heitner, Project Manager
Project Directorate - IV
Division of Reactor Projects - III,
IV, V and Special Projects

Enclosure:
As stated

cc w/enclosure:
See next page

DISTRIBUTION

Docket File
DR4A/J. Collins
OGC-Rockville
W. Regan

NRC PDR
J. Calvo
E. Jordan
PD4 Plant File

Local PDR
P. Noonan
J. Partlow

PD4 Reading
K. Heitner
ACRS (10)

PD4/LA *PM*
PNoonan
03/9/88


PD4/PM *RH*
KHeitner:sr
03/9/88

PD4/D *MC*
JCalvo
03/11/88

WR
HWEB
WRegan
03/21/88

The information requested in this letter affects fewer than 10 respondents, so that OMB clearance is not required under P.L. 96-511.

Sincerely,

A handwritten signature in cursive script that reads "Kenneth L. Heitner".

Kenneth L. Heitner, Project Manager
Project Directorate - IV
Division of Reactor Projects - III,
IV, V and Special Projects

Enclosure:
As stated

cc w/enclosure:
See next page

Mr. R. O. Williams, Jr.
Public Service Company of Colorado

Fort St. Vrain

cc:

Mr. D. W. Warembourg, Manager
Nuclear Engineering Division
Public Service Company
of Colorado
P. O. Box 840
Denver, Colorado 80201-0840

Albert J. Hazle, Director
Radiation Control Division
Department of Health
4210 East 11th Avenue
Denver, Colorado 80220

Mr. David Alberstein, 14/159A
GA Technologies, Inc.
Post Office Box 85608
San Diego, California 92138

Mr. R. O. Williams, Jr., Acting Manager
Nuclear Production Division
Public Service Company of Colorado
16805 Weld County Road 19-1/2
Platteville, Colorado 80651

Mr. H. L. Brey, Manager
Nuclear Licensing and Fuel Division
Public Service Company of Colorado
P. O. Box 840
Denver, Colorado 80201-0840

Mr. P. F. Tomlinson, Manager
Quality Assurance Division
Public Service Company of Colorado
16805 Weld County Road 19-1/2
Platteville, Colorado 80651

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P. O. Box 640
Platteville, Colorado 80651

Mr. R. F. Walker
Public Service Company of Colorado
Post Office Box 840
Denver, Colorado 80201-0840

Kelley, Stansfield & O'Donnell
Public Service Company Building
Room 900
550 15th Street
Denver, Colorado 80202

Commitment Control Program
Coordinator
Public Service Company of Colorado
2420 W. 26th Ave. Suite 100-D
Denver, Colorado 80211

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

Chairman, Board of County Commissioners
of Weld County, Colorado
Greeley, Colorado 80631

Regional Representative
Radiation Programs
Environmental Protection Agency
1 Denver Place
999 18th Street, Suite 1300
Denver, Colorado 80202-2413

Enclosure

REQUEST FOR ADDITIONAL INFORMATION

The staff has reviewed the licensee's submittal dated October 20, 1987 (P-87357). The staff requests additional information of two items in that submittal as follows:

HED-495, (Page 36), involves a concern about instrumentation failing mid-scale on loss of power. Does instrumentation in the control room fail mid-scale, and if so, what does the licensee plan to do to resolve this problem? See NUREG-0700 guideline 6.5.1.1.f.

HED-691, (Pages 43, 55, 61, 69, 76, 82, and 111), involves a concern regarding indicator lamp failure. What specific means are provided to verify that safety related indicator lamps are functioning? See NUREG-0700 guideline 6.5.3.1.a.(2).