

June 17, 1997

LICENSEE: Florida Power Corporation

FACILITY: Crystal River Unit 3

SUBJECT: SUMMARY OF MEETING ON JUNE 11, 1997, REGARDING APPENDIX R, DESIGN BASIS ISSUES

On June 11, 1997, representatives of the Florida Power Corporation, licensee for Crystal River Nuclear Plant, Unit 3 (CR3) met with members of the U. S. Nuclear Regulatory Commission (NRC) staff at NRC Headquarters in Rockville, Maryland, to discuss the results of an independent third party assessment of fire safety, and discuss CR3's plan for resolving several issues relating to compliance with 10 CFR Appendix R requirements. Enclosure 1 is a list of attendees. Enclosure 2 contains copies of handouts distributed at the meeting.

The licensee discussed the scope and results of the independent assessment of fire safety. The licensee also discussed several other Appendix R compliance issues. These issues are related to the reactor coolant pump oil collection system, cold shutdown capability using the atmospheric dump valves, multiple hot shorts and loss of remote shutdown capability during a fire (Information Notice (IN) 92-18), Thermo-Lag resolution status, and other fire protection issues identified at CR3. The licensee indicated that it will achieve full compliance with Appendix R requirements prior to restart from its current outage, and complete all Thermo-Lag modifications in a timely manner. The licensee indicated that the potential for fire-induced multiple hot shorts as described in IN 92-18 is beyond its current licensing basis for CR3. The licensee stated that it is monitoring the industry initiatives for resolving this issue. The staff questioned the licensee on its licensing basis determination and requested the licensee to provide additional details. The staff also recommended that the licensee pursue the IN 92-18 issues more expeditiously without waiting for industry resolution. The licensee agreed.

L. Raghavan, Project Manager
Project Directorate II-3
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Docket No. 50-302

Enclosures: 1. Attendance List
2. Meeting Handout

cc w/Enclosures: See next page

1/1
DFU1

Document Name: G:\CRYSTAL\970611.SUM

OFFICE	PD11-3/PM	PD11-3/LA	PD11-3/D	C
NAME	LRaghavan	BClayton	FHebdon	
DATE	06/17/97	06/17/97	06/17/97	

OFFICIAL RECORD COPY

9706190366 970617
PDR ADOCK 05000302
F PDR

NRC FILE CENTER COPY

Florida Power Corporation

CRYSTAL RIVER UNIT NO. 3
GENERATING PLANT

cc:

Mr. R. Alexander Glenn
Corporate Counsel
Florida Power Corporation
MAC-A5A
P.O. Box 14042
St. Petersburg, Florida 33733-4042

Mr. Bruce J. Hickie, Director
Nuclear Plant Operations (NA2C)
Florida Power Corporation
Crystal River Energy Complex
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Mr. Robert B. Borsum
B&W Nuclear Technologies
1700 Rockville Pike, Suite 525
Rockville, Maryland 20852

Mr. Bill Passetti
Office of Radiation Control
Department of Health and
Rehabilitative Services
1317 Winewood Blvd.
Tallahassee, Florida 32399-0700

Attorney General
Department of Legal Affairs
The Capitol
Tallahassee, Florida 32304

Mr. Joe Myers, Director
Division of Emergency Preparedness
Department of Community Affairs
2740 Centerview Drive
Tallahassee, Florida 32399-2100

Chairman
Board of County Commissioners
Citrus County
110 North Apopka Avenue
Iverness, Florida 34450-4245

Mr. Robert E. Grazio, Director
Nuclear Regulatory Affairs (SA2A)
Florida Power Corporation
Crystal River Energy Complex
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Senior Resident Inspector
Crystal River Unit 3
U.S. Nuclear Regulatory Commission
6745 N. Tallahassee Road
Crystal River, Florida 34428

Mr. James S. Baumstark
Director, Quality Programs (SA2C)
Florida Power Corporation
Crystal River Energy Complex
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission
61 Forsyth Street, SW., Suite 23T85
Atlanta, GA 30303-3415

Mr. John P. Cowan
Vice President - Nuclear Production
(NA2E)
Florida Power Corporation
Crystal River Energy Complex
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Mr. Roy A. Anderson
Senior Vice President,
Nuclear Operations
Florida Power Corporation
ATTN: Manager, Nuclear Licensing
Crystal River Energy Complex (SA2A)
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Mr. Kerry Landis
U.S. Nuclear Regulatory Commission
61 Forsyth Street, SW., Suite 23T85
Atlanta, GA 30303-3415

SUMMARY OF MEETING ON JUNE 11, 1997, REGARDING STATUS OF 10 CFR APPENDIX R
DESIGN BASIS ISSUES

Distribution:

HARD COPY w/Enclosures 1 and 2

Docket File

PUBLIC

L. Raghavan (LXR1)

Crystal River Reading

OGC

ACRS

E-Mail w/Enclosure 1

S. Collins/F. Miraglia (SJC1,FJM)

R. Zimmerman (RPZ)

S. Varga (SAV,RCN)

J. Zwolinski (JAZ)

F. Hebdon (FJH)

B. Clayton (BAC2)

D. Ross (SAM)

J. Jaudon (JPJ)

G. Tracy (GMT)

S. Cahill (SJC2)

J. Johnson, RII (JRJ)

M. Miller, RII (MSM)

S. West (KSW)

T. Marsh (LBM)

E. Connell (EAC)

L. Tran (LNT)

D. Oudinot (DHO)

J. Lyons (JEL)

C. Jackson (CPJ)

P. Fredickson, RII (PEF)

LIST OF ATTENDEES
CRYSTAL RIVER 3 MEETING
JUNE 11, 1997

<u>Name</u>	<u>Organization</u>
L. Raghavan	NRR
S. West	NRR
C. Jackson	NRR
E. Connell	NRR
F. Hebdon	NRR
M. Miller	Region II
P. Fredickson	Region II
N. Fioravante	FPC
D. Kunsemiller	FPC
J. Maseda	FPC
J. Dymek	FPC
J. Lane	FPC
J. Holden	FPC
M. VanSicklen	FPC
S. Mixon	NUS
J. Butler	NEI
D. Stellfox	McGraw Hill
T. Bohrmann	Florida PSC

ENCLOSURE 1