

January 22, 1997

Mr. Percy M. Beard, Jr.
Senior Vice President, Nuclear Operations
Florida Power Corporation
ATTN: Manager, Nuclear Licensing (SA2A)
Crystal River Energy Complex
15760 W Power Line Street
Crystal River, Florida 34428-6708

SUBJECT: CRYSTAL RIVER NUCLEAR GENERATING PLANT UNIT 3 - OPERABILITY
EVALUATION OF MAIN STEAM SYSTEM WITH BENT ROD HANGERS
(TAC NO. M95788)

Dear Mr. Beard:

On May 10, 1996, you discovered, during a routine walkdown, two bent rod hangers on two main steam systems, CR-5 and CR-6, at Crystal River, Unit 3. On June 12, 1996, you replaced the bent rod hangers with straight rod hangers. You performed an operability evaluation of this condition and by letter dated August 7, 1996, you submitted to the NRC staff the results of your analyses. We have reviewed your analyses and find them acceptable. The attached safety evaluation documents our conclusion. If you have any questions regarding this matter, please write or call me at (301)-415-1471.

Sincerely,

/s/

L. Raghavan, Project Manager
Project Directorate II-3
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

NRC FILE CENTER COPY

Docket No. 50-302

Enclosure: As stated

cc w/enclosure: See next page

Distribution

Docket File Public CR3-Reading S. Varga
J. Zwolinski ACRS K. Landis, RII R. Wessman
M. Hartzman T. Harris (ltr/SE)

DOCUMENT NAME: G:\CRYSTAL\95788.SER

240046

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure

"E" = Copy with attachment/enclosure "N" = No copy

OFFICE	PDII-3/PM	PDII-3/LA	<input checked="" type="checkbox"/> PDII-3/D	<input checked="" type="checkbox"/>		
NAME	LRaghavan <i>LR</i>	BClayton <i>BC</i>	FHebdon <i>FH</i>			
DATE	01/24/97	01/22/97	01/22/97			

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

January 22, 1997

Mr. Percy M. Beard, Jr.
Senior Vice President, Nuclear Operations
Florida Power Corporation
ATTN: Manager, Nuclear Licensing (SA2A)
Crystal River Energy Complex
15760 W Power Line Street
Crystal River, Florida 34428-6708

SUBJECT: CRYSTAL RIVER NUCLEAR GENERATING PLANT UNIT 3 - OPERABILITY
EVALUATION OF MAIN STEAM SYSTEM WITH BENT ROD HANGERS
(TAC NO. M95788)

Dear Mr. Beard:

On May 10, 1996, you discovered, during a routine walkdown, two bent rod hangers on two main steam systems, CR-5 and CR-6, at Crystal River, Unit 3. On June 12, 1996, you replaced the bent rod hangers with straight rod hangers. You performed an operability evaluation of this condition and by letter dated August 7, 1996, you submitted to the NRC staff the results of your analyses. We have reviewed your analyses and find them acceptable. The attached safety evaluation documents our conclusion. If you have any questions regarding this matter, please write or call me at (301)-415-1471.

Sincerely,

A handwritten signature in black ink, appearing to read "L. Raghavan", written over a horizontal line.

L. Raghavan, Project Manager
Project Directorate II-3
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Docket No. 50-302

Enclosure: As stated

Mr. Percy M. Beard, Jr.
Florida Power Corporation

CRYSTAL RIVER UNIT NO. 3
GENERATING PLANT

cc:

Mr. R. Alexander Glenn
Corporate Counsel
Florida Power Corporation
MAC-A5A
P.O. Box 14042
St. Petersburg, Florida 33733-4042

Mr. Bruce J. Hickle, Director
Nuclear Plant Operations (NA2C)
Florida Power Corporation
Crystal River Energy Complex
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Mr. Robert B. Borsum
B&W Nuclear Technologies
1700 Rockville Pike, Suite 525
Rockville, Maryland 20852

Mr. Bill Passetti
Office of Radiation Control
Department of Health and
Rehabilitative Services
1317 Winewood Blvd.
Tallahassee, Florida 32399-0700

Attorney General
Department of Legal Affairs
The Capitol
Tallahassee, Florida 32304

Mr. Joe Myers, Director
Division of Emergency Preparedness
Department of Community Affairs
2740 Centerview Drive
Tallahassee, Florida 32399-2100

Chairman
Board of County Commissioners
Citrus County
110 North Apopka Avenue
Iverson, Florida 34450-4245

Mr. Larry C. Kelley, Director
Nuclear Operations Site Support
(SA2A)
Florida Power Corporation
Crystal River Energy Complex
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Senior Resident Inspector
Crystal River Unit 3
U.S. Nuclear Regulatory Commission
6745 N. Tallahassee Road
Crystal River, Florida 34428

Mr. Gary Boldt
Vice President - Nuclear Production
Florida Power Corporation
Crystal River Energy Complex
15760 W. Power Line Street
Crystal River, Florida 34428-6708

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission
101 Marietta Street N.W., Suite 2900
Atlanta, Georgia 30323

Mr. Kerry Landis
U.S. Nuclear Regulatory Commission
101 Marietta Street, N.W. Suite 2900
Atlanta, Georgia 30323-0199