

MEDICAL CENTER RADIOLOGISTS

DEPARTMENT OF RADIOLOGY

NORFOLK GENERAL HOSPITAL

NORFOLK, VIRGINIA 23507

TELEPHONES

688-3231 (MAIN DEPT.)

688-3642 (OUT PATIENT DEPT.)

TP 102-3

CARL P. WISOFF, M.D.
DONALD E. CHAMBERS, M.D.
ROBERT M. KESLER, M.D.
ANDREW A. MAYER, M.D.
JACK D. MAHAX, M.D.
HARRY J. PRESBERG, M.D.
ALFRED M. VINSON, M.D.
RICHARD H. MILLER, M.D.
JOHN P. WILLIAMS, M.D.
ROBERT L. CHIAVARINI, M.D.
CLYDE W. WILCOX, M.D.
ROBERT A. WOOLFITT, M.D.
DAVID M. BRIDGES, M.D.

GENERAL X-RAY DIAGNOSIS
PEDIATRIC RADIOLOGY
NEURORADIOLOGY
ANGIOGRAPHY
NUCLEAR MEDICINE
DIAGNOSTIC ULTRASOUND

DOCKET NUMBER
PROPOSED RULE

(25)

PR-35(43FR29297)

August 8, 1978

Secretary of Nuclear Regulatory Commission
Docketing and Service Branch
Washington, DC 20555



Dear Sir:

I am opposed to the adoption of any part of the proposed rules concerning the human uses of bi-product material.

Although on occasion a mis-administration of radioactive material may or has occurred, I feel that there is adequate policing and safeguards by virtue of the structure of the medical institutions involved. The intrusion of a regulatory agency into the care of a patient without assuming the responsibility of his or her care is deplorable.

The paragraph of limitations proposed in 35.33 (F) (4) (5) is not considered clinically significant and regulations of these amounts would not benefit the patient.

The result of reporting these incidents would certainly multiply the already large problem of malpractice insurance.

The costs for the government of monitoring all of these regulations will be horrendous and certainly unjustified for the benefit the government hopes to obtain.

Sincerely yours,

C. P. Wisoff

Carl P. Wisoff, M.D.
Chief of Nuclear Medicine

CPW/vz

cc: The Honorable Harry F. Byrd
The Honorable William L. Scott
The Honorable G. William Whitehurst

Acknowledged by card 8/5 S.S.

7810190180