

CP&L
Carolina Power & Light Company
P. O. Box 1988
Raleigh, N. C. 27602

JUL 1 1988

LYNN W. EURY
Senior Vice President
Operations Support

SERIAL: NLS-88-145
10CFR50 ^
88TSB1:

United States Nuclear Regulatory Commission
ATTENTION: Document Control Desk
Washington, DC 20555

BRUNSWICK STEAM ELECTRIC PLANT, UNIT NOS. 1 AND 2
DOCKET NOS. 50-325 & 50-324/LICENSE NOS. DPR-71 & DPR-62
REQUEST FOR LICENSE AMENDMENT
INDEX REVISION

Gentlemen:

In accordance with the Code of Federal Regulations, Title 10, Parts 50.90 and 2.101, Carolina Power & Light Company (CP&L) hereby requests a revision to the Technical Specifications for the Brunswick Steam Electric Plant (BSEP), Units 1 and 2.

The proposed changes revise the titles listed in the index section of the Technical Specifications to be consistent with the titles shown in the text. This submittal also revises two titles provided in the text for consistency with Technical Specifications of the other unit. These changes are considered administrative changes.

Enclosure 1 provides a detailed description of the proposed changes and the basis for the changes.

Enclosure 2 details the basis for the Company's determination that the proposed changes do not involve a significant hazards consideration.

Enclosure 3 provides instructions for incorporation of the proposed changes into the Technical Specifications for each unit.

Enclosure 4 provides a summary of the proposed Technical Specification changes for each unit on a page by page basis.

Enclosures 5 and 6 provide the proposed Technical Specification pages for each unit respectively.

8807210337 880711
PDR ADDCK 05000324
PDC
P


1001 w/ check
#160
#995956

In accordance with the requirements of 10CFR170.12, a check for \$150 is also enclosed.

In order to allow time for procedure revision and orderly incorporation into copies of the Technical Specifications, CP&L requests that the proposed amendments, once approved by the NRC, be issued with an effective date to be no later than 60 days from the issuance of the amendment.

Please refer any questions regarding this submittal to Mr. Stephen D. Floyd at (919) 836-6901.

Yours very truly,



L. W. Eury


BAB/bab(\cor\88tsb11)

Enclosures:

1. Basis for Change Request
2. 10CFR50.92 Evaluation
3. Instructions for Incorporation
4. Summary List of Revisions
5. Unit 1 Technical Specification Pages
6. Unit 2 Technical Specification Pages


cc: Mr. Dayne H. Brown
Dr. J. Nelson Grace
Mr. W. H. Ruland
Mr. E. D. Sylvester

L. W. Eury, having been first duly sworn, did depose and say that the information contained herein is true and correct to the best of his information, knowledge and belief; and the sources of his information are officers, employees, contractors, and agents of Carolina Power & Light Company.



Ruby R. Morgan
Notary (Seal)

My commission expires: 11/27/89



ENCLOSURE 1

BRUNSWICK STEAM ELECTRIC PLANT, UNITS 1 AND 2
NRC DOCKETS 50-325 & 50-324
OPERATING LICENSES DPR-71 & DPR-62
REQUEST FOR LICENSE AMENDMENT

BASIS FOR CHANGE REQUEST

Proposed Change

Revise the indices of the Technical Specifications to be consistent with the content of the text and revise two titles in the text to be consistent with the other unit and the indices.

Basis

The Company has noted that the indices for the BSEP Technical Specifications do not, in all cases, accurately represent the information provided in the text of the document. In some cases, the titles of the sections are inconsistent; in others, the page numbers provided are incorrect. In one case, the section number listed is incorrect, and, once corrected, that section need not be referenced in the index at all.

This change is purely administrative. There is no change to the text of the Technical Specifications; only the index and two titles in the text are being changed for consistency. There are no modifications or design changes involved. The sole purpose of this request is to provide consistency between the index section of the Technical Specifications and the text of the document.

ENCLOSURE 2

BRUNSWICK STEAM ELECTRIC PLANT, UNITS 1 AND 2
NRC DOCKETS 50-325 & 50 324
OPERATING LICENSES DPR-71 & DPR-62
REQUEST FOR LICENSE AMENDMENT

10CFR50.92 EVALUATION

The Commission has provided standards in 10CFR50.92(c) for determining whether a significant hazards consideration exists. A proposed amendment to an operating license for a facility involves no significant hazards consideration if operation of the facility in accordance with the proposed amendment would not: (1) involve a significant increase in the probability or consequences of an accident previously evaluated, (2) create the possibility of a new or different kind of accident from any accident previously evaluated, or (3) involve a significant reduction in a margin of safety. Carolina Power & Light Company has reviewed this proposed license amendment request and determined that its adoption would not involve a significant hazards consideration. The bases for this determination are as follows:

Proposed Change

Revise the indices of the Technical Specifications to be consistent with the content of the text and revise two titles in the text to be consistent with the other unit and the indices.

Basis

The change does not involve a significant hazards consideration for the following reasons:

1. The proposed amendment is purely administrative in nature and does not change the function or design of any equipment. Its sole purpose is to provide consistency between the text and the indices of the Technical Specifications. Therefore, it does not involve a significant increase in the probability or consequences of an accident previously evaluated.
2. The proposed amendment does not change the design or function of any equipment and has no impact on any accident analyses. The changes are being made for consistency only and can clearly be classified as administrative. Therefore, the proposed change will not create the possibility of a new or different kind of accident from any accident previously evaluated.
3. The proposed amendment does not impact any safety analyses because it is purely administrative in nature. No modification or change to equipment is involved. Therefore, the proposed change does not involve a significant reduction in the margin of safety.

ENCLOSURE 3

BRUNSWICK STEAM ELECTRIC PLANT, UNITS 1 AND 2
NRC DOCKETS 5C-325 & 50-324
OPERATING LICENSES DPR-71 & DPR-62
REQUEST FOR LICENSE AMENDMENT

INSTRUCTIONS FOR INCORPORATION

The proposed changes to the Technical Specifications (Appendix A to Operating Licenses DPR-71 and DPR-62) would be incorporated as follows:

UNIT 1

<u>Remove Page</u>	<u>Insert Page</u>
III	III
IV	IV
V	V
VII	VII
VIII	VIII
IX	IX
IXa	IXa
X	X
XI	XI
XII	XII
XIIa	XIIa
XIV	XIV
XV	XV
XVI	XVI
3/4 11-9	3/4 11-9
B 3/4 5-4	B 3/4 5-4
6-9	6-9

UNIT 2

Remove Page

III
IV
V
VI
VII
VIII
IX
IXa
X
XI
XII
XIIa
X V
XV
v
3/4 1-13
B 3/4 5-4
3/4 11-9

Insert Page

III
IV
V
VI
VII
VIII
IX
IXa
X
XI
XII
XIIa
XIV
yv
XVI
3/4 1-13
B 3/4 5-4
3/4 11-9

ENCLOSURE 4

BRUNSWICK STEAM ELECTRIC PLANT, UNITS 1 AND 2
NRC DOCKETS 50-325 & 50-324
OPERATING LICENSES DPR-71 & DPR-62
REQUEST FOR LICENSE AMENDMENT

SUMMARY LIST OF REVISIONS

UNIT 1

<u>Pages</u>	<u>Description of Changes</u>
III	Reformat for consistency.
IV	Revise a title under Item 3/4.1.3 from "Four Control Rod Group Insertion Times" to "Four Control Rod Group Scram Insertion Times" and add a title under Item 3/4.1.3, "Control Rod Drive Housing Support."
V	Revise the title of Item 3/4.3.7 to "Reactor Core Isolation Cooling System Actuation Instrumentation" and revise the word "Startup" to "Start-up" in the title "Idle Recirculation Loop Startup" under Item 3/4.4.1.
VII	Revise a title under Item 3/4.6.2 from "Suppression Pool" to "Suppression Chamber."
VIII	Revise the title of Item 3/4.7.5 from "Hydraulic Snubbers" to "Snubbers," and revise a title under Item 3/4.8.2 from "RPS Electrical Power Monitoring" to "Reactor Protection System Electrical Power Monitoring."
IX	Reformat for consistency.
IXa	Reformat for consistency.
X	Reformat for consistency.
XI	Revise the title of Item 3/4.5 from "Emergency Core Cooling Systems" to "Emergency Core Cooling System," and revise the title of 3/4.5.2 from "Automatic Depressurization System" to "Automatic Depressurization System (ADS)."

<u>Pages</u>	<u>Description of Changes</u>
XII	Revise the title of Item 3/4.7.5 from "Hydraulic Snubbers" to "Snubbers" and replace references to Page B 3/4 9-1 with references to Page B 3/4 9-2 in Items 3/4.9.6 and 3/4.9.7.
XIIa	Revise a title under Item 3/4.11.1 from "Liquid Waste Treatment System" to "Liquid Radwaste Treatment System" and replace references to Pages B 3/4 11-4, B 3/4 11-5, and B 3/4 11-6 with references to Pages B 3/4 11-5, B 3/4 11-6, and B 3/4 11-7, respectively.
XIV	Revise the title of Item 6.2.3 from "Onsite Nuclear Safety Group" to "Onsite Nuclear Safety Group (ONS)," revise the title of Item 6.3 from "Facility Staff Qualifications" to "Facility Staff Qualification," and revise the title of Item 6.5.2 from "Safety Evaluations and Nuclear Review Control" to "Safety Evaluations and Independent Review Control."
XV	Reformat for consistency.
XVI	Reformat for consistency.
3/4 11-9	Revise the heading from "Liquid Radwaste Treatment" to "Liquid Radwaste Treatment System."
B 3/4 5-4	Revise the item number from 3/4.5.3.3 to 3/4.5.4.
6-9	Revise the title of Item 6.5.2 from "Safety Evaluations and Nuclear Review Control" to "Safety Evaluations and Independent Review Control."

UNIT 2

<u>Pages</u>	<u>Description of Changes</u>
III	Replace references to Pages F 2-8 and B 2-9 with references to Pages B 2-3 and B 2-4, respectively.
IV	Revise two titles under Item 3/4.1.3; "Four Control Rod Group Insertion Times" with "Four Control Rod Group Scram Insertion Times."
V	Revise a title under item 3/4.3.6, "ATWS Recirculation Pump Trip System Instrumentation" to "ATWS Recirculation Pump Trip (RPT) System Instrumentation," revise the title of Item 3/4.3.7 from "Reactor Isolation Cooling system Actuation Instrumentation" to "Reactor Core Isolation Cooling System Actuation Instrumentation," revise the word "Startup" to "Start-up" in a title under Item 3/4.4.1, and revise a title under Item 3/4.4.3, "Leakage Detection System," which is currently on Page VI, to "Leakage Detection Systems" and move Item 3/4.4.3 to this page.
VI	Reformat for consistency and to accommodate movement of text to the previous page and from the following page.
VII	Revise a title under Item 3/4.6.2, "Suppression Pool" to "Suppression Chamber," revise a title under Item 3/4.6.4, "Drywell - Suppression Pool Vacuum Breakers" to "Drywell - Suppression Chamber Vacuum Breakers" and move the remaining items under Item 3.4.6 to the previous page.
VIII	Move Items 3/4.7.2 and 3/4.7.3 to the previous page, revise the title of Item 3/4.7.5 from "Hydraulic Snubbers" to "Snubbers" and revise a title under Item 3/4.8.2 from "RPS Electric Power Monitoring" to "Reactor Protection System Electric Power Monitoring."
IX	Move Item 3/4.9.2 to the previous page.
IXa	Reformat for consistency.

<u>Pages</u>	<u>Description of Changes</u>
X	Revise the title of Item 3/4.1.5 from "Standby-Liquid Control System" to "Standby Liquid Control System."
XI	Revise the title of Item 3/4.5 from "Emergency Core Cooling Systems" to "Emergency Core Cooling System," and revise the title of 3/4.5.2 from "Automatic Depressurization System" to "Automatic Depressurization System (ADS)."
XII	Revise the title of Item 3/4.7.5 from "Hydraulic Snubbers" to "Snubbers," replace references to Pages B 3/4 7-3 and P 3/4 7-4 with references to Pages B 3/4 7-4 and B 3/4 7-5, respectively under Item 3/4.7, and replace the reference to Page B 3/4 10-5 with Page B 3/4 10-1 in Item 3/4.10.5.
XIIa	Replace references to Pages B 3/4 11-4, B 3/4 11-5, and B 3/4 11-6 with references to Pages B 3/4 11-5, B 3/4 11-5, and B 3/4 11-7, respectively.
XIV	Revise the title of Item 6.2.3 from "Onsite Nuclear Safety Group" to "Onsite Nuclear Safety Group (ONS)," revise the title of Item 6.3 from "Facility Staff Qualifications" to "Facility Staff Qualification," and revise the title of Item 6.5.2 from "Safety Evaluations and Nuclear Review Control" to "Safety Evaluations and Independent Review Control."
XV	Reformat for consistency.
XVI	Reformat for consistency.
3/4 1-13	Revise the heading from "Control Rod Housing Support" to "Control Rod Drive Housing Support, and revise the applicability statement to read "Operational Conditions 1, 2, and 3."
B 3/4 5-4	Revise the item number from 3/4.5.3.3 to 3/4.5.4.
3/4 11-9	Revise the heading from "Liquid Radwaste Treatment" to "Liquid Radwaste Treatment System."