

SAFETY INSPECTION

1. LICENSEE

V. A. Medical Center  
3710 W. U. S. Veterans Hospital Road  
Portland, Oregon 97207

2. REGIONAL OFFICE

U. S. Nuclear Regulatory Commission  
Region V  
1450 Maria Lane, Suite 210  
Walnut Creek, CA 94596

3. DOCKET NUMBER(S)

30-2935

4. LICENSE NUMBER(S)

36-01395-01

5. DATE OF INSPECTION

Feb 25-26, 1988

Licensee

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission's (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews, with personnel, and observations by the inspector. The findings as a result of this inspection are as follows:

- ☐ 1. Within the scope of this inspection, no violations were observed.
- ☐ 2. The inspector also verified the steps you have taken to correct the violations identified during the last inspection. We have no further questions on those actions at this time.
- ☒ 3. During this inspection certain of your activities, as checked below, were in violation of 10 CFR requirements.
- THIS IS A NOTICE OF VIOLATION which is required to be posted in accordance with 10 CFR 19.11.
- ☐ A. \_\_\_\_\_ was not properly posted to indicate the presence of a \_\_\_\_\_, 10 CFR 20.203(b), (c), (d), (e) or 34.42.
- ☐ B. Containers located in \_\_\_\_\_ were not properly labeled to indicate the presence of radioactive material. 10 CFR 20.203(f)(1), or (f)(2).
- ☐ C. \_\_\_\_\_ of sealed sources were not performed at the proper frequencies. 10 CFR \_\_\_\_\_ License Condition Number \_\_\_\_\_
- ☐ D. Records of \_\_\_\_\_ were not properly maintained. 10 CFR \_\_\_\_\_ or License Condition Number \_\_\_\_\_
- ☐ E. Documents were not properly posted or otherwise made available. 10 CFR 19.11.
- ☐ F. Reports or notifications of \_\_\_\_\_ were not made in accordance with 10 CFR \_\_\_\_\_ or License Condition Number \_\_\_\_\_
- ☒ H. Contrary to 10 CFR 20.51(c), at the time of the inspection, an uncalibrated instrument was found to be in use in Room 534.
- ☒ I. Contrary to 10 CFR 20.207, at the time of the inspection, a number of laboratories containing radioactive material were found to be open and unattended.
- ☒ J. Contrary to 10 CFR 35.30(c), annual refresher training had not been given to a research group in 1985 & 1986. Also two nurses
- ☐ K. who attended a patient receiving therapy on July 15, 1986 had not received the required training.

I hereby state that within 30 days the actions described by me to the inspector will be taken to correct the violations identified in the items checked above. This statement of the NRC.

8804210167 880308  
REG5 LIC30  
36-01395-01 PDR

SIGNATURE - LICENSEE

DATE

SIGNATURE - NRC INSPECTOR

DATE

1E07 1/0