

From: [Tran, Frank](#)
To: ["Rost, Justin"](#)
Subject: Request additional information for NRC License No. 22-20271-02
Date: Monday, March 30, 2020 5:32:00 PM

Dear Mr. Rost:

We have reviewed your amendment request to add a new field station located at 1745 Samco Road, Rapid City, SD 57702. We will need the following information in order to complete our review.

1. If you plan to conduct industrial radiography at this location, please provide a diagram of the location where radiography will be performed and its surroundings (around, above and below areas), including a description of adjacent properties. If you will not conduct industrial radiography at this location, please state.
2. We could not specifically identify the storage area in the enclosed diagram. Please indicate the storage area in the diagram (hand writing is acceptable) and resubmit.
3. Please confirm that the licensee will implement Part 37 increased security requirements at 1745 Samco Road, Rapid City, SD 57702 prior to storing licensed material in quantity of CAT 2 and above.

Please provide a response to the above in writing with proper signature and date by April 27, 2020. Base on the response to COVID-19, our office has a limited access and mailing will be delayed in processing. We encourage our applicant/licensee to provide information via electronic transmission. For correspondences which may contain security-related information, we recommend you to upload them to our secure folder located at usnrc.app.box.com. An invitation email will send to you shortly giving you access to a specific folder to submit the response (by uploading or drag and drop). The folder will be deleted at the completion of this licensing action. To facilitate proper control of your correspondence in our office, please reference Mail Control 618414 in your response.

Please let me know if you have any questions regarding the above.

Thank you,

Frank Tran

Health Physicist
USNRC/Region III/DNMS
630-829-9623