

May 18, 1988

Docket Nos.: 50-369/370
50-413/414

Mr. H. B. Tucker, Vice President
Nuclear Production Department
Duke Power Company
422 South Church Street
Charlotte, North Carolina 28242

Dear Mr. Tucker:

SUBJECT: RELOAD STARTUP PHYSICS TEST PROGRAM FOR THE MCGUIRE AND CATAWBA
NUCLEAR STATIONS (TACS 67940, 67941, 67942 and 67943)

The NRC staff has completed review of your proposed reload startup physics test program as submitted April 14, 1988, for McGuire and Catawba Nuclear Stations, Units 1 and 2. Enclosed is our Safety Evaluation Report in which we find that this test program is based primarily on the ANSI/ANS-19.6.1-1985 standard which has been reviewed and approved and serves as staff guidance on PWR reload startup physics tests. The proposed program is, therefore, acceptable.

Should you have questions regarding the enclosure, contact me at (301) 492-1442 or K. Jabbour at (301) 492-1496.

Sincerely,

Original signed by:

Darl S. Hood, Project Manager
Project Directorate II-3
Division of Reactor Projects - I/II

Enclosure
As stated

cc:
See next page

DISTRIBUTION:

<u>Docket File</u>	McGuire Reading	OGC-WF
NRC PDR	Catawba Reading	E. Jordan
Local PDR	W. Hodges	J. Partlow
PDII-3 Reading	D. Fieno	M. Rood
S. Varga	ACRS (10)	D. Hood
G. Lainas	D. Matthews	K. Jabbour

LA:PDII-3
MRood
5/18/88

DLH
PM:PDII-3
DHood:pw
5/18/88

DJH/m
PM:PDII-3
KJabbour
5/18/88

DLH
B:PDII-3
DMatthews
5/18/88

May 18, 1988

Docket Nos.: 50-369/370
50-413/414

Mr. H. B. Tucker, Vice President
Nuclear Production Department
Duke Power Company
422 South Church Street
Charlotte, North Carolina 28242

Dear Mr. Tucker:

SUBJECT: RELOAD STARTUP PHYSICS TEST PROGRAM FOR THE MCGUIRE AND CATAWBA
NUCLEAR STATIONS (TACS 67940, 67941, 67942 and 67943)

The NRC staff has completed review of your proposed reload startup physics test program as submitted April 14, 1988, for McGuire and Catawba Nuclear Stations, Units 1 and 2. Enclosed is our Safety Evaluation Report in which we find that this test program is based primarily on the ANSI/ANS-19.6.1-1985 standard which has been reviewed and approved and serves as staff guidance on PWR reload startup physics tests. The proposed program is, therefore, acceptable.

Should you have questions regarding the enclosure, contact me at (301) 492-1442 or K. Jabbour at (301) 492-1496.

Sincerely,

Original signed by:

Darl S. Hood, Project Manager
Project Directorate II-3
Division of Reactor Projects - I/II

Enclosure
As stated

cc:
See next page


DISTRIBUTION:

Docket File	McGuire Reading	OGC-WF
NRC PDR	Catawba Reading	E. Jordan
Local PDR	W. Hodges	J. Partlow
PDII-3 Reading	D. Fieno	M. Rood
S. Varga	ACRS (10)	D. Hood
G. Lainas	D. Matthews	K. Jabbour

LA:PDII-3
MR600
5/18/88

DH
PM:PDII-3
DHood:pw
5/18/88

WJH
PM:PDII-3
KJabbour
5/18/88


S:PDII-3
DMatthews
5/18/88

Mr. H. B. Tucker
Duke Power Company

Catawba Nuclear Station

cc:

A.V. Carr, Esq.
Duke Power Company
422 South Church Street
Charlotte, North Carolina 28242

North Carolina Electric Membership
Corp.
3400 Sumner Boulevard
P.O. Box 27306
Raleigh, North Carolina 27611

J. Michael McGarry, III, Esq.
Bishop, Liberman, Cook, Purcell
and Reynolds
1200 Seventeenth Street, N.W.
Washington, D. C. 20036

Saluda River Electric Cooperative,
Inc.
P.O. Box 929
Laurens, South Carolina 29360

North Carolina MPA-1
Suite 600
3100 Smoketree Ct.
P.O. Box 29513
Raleigh, North Carolina 27626-0513

Senior Resident Inspector
Route 2, Box 179N
York, South Carolina 29745

S. S. Kilborn
Area Manager, Mid-South Area
ESSD Projects
Westinghouse Electric Corp.
MNC West Tower - Bay 239
P.O. Box 355
Pittsburgh, Pennsylvania 15230

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission,
101 Marietta Street, NW, Suite 2900
Atlanta, Georgia 30323

County Manager of York County
York County Courthouse
York South Carolina 29745

Mr. Heyward G. Shealy, Chief
Bureau of Radiological Health
South Carolina Department of Health
and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

Richard P. Wilson, Esq.
Assistant Attorney General
S.C. Attorney General's Office
P.O. Box 11549
Columbia, South Carolina 29211

Karen E. Long
Assistant Attorney General
N.C. Department of Justice
P.O. Box 629
Raleigh, North Carolina 27602

Piedmont Municipal Power Agency
100 Memorial Drive
Greer, South Carolina 29651

Spence Perry, Esquire
General Counsel
Federal Emergency Management Agency
Room 840
500 C Street
Washington, D. C. 20472

Mr. Michael Hirsch
Federal Emergency Management Agency
Office of the General Counsel
Room 840
500 C Street, S.W.
Washington, D. C. 20472

Brian P. Cassidy, Regional Counsel
Federal Emergency Management Agency,
Region I
J. W. McCormach POCH
Boston, Massachusetts 02109

Mr. H. B. Tucker
Duke Power Company

McGuire Nuclear Station

cc:

Mr. A.V. Carr, Esq.
Duke Power Company
P. O. Box 33189
422 South Church Street
Charlotte, North Carolina 28242

Dr. John M. Barry
Department of Environmental Health
Mecklenburg County
1200 Blythe Boulevard
Charlotte, North Carolina 28203

County Manager of Mecklenburg County
720 East Fourth Street
Charlotte, North Carolina 28202

Mr. Dayne H. Brown, Chief
Radiation Protection Branch
Division of Facility Services
Department of Human Resources
701 Barbour Drive
Raleigh, North Carolina 27603-2008

Mr. Robert Gill
Duke Power Company
Nuclear Production Department
P. O. Box 33189
Charlotte, North Carolina 28242

J. Michael McGarry, III, Esq.
Bishop, Liberman, Cook, Purcell
and Reynolds
1200 Seventeenth Street, N.W.
Washington, D. C. 20036

Senior Resident Inspector
c/o U.S. Nuclear Regulatory Commission
Route 4, Box 529
Huntermville, North Carolina 28078

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission,
101 Marietta Street, N.W., Suite 2900
Atlanta, Georgia 30323

S. S. Kilborn
Area Manager, Mid-South Area
ESSD Projects
Westinghouse Electric Corporation
MNC West Tower - Bay 239
P. O. Box 355
Pittsburgh, Pennsylvania 15230