

MAY 22 1959

LO-1056

Trace Elements Corporation
A Unit of Union Carbide Corporation
30 East 42nd Street
New York 17, New York

Attention: Mr. W. D. Smith
Manager Industrial Relations

Gentlemen:

Based upon information obtained by the Commission during inspection of your mill at Maybell, Colorado, it appears that it is being operated in violation of the Commission's regulation, "Standards for Protection Against Radiation," Part 20, Title 10, Code of Federal Regulations, and the terms and conditions of Source Material License No. R-212, in that your company has:

1. Failed to conduct adequate surveys in mill areas which are occupied by employees to determine the concentrations of airborne radioactivity in violation of Section 20.201(b).
2. Failed to post entrances to the mill conspicuously as required by your license, dated October 16, 1958.

Accordingly, pursuant to the Atomic Energy Act of 1954, as amended, and the regulations in Parts 2, 20 and 40, Title 10, Code of Federal Regulations, you are hereby ordered to submit no later than July 1, 1959 to the Commission in writing a full and complete statement of the steps which will be taken in order to bring the operation of your mill into compliance with the Commission's regulations.

REGISTERED MAIL

9810190242 590522
PDR ADOCK 040*****
PDR
C

OFFICE ►

SURNAME ►

DATE ►

Trace Elements Corporation

MAY 22 1959

- 2 -

The information you submit to us should include:

1. A detailed description of your survey program, including sampling procedures, frequency of surveys, and methods of analysis to demonstrate compliance with 10 CFR 20.
2. Where your survey data indicate the need for corrective action to achieve compliance with 10 CFR 20, the steps you will take to achieve such compliance including:
 - (a) additions or modifications to present facilities and equipment to reduce dust loadings in the air;
 - (b) action to clean up radioactive material on floors, equipment and other surfaces in areas of the mill in which employees are routinely working; and
 - (c) control measures which will be followed to assure that individuals are not exposed to airborne concentrations of radioactive material in excess of those specified in Section 20.101, 10 CFR 20. (Such measures may include the use of respiratory equipment and/or limitation on work periods in areas where airborne radioactivity exists and instructions to personnel.)
3. Measures you will take to achieve compliance with the posting requirements of your license.
4. A time schedule which specifies the dates when each phase of the actions you propose to take to achieve compliance with 10 CFR 20 and license conditions will be completed.

OFFICE ►						
SURNAME ►						
DATE ►						

Trace Elements Corporation

MAY 22 1959

- 3 -

You may request a formal hearing with respect to this order, or any part thereof, by filing a written request for hearing with the Office of the Secretary, United States Atomic Energy Commission, Washington 25, D. C., within fifteen days after the date of this order. Filing of a written request for hearing may also be accomplished in person either in the Commission's Public Document Room, 1717 K Street, N. W., Washington, D. C., or the Office of the Secretary, Germantown, Maryland.

Pursuant to Section 2.202(b) of the Commission's "Rules of Practice," 10 CFR 2, a timely filing of a request for formal hearing with respect to this order or any part thereof, shall stay the order, or such part of the order, pending determination of the issues by the Commission.

FOR THE ATOMIC ENERGY COMMISSION

H. L. Price, Director
Division of Licensing and Regulation

Enclosures:

1. 10 CFR Part 2
2. 10 CFR Part 20
3. 10 CFR Part 60

CC: Mr. J. V. Brenton
Manager of Plants
Union Carbide Nuclear Company
Grand Junction, Colorado

CC: Division of Inspection, Hdqrs.
Division of Inspection, 100
W. B. Carlson, GJOO
Ernest C. Van Blarcom, Raw Materials
OGC (2)
Public Document Room

DLR:RSB

Cunningham:hkm

LRRogers

5/21/59

OFFICE ▶	DLR:LB	OGC		DLR	DLR	DLR
SURNAME ▶	LJohnson			EPrice	RLKirk	HLPrice
DATE ▶						

HO-1856

Berwitzler

Trace Elements Corporation
A Unit of Union Carbide Corporation
30 East 42nd Street
New York 17, New York

Attention: Mr. W. D. Smith, Manager
Industrial Relations

Gentlemen:

Based upon information obtained by the Commission during inspection of your mill at Maybell, Colorado, it appears that it is being operated in violation of the Commission's regulation, "Standards for Protection Against Radiation," Part 20, Title 10, Code of Federal Regulations, and the terms and conditions of Source Material License No. R-212, in that your company has:

1. Failed to conduct adequate surveys in mill areas which are occupied by employees to determine the concentrations of airborne radioactivity in violation of Section 20.201(b).
2. Failed to post entrances to the mill conspicuously as required by your license, dated October 16, 1958.

Accordingly, pursuant to the Atomic Energy Act of 1954, as amended, and the regulations in Parts 2, 20 and 40, Title 10, Code of Federal Regulations, you are hereby ordered to submit no later than June 15, 1959 to the Commission in writing a full and complete statement of the steps which will be taken in order to bring the operation of your mill into compliance with the Commission's regulations.

RECORDED MAIL

OFFICE ►

SURNAME ►

DATE ►

Trace Elements Corporation

- 2 -

The information you submit to us should include:

1. A detailed description of your survey program, including sampling procedures, frequency of surveys, and methods of analysis to demonstrate compliance with 10 CFR 20.
2. Measures you will take to achieve compliance with the posting requirements of your license.
3. A time schedule which specifies the dates when each phase of the actions you propose to take to achieve compliance with 10 CFR 20 and license conditions will be completed.

You may request a formal hearing with respect to this order, or any part thereof, by filing a written request for hearing with the Office of the Secretary, United States Atomic Energy Commission, Washington 25, D. C., within fifteen days after the date of this order. Filing of a written request for hearing may also be accomplished in person either in the Commission's Public Document Room, 1717 K Street, N. W., Washington, D. C., or the Office of the Secretary, Germantown, Maryland.

Pursuant to Section 2.202(b) of the Commission's "Rules of Practice," 10 CFR 2, a timely filing of a request for formal hearing with respect to this order or any part thereof, shall stay the order, or such part of the order, pending determination of the issues by the Commission.

Very truly yours,

cc: Division of Inspection, Hdqrs.
Division of Inspection, IIO
W. B. Carlson, GJOO
Ernest C. Van Blarcom, Raw Materials
Public Document Room

H. L. Price, Director
Division of Licensing
and Regulation

Enclosures:

1. 10 CFR Part 2
2. 10 CFR Part 20
3. 10 CFR Part 40

DLR:RSB

Cunningham:hkm

LRRogers

5/15/59

cc: Mr. J. F. Brenton
Manager of Plants
Union Carbide Nuclear Company
Grand Junction, Colorado

OFFICE ►	DLR:LB	OGC		DLR	DLR	DLR
SURNAME ►	LJohnson			EPrice	RLKirk	HLPrice
DATE ►						

40-1856

Trace Elements Corporation
A Unit of Union Carbide Corporation
30 East 42nd Street
New York 17, New York

Attention: Mr. W. D. Smith
Manager, Industrial Relations

Gentlemen:

Based upon information obtained by the Commission during inspection of your mill at Maybell, Colorado, it appears that it is being operated in violation of the Commission's regulation, "Standards for Protection Against Radiation," Part 20, Title 10, Code of Federal Regulations, and the terms and conditions of Source Material License No. R-212, in that your company has:

1. Failed to conduct adequate surveys in mill areas which are occupied by employees to determine the concentrations of airborne radioactivity in violation of Section 20.201(b).
2. Failed to post entrances to the mill conspicuously as required by your license, dated October 16, 1958.

Accordingly, pursuant to the Atomic Energy Act of 1954, as amended, and the regulations in Parts 2, 20 and 10, Title 10, Code of Federal Regulations, you are hereby ordered to submit no later than June 15, 1959 to the Commission in writing a full and complete statement of the steps which will be taken in order to bring the operation of your mill into compliance with the Commission's regulations.

REGISTERED MAIL

OFFICE ►							
SURNAME ►							
DATE ►							

The information you submit to us should include:

1. A detailed description of your survey program, including sampling procedures, frequency of surveys, and methods of analysis to demonstrate compliance with 10 CFR 20.
2. Measures you will take to achieve compliance with the posting requirements of your license.

You may request a formal hearing with respect to this order, or any part thereof, by filing a written request for hearing with the Office of the Secretary, United States Atomic Energy Commission, Washington 25, D. C., within fifteen days after the date of this order. Filing of a written request for hearing may also be accomplished in person either in the Commission's Public Document Room, 1717 K Street, N. W., Washington, D. C., or the Office of the Secretary, Germantown, Maryland.

Pursuant to Section 2.202(b) of the Commission's "Rules of Practice," 10 CFR 2, a timely filing of a request for formal hearing with respect to this order or any part thereof, shall stay the order, or such part of the order, pending determination of the issues by the Commission.

Very truly yours,

R. L. Price, Director
Division of Licensing
and Regulation

Enclosures:

1. 10 CFR Part 2
2. 10 CFR Part 20
3. 10 CFR Part 10

cc: Inspection Divn., Wash.
Inspection Divn., IOO
Public Document Room

cc: Mr. J. P. Brenton
Manager of Plants
Union Carbide Nuclear Company
Grand Junction, Colorado

cc: W. B. Carlson, GJOO
Ernest C. Van Blarcom, Raw Materials

DLR:RSB

Cunningham:hcm

LRRogers

5/13/59

<i>Con</i>	OFFICE ►	DLR:LB	OGC	<i>DPK</i>	DLR	DLR	DLR
	SURNAME ►	LJ Johnson	TBC	<i>XNB</i>	EPrice	RLKirk	HLPrice
	DATE ►		5/13/59				

RETURN RECEIPT TO R. E. CUNNINGHAM, ROOM C-169

FORM WA-47
(Rev. 5-60)

ATOMIC ENERGY COMMISSION

MAIL REGISTRY REQUEST

REQUESTING OFFICE	Radiation Safety Branch	ROOM NO.	BUILDING	DO NOT USE THIS BLOCK	
Divn. of Licensing & Regulation		C-169		REGISTRY NUMBER	DATE MAILED
DOCUMENT CLASSIFICATION (IF UNCLASSIFIED, SO STATE) Uncl.				A 0989	JUL 24 1959
MAIL ADDRESSED TO Trace Elements Corp. 30 East 42nd St., New York, N. Y. Attn: Mr. Wm. M. Smart					
DATE	July 23, 1959				

INSTRUCTIONS

Requesting Office:

Prepare WA-47 (original only) for each item of mail to be registered. Securely attach to mail; enclose in chain envelope addressed to the mail and messenger center and forward.

Mail and Messenger Center:

Will register item of mail; complete this portion of form by entering registry number and the date of mailing and return this form to the requesting office.

16-61775-1 GPO

RETURN RECEIPT TO R.E.CUNNINGHAM, ROOM C-169

FORM WA-47
(Rev. 5-60)

ATOMIC ENERGY COMMISSION

MAIL REGISTRY REQUEST

REQUESTING OFFICE	Radiation Safety Branch	ROOM NO.	BUILDING	DO NOT USE THIS BLOCK	
Divn. of Licensing & Regulation		C-169		REGISTRY NUMBER	DATE MAILED
DOCUMENT CLASSIFICATION (IF UNCLASSIFIED, SO STATE) Uncl.				A- 6184	MAY 25 1959
MAIL ADDRESSED TO Trace Elements Corp. 30 East 42nd St., New York 17, N.Y. Attn: Mr. W. D. Smith, Mgr.					
DATE	5/13/59				

INSTRUCTIONS

Requesting Office:

Prepare WA-47 (original only) for each item of mail to be registered. Securely attach to mail; enclose in chain envelope addressed to the mail and messenger center and forward.

Mail and Messenger Center:

Will register item of mail; complete this portion of form by entering registry number and the date of mailing and return this form to the requesting office.

16-61775-1 GPO

#1-INSTRUCTIONS TO DELIVERING EMPLOYEE

- Deliver ONLY to addressee Show address where delivered

(Additional charges required for these services)

RETURN RECEIPT

Received the numbered article described on other side.

SIGNATURE OR NAME OF ADDRESSEE (must always be filled in)

SIGNATURE OF ADDRESSEE'S AGENT

JOHN DECKER
DECORATION
42nd STREET, NEW YORK 17, N.Y.

DATE DELIVERED

ADDRESS WHERE DELIVERED (only one line, item #1)

1/27/59

CBS-16-71848-4 GPO

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300
(GPO)

JUL 27 3-PM 1959		GRAND CENTRAL STATION
INSTRUCTIONS: Fill in items below and complete #1 on other side, when applicable. Moisten gummed ends and attach to back of article. Print on front of article RETURN RECEIPT REQUESTED.		
REGISTERED NO. <i>R-0989</i>	NAME OF SENDER R. E. Cunningham, C-169 ATOMIC ENERGY COMMISSION	
CERTIFIED NO.	STREET AND NO. OR P. O. BOX WASHINGTON 25, D. C.	
INSURED NO.	CITY, ZONE AND STATE	

POD Form 3811 Jun. 1958

RETURN
TO →

CBS-16-71848-4

DELIVERING
EMPLOYEE

- Deliver ONLY to addressee.
 Show address where delivered.

Received from the postmaster the registered, certified, or insured article, the number of which appears on the face of this return receipt.

U.S. POSTAL INSPECTION SERVICE

1. 30 EAST 42nd STREET, NEW YORK 17, N.Y.

(Signature or name of addressee)

J. E. Cunningham

2. John Decker
(Signature of addressee's agent. Agent should enter addressee's name on line ONE above)

Date of Delivery

1/27/59

MAY 26 3-PM 1959		GRAND CENTRAL STATION
REGISTERED NO. <i>R-0989</i>	NAME OF SENDER R. E. Cunningham, C-169 ATOMIC ENERGY COMMISSION	
CERTIFIED NO.	STREET AND NO. OR P. O. BOX Washington 25, D. C.	
INSURED NO.	POST OFFICE	
RETURN TO →	STATE	

POD Form 3811
Apr. 1955