REFERENCE (a)

Results of Foliar Survey for Winter of 1984-1985 attached

Ma

FRL

Mr. James G. Keppler Regional Administrator Region III U.S. Muclear Regulatory Commission 799 Roosevelt Road Glen Ellyn, IL 60137

Subject: EPP Annual Operating Report

Appendix 8 to Facility License No. NPF-11 and No. NPF-18

Dear Mr. Keppler:

Attached is the Annual Operating Report for the year of 1984 for the Environmental Protection Plan as required by Section 5.4 of Appendix B to Facility License No. NPF-11 and No. MPF-18.

This report is contained in the following subsections:

- 3.1 Plant Design and Operation.
- 4.2.1 Vegetative Integrity on Cooling Pond Dike.
- 4.2.2 Monitoring of Fog and Ice Due to the Cooling Pond.
- 5.4.1 EPP Non-Compliance and Corrective Action Taken to Remedy Them.
- 5.4.2 Non-Routine Reports.

Section 3.2 of Appendix B requires submittal to the NRC of NPDES noncompliance reports which are required by the State of Illinois. These reports were previously submitted to the NRC at the time submittal was made to the state. Included as Attachment 6 of this Annual Operating Report is a summary of the NPDES noncompliances for 1984.

8603170213 860310 PDR ADOCK 05000373 PDR In accordance with Regulatory Guide 10.1, one copy of this report is provided for your use and 18 copies are being submitted directly to the Document Control Desk, U.S. Nuclear Regulatory Commission, Washington, D.C., 20555.

Sincerely yours,

GUJ. Diederich 7

LaSalle County Station

GJD/FRL/jdp

Attach.

xc: J. M. Marshall, W/attach.
NRC Resident Inspector, w/attach.
Environmental Affairs, w/attach.
Document Control Desk (18 copies)

3.1 Plant Design and Operation

Changes in station design or operation, tests and experiments made in accordance with subsection 3.1 which involve a potentially significant unreviewed environmental issue.

HONE

4.2.1 Vegetative Integrity on Cooling Pond Dike

The vegetative integrity of the cooling pond dike was inspected in accordance with LaSalle County Station procedure LTS-1000-5 on the following dates: April 27, 1984; May 31, 1984; June 31, 1984; July 29, 1984; August 30, 1984; September 29, 1984; and October 28, 1984. The above inspections resulted in the following concerns:

- The crown vetch, especially along the southern dike, does not grow well during dry summer months. The crown vetch is thick, along the dike and still provides adequate ground cover to prevent erosion. At the end of dry periods, the crown vetch comes back very well.
- 2) A bare spot was noted by the Make-up discharge structure during the June inspection. This area re-seeded and the ground cover grew back.
- 3) Canadian Thistle, a noxious weed, was found growing along the cooling lake dikes. The Canadian thistle was picked and bagged, prior to seeding, by station personnel and no longer poses a problem.

4.2.2. Monitoring of Fog and Ice Due to the Cooling Pond

The following is a summary of the data for 1984 of the operational fog and rime ice observations in the vicinity of the cooling pond including an analysis of the data and comparison to the 1983 and 1982 operating experience, and 1981 and 1980 baseline. This is in accordance with the Environmental Protection Plan. Appendix 8, Section 4.2.2 which is part of the operating license for LaSalle County Station Unit 1 and 2.

Included are: Attachment 1, which includes all reported incidences of fog which restricted visibility to 1/4 miles or less and rime ice observed on station property in 1984; Attachment 2, which consists of copies of the four quarterly summaries of fog and rime ice observations for 1984; Attachment 3, which includes the annual summaries of observations for the years 1980 through 1983; Attachment 4, which is the correlation of Rime Ice observations on vegetation for the winter of 1983-4; and Attachment 5, the report of the "Inspection for Environmental Impact of Rime Icing, which was conducted by a consulting plant pathologist in May, 1984 to assess the effects of the rime ice that formed on vegetation during the winter of 1983-1984.

In summary, there were seven days out of the 249 observation days during 1984 where visibility was restricted to less than 1/4 mile. There were no observations of ice build-up occurring off the station property. There were, however, ten cases of on-site rime ice reported during the year.

Analysis of the seven off-site 1984 occurrences of reduced visibility shows that there were no observations of reduced visibility that may have been enhanced by the pond.

On site, during the cold weather, dense steam fog occurred in the area of the condensing cooling water discharge, reducing the visibility along the driveway to the main gate and over part of the parking lot. This is a localized effect, entirely on-site, not involving any of the observation points on the public roads around the perimeter of the site, and has not been consistently reported in the monitoring program.

All ten 1984 rime ice observations were in the same localized area near the circulating water discharge. Rime ice was observed on vegetation and on vertical surfaces. There were no off-site observations of rime ice in 1984. Rime ice formed on the vegetation, guard rails, fences and automobiles in the parking lot and during the extremely cold weather the ice persisted. As with the steam fog in the same area, this effect has occurred entirely on-site, not involving any of the observation points on the public roads around the perimeter of the site and, therefore, has not been reported on a regular basis in the monitoring program. An "Inspection for Environmental Impact of Rime Icing" will be made during the 1985 spring growing season of the on-site areas which were subject to the rime ice occurrences.

Analysis shows that the 1984 data had two more observations of fog causing reduced visibilities than in 1983 but fewer than in previous years 1982, 1981, and 1980. As shown below, there were seven observations in 1984, five in 1983, 12 in 1982, 11 in 1981 and 10 in 1980.

Year	V1	l Observations, sibility Less han 1/4 Mile	Visibility Less Than 1/4 Mile Downwind Only
1984		7	0
1983		5	1
1982		12	0
1981		11	1
1980		10	0

It is apparent that there was little or no enhancement of offsite fog conditions that could be attributed to the heat rejected to the cooling pond. There have been only two times in the five years of observations that a visibility reduction under a 1/4 mile occurred downwind of the pond without any similar upwind or cross wind fog observations.

All the rime ice observations in 1984, 1983 and 1982 were localized to the same area where the entrance road crosses the cooling water discharge canal. In the pre-operational period there were two observations which occurred during a period of extremely cold weather in January, 1982, which was before fuel loading. There was one observation in 1981 in late December under conditions which combined very cold air temperatures and an area wide light fog which resulted in a natural rime ice formation off site but was apparently not influenced by the cooling pond.

There were four incidences of rime ice reported in 1983, and more were expected in 1984 with both units operating. This has proved to be true and during the prolonged period of cold weather, the ice has persisted and built up.

An inspection for "Environmental Impact of Rime Icing" was conducted by a consulting plant pathologist, Dr. Barry J. Jacobsen on May 14, 1984. The vegetation in the affected area was inspected and found not to have suffered any observable effects from the rime icing that occurred during the winter of 1983-84. Attachment 5 is a copy of the report of the inspection.

As a result of the occurences of steam fog and rime ice along the on site access road corrective action is being planned. Under consideration is a proposal to reroute the channel carrying the condensor cooling water discharge and to cover it for part of the way to increase the distance between the point where the steam fog is formed and the access road. The rerouting of the channel would be across an on site area which has been previously disturbed by construction. Any action taken on this matter will be evaluated and recorded as specified in Section 3.1 of the EPP.

The experience through 1984 of preoperational, I unit operation and, in 1984, of 2 unit operation has demonstrated that operation of the station and the cooling pond has not been a major contributor to the frequency, extent or density of fog in the observation areas along the public roads surrounding the station nor has operation caused any off-site incidences of rime ice formation. Section 6.2.1 of the LSCNPP Final

Environmental Statement requires the monitoring program to continue through at least one 12 month period of reasonably complete two-unit operation. In keeping with this requirement the 1984 power production history for Units 1 and 2 was as follows:

1984 Power History for LaSalle

Gross Pwr (MWhi	rs.)	Ca	pacity Factor		Gross PWR
					1130 x hours in month
			Unit 1		Unit 2
Jan.					
	Gross Pwr.			-	0
	Cap. Factor	-	41.3%	-	0
Feb.					
	Gross Pwr.				0
	Cap. Factor	91	29.1%	-	0
Mar.					
	Gross Pwr.				0
	Cap. Factor	-	21.6%	-	0
Apr.					
			692699		
	Cap. Factor	-	77.3	-	29
May					
			777907		
	Cap. Factor	-	92.5%	-	13.1
Jun.					
	Gross Pwr.	-	583251	-	249632
	Cap. Factor	-	71.6%	-	29.6%
Jul.					
			756661		
	Cap. Factor	-	90%	-	47.6%
Aug.					
			713445		
	Cap. Factor	-	84.8%	-	16.3%
Sep.					
	Gross Pwr.	-	456560		
	Cap. Factor	-	56.1%	-	61.7%
Oct.					
	Gross Pwr.	-	0		723745
	Cap. Factor	-	0	-	86%
Nov.					
			66600	-	628250
	Cap. Factor	-	8.1%	*	77.29
Dec.					
	Gross Pwr.	-	664254		586372
	Cap. Factor	***	79%	-	69.7%

Based on this experience the applicant proposes to terminate the off-site fog and rime ice monitoring program at the end of May, 1985.

Fog and Rime Ice Monitoring Program Summary LeSalle County Generating Station

Incidence of Fog/Rime Ice Formation

1984

249 Days of Observations

	ine Ice						in Feet					
Date	Time	Direction	1	2	3	4	5	6	7	8	9	Remarks
1/10	7:30a	360•										Rime Ice (1") along shore, near discharge
	7:30a											Rime Ice (trace) along shore, near discharge
/17	6:55a	210*									III III	Rime Ice (3/4*) on bushes and fence near discharge
/19	7:10a	230*										Rime Ice (3/4") on bushes and fences near discharge
												and on cars in parking lot. Rime Ice (3/4") on bushes
1/20	7:00a	294•		-								and fences near discharge
_				-								Rime Ice (1") on vegeta-
/31	7:20a	210*	-	-	-							tion & guardrail near discharge.
1/1	7:10a	213*	1300	1000	1000	1000	1000*	1000*	1000*	1000	1000	Fog over general area, Rime Ice (2") on plants
			,									guardrails and fences near discharge.
2/6	7:15a	3000										Rime Ice (2") on bushes and fences near discharg
			4									and on cars in parking lot.

* Denotes Fog Formation Downwind of Cooling Pond

Oba.Pt,	Dir. Span	Obe.Pt.	Dir. Span	Obs.Pt.	Dir. Span
1	3050- 820	4	900-1610	7	1970-3390
2	270- 850	5	900-2400	8	278°-351°
3 .	65°-112°	6	188°-262°	9	286°- 67°

Fog and Rime Ice Monitoring Program Summery LaSaile County Generating Station


Incidence of Fog/Rims Ice Formation


249 Days of Observations

Fog/Ribe	Pog/Ribe Ice	Vind			1/4	mile) at	mile) at Observation Point	tion Pot	nte			
-	Dave Piere	Direction	-	2 .		7	5	9	7	8	•	•
2/2	7.150	3150					1					Rime Ice (3") on bushes, guerdrail and fence mear
T	B/11											discharge and on car in parking lot,
	1	225.0	000	000	200	200	*002	200*	200*	200	200	Heavy fog over
3/15	4:050		250	250	250	250	250*	250	250	250		Reavy fog over general area.
100	0/100						\$00\$	200	200			
0/0	10/0 7:00		1000	1000	1000*	10001	10001	1000 1000	1000	1000	1000	General overcase, mist and fog
0/40	40/40 7.00		200	the Real Property lies, the Persons in case of the Persons in case o	700	200	200	700	200	700	200	General overcast, mist and fog
1/12	11/12 7:008	1 "										Rime Ice (1/16") on vegetation in area
												from discharge to
2/10	12/10 7:00a	315*	100*	100	100	100	100	200	200*	200	1001	Fog, general area
			*									
		-										

Denotes Fog Pormation Downwind of Cooling Pond

Dir. Span	1970-3390 2780-3510 2860- 670
Obe.Pt.	~ 8 6
Dir. Span	4 90°-161° 5 90°-240° 6 188°-262°
Obe.Pt.	400
Dir, Span	1 305°- 82° 2 27°- 85° 3 65°-112°
Obs.Pt,	775





Pog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

Incidence of Pog/Rime Ice Formation Pirst Quarter, 1984 62 Days of Observations

Obser	ine Ice	Wind			1/4	mile) a	in Feet t Observ	(less t	han inte			
Date	Time	Direction	1	2	3	4	5	6	7	8	9	Remarks
/03	7:30a	207°						F VOE	Feet		F. L.	Fog over general area. No visibility restriction.
/10	7:30a	360°							HIL			Rime Ice ([") along shore near discharge.
/11	7:30a	60°										Rime Ice (trace) along shore near discharge.
/17	6:55a	210°										Rime Ice (3/4") on bushes and fence near discharge,
/19	7:10a	230°										Fog over pond only. Rime Ice (3/4") on bushes and
												fences near discharge and on cars in parking lot,
/20	7:00a	295°										Fog over pond only. Rime Ice (3/4") on bushes and
												fences near discharge and on cars in parking lot.
/31	7:20a	210°										Rime Ice (1/4") on vegeta- tation and guard rail near
												discharge.
/01	7:10a	2130	1300'	1000	1000	1000	1000*	1000*	1000*	1000	1000	Fog over general area. Rime Ice (1/2") on plants
	2									Table 1		guard rails and fence near discharge.
/06	7:15a	300°						non.	77			Rime Ice (1/2") on bushes and fence near discharge

Obs.Pt,	Dir, Span	Obs.Pt.	Dir. Span	Obs.Pt.	Dir. Span
1	3050- 820	4	900-1610	7	1970-3390
2	270- 850	5	900-2400	8	278°-351°
3	65°-112°	6	1880-262°	9	286°- 67°

Fog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

First Quarter, 1984 62 Days of Observations

Pog/E Obser	ime Ice	Wind					in Feet					
		Direction	1	2	3	4	5	6	7	8	9	Remarks
/07	7:15a	315°										Rime Ice (1/2") on bushes, guard rail and fence near
			- 6									discharge and on cars in parking lot.
2/08	6150a	165°										Pog over pond only.
/20	4:00p	225°	200	200	200	200	200*	200*	200*	200	200	Heavy Fog over general area.
/17	7:30p	293°										Fog over general area, no visibility restrictions.
/27	5:00p	293°										Fog over general area, no visibility restrictions.
/15	4:05p	185°	250	250	250	250	250*	250	250	250	250	Heavy Fog over general area.
1/20	6:50a	185°										Heavy fog over pond, light fog over general area, no
												visibility restrictions.
					1							1 (c.) (d.) (d.) (d.)
	¥-											

* Denotes Fog Formation Downwind of Cooling Pond

Obe.Pt,	Dir. Spen	Obe.Pt.	Dir. Span	Obs.Pt.	Dir. Span
1	3050- 820	4	900-1610	7	1970-3390
2	270- 850	5	90°-240°	8	278°-351°
3 -	65°-112°	6	188°-262°	9	286° - 67°

Pog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

Incidence of Pog/Rime Ice Pormetion
Third Quarter, 1984

62 Days of Observations

	Romarks	Pog, no visibility	Pog, no visibility restrictions	Pog, no visibility	Pog, no visibility	Pog, no visibility	Pog, no visibility	Pog, no vieibility				
_		Pog.	Pog,	Fog.	Pog,	Pog,	Pog.	Pog,	Bas	+		
	•				H				1	4		
	8				1							
ugn nte	1								500			
(less th	9								200			
Visibility in Peet (less than 1/4 mile) at Observation Points	3								*005			
ibility mile) at	4											
Vieit	3									1		
	2											
	-										-	
vind	Date Time Direction	211*	80.	-862	*04	130*	180*	154.	.011			 *
Pog/Ribe Ice	Time	71000	71254	7100a	71008	71008	7,000		50.30			
Fog/Ribe Ice	Date	7-20 7100	8-10	8-17 7:00	2	2	_	12-6	9-28 61301			

* Denotes Pog Pormation Downwind of Cooling Pond

Dir. Span	1970-3390	2780-3510	2860- 670
- 1	1		
Obs.Pt. Dir. Span	0191-006	900-2400	1880-2620
Obs.Pt.			
Dir. Spen	3050- 820	270- 850	650-1120
Obe.Pt.	1	2	-

Fog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

Fourth Quarter, 1984 62 Days of Observations

	ime Ice	Wind					in Feet						
		Direction	1	2	3	4	5	6	7	8	. 9	Remarks	
10-9	7:00a	90•	1000*	1000	1000*	1000*	1000*	1000	1000	1000	1000	General overcast, mis	
10-10	7:00a	64.	700	700*	700	700	700	700	700	700	700	General overcast,	
10-11	7:00a	88*									-	Fog, no visibility restrictions	
10-12	7:00a	123*									Tallia.	Fog, no visibility restrictions	
10-23	7:00a	5*							4			Fog, no visibility restrictions	
11-12	7:00a	315*										Rime ice, 1/16" on vegetation from disch	
												past main gate	
12-10	7:008	315*	100*	100	100	100	100	200	200*	200*	100*	Fog. general area	
12-11	7:00a	162*									Term.	Fog, no visibility restrictions	
12-11	7:00a	216*		'						5		Fog, no visibility	
12-11	4:00p	342*			:							Fog, no visibility restrictions	
12-14	7:00a	990										Fog, no visibility restrictions	
12-21	7:00a	200								*	FEE	Fog, no visibility restrictions	

* Denotes Fog Formation Downwind of Cooling Fond

Obe.Pt.	Dir, Span	Che.Pt.	Dir, Span	Obs.Pt.	Dir. Span
1 .	3050- 820	4	900-1610	7	1970-3390
2	270_ 850	5	900-2400	8	2780-3510
3 -	650-112°	6	1880-2620	9	286°- 67°

Fog and Rime Ice Monitoring Program Summary LaSaile County Generating Station

Incidence of Fog/Rime Ice Formation

249 Days of Observations

	Remarks	General light fog; low visibility area was about	I mile east of Point 4.	Rime toe (1/8") near	Rime 10e (1/8") near guardhouse.**	Pog.	Heavy fog over pond,	Heavy fog over pond.		4, or 5.	Rime ice (1/4") on hand- rails and vegetation near	oireulating water dis-	Rime ice (trace) on guard- rail and plants near eir-	culating water discharge.
	6					\$00t			400					
	8					*004	900		400					
Inte	1					*00 1	009		200					
bility in Yest (less than ile) at Observation Point	9					400	200		200*					
Observe	2					400	004		200					
Visibility in Feet (less than 1/4 mile) at Observation Points	4	*004				900	200	300	300					
Visib	3					400		004	200					
	2					400		200	004					
	-					400		*004	900					
Mind	Direction	0141		0440	325°	1250	00	4150	2500		0,111		0096	
ine Ice	4100	9	0 20	1	7:20	7:00 8	7,15 .	1.00 7.30	2.00		7.30	a XII	1	2
Pog/Ri	Design	-			3/23			11.07	30/61	_		5077	20/01	

* Denotes Fog Formation Downwind of Cooling Pond

**Rime ice on station site only.

See map on reverse side for

location.

2780-3510

2860- 670

1970-3390

Obs.Pt.	1	80	6
Dir. Span	900-1610	900-2400	1880-2620
Obs.Pt.			9
Dir. Span	3050- 820	270- 850	650-1120
Obs. Pt.			1

Fog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

Attachment 3 page 2 of 5

Incidence of Fog/Rime Ice Formation 1982 249 Days of Observations

	ime Ice	Wind				mile) at						Barrell San St. M.
Dete	Time	Direction	1	2	3	4	5	6	7	8	9	Remarks
1-14	7:12a	257*										Rime ice (1/16*)near guardhouse**
1-26	6:59a	279*										Rime ice (light) alo
2-02	7:03a	125*	50	50	75*	50*	50*	50	50	50	50	
2-19	4:10p	261*			1000							
3-12	7:15a	145*				800*	800*	800		*		
6-29	7:15a	282*	200	200	200	200	400			600*	200*	
8-23	71254	18*	500*	500*	200	200	250	250	250	500	500*	
9-01	8:00a	171*				900*	800*	400				Fog rain
9-02	7:30a	279*	300	200	100	150	150	500	300*	200*	200	C Date to the Land
9-08	7:30a	90*	900	900	400*	400*	400	400	400	400	900	Light fog-mist
9-09	7:10a	180*	1000					300				
9-27	7:00a	59*	200*	100*	100*	100	100	200	200	200	200*	Heavy fog over
10:08	7:00a	20*		Fog d	ensity	200-400	feet	in all	direct	ions		

^{*} Denotes Fog Formation Downwind of Couling Pund

Obs.Pt,	Dir, Span	Obe.Pt.	Dir. Span	Oba.Pt.	Dir. Span
1	3050- 82°	4	90°-161°	7	1970-3390
2	270- 850	5	90°-240°	8	278°-351°
3	65°-112°	6	188°-262°	9	286° - 67°

**Rime ice on station site only: see page 2 of Attachment 2 for location.

Fog and Rime Ice Monitoring Program Summary LaSaile County Generating Station

Attachment 3 page 3 of 5

Incidence of Fog/Rime Ice Formation 1982

249 Days of Observations

Pog/Rime Ice Observations Wind Pate Time Direction		Wind			1/4	mile) a	in Feet t Observ	(less thation Pot	inte				
			1	2	3	4	5	6	7	8	9	Remarks	
11:30	7:20a	135*	800	800	800	800*	800*	800*	800	800	800	Fog over entire are	
				-							-		
-	-	-											
-													
_													

* Denotes Fog Formation Downwind of Cooling Pond

Obs.Pt.	Dir, Span	Cha.Pt.	Dir. Span	Obs.Pt.	bir. Span
1	3050- 820	4	90°-161°	7	1970-3390
2	270- 850	5	90°-240°	8	278°-351°
3	65°-112°	6	188°-262°	9	286° - 67°

Fog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

Incidence of Fog/Rime Ice Formation

248 Days of Observations During 1981

Obeer	ime Ice	Wind						(less t				
Dete	Time	Direction	. 1	2	3	4	5	6	7	8	9	Remarks
2-17	7:00p	205°		Fog	Density	400-600	feet in	all dir	ctions			
2-18	7:15a	220°	1200	1200	800	800	600*	800*	1000*	1100	800	Fog over entire area
2-27	7:150	126°										ICE OVER ALL AFRAM
4-30	7;15a	135°	1000	800	1000*					1000	800	Rain, drizzle
8-21	7:12a	72°		1200*	1000*							Fog
9-14	7:05a	280°	200	200	225	250	250	250	250*	250*	250	Fog
10-05	7:05a	90°	600	600	600*	600*	600	600	800	600	600	
10-08	7:08a	10°	350*	350*	350	400	200	150	200	250	300*	
10-15	6:45a	235°	1200	1200	1000	1000	800*	600*	800	1200	1200	Heavy for over entire are
10-16	6:45a	230°	1200	1200	1200	1200	1000*	800*	1000	1200	1200	Fog over entire area
11-04	7:12a	99°	800	600	500	400*	400*	400	600	600	800	
11-16	7:05a	250°	800	800	800	600	600*	600*	800	800	800	
12-29	7:00a	275°			<1"	< 1"	< 1"	< 1"	< 1"	< 1"	< 1"	Rime ice at Stations 3-9; Light fog over area

* Denotes Fog Formation Downwind of Cooling Pond

Obs.Pt,	Dir. Span	Obs.Pt.	Dir. Span	Obs.Pt.	Dir. Span
1	3050- 820	4	90°-161°	7	1970-3390
2	270- 850	5	90°-240°	8	278°-351°
3	65°-112°	6	188°-262°	9	286°- 67°

Fog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

Incidence of Fog/Rime Ice Formation During 1980

249 Days of Observations

	ime Ice	Wind					y in Feet at Observ					
The second second	AND RESIDENCE AND PARTY AND PERSONS NAMED IN	Direction	1	2	3	4	5	6	7	8	9	Remarks
1-16	4:00P	171*					200*		1300	1300	1300	Pond frozen
2-20	6130A	234*		500	500		200*		500	500	500	Fond 90% frozen
2-21	6130A	90*	500	1000	1000*					1000	1000	Pond 90% frozen
5-19	7100A	31*	200*	200*	200	200	200	300	300	300	250*	
8-11	7:20A	240*	1400	1400	1400	1000	1000*	1000	700*	800	800	Dense fog 5 mi. east of plant
8-18	7:07A	332*	800*	700	650	800	700	650	700*	750	700	Fog in entire area
8-28	7106A	**	600	800	800	800	600	600	600	800	800	
9-05	7:15A	71*		11,-				1300	700	700	750	
12-01	4:30P	72*					800	800	800	800	800	Raining
12-31	7:00A	315*	1000	1000	1000	1000	1000	1000	1000	1000	1000*	

^{*} Denotes Fog Formation Downwind of Cooling Pond

** Wind direction indicator not working

Obs.Pt.	Dir. Span	Obs.Pt.	Dir. Span	Obs.Pt.	Dir. Span
1	3050- 82°	4	90°-161°	7	1970-3390
2	270- 850	5	90°-240°	8	278°-351°
3	65°-112°	6	1880-2620	9	286° - 67°

Date	Tim	Dry Bulb Air Temp 07	Neter Temp. Of	Thickness	Observer	Location
12/19/83	7:30a	-17	и	1/4"	Carpenter	Meer circulating
12/23/83	7:30a	-14	n	Trace	Carpenter	Mass circulating
01/10/84	7:30a	•	4	1/4**	Carpenter	Near circulating
01/11/84	7:30a	0	68	Trece	Carpenter	Near circulating
01/17/84	6:55m	-3	36	1/2-3/4"	Andrews	Near circulating water discharge and perking lot
01/19/84	7:10a	-14	35	1/2-3/4"	Andrews	Maser circulating water discharge and perking lot
01/20/84	7:00a	-15	25	1/2-3/4"	Andrews	Mear circulating water discharge and perking lot
01/31/84	7:20m	•	69	1/4"	Carpenter	Mear circulating
02/01/84	7:10m	נו	69	1/2"	Carpenter	Mear circulating water discharge
02/06/84	7:15m	-1	66	1/2"	Andrese	Mear circulating water discharge and parking lot
02/07/84	7:15a	-2	"	VT.	Andrews	Mear circulating water discharge and parking lot

RESULTS OF MAY 1984 SURVEY OF AREA

INVOLVED IN REPORTED RIME ICE DEPOSITION AT THE

LASALLE GENERATING STATION

Barry J. Jacobsen, Ph.D.

The area where rime ice was reported on December 19 and 23, 1983, January 10, 11, 17, 19, 20, and 31, 1984, and February 1, 5, 7, 1984 was surveyed for possible effects on vegetation in accordance with section 4.2.2 (d) of the LaSalle County Station Environmental protection plan. Similar plants in adjacent areas where no ice was reported were used for comparison purposes.

Areas where rime ice was reported were identified by Mr. Carrol Carpenter one of the trained observers who made the ice and fog reports. He identified that the area where rime icing occurred was between the circulating water discharge and the parking lot to the north. Woody plants growing in this area and in adjacent areas which were unaffected by rime ice included, willow, autumn olive, Siberean elm, and cottonwood. Common clover was a perrenial herbaceous plant common to both areas.

Tip dieback of willow, cottonwood, Sibeream elm, and autumn olive was observed in areas where rime icing was reported and in adjacent areas where icing was not reported. There was slightly more tip dieback in willow in the area of reported rime icing than in non-iced adjacent areas. Common clover stands and plant health were similar in both areas.

Tip dieback and death of autumn olive was judged to be due to transplant failure associated with the dry conditions of the 1983 growing season and harsh winter of 1983-84. Tip dieback of willow and cottonwood is judged to be due to the droughty conditions of the 1983 growing season and the severe cold of 1983-84 winter. Similar dieback was observed in crabapple, multiflora rose, Siberean elm and dogwood in areas where rime icing was not reported.

The observed slight increase in tip dieback in areas where rime icing was reported was likely due, not to icing effects, but to a delay in plant hardening due to warming from the adjacent discharge water. Plant tissue not adequately cold hardened will usually winter kill. This is particularly true for species such as willow. It is my judgement that icing was not involved since the ice was reportedly gone by noon each day it was reported. Also there was no evidence of mechanical damage associated with ice loads.

It is my opinion that rime icing reported during the winter of 1983-84 had no observable effect on vegetation.

5.4.1 RPP noncompliances and corrective action taken to remedy them

NONE

5.4.2 Nonroutine Reports

NONE

ATTACHMENT 6

Summary of NPDES noncompliances for 1984. These have been previously reported to the NRC at the time the report and submitted to the State of Illinois. These are not EPP noncompliances.

LASALLE COUNTY STATION NPDES NON-COMPLIANCES 1984

DATE	NON-COMPLIANCE	CORRECTIVE ACTION
01JAN84	Sanitary Treatment Plant effluent. No sample and analysis.	Sample will be collected from an alternate sample point when chlorinator pit is frozen.
G6MAR84	Wastewater Treatment Facility effluent total suspended solids.	Clearwell was reprocessed. Work requests were written to repair alum injection pumps and damaged tank level probes on polymer injection skid.
30MAY84	Wastewater Treatment Facility pH.	The discharge was stopped. The clearwell was reprocessed. Discharge was recommenced when the clearwell and equalization tank pH again met specifications.
30JUN84	Cooling pond blowdown total suspended solids.	None taken.
18JUL84	Sewage Treatment Plant effluent fecal collform.	Chlorinator tablet misfeed was corrected. Work request #L39127 was written to place meta cover over feeder. Operating personnel in- structed to verify proper feeder operation.
1120084	Wastewater Treatment Facility effluent total iron.	None taken. Subsequent clearwell and effluent samples showed total iron less than 1.0 mg/l limit.
1258964	Wastewater Treatment Facility effluent pH.	The discharge was stopped. The clearwell was circulated back to the equalization tank and neutralized.
13AUG84	Wastewater Treatment Facility effluent manganese.	No corrective action taken.
	01JAN84 G6MAR84 30JUN84 18JUL84 11AUG84	OlJAN84 Sanitary Treatment Plant effluent. Mo sample and analysis. GEMAR84 Wastewater Treatment Facility effluent total suspended molids. 30MAY84 Wastewater Treatment Facility pH. 30JUN84 Cooling pond blowdown total suspended solids. 18JUL84 Sewage Treatment Plant effluent fecal coliform. 11AUG84 Wastewater Treatment Facility effluent total iron. 12S8P84 Wastewater Treatment Facility effluent pH.

REFERENCE (b)

September 12, 1985

To:

R. D. Bishop

Subject: LaSalle County Station, Rime Ice Observations

on Vegetation, Winter 1984-85

As required in Section 4.2.2(d), Environmental Impact of Rime Icing, of the LaSalle County Station Environmental Protection Plan (EPP) the rime ice occurences on vegetation during the 1984-85 winter season were correlated as shown in Attachment 1. On May 15, 1985, consulting plant pathologist Dr. Barry J. Jacobsen surveyed the areas where rime ice formation on vegetation had been observed. Dr. Jacobsen's inspection, analysis and conclusions are contained in his report (Attachment 2).

As required in Section 5.4.2 (Routine Reports) of the RPP the correlation of rime ice occurrences and the report of the subsequent survey of vegetation are to be included in the 1985 Annual Environmental Operating . Report.

If there are any questions please call me. Ext. 4431 or Ben Barickman, Ext. 4437.

49398

BBB:CLM:pp Attachments

cc: R. Clark

T. Hammerich

P. Lawless

File: 01-MON-D

Attachment 1

April 16, 1985

MEMORANDUM TO FILE

Subject: LaSalle County Station, Rime Ice Observations on Vegetation, Winter 1984-1985

As required in Section 4.2.2(d) of the LaSalle County Station Environmental Protection Plan, the rime ice occurences on vegetation during the 1984-1985 winter season have been correlated by date, time, air and water temperature, thickness of ice, observer and location of occurence. The results are shown on the attached table.

33Bana_

B. B. Barickman

4783E 888:pp

cc: C. L. McDonough

R. Clark

F. Lawless

File: 01-MON-D

Date	Time	Bulb Air Temp *F	Water Discharge Temp *F	Thickness	Observer	Location
11/12/84	7:00a	25	72	1/16*	J. Land	Near circulating water discharge.
1/21/84 through 1/31/85	7:30a	, ¹	78	3*	C. Carpenter	Near circulating water discharge ice persisted and built-up during period of extremely cold weather.
2/06/85	7:00a	-2	71	1/16*	J. Land	Off-site at Observation Point 7 and .7 mile west of Observation Point 8. Build-up estimated at I/I covering all tree branches.

RESULTS OF FOLIAR SURVEY OF THE LASALLE COUNTY GENERATING STATION FOR BIME ICE DEPOSITION DAMAGE

Prepared for Commonwealth Edison Company

Barry J. Jacobsen, PhD

Vegetation in the vicinity of the LaSalle County Generating Station was surveyed for damage caused by rime ice deposition during the winter of 1984-85. This survey was done in accordance with section 4-2-2(d) of the LaSalle County Station Environmental Protection Plan on the 15th of May, 1985 with the assistance of Mr. B.B. Barrickman of the Commonwealth Edison Company and is the second survey of this site done by Barry J. Jacobsen, Ph.D. Summaries of the 4th quarter of 1984 and 1st quarter of 1985 of the Pog and Rime Ice Monitoring Program for the LaSalle Station were utilized to identify areas of most likely damage. The survey area is shown in Figure 1 (attached). Also shown in this figure are specific sites mentioned in this report. The survey area was sufficiently large so that similar plants could be observed in areas reported to be with and without rime ice.

Site #1 located around the cooling water discharge was the site where rime ice was reported most frequently during January of 1985. Cottonwood, willow, autumn clive and sweet clover observed at this mite did not show evidence of ice damage. However, willews located north of the cooling water discharge did show more winter injury and canker disease (Venturia and Cytospora) than other willows in the survey area. Winter injury was diagnosed based on tip dieback and one sided cambium necrosis and bud death. This winter injury is thought to be due to the warm discharge water delaying the vernalization process. This delay in vernalization does not allow the plant tissues to harden off enough to prevent freezing injury when extreme cold occurs. The winter injury noted was relatively minor in nature. Willows growing 25-50 yards north of the cooling water discharge also had wood borer damage.

Autumn olive plantings in this area also displayed some dieback. However, the distribution and type of dieback is suggestive of problems relating to transplanting and plant establishment.

Sweet clover growing in this area showed no evidence of smothering such as would be expected from ice damage.

Site #2 located to the west of the cooling water discharge had apple and oak trees which showed winter damage. This damage is thought to relate to the vernalization problem mentioned above and not ice damage.

Dogwood standings at this site showed evidence of transplant damage again in 1985, although most plants show evidence of recovery.

Sweet slover and crown vetch growing at this site showed no signs of ice smothering.

Site #3 was characteristic of crown vetch growing on the banks of the pond containment dike. Growth was excellent and there was little sign of the Volutella canker dimease seen in the 1984 survey.

Site #4 was contiguous with observation site #7 used in the fog and rime ice monitoring reports. Dieback was noted only in a row of old Osage orange trees growing adjacent to a pasture.

Dieback was not characteristic of ice or winter damage. Dieback was characteristic of root damage and/or canker or decay problems.

Site #5 was located between fog and rime ice observation sites #7 and #8. A new home with new landscape tree plantings was located at this site. These plantings occurred in 1984 and did not show ice or winter damage.

Site #6 was located at 0.7 miles west of fog and rime ice observation site #8. An old planting of hard maples showed evidence of dieback relating to decay at this abandoned building site. There was no evidence of ice damage.


Conclusion

4

Rime icing was not a factor in vegatation injury in and around the LaSalle County Generating Station during the winter of 1984-85. Dieback associated with delayed vernalization near the cooling water discharge site can be associated with plant operation. However, this damage is minor and is limited only to willows which often show winter injury.

Commonwealth Edison Co hasalle County Generating station in 1985. Specye runney sales mentanido un the ropert are marked in blue ink. Point M 9 PKESS . Polive B 4

File Gpg



September 11, 1985

M. Jordan Senior Resident Inspector LaSalle County Station U.S. Nuclear Regulatory Commission

FILE COPY CODE REP-65 RET. SEPT. 11. 1990

Subject: LaSalle County Station Units 1 and 2

Operational Pog and Ice Observation Program

(NRC Docket No's. 50-373 and 50-374)

Dear Mr. Jordan:

Enclosed is a summary of the first quarter data for 1985 of the operational fog and rime ice observations in the vicinity of the cooling pond. This is in accordance with the Environmental Protection Plan, Appendix B. Section 4.2.2 which is part of the operating license for LaSalle County Station Units 1 and 2.

The summary consists of Attachment 1 which includes all incidences of fog which restricts visibility to 1/4 miles or less and rime ice observations.

During the first quarter of 1985, there were 2 days out of 60 observation days where the visibility was restricted to less than 1/4 mile. The two days were on the morning of February 8th, when fog occurred downwind of the cooling pond, and the morning and afternoon of February 22nd, when the fog was general throughout the area and there was no apparent enhancement downwind of the cooling pond.

There was an occurrence of rime ice observed on the station property near the station cooling water discharge point which persisted for several days during a period of extremely cold weather. There was one isolated rime ice observation off of station property on the morning of February 8th in conjunction with the fog observation of that date.

If you have any questions concerning this matter or the attachment, please address them to this office.

sincerely.

Station Superintendent

1993E BBB:PP Attachment

Fog and Rime Ice Monitoring Program Summary LaSalle County Generating Station

Incidence of Fog/Rime Ice Formation

1st Quarter, 1985
60 Days of Observations

Fog/Rime Ice Observations		Wind	Visibility in Peet (less than . 1/4 mile) at Observation Points									
Date	Time	Direction	1	2	3	4	5	6	7	8	9	Remarks
1-21	7:30a	270•										Fog & Rime Ice (3") di site in area of conden
1-21	4:00p	270•										Cooling water discharg
1-22	7:30a	300°										morning of 1-22-85. Rime Ice persisted for
												extended period through 1-31-85.
1-24	7:30a	250*										Fog & Rime Ice on Site area of cooling water
1-31	7:008	3320										charge. For & Rime Ice on Site
												area of cooling water
2-8	7:008	359°							*1000	*1000		Fog, Rime Ice (1/16") observed on tree branc
												at observation points 7 and 8.
2-22	7:00a	210*	1300	1300	1300	1300	*1300	1300	*1300	1300	1300	General fog & drizzle
2-22	4:30n	170°	700'	700	700	700	*700	700	700	700	700	
3-11	6:00s	135*										Fog reported, no visi- bility restrictions
3-11	6:00r	248•	2 4									Fog reported, no visi- bility restrictions

* Denotes Fog Formation Downwind of Cooling Pond

Obe.Pt,	Dir, Span	Obs.Pt.	Dir. Span	Obs.Pt.	Dir. Span
1 .	3050- 82°	4	900-1610	7	1970-3390
2	270- 850	5	90°-240°	8	278°-351°
3 .	650-112°	6	1880-262°	9	286°- 67°

