

May 19, 1988

Docket No. 50-423

Mr. Edward J. Mrocza
Senior Vice President
Nuclear Engineering and Operations
Northeast Nuclear Energy Company
Post Office Box 270
Hartford, Connecticut 06141-0270

DISTRIBUTION

<u>Docket File</u>	EJordan
NRC & Local PDRs	JPartlow
SVarga	TBarnhart(4)
BBoger	Wanda Jones
SNorris	EButcher
RFerguson	ACRS(10)
OGC-WF	GPA/PA
DHagan	ARM/LFMB
Gray File	

Dear Mr. Mrocza:

SUBJECT: ISSUANCE OF AMENDMENT (TAC NO. 67383)

The Commission has issued the enclosed Amendment No. 18 to Facility Operating License No. NPF-49 for Millstone Nuclear Power Station, Unit No. 3, in response to your application dated February 18, 1988.

The amendment revises Technical Specification Section 3.4.9.3 to change the minimum Reactor Coolant System (RCS) vent area required for cold overpressure protection from 7.0 to 5.4 square inches. In addition, Technical Specification Sections 3.8.1.2, 3.8.2.2 and 3.8.3.1 are changed to make them consistent with the revised Section 3.4.9.3.

A copy of the related Safety Evaluation is also enclosed. The notice of issuance will be included in the Commission's bi-weekly Federal Register notice.

Sincerely,

Original signed by

Robert L. Ferguson, Project Manager
Project Directorate I-4
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

Enclosures:

1. Amendment No. 18 to NPF-49
2. Safety Evaluation

cc w/enclosures:
See next page

LA:PDI-4
SN
04/25/88

PM:PDI-4
RFerguson:bd
04/25/88

BC:SRXB
WHodges
04/10/88

D:PDI-4
JStolz
04/25/88

OGC
04/14/88

Mr. E. J. Mroczka
Northeast Nuclear Energy Company

Millstone Nuclear Power Station
Unit No. 3

cc:

Gerald Garfield, Esquire
Day, Berry and Howard
Counselors at Law
City Place
Hartford, Connecticut 06103-3499

R. M. Kacich, Manager
Generation Facilities Licensing
Northeast Utilities Service Company
Post Office Box 270
Hartford, Connecticut 06141-0270

W. D. Romberg, Vice President
Nuclear Operations
Northeast Utilities Service Company
Post Office Box 270
Hartford, Connecticut 06141-0270

D. O. Nordquist
Manager of Quality Assurance
Northeast Nuclear Energy Company
Post Office Box 270
Hartford, Connecticut 06141-0270

Kevin McCarthy, Director
Radiation Control Unit
Department of Environmental Protection
State Office Building
Hartford, Connecticut 06106

Regional Administrator
Region 1
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, Pennsylvania 19406

Bradford S. Chase, Under Secretary
Energy Division
Office of Policy and Management
80 Washington Street
Hartford, Connecticut 06106

First Selectmen
Town of Waterford
Hall of Records
200 Boston Post Road
Waterford, Connecticut 06385

S. E. Scace, Station Superintendent
Millstone Nuclear Power Station
Northeast Nuclear Energy Company
Post Office Box 128
Waterford, Connecticut 06385

W. J. Raymond, Resident Inspector
Millstone Nuclear Power Station
c/o U. S. Nuclear Regulatory Commission
Post Office Box 811
Niantic, Connecticut 06357

C. H. Clement, Unit Superintendent
Millstone Unit No. 3
Northeast Nuclear Energy Company
Post Office Box 128
Waterford, Connecticut 06385

M. R. Scully, Executive Director
Connecticut Municipal Electric
Energy Cooperative
268 Thomas Road
Groton, Connecticut 06340

Ms. Jane Spector
Federal Energy Regulatory Commission
825 N. Capitol Street, N.E.
Room 8608C
Washington, D.C. 20426

Michael L. Jones, Manager
Project Management Department
Massachusetts Municipal Wholesale
Electric Company
Post Office Box 426
Ludlow, Massachusetts 01056

Burlington Electric Department
c/o Robert E. Fletcher, Esq.
271 South Union Street
Burlington, Vermont 05402