



October 26, 1998
RC-98-0186

Document Control Desk
U. S. Nuclear Regulatory Commission
Washington, DC 20555

Attention: Mr. R. L. Spessard
Director, Division of Reactor Controls and Human Factors

Gentlemen:

Subject: VIRGIL C. SUMMER NUCLEAR STATION
DOCKET NO. 50/395
OPERATING LICENSE NO. NPF-12
ON-LINE MONITORING SYSTEM MEETING
CONDUCTED SEPTEMBER 22, 1998

As Vice President and Chief Nuclear Officer for South Carolina Electric and Gas Company (SCE&G) at the Virgil C. Summer Nuclear Station (VCSNS), I would like to express my appreciation for the opportunity to present EPRI Topical Report TR-104965 "On-Line Monitoring of Instrument Channel Performance". The other industry representatives and I feel that the meeting provided a benefit to all attendees.

My understanding of the outcome of the meeting is that both the NRC and industry agreed to specific actions in order to proceed with the review of the Topical Report and issuance of a Safety Evaluation Report (SER). The NRC agreed to supply the necessary resources in order to meet a 6 month time-frame for the SER, with the understanding that this time may be extended due to the Committee to Review Generic Requirements (CRGR) review.

The industry representatives (VCSNS, EPRI, Davis Besse) agreed to a quick turn-around on questions/RAIs received and the timely submittal of a Technical Specification Change Request shortly after the SER for this Topical Report is issued.

9810290240 981026
PDR ADOCK 05.000395
P PDR

A0011/0

Gary J. Taylor
Vice President
Nuclear Operations


South Carolina Electric & Gas Co
Virgil C. Summer Nuclear Station
P. O. Box 88
Jenkinsville, South Carolina
29065

803.345.4344
803.345.5209
www.scana.com

Document Control Desk
MSP 980024
RC-98-0186
Page 2 of 2

Should there be any questions, please call Mr. Philip Rose at (803) 345-4052.

Very truly yours,



Gary J. Taylor

PAR/GJT/dr

c: J. L. Skolds
W. F. Conway
R. R. Mahan
R. J. White
L. A. Reyes
L. M. Padovan
NRC Resident Inspector
J. B. Knotts, Jr.
R. Shankar (EPRI - Charlotte)
J. Lang (EPRI - Charlotte)
B. Chexal (EPRI - Palo Alto)
R. Jones (EPRI - Palo Alto)
J. Naser (EPRI - Palo Alto)
RTS (MSP 980024)
File (810.32, 813.20)
DMS (RC-98-0186)