



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

APR 7 1986

Docket No. 50-322

MEMORANDUM FOR: Walter R. Butler, Director
BWR Project Directorate No. 4
Division of BWR Licensing

FROM: R. Caruso, Project Manager
BWR Project Directorate No. 4
Division of BWR Licensing


SUBJECT: FORTHCOMING MEETING WITH THE LONG ISLAND LIGHTING COMPANY

DATE & TIME: Thursday, April 10, 1986
10:00 a.m.

LOCATION: Maryland National Bank Building
Room 6507
Bethesda, Maryland

PURPOSE: To discuss certain aspects of the Shoreham fire protection
program. See enclosed agenda.

PARTICIPANTS*: NRC LILCo
J. Ridgely G. Gisonda, et. al.
G. Hulman
G. Lainas
R. Caruso


R. Caruso, Project Manager
BWR Project Directorate No. 4
Division of BWR Licensing

cc: See next page

*Meetings between NRC technical staff and applicants for licenses are open for interested members of the public, petitioners, intervenors, or other parties to attend as observers pursuant to "Open Meeting Statement of NRC Staff Policy", 43 Federal Register 28058, 6/28/78.

8604170634 860407
PDR ADUCK C5000322
F PDR

Mr. John D. Leonard, Jr.
Long Island Lighting Company

Shoreham Nuclear Power Station
(list 1)

cc:

Stephen B. Latham, Esq.
John F. Shea, III, Esq.
Twomey, Latham & Shea
Attorneys at Law
Post Office Box 398
33 West Second Street
Riverhead, New York 11901

Alan S. Rosenthal, Esq., Chairman
Atomic Safety & Licensing Appeal Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

W. Taylor Reveley, III, Esq.
Hunton & Williams
707 East Main Street
Post Office Box 1535
Richmond, Virginia 23212

Howard A. Wilber
Atomic Safety & Licensing Appeal Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Atomic Safety & Licensing Board Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Atomic Safety & Licensing Appeal Board
Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Gary J. Edles, Esq.
Atomic Safety & Licensing Appeal Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Richard M. Kessel
Chairman & Executive Director
New York State Consumer Protection Board
Room 1725
250 Broadway
New York, New York 10007

Jonathan D. Feinberg, Esq.
New York State Department
of Public Service
Three Empire State Plaza
Albany, New York 12223

Gerald C. Crotty, Esq.
Ben Wiles, Esq.
Counsel to the Governor
Executive Chamber
State Capitol
Albany, New York 12224

Herbert H. Brown, Esq.
Lawrence Coe Lanpher, Esq.
Karla J. Letsche, Esq.
Kirkpatrick & Lockhart
1900 M Street, NW - 8th Floor
Washington, D.C. 20036

Dr. Monroe Schneider
North Shore Committee
Post Office Box 231
Wading River, New York 11792

Fabian G. Palomino, Esq.
Special Counsel to the Governor
Executive Chamber - State Capitol
Albany, New York 12224

Anthony F. Earley, Jr., Esq.
General Counsel
Long Island Lighting Company
175 East Old County Road
Hicksville, New York 11801

Mr. Lawrence Britt
Shoreham Nuclear Power Station
Post Office Box 618
Wading River, New York 11792

Martin Bradley Ashare, Esq.
Suffolk County Attorney
H. Lee Dennison Building
Veteran's Memorial Highway
Hauppauge, New York 11788

Resident Inspector
Shoreham NPS
U.S. Nuclear Regulatory Commission
Post Office Box B
Rocky Point, New York 11778

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
631 Park Avenue
King of Prussia, Pennsylvania 19406

cc:

Robert Abrams, Esq.
Attorney General of the State
of New York
ATTN: Peter Bienstock, Esq.
Department of Law
State of New York
Two World Trade Center
Room 46-14
New York, New York 10047

Mr. William Steiger
Plant Manager
Shoreham Nuclear Power Station
Post Office Box 628
Wading River, New York 11792

MHB Technical Associates
1723 Hamilton Avenue - Suite K
San Jose, California 95125

Honorable Peter Cohalan
Suffolk County Executive
County Executive/Legislative Building
Veteran's Memorial Highway
Hauppauge, New York 11788

Mr. Jay Dunkleberger
New York State Energy Office
Agency Building 2
Empire State Plaza
Albany, New York 12223

Ms. Nora Bredes
Shoreham Opponents Coalition
195 East Main Street
Smithtown, New York 11787

Chris Nolin
New York State Assembly
Energy Committee
626 Legislative Office Building
Albany, New York 12248

Peter S. Everett, Esq.
Hunton & Williams
2000 Pennsylvania Avenue, NW
Washington, D.C. 20036

Agenda for April 10, 1986 Fire Protection Meeting

1. Control of ADS valves in event of fire in control room.
 - a. Basis for LILCo statement that disabling ADS in event of control room fire is unsafe.
 - b. Proposed alternatives
 - 1) How to determine if ADS valves open spuriously and which ones are open
 - 2) Action to be taken if valves open
 - c. Installation of ADS valve transfer switches
 - d. Is ADS necessary to be operable to bring plant to cold S/D in event of control room fire?
2. Bypass around check valves in RHR & core spray (1E11*MOV081A, B, 1E21*MOV081A, B)
 - a. Purpose of bypass valves
 - b. Need to supply power to valves at all times
 - c. Analyses of effects of spurious operation
 - d. Proposed alternatives to prevent spurious operation in event of fire
3. Interlocks and permissives for high pressure/low pressure boundary valves
 - a. Where are interlocks/permissives located for all pressure isolation valves?
 - b. Can a fire in any single fire area disable all interlocks for any pressure isolation valve?
 - c. Explain Note 5 in Attachment 1 to SNRC-1222
 - d. When control of pressure isolation valves is transferred to the remote S/D panel, are interlocks/permissives still in effect?
4. MSIV control in event of fire in control room
 - a. Have procedures been revised to verify that MSIVs are shut using local main steam line flow differential pressure indicators in reactor building?
 - b. Have procedures been revised to specify a means to shut MSIVs remotely?
 - c. Do procedures in b. require operators to open the logic power supply breakers in the relay room as part of regaining control of the plant after leaving the control room?

APR 7 1986

Docket No. 50-322

MEMORANDUM FOR: Walter R. Butler, Director
BWR Project Directorate No. 4
Division of BWR Licensing

FROM: R. Caruso, Project Manager
BWR Project Directorate No. 4
Division of BWR Licensing

SUBJECT: FORTHCOMING MEETING WITH THE LONG ISLAND LIGHTING COMPANY

DATE & TIME: Thursday, April 10, 1986
10:00 a.m.

LOCATION: Maryland National Bank Building
Room 6507
Bethesda, Maryland

PURPOSE: To discuss certain aspects of the Shoreham fire protection
program. See enclosed agenda.

PARTICIPANTS*: NRC LILCo
J. Ridgely G. Gisonda, et. al.
G. Hulman
G. Lainas
R. Caruso

Original Signed by

R. Caruso, Project Manager
BWR Project Directorate No. 4
Division of BWR Licensing

cc: See next page

*Meetings between NRC technical staff and applicants for licenses are open for interested members of the public, petitioners, intervenors, or other parties to attend as observers pursuant to "Open Meeting Statement of NRC Staff Policy", 43 Federal Register 28058, 6/28/78.

PD#4/PM
RCaruso:lb
04/7/86

PD#4/D
WButler
04/7/86



Meeting Notices

Internal

Docket File

NRC PDR

Local PDR

PRC System

NSIC

ORAS

PD#4 Reading

HDenton/DEisenhut

RBernero/RHouston

WButler

EAdensam

JZwolinski

GLainas

DMuller

ACRS-10

OELD, Attorney Bordenick

JPartlow

BGrimes

EJordan

MSchaaf

OPA

Receptionist (Only if meeting is held in Bethesda)

Project Manager R. Caruso

MO'Brien

Region 1

NRC Participants

J. Ridgely

G. Hulman

G. Lainas

R. Caruso

bcc: Applicant & Service List