NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, of the *Code of Federal Regulations*, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the U.S. Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee

1.	BWXT Nuclear Operations Group, Inc.	3.	License Number SNM-42, Amendment 35
2.	P.O. Box 785	4.	Expiration Date: March 29, 2027
	Lynchburg, VA 24505-0785	5.	Docket No. 70-27
			Reference No.
6.	Byproduct Source, and/or Special Nuclear Material 7. Chemical and/o Form ++-	r Physic	8. Maximum Amount That Licensee may Possess at Any One Time Under This License

- A. Uranium enriched in U-235
- B. Uranium enriched in U-235
- C. U-233
- D. Plutonium
- E. Plutonium

- A. Any enrichment or form, except UF₆
- B. Any enrichment in UF₆
- C. Any
- D. Unencapsulated and unirradiated
- E. Encapsulated foils in nuclear accident dosimeters

- A.
- B.
 - C.
- D.
- E.



Enclosure 1

NRC F	FORM 374A U.S. NUCLEAR	REGULATORY COMMISSION	Page 2 of 12
			License Number SNM-42
	MATERIALS LICENSE SUPPLEMENTARY SHEET		Docket or Reference Number 70-27
			Amendment 35
F.	Fission products and transuranium elements	F. Irradiated fuel	F. G.
G.	Fission products and transuranium elements	G. Irradiated fuel	G.
Н.	Fission products and transuranium elements	H. Irradiated fuel	H.
I.	Pu-239 in greater than Class C waste from Parks Township	I. Sealed Sources	
J.	Transuranium elements in greater than Class C waste from Parks Township	J. Any	
9.	Authorized place of use: The east of Lynchburg, VA, as de		s a <mark>long the Jam</mark> es River, approximately 8 miles pplication.
10.			afety Conditions and Safeguards Conditions. subject to compliance with all listed conditions

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION	F	Page 3 of 12
	License Number SNM-42	
MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27	
	Amendment 35	

SAFETY CONDITIONS

- S-1 Authorized use: For use in accordance with the statements, representations, and conditions in Chapters 1 through 11 of the application submitted on the following dates, or as revised, pursuant to Title 10 of the Code of Federal Regulations (10 CFR) 70.32 or 10 CFR 70.72: September 27, October 24, and November 28, 2006; February 5, February 20, April 6, May 2, May 4, May 14, June 21, June 22, July 31, November 6, November 14, and December 10, 2007; January 7 (2 letters), January 11, February 15, February 29, March 31, May 23, May 28, and June 27, 2008; emails dated December 12 (3 emails) and December 13, 2007 (2 emails); January 9, January 14, March 13, August 19, September 5, and December 17, 2008; March 23, March 29, April 23, November 30, and December 4, 2009; April 1, May 4, May 14, May 27, July 12, July 28, August 1, August 5, September 14, September 17, and October 27, 2010; May 27, October 20, June 5, July 25, July 31, September 10, October 26, and November 30, 2012; February 22, June 5, June 25, and September 4, 2013; March 11, and November 14, 2014; March 17, May 28, June 10, June 30, and November 30, 2015; April 11, May 12, July 14, August 24, and November 18, 2016; March 16, June 8, June 27, and December 13, 2017; April 3, May 3, and September 6, 2018; September 24 and December 20, 2019; and March 19, 2020.
- S-2 The licensee shall maintain and execute the response measures in the Emergency Plan, Revision 32, dated May 27, 2019, or as further revised in accordance with 10 CFR 70.32(i). The regulatory relief below is granted due to potential impacts on Emergency Plan commitments from the Coronavirus Disease 2019 public health emergency.
 - (a) As requested by the licensee in letter 20-041 dated May 26, 2020, the Emergency Plan is temporarily changed to not require the performance of the annual evacuation drill in 2020 until July 1, 2021. After the evacuation drill is completed in 2021, this temporary Emergency Plan change will be removed and the periodicity of the evacuation drill will go back to annual.
- S-3 The volume in the Vault shall be no larger than shall be specifically shown to be critically safe by the licensee.
- S-4 In no more than may be in transit within each cubicle at any one time.
- S-5 The former 10 CFR 20.304, "Old Recovery" disposal area is released for unrestricted use in accordance with letter dated January 31, 1997, A.F. Olsen to M.F. Weber of U.S. Nuclear Regulatory Commission (NRC).
- S-6 The "Cold" Surface Impound<mark>m</mark>ent Pond was surveyed and evaluated in accordance with letters dated April 29 and May 24, 1999, from A.F. O<mark>lse</mark>n to the Director, Office of Nuclear Material Safety and Safeguards (NMSS) NRC and documented in Amendment 42 dated June 24, 1999.

The "Hot" Surface Impoundment Pond was remediated in accordance with the letter dated April 28, 2000, from A.F. Olsen to the Director, NMSS, NRC and documented in Amendment 58 dated October 11, 2000.

NRC F	ORM 374A	U.S. NUCLEAR REGULATORY COMMISSION	Page 4 of 12
			License Number SNM-42
	!	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
ll			Amendment 35
	include a Technolo	any possible dose from these areas in the do	sed at the time of license termination in order to ose assessment for the entire site. BWX ould migrate and re-impact the area and shall
S-7	dated Au 70.38 in approved FSSR m assessm	ugust 10, 2005, has been determined by the that the landfill has been remediated in accord on November 21, 2003. At the time of lice hay be re-assessed in order to include any do	nse termination however, the results of the ose from this landfill in the site dose control licensed material which could migrate
S-8	Decemb of 10 CF plan app the resul landfills i	FR 70.38 in that the landfills have been reme proved by NRC letter dated February 25, 199 Its from the FSSR may be reassessed in ord in the dose assessment for the entire site.	staff and determined to meet the requirements diated in accordance with a decommissioning 8. However, at the time of license termination,
S-9	on Intake Internation	e and Derived Ai <mark>r Concentrati</mark> on values base onal Commission on Radiological Protection	1201(d) and is authorized to use Annual Limit ed on dose coefficients adopted by the (ICRP), and published in ICRP Publication No. nining dose to individual members of the public,
S-10	package The mat May 23, and cont	terials are listed in <mark>Table 1 of</mark> the a <mark>ttachment</mark> 2003, as modif <mark>ied by</mark> letter dated October 30	.59 for the transport of certain bulk materials.
S-11	machine	s involving clusters shall be deemed to included and assembled clusters by themselves or ters. This shall apply to clad operations only.	in conjunction with other components that are
S-12	storage i and inac		eri <mark>al is in the stored configuration with in place thout the modifications due to implementation of</mark>

NRC FO	RM 374A U.S. NUCLEAR REGULATORY COMMISSION	Page 5 of 12
		License Number SNM-42
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
		Amendment 35
The licensee shall have permanent fixed criticality monitoring systems in-place and operational in the spent nuclear fuel storage areas at all times when the spent nuclear fuel is present. In addition, when access to the spent fuel is required, the licensee shall supplement the permanent fixed criticality monitoring systems with hand-held radiation monitoring as described in its May 2, 2007, application to the NRC.		
S-13	Babcock & Wilcox Nuclear Operations Group may man not reduce the effectiveness of the License Application meets the following provisions:	

- (a) The change does not decrease the level of effectiveness of the design basis as described in the License Application:
 - (b) The change does not result in a departure from the methods of evaluation described in the License Application used in establishing the design basis;
 - (c) The change does not result in a degradation of safety;
 - (d) The change does not affect compliance with applicable regulatory requirements;
 - (e) The change does not conflict with an existing license condition; and
 - (f) Within 6 months after each change is made, the licensee would submit the revised chapters of the License Application to the Director, NMSS, using an appropriate method listed in 10 CFR 70.5(a), and a copy to the appropriate NRC Regional Office.
- S-14 Notwithstanding the requirements of 10 CFR 20.1703(c)(5), the licensee may use nurse practitioners to conduct the required medical examinations.
- S-15 Notwithstanding the requirements of 10 CFR 70.50(b)(3), the licensee is exempt from the requirement to notify the NRC within 24 hours of unplanned medical treatment of an individual with spreadable radioactive contamination at the onsite medical facility. The licensee commits to continue to maintain a log of contaminated workers treated at the onsite medical facility and provide the information for NRC inspection upon request.



NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION	Page 6 of 12
	License Number SNM-42
MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
	Amendment 35

SAFEGUARDS CONDITIONS

Section 1.0 - ABRUPT LOSS DETECTION

There are no license conditions in this section. The necessary information and commitments are contained in the Plan identified in Safeguards Condition SG-5.1.

Section 2.0 - ITEM MONITORING

There are no license conditions in this section. The necessary information and commitments are contained in the Plan identified in Safeguards Condition SG-5.1.

Section 3.0 - ALARM RESOLUTION

There are no license conditions in this section. The necessary information and commitments are contained in the Plan identified in Safeguards Condition SG-5.1.

Section 4.0 - QUALITY ASSURANCE

- SG-4.1 Notwithstanding the requirements of 10 CFR 74.59(d)(1) to establish and maintain a system of measurements sufficient to substantiate the uranium and plutonium element and the uranium fissile isotope content of all Strategic Special Nuclear Material (SSNM), received, inventoried, shipped, or discarded, the licensee:
 - (a) shall follow Section 4.7.1.3 of the Plan identified in Safeguards Condition SG-5.1 with respect to mechanical treatment of receipts of certified reactor fuel for the purpose of storage consolidation, without measurement for physical inventory purposes. That is, following mechanical treatment, the original receipt value shall be retained for accounting purposes until the material undergoes chemical processing;
 - (b) need not measure the total element content of those materials measured by nondestructive assay, if the calculated element content is based on the measured isotope content divided by a previously established and traceable isotopic abundance (as a weight fraction) measurement at the area of generation;
 - (c) shall, without measurement, process and/or store which are received with intact provided (i) they were manufactured by a U.S. Department of Energy contractor, (ii) the remains intact prior to processing, and (iii) the previous values determined by the manufacturer are assigned to these items;
 - (d) shall follow Section 4.7.1.3 of the Plan identified in Safeguards Condition SG-5.1 for the measurement of content of government-required retainer samples received, provided an unresolved statistically significant shipper-receiver difference does not exist on the parent fuel lot; and

NRC FOR	RM 374A U.S. NUCLEAR REGULATORY COMMISSION	Page 7 of 12	
		License Number SNM-42	
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27	
		Amendment 35	
	(e) shall follow Section 4.3.1.7 of the Plan identified measurement of content of element sections.	in Safeguards Condition SG-5.1 for the	
SG-4.2	To satisfy the requirements of 10 CFR 74.59(h)(1)(ii) shipment, for finished, the licensee shall follow Section Condition SG-5.1.		
SG-4.3	1.3 Notwithstanding the requirements of 10 CFR 74.59(e)(3) to generate current data on the performance of measurement processes, to measure standards and replicates for bulk volume systems, to perform replicate sampling and replicate analysis for environmental releases, to perform replicate isotopic analysis, to generate bulk and random errors for process materials, and to generate separate random errors for sampling and analysis on all sampling systems, the licensee shall follow Section 4.4 of the Plan identified in Safeguards Condition SG-5.1.		
SG-4.4	Notwithstanding the requirements of 10 CFR 74.59(e)(6) concerning bias corrections, the licensee shall follow Section 4.4.2.4 of the Plan identified in Safeguards Condition SG-5.1.		
SG-4.5	The use of disposable pipettes is limited to those applications listed in Section 4.4.2.2.3 of the Plan identified in Safeguards Condition SG-5.1.		
SG-4.6	Any in-process measurements performed for the sole accountability shall not be required to meet 10 CFR 7		
SG-4.7	Notwithstanding the requirements of 10 CFR 74.59(e and information, the licensee shall exclude secondar difference (SEID) calculation and bias corrections.		
SG-4.8	Notwithstanding the requirements of 10 CFR 74.59(e)(8) to establish and maintain a statistical control system designed to monitor the quality of each type of program measurement, the licensee shall:		
	(a) follow Section 4.4.2.3 of the Plan identified in Sa maintaining control charts for control standard m balances and nondestructive assay measureme	neasurements associated with scales and	
	(b) follow Section 4.4.2.11 of the Plan identified in Scontrolling within-lot sampling errors of at the 0.0	•	
SG-4.9	Notwithstanding the requirements of 10 CFR 74.59(e and systematic errors, the licensee shall exclude the environmental releases from the measurement contri	measured discard path for airborne	

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION	Page 8 of 12
	License Number SNM-42
MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
	Amendment 35

- SG-4.10 Notwithstanding the requirement of 10 CFR 74.59(e)(3)(i) to measure control standards for all measurement systems for the purpose of determining bias, and notwithstanding the requirement of 10 CFR 74.59(e)(8) to maintain a statistical control system to monitor such control standard measurements, the licensee need not measure nor monitor control standards for point calibrated, bias-free systems. To be regarded as bias-free, a measurement system shall be calibrated by one or more measurements of a representative standard each time process unknowns are measured, and the measurement value assigned to a given unknown shall be based on that calibration.
- SG-4.11 Notwithstanding the commitment, in Section 4.7.1.2 of the Plan identified in Safeguards Condition SG-5.1, to perform receipt verification measurements and distribute DOE/NRC Form 741 within 30 days of receiving shipments of SSNM, the licensee shall have 30 additional days from the date of the material receipt to fulfill the above stated commitment relative to the shipment of identified in the September 6, 2002, request letter. This condition shall automatically expire on completion of the last shipment of the subject uranium metal.
- SG-4.12 Notwithstanding the commitment in Section 4.7.1.2 of the Plan identified in Safeguards Condition SG-5.1 to follow NUREG/BR-0006, "Instructions for Completing Nuclear Material Transaction Reports," for performing and reporting receipt measurements, the licensee shall: (a) within 10 days acknowledge receipt of the shipment in accordance with NUREG/BR-0006 using the shipper's values, and (b) within 75 days after receipt of each shipment report receiver's values, if necessary, in accordance with NUREG/BR-0006. The condition only applies to the impure oxide identified in the licensee's letters dated September 28 and November 10, 2004, and shall automatically expire on the final shipment of the subject impure oxide. Upon completion of the final shipment, BWXT shall notify NRC with a written request to amend SNM-42 to delete this Safeguards Condition.

Section 5.0 - FNMC PLANS AND SPECIAL REGULATORY ISSUES

- SG-5.1 To achieve the performance objectives of 10 CFR 74.51(a) and maintain the system capabilities of 10 CFR 74.51(b) with respect to all activities involving special nuclear material (SNM), the licensee shall follow the General Discussion and Chapters 1.0 through 4.0 (revised in October 2019) of its Fundamental Nuclear Materials Control Plan Special Nuclear Materials License 42. Any revisions to this Plan shall be made in accordance with, and pursuant to, either 10 CFR 70.32(c) or 70.34.
- SG-5.2 In lieu of the requirements of 10 CFR 74.59(h)(1)(ii) to review and evaluate shipper-receiver differences on a basis for receipts of off-site generated scrap, the licensee shall follow Sections 4.7.1.12, 4.7.2.10, 4.7.2.11, and 4.7.2.12 of the Plan identified in Safeguards Condition SG-5.1. For this material, the recovered quantities and associated uncertainties for a campaign shall be evaluated in accordance with the requirements of 10 CFR 74.59(h)(1)(ii) relative to all shipments in a and a cumulative basis for like material

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION	Paç	ge 9 of 12
	License Number SNM-42	
MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27	
	Amendment 35	

- SG-5.3 Notwithstanding the requirement of 10 CFR 74.59(h)(2)(ii) to recover any scrap measured with a standard deviation greater than five percent within six months from the end of the inventory period in which it was generated, the licensee shall retain no more than in oil, organic, or other mixed scrap with a standard deviation greater than five percent until processes can be developed to eliminate the generation of this scrap or an approved process for the conversion of this scrap to a better measured form is in place.
- SG-5.4 Operations involving SNM which are not described in the Plan identified in Safeguards Condition SG-5.1 shall not be initiated until an appropriate safeguards plan has been approved by the NRC.
- SG-5.5 The restriction of 10 CFR 74.51(d)(2) is hereby lifted, and based on performance acceptable to the NRC, the licensee is authorized to conduct physical inventories in accordance with the requirements of 10 CFR 74.59(f)(1). The licensee need not calculate the SEID for a given plant if the inventory difference for that plant is less than 300 grams U-235 contained in High-Enriched Uranium or less than 9,000 grams U-235 contained in low enriched uranium.
- Notwithstanding the SNM possession limits allowed by Conditions 6, 7 and 8 of this license, and notwithstanding the material control and accounting (MC&A) requirements that would normally apply to the authorized possession and use of such SNM quantities, is exempted from the MC&A requirements of 10 CFR Parts 70 and 74 except for those identified below. This exemption is conditional upon compliance with the licensee's commitments, as given in the General Discussion Section of the Plan identified in Safeguards Condition SG-5.1, to: (1) maintain the total possessed unirradiated and unencapsulated SNM quantity at the below 1 effective kilogram, and (2) maintain as a separate plant located outside of the security protected area fence that encloses the BWXT Nuclear Products Division facility. Those MC&A regulatory requirements of 10 CFR Parts 70 and 74 that apply to the are as follows:

10 CFR 70.51(b)(1) through (3); 10 CFR 74.6; 10 CFR 74.11; 10 CFR 74.13(a); 10 CFR 74.15; 10 CFR 74.17(c); 10 CFR 74.19; 10 CFR 74.59(b)(1) and (2); 10 CFR 74.59(c); 10 CFR 74.59(d)(2); 10 CFR 74.59(e)(3), (4) and (8); 10 CFR 74.59(f); and 10 CFR 74.59(h)(1)(i), and 10 CFR 74.59(h)(3) and (5).

Section 6.0 - PHYSICAL PROTECTION FOR STRATEGIC SPECIAL NUCLEAR MATERIAL

- SG-6.1 The licensee shall follow the measures described in, "Babcock & Wilcox Nuclear Operations Group Physical Protection Plan (Plan)," dated December 5, 2019, submitted as Revision 23, and security procedures that are used to comply with the Plan as it may be revised, in accordance with the provisions of 10 CFR 70.32(e).
- SG-6.2 The licensee shall follow the measures described in the, "BWX Technologies Nuclear Products Division Security Training, Qualification, and Equipment Plan, dated April 29, 2004, submitted as Revision 11 on October 13, 2004, and as revised in accordance with the provisions of 10 CFR 70.32(e).

NRC FC	RM 374A U.S. NUCLEAR REGULA	ATORY COMMISSION	Page 10 of 12
			License Number SNM-42
	MATERIALS LICENSE SUPPLEMENTARY SHEI		Docket or Reference Number 70-27
			Amendment 35
SG-6.3		3, 2006, submitted a	blogies Nuclear Products Division Safeguards s Revision 3, and as revised in accordance
SG-6.4	the NRC is not required in accordathose areas below that of a Model and un-encapsulated SNM shall be	ance with 10 CFR 7 rate Strategic Signifi re limited to the amo exceed these quant	re for areas where a security plan submittal to 3.67, and shall limit the possession of SNM for icance, in addition, quantities of un-irradiated bunt specified in Safeguards Condition SG-5.6. ities, an appropriate security plan shall be 67(c).
SG-6.5	quantities of SNM, with radiation of shall implement an NRC-approved	dose rates greater th d security plan for th material protected b	nd 10 CFR 73.50, for the protection of formula nan specified in 10 CFR 73.6(b), the licensee see protection of prior to receipt of those y this security plan shall be limited to the shall have at least [REDACTED].
SG-6.6	Protection Plan for Special Nuclea	ar Mate <mark>rial of Modera</mark> T Building FF, Revis	ne Physical Security Plan titled, "Physical ate and Low Strategic Significance," dated sion 2, and security procedures used to comply ions of 10 CFR 70.32(e).
SG-6.7	(v); 10 CFR 73.46(b)(12)(ii); and F	Part 73, Appendix B, urse practitioners, lie	(10)(iii) and (iv); 10 CFR 73.46(b)(11)(iii) and paragraphs I.B.1.b, I.B.2.b, and I.C, the censed under the Commonwealth of Virginia required medical examinations.
SG-6.8		ormat <mark>ion reg</mark> arding	ures as described in its April 6, 2007, response the NRC Order EA-07-011 when spent nuclear eas.
SG-6.9	Tactical Response Team and gua commits to resuming normal operations.	rd exercises through ations and performir s to communicating	(9), the licensee is exempt from conducting h August 31, 2020, after such date the licenseeing all missed exercises by December 31, 2020, with the NRC to reschedule the annual
本本本本			

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION	Page 11 of 12
	License Number SNM-42
MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
	Amendment 35

SG-6.10 As requested by the licensee in letter 20-025 dated March 24, 2020, which included a classified enclosure and was supplemented by an email dated April 3, 2020, the regulatory relief below is granted in anticipation of the potential impacts to security staffing levels from the Coronavirus Disease 2019 (COVID-19) public health emergency (PHE). Within this Safeguards Condition, conditions (a) and (b) have specific dates for when the licensee will resume compliance with the regulatory requirements from which the condition grants an exemption. All actions associated with the regulatory requirements or site-specific plan commitments for which relief has been granted in conditions (c) through (l) of this Safeguards Condition, shall resume no later than 60 days after the COVID-19 PHE has ended.

The licensee will maintain compliance with 10 CFR 26.65(d)(1), 26.71(a)(2)-(4), 26.71(b), 26.119(a), 73.46(g)(3)(i), 73.46(g)(5), and the commitments in the Site Physical Protection Plan and the Training Qualification & Equipment Plan except for when security officer absenteeism is within Level I or Level II, as defined by the enclosure to its letter 20-025. The licensee shall notify the NRC's Headquarters Operations Officer within 24 hours of security officer absenteeism reaching Level I or Level II. When security officer absenteeism is within Level I or Level II, the licensee shall comply with conditions (c) through (l) of this Safeguards Condition, as applicable. When security officer absenteeism is within Level II, the licensee shall also take the actions to achieve a shuttered state, as defined by the enclosure to its letter 20-025.

The NRC will notify the licensee in writing that SNM-42 is amended to delete this Safeguards Condition 60 days after the COVID-19 PHE has ended.

- (a) Notwithstanding the requirements of 10 CFR 26.29(c)(2), the licensee is exempt from the annual fitness-for-duty refresher training required by May 31, 2020. The licensee shall complete the annual fitness-for-duty refresher training by December 31, 2020.
- (b) Notwithstanding the requirements of 10 CFR 73.46(b)(4), the licensee is exempt from security officer training and qualification through December 31, 2020. The licensee shall resume meeting the security officer training and qualification requirements of 10 CFR 73.46(b)(4) by January 1, 2021.

NOTE: Conditions (c) through (I) of this Safeguards Condition must be withheld from public disclosure because they contain sensitive security-related information.



Page 12 of 12
License Number SNM-42
Docket or Reference Number 70-27
Amendment 35
Facility Attachment No. 17 of the Subsidiary at. Facility Attachment 17 applies to the areas sign Information Questionnaire for the facility.
TORY COMMISSION
American, Chief y Licensing Branch Fuel Management uclear Material Safety uards ar Regulatory Commission