

June 23, 1988

Docket No. 50-336

Mr. Edward J. Mroczka
Senior Vice President
Nuclear Engineering and Operations
Northeast Nuclear Energy Company
P. O. Box 270
Hartford, Connecticut 06141-0270

Dear Mr. Mroczka:

SUBJECT: GENERIC LETTER 88-03, "STEAM BINDING OF AUXILIARY FEEDWATER PUMPS"
(TAC NO. 67248) MILLSTONE UNIT 2

On February 17, 1988, Generic Letter 88-03 was issued and requested all licensees of operating PWRs and holders of construction permits for PWRs to confirm that appropriate procedures are in place, and will be maintained, to minimize the occurrence of steam binding of the auxiliary feedwater (AFW) pumps. The procedures require monitoring fluid conditions within the AFW system each shift during times when the system is required to be operable, and recognizing steam binding and restoring the AFW system to operable status should steam binding occur.

Your response, dated May 23, 1988 confirmed that you have in place, and will maintain, the necessary procedures. Thus, your response to Generic Letter 88-03 is satisfactory and no further action is necessary.

Sincerely,

original signed by

David Jaffe, Project Manager
Project Directorate I-4
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

cc: See next page

DISTRIBUTION

~~Docket File~~ J. Partlow
NRC & Local PDRs ACRS(10)
S. Varga Gray File
B. Boger OGC-WF
D. Jaffe
S. Norris
E. Jordan

LA:PDI-4
SMorris
6/15/88

PM:PDI-4
DJaffe:lm
6/22/88

PD:PDI-4
JStolz
6/23/88

PD III -2
LOlshan
6/23/88

8807050073 880623
PDR ADOCK 05000336
P PDR

Mr. Edward J. Mroczka
Northeast Nuclear Energy Company

Millstone Nuclear Power Station
Unit No. 2

cc:

Gerald Garfield, Esquire
Day, Berry and Howard
Counselors at Law
City Place
Hartford, Connecticut 06103-3499

R. M. Kacich, Manager
Generation Facilities Licensing
Northeast Utilities Service Company
Post Office Box 270
Hartford, Connecticut 06141-0270

W. D. Romberg, Vice President
Nuclear Operations
Northeast Utilities Service Company
Post Office Box 270
Hartford, Connecticut 06141-0270

D. O. Nordquist
Manager of Quality Assurance
Northeast Nuclear Energy Company
Post Office Box 270
Hartford, Connecticut 06141-0270

Kevin McCarthy, Director
Radiation Control Unit
Department of Environmental Protection
State Office Building
Hartford, Connecticut 06106

Regional Administrator
Region I
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, Pennsylvania 19406

Bradford S. Chase, Under Secretary
Energy Division
Office of Policy and Management
80 Washington Street
Hartford, Connecticut 06106

First Selectmen
Town of Waterford
Hall of Records
200 Boston Post Road
Waterford, Connecticut 06385

S. E. Scace, Station Superintendent
Millstone Nuclear Power Station
Northeast Nuclear Energy Company
Post Office Box 128
Waterford, Connecticut 06385

W. J. Raymond, Resident Inspector
Millstone Nuclear Power Station
c/o U. S. Nuclear Regulatory Commission
Post Office Box 811
Niantic, Connecticut 06357

J. S. Keenan, Unit Superintendent
Millstone Unit No. 2
Northeast Nuclear Energy Company
Post Office Box 128
Waterford, Connecticut 06385

Charles Br. Manager
Washington Nuclear Operations
C-E Power Systems
Combustion Engineering, Inc.
7910 Woodmont Avenue
Bethesda, Maryland 20814