



DEPARTMENT OF THE ARMY
US ARMY IONIZING RADIATION DOSIMETRY CENTER
LEXINGTON-BLUE GRASS ARMY DEPOT
LEXINGTON, KY 40511-5102

REPLY TO
ATTENTION OF

U.S. Army IRDC

26 January 1988

08 FEB 22 AIO: 31

THRU Commander *18 Feb 88*
U.S. Army TMDE Support Group
Attn: AMXTM-CE
Redstone Arsenal, AL 35898-5400

Commander
U.S. Army TMDE Support Group *WA 4 Feb 88*
Attn: AMXTM-SR
Redstone Arsenal, AL 35898-5400

Headquarters
U.S. Army Materiel Command
Attn: A' CSE-T
5001 Eisenhower Ave.
Alexandria, VA 22333-0001

TO U.S. Nuclear Regulatory Commission, Region II
Division of Radiation Safety and Safeguards
101 Marietta St., N.W. Suite 2900
Atlanta, GA 30323

Gentlemen:

Request that By-product Material License No. 16-05033-01 (document number 030-04467) be amended to indicate that this office analyzes leak test samples taken of various radioactive commodities possessed by the U.S. Army. The leak test samples are taken by personnel in the field and are submitted to the U.S. Army Ionizing Radiation Dosimetry Center for counting and reporting back to the field.

Please contact me at (606) 293-3249 if you require any additional information on this matter.

Sincerely,

A. Edward Abney
A. Edward Abney
Chief, U.S. Army Ionizing
Radiation Dosimetry Center

FEE EXEMPT

8803110002 880226
REG2 LIC30
16-05033-01

DCD

Official Copy