UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

Before the Atomic Safety and Licensing Board

In the Matter of	)	
	)	
LONG ISLAND LIGHTING COMPANY	)	Docket No. 50-322-OL-3
	)	(Emergency Planning)
(Shoreham Nuclear Power Station, Unit 1)	)	(Hospital Evacuation Time Estimates)

CORRECTIONS TO THE REBUTTAL TESTIMONY OF EDWARD B. LIEBERMAN AND DIANE P. DREIKORN ON THE REMANDED ISSUE OF THE BASES AND ACCURACY OF LILCO'S HOSPITAL EVACUATION TIME ESTIMATES

Hunton & Williams
707 East Main Street
P.O. Box 1535
Richmond, Virginia 23212

May 31, 1988

8806080060 880531
PDR ADOCK 05000322
T PDR

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

Before the Atomic Safety and Licensing Board

In the Matter of	)	
	)	
LONG ISLAND LIGHTING COMPANY	)	Docket No. 50-322-OL-3
	)	(Emergency Planning)
(Shoreham Nuclear Power Station, Unit 1)	)	(Hospital Evacuation Time Estimates)

CORRECTIONS TO THE REBUTTAL TESTIMONY OF EDWARD B. LIEBERMAN AND DIANE P. DREIKORN ON THE REMANDED ISSUE OF THE BASES AND ACCURACY OF LILCO'S HOSPITAL EVACUATION TIME ESTIMATES

Hunton & Williams
707 East Main Street
P.O. Box 1535
Richmond, Virginia 23212

May 31, 1988

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

Before the Atomic Safety and Licensing Board

In the Matter of	)	
	)	
LONG ISLAND LIGHTING COMPANY	)	Docket No. 50-322-OL-3
	)	(Emergency Planning)
(Shoreham Nuclear Power Station, Unit 1)	)	(Hospital Evacuation Time Estimates)

CORRECTIONS TO THE REBUTTAL TESTIMONY OF EDWARD B. LIEBERMAN AND DIANE P. DREIKORN ON THE REMANDED ISSUE OF THE BASES AND ACCURACY OF LILCO'S HOSPITAL EVACUATION TIME ESTIMATES

1. Q. Please state your names and business addresses.

A. [Lieberman] My name is Edward B. Lieberman. My business address is KLD Associates, Inc., 300 Broadway, Huntington Station, New York 11746.

[Dreikorn] My name is Diane P. Dreikorn. My business address is Long Island Lighting Company, 131 Hoffman Lane, Central Islip, New York 11722.

2. Q. Please state your professional qualifications.

A. [Dreikorn, Lieberman] Our professional qualifications are summarized on pages 2-3 of our earlier testimony, Testimony of Diane P. Dreikorn and Edward B. Lieberman on the Remanded Issue of the Bases and Accuracy of LILCO's Hospital Evacuation Time Estimates, dated April 13, 1988. Our resumes are Attachments A and B to that testimony.

3. Q. Please summarize the purpose and scope of this testimony.

A. [Lieberman] This testimony corrects three minor errors found in the spreadsheet program discussed in the Rebuttal Testimony filed on May 18, 1988.

4. Q. What led to these corrections?

A. [Lieberman] Following receipt of the Surrebuttal Testimony submitted by New York State, which was written by Dr. David Hartgen, I reviewed the printed output produced by the spreadsheet program, and the hand calculations undertaken earlier, and recognized that there were three minor errors that had not been detected previously.

5. Q. What was the first error?

A. [Lieberman] The first error was some software logic that did not properly link ambulance trips at the end of the second wave with those at the beginning of the third wave. A "wave" is a round trip, starting at a dispatch center (Brentwood, Peconic, or a reception hospital outside the EPZ) and terminating at either the same, or another, dispatch center.

6. Q. What were the consequences of this error?

A. [Lieberman] The immediate consequence was a discontinuity in a number of vehicle trajectories. This discontinuity took two forms:

- An ambulance trip that completed the second wave at a reception hospital could start the third wave at Brentwood.

- An ambulance that completed the second wave at Brentwood could start the third wave at a reception hospital.

7. Q. Does this mean that the number of third-wave trips originating from the reception hospitals, and from Brentwood, were incorrect?

A. [Lieberman] No. The total number of third-wave trips orginating at the reception hospitals and at Brentwood were correct -- only the trajectories were discontinuous for some ambulances. The following discussion details the differences between the corrected new computer runs in this context, and the prior computer runs for the Base Case (Table 1 of the Computer Output):

Total number of ambulances arriving at Southampton Hospital at the end of the second wave, from Central Suffolk Hospital: New Run, 7; Prior Run, 7.

Total number of ambulances starting the third wave at Southampton Hospital and travelling to Central Suffolk Hospital: New Run, 7; Prior Run, 7.

Number of ambulances that competed the second wave at Southampton Hospital and started the third wave from that location: New Run, 7; Prior Run, 3.

Number of ambulances that completed the second wave elsewhere and started the third wave at Southampton: New Run, 0; Prior Run, 4.

8. Q. What was the effect on the ETE of this error?

A. [Lieberman] The total number of trips from Southampton Hospital, and from Brentwood, to the Central Suffolk Hospital, is identical for both the original and the revised computer runs. The effect of this error is only that 4 vehicles had discontinuous trajectories; this effect had virtually no

influence on the ETE, since the dispatch times from Southampton Hospital at the start of the third wave, as computed in the new run, are respectively close to those computed in the prior run.

9. Q. You have described the impact of the error for the Central Suffolk Hospital. What about the other two hospitals?

A. [Lieberman] The same effects apply for the other two hospitals.

10. Q. What was the second error detected?

A. [Lieberman] At the end of the second wave, those ambulances which shuttle back to the EPZ in the third-wave trip are delayed by the amount of time required to unload their passengers at the reception hospital; this time, estimated at 20 minutes, is an input value. The software, instead, assigned a value of 30 minutes, which was the value applied to the delay associated with the time required to brief the drivers, distribute dosimetry and assign a destination, prior to the first wave, at Brentwood and Peconic.

11. Q. What was the effect on ETE of this error?

A. [Lieberman] If the last ambulance to evacuate a hospital originated its third-wave trip from a reception hospital, rather than from Brentwood, then this error could lengthen the ETE for that hospital by 10 minutes. This condition occurred only for the Central Suffolk Hospital. Correcting this error, accordingly, would potentially reduce the ETE.

12. Q. What was the third error?

A. [Lieberman] The turn-around time at Brentwood was assigned the same value -- 30 minutes -- for all waves. That value should have been assigned for the first wave, only. For subsequent waves, a value of 15 minutes should have been assigned. This lower value reflects the fact that receipt of dosimetry and a briefing is restricted to the start of the first wave only. On subsequent waves, drivers only receive the next assignment. This is consistent with the manual computations in our original testimony on this issue, filed April 13, 1988.

13. Q. What was the effect on ETE of this error?

A. [Lieberman] At the outside, it could lengthen the ETE by one-half hour. However, the effect is generally somewhat less than this figure, since the speed of travel is considerably lower early in the evacuation process. Thus, any benefits of a relatively early "head-start", reflecting a delay of 15 minutes instead of 30 minutes at Brentwood, for the second-wave trip, could be mitigated by the fact that the vehicle's speed would be impacted by the evacuation process for a longer time.

For example, the first trip to depart on the second wave for Central Suffolk Hospital enjoyed a 15-minute advantage in the new run, relative to the prior run, when it left Brentwood. Yet, it arrived at the Hospital only 7 minutes earlier than in the prior run.

14. Q. Is it possible to calculate the effects of these errors on ETE without executing the model?

A. [Lieberman] No -- not accurately. These changes potentially affect the interaction of vehicles, even though the individual effects on ETE are small relative to the time-frame of the hospital evacuation. Consequently, it is necessary to apply the model to fully analyze the system.

15. Q. Have you executed the model with these errors corrected?

A. [Lieberman] Yes. Revised Tables 1A, 2A, 3A, 4A, 6A and 11A, which correspond to the prior Tables 1, 2, 3, 4, 6 nad 11 are attached hereto. The Hospital ETE results and comparisons with the prior results as reported in the Rebuttal Testimony at 9, 11, 12 and 13 are shown below:

Central Suffolk

Table	New	Prior	Difference
1	12.09	12.38	2.4%
2	15.29	15.61	2.1%
3	14.42	14.49	0.5%
4	13.39	13.68	2.2%
6	11.82	12.07	2.1%

John Mather

Table	New	Prior	Difference
1	11.78	12.28	4.2%
2	15.06	15.49	2.9%
3	13.82	13.90	0.6%
4	13.03	13.53	3.8%
6	11.55	12.05	4.3%

St. Charles

Table	New	Prior	Difference
1	12.10	12.42	2.6%
2	15.57	15.60	0.2%
3	13.98	14.05	0.5%
4	13.51	13.88	2.7%
6	11.72	12.25	4.5%

Note: Difference = (Prior - New)/New x 100, the effect of the errors on ETE, in percent relative to the corrected values

As indicated these differences range from 0.2 to 4.5 percent and from 2 to 32 minutes.

16. Q. How do the new ETEs compare with the values calculated using manual procedures?

A. [Lieberman] The ETEs calculated manually for the case of the entire EPZ evacuating were documented in my Affidavit dated 18 December, 1987. A comparison with the new model results is shown below:

Central Suffolk

Weather	Model	Manual	Difference
Normal	12:05	12:[illegible]	1.9%
Inclem.	15:17	15:[illegible]2	3.8%

John Mather

Weather	Model	Manual	Difference
Normal	11:47	12:00	1.8%
Inclem.	15:04	15:42	4.2%

St. Charles

Weather	Model	Manual	Difference
Normal	12:06	12:20	1.9%
Inclem.	15:34	16:13	4.2%

Note: Difference = (Manual - Model)/ Model x 100, in percent

As indicated the differences range from 1.8 to 4.2 percent and from 13 to 39 minutes.

17. Q. What are the revised figures corresponding to Tables 3, 4, 6 and 11 on pages 11, 12, 13 and 16 of the Rebuttal Testimony?

A. [Lieberman] The revised figures corresponding to attached Tables 3A, 4A, 6A, and 11A follow:

Table 3A

Facility	KLD Model		Hartgen	
	ETE	Percentage[1/]	ETE	Percentage[2/]
Suffolk Infirmary	9.87	9.4	—	—
John T. Mather Hospital	13.82	17.3	—	—
Central Suffolk Hospital	14.42	19.3	—	—
St. Charles Hospital	13.98	15.5	14.54	17.3

Table 4A

Facility	KLD Model		Hartgen	
	ETE	Percentage[1/]	ETE	Percentage[2/]
Suffolk Infirmary	9.62	6.7	—	—
John T. Mather Hospital	13.03	10.6	—	—
Central Suffolk Hospital	13.39	10.8	—	—
St. Charles Hospital	13.51	11.7	14.00	12.9

Table 6A

Facility	KLD Model		Hartgen	
	ETE	Percentage[1/]	ETE	Percentage[2/]
Suffolk Infirmary	8.80	-2.4	—	—

1/ Difference relative to base case.

2/ Hartgen testimony.

John T. Mather Hospital	11.55	-2.0	—	—
Central Suffolk Hospital	11.82	-2.2	—	—
St. Charles Hospital	11.72	-3.1	11.38	-8.2

Table 11A

KLD Model

Facility	ETE	Pct.
Suffolk Infirmary	8.37	-7.2
John T. Mather Hospital	10.51	-10.8
Central Suffolk Hospital	11.10	-8.2
St. Charles Hospital	10.60	-12.2

18. Q. Do any of these modifications in model results, associated with correcting the errors cited earlier, alter your conclusions?

A. [Lieberman] No.

19. Q. What other corrections do you wish to make to the Rebuttal Testimony?

A. [Lieberman] Part of the answer to question 24 on page 12 should be corrected as follows:

Line	Delete	Insert
14-15	"conduct a model run"	"prepare a comparison"
19	"outbound (i.e., evacuating")	"inbound"
20	"the same"	"a higher"
21	"as"	"than"

20. Q. Does this conclude your corrections to the Rebuttal Testimony?

A. [Dreikorn, Lieberman] Yes.

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
		1	GHS	1	2	PR	0.33	0.83	1.69	2.11	2.64	MB	4.16	4.41	HW	4.49	4.91	BR	5.08
		1	GHS	2	2	BR	0.33	0.83	1.69	2.11	2.64	MB	4.16	4.41	HW	4.49	4.91	BR	5.08
		1	GHS	3	2	BR	0.33	0.83	1.69	2.11	2.64	MB	4.16	4.41	HW	4.49	4.91	BR	5.08
		1	GHS	4	2	BR	0.33	0.83	1.69	2.11	2.64	MB	4.16	4.41	HW	4.49	4.91	BR	5.08
GHS	4	2	HCS	10	2	BR	5.08	5.33	6.56	6.98	6.98	-			-			-	NA
GHS	2	2	HCS	9	2	BR	5.08	5.33	6.56	6.98	6.98	-			-			-	NA
GHS	3	2	HCS	8	2	BR	5.08	5.33	6.56	6.98	6.98	-			-			-	NA
OKH	11	2	HCS	14	2	BR	5.89	6.14	7.07	7.49	7.49	-			-			-	NA
OKH	12	2	HCS	11	2	BR	5.89	6.14	7.07	7.49	7.49	-			-			-	NA
OKH	14	2	HCS	15	2	BR	5.89	6.14	7.07	7.49	7.49	-			-			-	NA
OKH	13	2	HCS	12	2	BR	5.89	6.14	7.07	7.49	7.49	-			-			-	NA
OKH	15	2	HCS	13	2	BR	5.89	6.14	7.07	7.49	7.4	-			-			-	NA
OKH	16	2	HCS	16	2	BR	5.89	6.14	7.07	7.49	7.49	-			-			-	NA
OKH	3	2	HCS	2	1	BR	6.13	6.38	7.31	7.64	7.64	-			-			HSHH	8.56
OKH	4	2	HCS	1	1	BR	6.13	6.38	7.31	7.64	7.64	-			-			HSHH	8.56
HHC	9	2	HCS	3	1	BR	6.22	6.47	7.41	7.74	7.74	-			-			HSHH	8.66
OKH	21	2	HCS	18	2	BR	6.31	6.56	7.49	7.91	7.91	-			-			-	NA
OKH	22	2	HCS	17	2	BR	6.31	6.56	7.49	7.91	7.91	-			-			-	NA
OKH	8	2	HCS	5	1	BR	6.46	6.71	7.64	7.97	7.97	-			-			HSHH	8.89
OKH	6	2	HCS	4	1	BR	6.46	6.71	7.64	7.97	7.97	-			-			HSHH	8.89
OKH	7	2	HCS	6	1	BR	6.46	6.71	7.64	7.97	7.97	-			-			HSHH	8.89
SMR	14	2	HCS	19	2	BR	6.41	6.66	7.60	8.02	8.02	-			-			-	NA
HSI	27	2	HCS	7	1	BR	8.18	8.43	9.36	9.69	9.69	-			-			HSHH	10.62
HCS	2	3	HCS	21	1	SH	8.56	8.89	9.70	10.03	10.03	-			-			HSHH	10.96
HCS	1	3	HCS	20	1	SH	8.56	8.89	9.70	10.03	10.03	-			-			HSHH	10.96
HCS	3	3	HCS	22	1	SH	8.66	8.99	9.80	10.13	10.13	-			-			HSHH	11.05
HCS	5	3	HCS	24	1	SH	8.89	9.22	10.03	10.36	10.36	-			-			HSHH	11.29
HCS	4	3	HCS	23	1	SH	8.89	9.22	10.03	10.36	10.36	-			-			HSHH	11.29
HCS	6	3	HCS	25	1	SH	8.89	9.22	10.03	10.36	10.36	-			-			HSHH	11.29
HSI	49	3	HCS	26	1	BR	9.70	9.95	10.89	11.22	11.22	-			-			HGSH	NA
HSI	52	3	HCS	28	1	BR	9.70	9.95	10.89	11.22	11.22	-			-			HGSH	NA
HSI	53	3	HCS	27	1	BR	9.70	9.95	10.89	11.22	11.22	-			-			HGSH	NA
HSI	56	3	HCS	29	1	BR	9.98	10.23	11.16	11.49	11.49	-			-			HGSH	NA
HSI	59	3	HCS	30	1	BR	10.03	10.28	11.22	11.55	11.55	-			-			HGSH	NA
HSI	61	3	HCS	31	1	BR	10.03	10.28	11.22	11.55	11.55	-			-			HGSH	NA
HSI	66	3	HCS	34	1	BR	10.36	10.61	11.55	11.88	11.88	-			-			HGSH	NA
HSI	64	3	HCS	33	1	BR	10.36	10.61	11.55	11.88	11.88	-			-			HGSH	NA
HSI	60	3	HCS	32	1	BR	10.36	10.61	11.55	11.88	11.88	-			-			HGSH	NA
HCS	7	3	HCS	35	1	SH	10.62	10.95	11.76	12.09	12.09	-			-			HGSH	NA
		1	HHC	3	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	1	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	2	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	5	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	4	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	9	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	8	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ	5.30	5.63	-			BR	6.34

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
		1	HHC	12	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.63	5.96	-			BR	6.59
		1	HHC	6	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.63	5.96	-			BR	6.59
		1	HHC	10	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.63	5.96	-			BR	6.59
		1	HHC	7	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.84	6.17	-			BR	6.69
		1	HHC	11	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.63	5.96	-			BR	6.59
		1	HHC	13	1	BR	0.50	1.00	2.31	2.89	4.22	HSTJ	5.96	6.29	-			BR	6.75
		1	HHC	17	2	PE	0.00	0.50	1.77	3.19	4.52	HSGH	5.68	6.10	-			BR	6.52
		1	HHC	18	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.10	6.52	-			BR	6.74
		1	HHC	19	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.14	6.56	-			BR	6.78
		1	HHC	14	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	21	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.14	6.56	-			BR	6.78
		1	HHC	22	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	15	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	16	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	20	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
WHH	10	2	HJM	14	2	BR	5.73	5.98	6.81	7.23	7.24	-			-			-	NA
WHH	7	2	HJM	11	2	BR	5.73	5.98	6.81	7.23	7.24	-			-			-	NA
WHH	12	2	HJM	13	2	BR	5.73	5.98	6.81	7.23	7.24	-			-			-	NA
WHH	8	2	HJM	12	2	BR	5.73	5.98	6.81	7.23	7.24	-			-			-	NA
OKH	19	2	HJM	16	2	BR	6.31	6.56	7.39	7.81	7.82	-			-			-	NA
OKH	17	2	HJM	17	2	BR	6.31	6.56	7.39	7.81	7.82	-			-			-	NA
OKH	18	2	HJM	15	2	BR	6.31	6.56	7.39	7.81	7.82	-			-			-	NA
OKH	20	2	HJM	18	2	BR	6.31	6.56	7.39	7.81	7.82	-			-			-	NA
OKH	10	2	HJM	1	1	BR	6.46	6.71	7.54	7.87	7.88	-			-			HGSH	9.07
OKH	9	2	HJM	2	1	BR	6.46	6.71	7.54	7.87	7.88	-			-			HGSH	9.07
RCF	1	2	HJM	20	2	BR	6.42	6.67	7.51	7.93	7.94	-			-			-	NA
RCF	2	2	HJM	19	2	BR	6.42	6.67	7.51	7.93	7.94	-			-			-	NA
HSI	6	2	HJM	3	1	BR	6.53	6.78	7.61	7.94	7.95	-			-			HGSH	9.13
SNP	7	2	HJM	6	1	BR	6.56	6.81	7.64	7.97	7.98	-			-			HGSH	9.17
SNP	6	2	HJM	4	1	BR	6.56	6.81	7.64	7.97	7.98	-			-			HGSH	9.17
SNP	8	2	HJM	5	1	BR	6.56	6.81	7.64	7.97	7.98	-			-			HGSH	9.17
HHC	17	2	HJM	21	2	BR	6.52	6.77	7.81	8.23	8.24	-			-			-	NA
HHC	22	2	HJM	25	2	BR	6.54	6.79	7.81	8.23	8.24	-			-			-	NA
HHC	16	2	HJM	23	2	BR	6.54	6.79	7.81	8.23	8.24	-			-			-	NA
HHC	15	2	HJM	24	2	BR	6.54	6.79	7.81	8.23	8.24	-			-			-	NA
HHC	20	2	HJM	22	2	BR	6.54	6.79	7.93	8.35	8.36	-			-			-	NA
WHH	23	2	HJM	26	2	BR	6.54	6.79	7.93	8.35	8.36	-			-			-	NA
WHH	20	2	HJM	27	2	BR	6.54	6.79	8.23	8.65	8.66	-			-			-	NA
HSI	13	2	HJM	8	1	BR	7.85	8.10	8.93	9.26	9.27	-			-			HGSH	10.46
HSI	15	2	HJM	10	1	BR	7.85	8.10	8.93	9.26	9.27	-			-			HGSH	10.46
HSI	25	2	HJM	9	1	BR	7.85	8.10	8.93	9.26	9.27	-			-			HGSH	10.46
HSI	12	2	HJM	7	1	BR	7.85	8.10	8.93	9.26	9.27	-			-			HGSH	10.46
HSI	37	3	HJM	28	1	BR	8.50	8.75	9.59	9.92	9.92	-			-			HGSH	11.11
HSI	41	3	HJM	29	1	BR	9.04	9.29	10.12	10.45	10.46	-			-			HGSH	11.65
HSI	39	3	HJM	30	1	BR	9.04	9.29	10.12	10.45	10.46	-			-			HGSH	11.65
HSI	50	3	HJM	38	1	BR	9.37	9.62	10.45	10.78	10.79	-			-			HGSH	11.98

Table 1 A

Prior Run	Prior Run Number	Move Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
HSI	45	3	HJM	39	1	BR	9.37	9.62	10.45	10.78	10.79	-			-			HGSH	11.99
HSI	47	3	HJM	37	1	BR	9.37	9.62	10.45	10.78	10.79	-			-			HGSH	11.99
HJM	1	3	HJM	32	1	GH	9.07	9.40	10.61	10.94	10.95	-			-			HGSH	12.14
HJM	2	3	HJM	31	1	GH	9.07	9.40	10.61	10.94	10.95	-			-			HGSH	12.14
HJM	3	3	HJM	33	1	GH	9.13	9.46	10.68	11.01	11.02	-			-			HGSH	12.21
HJM	6	3	HJM	34	1	GH	9.17	9.50	10.78	11.11	11.12	-			-			HGSH	12.31
HJM	4	3	HJM	35	1	GH	9.17	9.50	10.78	11.11	11.12	-			-			HGSH	12.31
HJM	5	3	HJM	36	1	GH	9.17	9.50	10.78	11.11	11.12	-			-			HGSH	12.31
HSI	51	3	HJM	40	1	BR	9.65	9.90	10.94	11.27	11.28	-			-			HGSH	12.47
HSI	54	3	HJM	41	1	BR	9.70	9.95	10.94	11.27	11.28	-			-			HGSH	12.47
HSI	55	3	HJM	42	1	BR	9.70	9.95	11.01	11.34	11.35	-			-			HGSH	12.54
HSI	63	3	HJM	44	1	BR	10.03	10.28	11.11	11.44	11.45	-			-			HGSH	12.64
HSI	58	3	HJM	43	1	BR	10.03	10.28	11.11	11.44	11.45	-			-			HGSH	12.64
HSI	57	3	HJM	45	1	BR	10.03	10.28	11.11	11.44	11.45	-			-			HGSH	12.64
HSI	62	3	HJM	46	1	BR	10.31	10.56	11.39	11.72	11.72	-			-			HGSH	12.91
HSI	65	3	HJM	47	1	BR	10.36	-1	11.44	11.77	11.78	-			-			HGSH	12.97
WHN	6	2	HSC	10	2	BR	5.31	[illegible]	6.41	6.83	6.86	-			-			-	NA
WHN	4	2	HSC	11	2	BR	5.31	5.56	6.41	6.83	6.86	-			-			-	NA
WHN	3	2	HSC	9	2	BR	5.31	5.56	6.41	6.83	6.86	-			-			-	NA
WHN	5	2	HSC	12	2	BR	5.31	5.56	6.41	6.83	6.86	-			-			-	NA
WHN	11	2	HSC	13	2	BR	5.73	5.98	6.83	7.25	7.28	-			-			-	NA
WHN	9	2	HSC	14	2	BR	5.73	5.98	6.83	7.25	7.28	-			-			-	NA
WHN	15	2	HSC	20	2	BR	6.23	6.48	7.33	7.75	7.78	-			-			-	NA
WHN	13	2	HSC	16	2	BR	6.23	6.48	7.33	7.75	7.78	-			-			-	NA
WHN	14	2	HSC	19	2	BR	6.23	6.48	7.33	7.75	7.78	-			-			-	NA
WHN	17	2	HSC	17	2	BR	6.23	6.48	7.33	7.75	7.78	-			-			-	NA
WHN	15	2	HSC	18	2	BR	6.23	6.48	7.33	7.75	7.78	-			-			-	NA
WHN	16	2	HSC	15	2	BR	6.23	6.48	7.33	7.75	7.78	-			-			-	NA
HHC	6	2	HSC	2	1	BR	6.59	6.84	7.69	8.02	8.05	-			-			HHHH	9.36
HHC	10	2	HSC	3	1	BR	6.59	6.84	7.69	8.02	8.05	-			-			HHHH	9.36
HSI	4	2	HSC	1	1	BR	6.59	6.84	7.69	8.02	8.05	-			-			HHHH	9.36
HHC	7	2	HSC	4	1	BR	6.69	6.94	7.79	8.12	8.15	-			-			HHHH	9.46
OLP	2	2	HSC	5	1	BR	6.72	6.97	7.82	8.15	8.18	-			-			HHHH	9.49
SMR	13	2	HSC	25	2	BR	6.41	6.66	7.75	8.17	8.20	-			-			-	NA
SMR	11	2	HSC	23	2	BR	6.41	6.66	7.75	8.17	8.20	-			-			-	NA
SMR	10	2	HSC	22	2	BR	6.41	6.66	7.75	8.17	8.20	-			-			-	NA
SMR	12	2	HSC	21	2	BR	6.41	6.66	7.75	8.17	8.20	-			-			-	NA
RCF	3	2	HSC	26	2	BR	6.42	6.67	7.75	8.17	8.20	-			-			-	NA
SMR	15	2	HSC	24	2	BR	6.41	6.66	7.75	8.17	8.20	-			-			-	NA
HHC	13	2	HSC	6	1	BR	6.75	7.00	7.85	8.18	8.21	-			-			HHHH	9.52
HHC	14	2	HSC	27	2	BR	6.54	6.79	8.17	8.59	8.62	-			-			-	NA
WHN	22	2	HSC	30	2	BR	6.54	6.79	8.17	8.59	8.62	-			-			-	NA
WHN	19	2	HSC	29	2	BR	6.54	6.79	8.17	8.59	8.62	-			-			-	NA
WHN	18	2	HSC	28	2	BR	6.54	6.79	8.17	8.59	8.62	-			-			-	NA
HSI	14	2	HSC	7	1	BR	7.85	8.10	8.95	9.28	9.31	-			-			HHHH	10.62
HSI	23	2	HSC	8	1	BR	7.85	8.10	8.95	9.28	9.31	-			-			HHHH	10.62

Table 1 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
HSI	36	3	HSC	31	1	BR	8.50	8.75	9.60	9.93	9.97	-			-			HHHH	11.29
HSI	38	3	HSC	32	1	BR	8.99	9.24	10.09	10.42	10.45	-			-			HHHH	11.78
HSI	42	3	HSC	35	1	BR	9.04	9.29	10.14	10.47	10.50	-			-			HHHH	11.81
HSI	43	3	HSC	34	1	BR	9.04	9.29	10.14	10.47	10.50	-			-			HHHH	11.81
HSI	40	3	HSC	33	1	BR	9.04	9.29	10.14	10.47	10.50	-			-			HHHH	11.81
HSI	44	3	HSC	36	1	BR	9.32	9.57	10.42	10.75	10.78	-			-			HHHH	12.09
HSI	46	3	HSC	37	1	BR	9.37	9.62	10.47	10.80	10.83	-			-			HHHH	12.14
HSI	48	3	HSC	38	1	BR	9.37	9.62	10.47	10.80	10.83	-			-			HHHH	12.14
HSC	3	3	HSC	39	1	HH	9.36	9.69	11.01	11.34	11.37	-			-			HHHH	12.68
HSC	1	3	HSC	40	1	HH	9.36	9.69	11.01	11.34	11.37	-			-			HHHH	12.68
HSC	2	3	HSC	41	1	HH	9.36	9.69	11.01	11.34	11.37	-			-			HHHH	12.68
HSC	4	3	HSC	42	1	HH	9.46	9.79	11.12	11.45	11.48	-			-			HHHH	12.79
HSC	5	3	HSC	43	1	HH	9.49	9.82	11.14	11.47	11.51	-			-			HHHH	12.82
HSC	6	3	HSC	44	1	HH	9.52	9.85	11.18	11.51	11.54	-			-			HHHH	12.85
HSI	69	3	HSC	45	1	BR	10.55	10.80	11.65	11.98	12.01	-			-			HHHH	13.32
HSI	67	3	HSC	46	1	BR	10.64	10.89	11.74	12.07	12.10	-			-			HHHH	13.41
		1	HSI	6	1	BR	1.67	2.17	3.07	3.40	3.71	HSTJ	5.51	5.84	-			BR	6.53
		1	HSI	4	1	BR	1.67	2.17	3.07	3.40	3.71	HSTJ	5.63	5.96	-			BR	6.59
		1	HSI	5	1	BR	1.67	2.17	3.07	3.40	3.71	HSTJ	5.30	5.63	-			BR	6.34
		1	HSI	3	1	BR	1.67	2.17	3.07	3.40	3.71	HSTJ	5.30	5.63	-			BR	6.34
		1	HSI	2	1	BR	1.67	2.17	3.07	3.40	3.71	HSTJ	5.30	5.63	-			BR	6.34
		1	HSI	1	1	BR	1.67	2.17	3.07	3.40	3.71	HSTJ	5.30	5.63	-			BR	6.34
		1	HSI	8	1	BR	2.00	2.50	3.40	3.73	4.04	HSSH	6.02	6.35	-			BR	6.91
		1	HSI	9	1	BR	2.00	2.50	3.40	3.73	4.04	HSSH	6.02	6.35	-			BR	6.91
		1	HSI	7	1	BR	2.00	2.50	3.40	3.73	4.04	HSSH	6.02	6.35	-			BR	6.91
		1	HSI	10	1	BR	2.00	2.50	3.40	3.73	4.04	HSSH	6.02	6.35	-			BR	6.91
		1	HSI	11	1	BR	2.00	2.50	3.40	3.73	4.04	HSSH	6.02	6.35	-			BR	6.91
		1	HSI	16	1	BR	2.50	3.00	3.90	4.23	4.54	HVAH	6.57	6.90	-			BR	7.52
		1	HSI	18	1	BR	2.50	3.00	3.90	4.23	4.54	HVAH	6.57	6.90	-			BR	7.52
		1	HSI	20	1	BR	2.50	3.00	3.90	4.23	4.54	HVAH	6.57	6.90	-			BR	7.52
		1	HSI	17	1	BR	2.50	3.00	3.90	4.23	4.54	HVAH	6.57	6.90	-			BR	7.52
		1	HSI	21	1	BR	2.50	3.00	3.90	4.23	4.54	HVAH	6.57	6.90	-			BR	7.52
		1	HSI	19	1	BR	2.50	3.00	3.90	4.23	4.54	HVAH	6.57	6.90	-			BR	7.52
		1	HSI	22	1	BR	2.67	3.17	4.23	4.56	4.87	HSTJ	6.36	6.69	-			BR	7.05
		1	HSI	25	1	BR	3.50	4.00	4.90	5.23	5.29	HVAH	6.90	7.23	-			BR	7.35
		1	HSI	24	1	BR	3.50	4.00	4.90	5.23	5.29	HSTJ	6.60	6.93	-			BR	7.29
		1	HSI	15	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	6.90	7.23	-			BR	7.85
		1	HSI	14	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	6.90	7.23	-			BR	7.85
		1	HSI	13	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	6.90	7.23	-			BR	7.85
		1	HSI	12	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	6.90	7.23	-			BR	7.85
		1	HSI	23	1	PE	3.17	3.67	5.28	5.61	5.66	HVAH	6.90	7.23	-			BR	7.85
		1	HSI	29	2	BR	3.83	4.33	5.23	5.65	5.71	HSSH	6.82	7.24	-			BR	7.79
		1	HSI	31	2	BR	3.83	4.33	5.23	5.65	5.71	HSSH	6.82	7.24	-			BR	7.79
		1	HSI	28	2	BR	3.83	4.33	5.23	5.65	5.71	HSSH	6.82	7.24	-			BR	7.79
		1	HSI	30	2	BR	3.83	4.33	5.23	5.65	5.71	HSSH	6.82	7.24	-			BR	7.79
		1	HSI	26	1	BR	4.00	4.50	5.40	5.73	5.79	HSGH	6.51	6.84	-			BR	7.06

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Name	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Name	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Name	Final Facility Arrival
		1	HSI	35	2	BR		4.33	4.83	5.73	6.15	6.21	HSSH		7.24	7.66	-				BR		8.21
		1	HSI	34	2	BR		4.33	4.83	5.73	6.15	6.21	HSSH		7.24	7.66	-				BR		8.21
		1	HSI	33	2	BR		4.33	4.83	5.73	6.15	6.21	HSSH		7.06	7.48	-				BR		8.03
		1	HSI	32	2	BR		4.33	4.83	5.73	6.15	6.21	HSSH		7.06	7.48	-				BR		8.03
		1	HSI	27	1	BR		4.50	5.00	5.90	6.23	6.29	HVAH		7.23	7.56	-				BR		8.18
GHS	1	2	HSI	74	2	BR		5.08	5.33	6.16	6.58	6.65	-				-				-		NA
WHH	2	2	HSI	36	1	BR		5.30	5.55	6.27	6.60	6.65	HVAH		7.56	7.89	-				BR		8.50
WHH	1	2	HSI	37	1	BR		5.30	5.55	6.27	6.60	6.65	HVAH		7.56	7.89	-				BR		8.50
OKH	2	2	HSI	38	1	BR		5.96	6.21	6.75	7.08	7.13	HVAH		8.04	8.37	-				BR		8.99
HHC	4	2	HSI	43	1	BR		6.01	6.26	6.81	7.14	7.19	HVAH		8.10	8.43	-				BR		9.04
HHC	2	2	HSI	41	1	BR		6.01	6.26	6.81	7.14	7.19	HVAH		8.10	8.43	-				BR		9.04
HHC	5	2	HSI	42	1	BR		6.01	6.26	6.81	7.14	7.19	HVAH		8.10	8.43	-				BR		9.04
HHC	3	2	HSI	39	1	BR		6.01	6.26	6.81	7.14	7.19	HVAH		8.10	8.43	-				BR		9.04
HHC	1	2	HSI	40	1	BR		6.01	6.26	6.81	7.14	7.19	HVAH		8.10	8.43	-				BR		9.04
SMR	2	2	HSI	44	1	BR		6.06	6.31	7.08	7.41	7.46	HVAH		8.37	8.70	-				BR		9.32
HSI	3	2	HSI	50	1	BR		6.34	6.59	7.14	7.47	7.52	HVAH		8.43	8.76	-				BR		9.37
SMR	3	2	HSI	46	1	BR		6.06	6.31	7.14	7.47	7.52	HVAH		8.43	8.76	-				BR		9.37
HSI	2	2	HSI	48	1	BR		6.34	6.59	7.14	7.47	7.52	HVAH		8.43	8.76	-				BR		9.37
SMR	1	2	HSI	45	1	BR		6.06	6.31	7.14	7.47	7.52	HVAH		8.43	8.76	-				BR		9.37
HSI	5	2	HSI	47	1	BR		6.34	6.59	7.14	7.47	7.52	HVAH		8.43	8.76	-				BR		9.37
HHC	8	2	HSI	51	1	BR		6.34	6.59	7.41	7.74	7.79	HVAH		8.70	9.03	-				BR		9.65
SMR	5	2	HSI	55	1	BR		6.56	6.81	7.47	7.80	7.85	HVAH		8.76	9.09	-				BR		9.70
HSI	1	2	HSI	49	1	BR		6.34	6.59	7.47	7.80	7.85	HVAH		8.76	9.09	-				BR		9.70
SMR	4	2	HSI	54	1	BR		6.56	6.81	7.47	7.80	7.85	HVAH		8.76	9.09	-				BR		9.70
OKH	5	2	HSI	52	1	BR		6.46	6.71	7.47	7.80	7.85	HVAH		8.76	9.09	-				BR		9.70
SMR	9	2	HSI	53	1	BR		6.56	6.81	7.47	7.80	7.85	HVAH		8.76	9.09	-				BR		9.70
RNH	1	2	HSI	56	1	BR		6.57	6.82	7.74	8.07	8.12	HVAH		9.03	9.36	-				BR		9.98
HHC	11	2	HSI	58	1	BR		6.59	6.84	7.80	8.13	8.18	HVAH		9.09	9.42	-				BR		10.03
HSI	9	2	HSI	61	1	BR		6.91	7.16	7.80	8.13	8.18	HVAH		9.09	9.42	-				BR		10.03
HSI	10	2	HSI	59	1	BR		6.91	7.16	7.80	8.13	8.18	HVAH		9.09	9.42	-				BR		10.03
HSI	7	2	HSI	63	1	BR		6.91	7.16	7.80	8.13	8.18	HVAH		9.09	9.42	-				BR		10.03
HHC	12	2	HSI	57	1	BR		6.59	6.84	7.80	8.13	8.18	HVAH		9.09	9.42	-				BR		10.03
HSI	8	2	HSI	62	1	BR		6.91	7.16	8.07	8.40	8.45	HVAH		9.36	9.69	-				BR		10.31
HSI	24	2	HSI	66	1	BR		7.29	7.54	8.13	8.46	8.51	HVAH		9.42	9.75	-				BR		10.36
HSI	26	2	HSI	65	1	BR		7.06	7.31	8.13	8.46	8.51	HVAH		9.42	9.75	-				BR		10.36
HSI	22	2	HSI	64	1	BR		7.05	7.30	8.13	8.46	8.51	HVAH		9.42	9.75	-				BR		10.36
HSI	11	2	HSI	60	1	BR		6.91	7.16	8.13	8.46	8.51	HVAH		9.42	9.75	-				BR		10.36
HSI	19	2	HSI	69	1	BR		7.52	7.77	8.31	8.64	8.69	HVAH		9.60	9.93	-				BR		10.55
HSI	18	2	HSI	67	1	BR		7.52	7.77	8.40	8.73	8.78	HVAH		9.69	10.02	-				BR		10.64
HSI	17	2	HSI	71	1	BR		7.52	7.77	8.46	8.79	8.84	HVAH		9.75	10.08	-				BR		10.69
HSI	21	2	HSI	70	1	BR		7.52	7.77	8.46	8.79	8.84	HVAH		9.75	10.08	-				BR		10.69
HSI	16	2	HSI	72	1	BR		7.52	7.77	8.46	8.79	8.84	HVAH		9.75	10.08	-				BR		10.69
HSI	20	2	HSI	68	1	BR		7.52	7.77	8.46	8.79	8.84	HVAH		9.75	10.08	-				BR		10.69
OKH	1	2	HSI	73	1	BR		7.73	7.98	8.64	8.97	9.02	HVAH		9.93	10.26	-				BR		10.88
		1	ILO	2	2	BR		0.33	0.83	1.89	2.31	3.14	MP		3.82	4.07	HI		4.81	5.23	BR		6.87
		1	ILO	1	2	BR		0.33	0.83	1.89	2.31	3.14	MP		3.82	4.07	HI		4.81	5.23	BR		6.87

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code			Special Facility		Leave EPZ	1st Facility Code			Next Facility Code			Final Facility Code	
						Name	Arrival	Leave	Arrival	Leave		Name	Arrival	Leave	Name	Arrival	Leave	Name	Arrival
		1	MCF	2	2	BR	0.83	1.33	2.20	2.62	2.80	MP	4.85	5.10	MP	5.29	5.71	BR	6.63
		1	MCF	1	2	BR	0.83	1.33	2.20	2.62	2.80	MP	4.85	5.10	MP	5.29	5.71	BR	6.63
		1	OKH	14	2	BR	0.25	0.75	1.74	2.16	2.64	MB	3.98	4.23	ML	4.66	5.08	BR	5.89
		1	OKH	13	2	BR	0.25	0.75	1.74	2.16	2.64	MB	3.98	4.23	ML	4.66	5.08	BR	5.89
		1	OKH	15	2	BR	0.25	0.75	1.74	2.16	2.64	MB	3.98	4.23	ML	4.66	5.08	BR	5.89
		1	OKH	16	2	BR	0.25	0.75	1.74	2.16	2.64	MB	3.98	4.23	ML	4.66	5.08	BR	5.89
		1	OKH	12	2	BR	0.25	0.75	1.74	2.16	2.64	MB	3.98	4.23	ML	4.66	5.08	BR	5.89
		1	OKH	11	2	BR	0.25	0.75	1.74	2.16	2.64	MB	3.98	4.23	ML	4.66	5.08	BR	5.89
		1	OKH	2	1	BR	0.50	1.00	1.99	2.32	2.80	MB	4.14	4.39	ML	4.82	5.15	BR	5.96
		1	OKH	3	1	BR	0.67	1.17	2.16	2.49	2.97	MB	4.31	4.56	ML	4.99	5.32	BR	6.13
		1	OKH	4	1	BR	0.67	1.17	2.16	2.49	2.97	MB	4.31	4.56	ML	4.99	5.32	BR	6.13
		1	OKH	17	2	BR	0.67	1.17	2.16	2.58	3.06	MB	4.40	4.65	ML	5.08	5.50	BR	6.31
		1	OKH	20	2	BR	0.67	1.17	2.16	2.58	3.06	MB	4.40	4.65	ML	5.08	5.50	BR	6.31
		1	OKH	21	2	BR	0.67	1.17	2.16	2.58	3.06	MB	4.40	4.65	ML	5.08	5.50	BR	6.31
		1	OKH	19	2	BR	0.67	1.17	2.16	2.58	3.06	MB	4.40	4.65	ML	5.08	5.50	BR	6.31
		1	OKH	22	2	BR	0.67	1.17	2.16	2.58	3.06	MB	4.40	4.65	ML	5.08	5.50	BR	6.31
		1	OKH	18	2	BR	0.67	1.17	2.16	2.58	3.06	MB	4.40	4.65	ML	5.08	5.50	BR	6.31
		1	OKH	8	1	BR	1.00	1.50	2.49	2.82	3.30	MB	4.64	4.89	ML	5.32	5.65	BR	6.46
		1	OKH	9	1	BR	1.00	1.50	2.49	2.82	3.30	MB	4.64	4.89	ML	5.32	5.65	BR	6.46
		1	OKH	6	1	BR	1.00	1.50	2.49	2.82	3.30	MB	4.64	4.89	ML	5.32	5.65	BR	6.46
		1	OKH	10	1	BR	1.00	1.50	2.49	2.82	3.30	MB	4.64	4.89	ML	5.32	5.65	BR	6.46
		1	OKH	7	1	BR	1.00	1.50	2.49	2.82	3.30	MB	4.64	4.89	ML	5.32	5.65	BR	6.46
		1	OKH	5	1	BR	1.00	1.50	2.49	2.82	3.30	MB	4.64	4.89	ML	5.32	5.65	BR	6.46
		1	OKH	26	2	BR	1.25	1.75	2.74	3.16	3.64	MB	4.98	5.23	ML	5.66	6.08	BR	6.61
		1	OKH	24	2	BR	1.25	1.75	2.74	3.16	3.64	MB	4.98	5.23	ML	5.66	6.08	BR	6.61
		1	OKH	25	2	BR	1.25	1.75	2.74	3.16	3.64	MB	4.98	5.23	ML	5.66	6.08	BR	6.61
		1	OKH	23	2	BR	1.25	1.75	2.74	3.16	3.64	MB	4.98	5.23	ML	5.66	6.08	BR	6.61
		1	OKH	29	2	BR	1.75	2.25	3.24	3.66	4.14	MB	5.48	5.73	ML	6.16	6.58	BR	6.96
		1	OKH	29	2	BR	1.75	2.25	3.24	3.66	4.14	MB	5.48	5.73	ML	6.16	6.58	BR	6.96
		1	OKH	27	2	BR	1.75	2.25	3.24	3.66	4.14	MB	5.48	5.73	ML	6.16	6.58	BR	6.96
		1	OKH	31	2	BR	1.75	2.25	3.24	3.66	4.14	MB	5.48	5.73	ML	6.16	6.58	BR	6.96
		1	OKH	32	2	BR	1.75	2.25	3.24	3.66	4.14	MB	5.48	5.73	ML	6.16	6.58	BR	6.96
		1	OKH	30	2	BR	1.75	2.25	3.24	3.66	4.14	MB	5.48	5.73	ML	6.49	6.91	BR	7.28
		1	OKH	33	2	BR	2.17	2.67	3.66	4.08	4.56	MB	5.90	6.15	ML	7.00	7.42	BR	7.80
		1	OKH	36	2	BR	2.17	2.67	3.66	4.08	4.56	MB	5.90	6.15	ML	7.33	7.75	BR	8.12
		1	OKH	34	2	BR	2.17	2.67	3.66	4.08	4.56	MB	5.90	6.15	ML	7.00	7.42	BR	7.80
		1	OKH	35	2	BR	2.17	2.67	3.66	4.08	4.56	MB	5.90	6.15	ML	7.00	7.42	BR	7.80
		1	OKH	38	2	BR	2.17	2.67	3.66	4.08	4.56	MB	5.90	6.15	ML	7.00	7.42	BR	7.80
		1	OKH	37	2	BR	2.17	2.67	3.66	4.08	4.56	MB	5.90	6.15	ML	7.00	7.42	BR	7.80
		1	OKH	41	2	BR	2.83	3.33	4.32	4.74	5.04	MB	6.26	6.51	ML	7.84	8.26	BR	8.64
		1	OKH	40	2	BR	2.83	3.33	4.32	4.74	5.04	MB	6.26	6.51	ML	8.17	8.59	BR	8.96
		1	OKH	39	2	BR	2.83	3.33	4.32	4.74	5.04	MB	6.26	6.51	ML	8.26	8.68	BR	9.06
		1	OKH	1	1	PE	0.50	1.00	5.02	5.35	5.43	MB	6.40	6.65	ML	7.03	7.36	BR	7.73
		1	OLP	1	2	BR	0.17	0.67	1.87	2.29	3.14	MP	5.17	5.42	MP	5.71	6.13	BR	6.81
		1	OLP	2	1	BR	0.50	1.00	2.20	2.53	3.38	MP	5.41	5.66	MP	5.66	5.99	BR	6.72
		1	RCF	3	2	BR	0.17	0.67	1.88	2.30	3.49	MB	4.63	4.88	MP	5.67	6.09	BR	6.42

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
		1	RCF	2	2	MR	0.17	0.67	1.88	2.30	3.49	MB	4.63	4.88	MM	5.67	6.09	BR	6.42
		1	RCF	1	2	BR	0.17	0.67	1.88	2.30	3.49	MB	4.63	4.88	MM	5.67	6.09	BR	6.42
		1	RMH	1	1	PE	0.67	1.17	1.44	1.77	1.87	MR	2.11	2.36	ML	5.65	5.98	BR	6.57
		1	RMH	12	2	PE	1.25	1.75	2.02	2.44	2.54	MR	2.76	3.03	ML	6.07	6.49	BR	6.87
		1	RMH	6	2	BR	0.42	0.92	2.55	2.97	3.08	MR	3.32	3.57	ML	6.58	7.00	BR	7.38
		1	RMH	2	2	BR	0.42	0.92	2.55	2.97	3.08	MR	3.32	3.57	ML	6.91	7.33	BR	7.70
		1	RMH	3	2	BR	0.42	0.92	2.55	2.97	3.08	MR	3.32	3.57	ML	6.58	7.00	BR	7.38
		1	RMH	5	2	BR	0.42	0.92	2.55	2.97	3.08	MR	3.32	3.57	ML	6.58	7.00	BR	7.38
		1	RMH	7	2	BR	0.42	0.92	2.55	2.97	3.08	MR	3.32	3.57	ML	6.58	7.00	BR	7.38
		1	RMH	4	2	BR	0.42	0.92	2.55	2.97	3.08	MR	3.32	3.57	ML	6.58	7.00	BR	7.38
		1	RMH	10	2	BR	0.83	1.33	2.97	3.39	3.50	MR	3.74	3.99	ML	7.42	7.84	BR	8.22
		1	RMH	8	2	BR	0.83	1.33	2.97	3.39	3.50	MR	3.74	3.99	ML	7.42	7.84	BR	8.22
		1	RMH	11	2	BR	0.83	1.33	2.97	3.39	3.50	MR	3.74	3.99	ML	7.42	7.84	BR	8.22
		1	RMH	9	2	BR	0.83	1.33	2.97	3.39	3.50	MR	3.74	3.99	ML	7.42	7.84	BR	8.22
		1	RMH	17	2	BR	1.33	1.83	3.47	3.89	3.99	MR	4.23	4.48	ML	7.84	8.26	BR	8.64
		1	RMH	16	2	BR	1.33	1.83	3.47	3.89	3.99	MR	4.23	4.48	ML	7.84	8.26	BR	8.64
		1	RMH	13	2	BR	1.33	1.83	3.47	3.89	3.99	MR	4.23	4.48	ML	7.42	7.84	BR	8.22
		1	RMH	15	2	BR	1.33	1.83	3.47	3.89	3.99	MR	4.23	4.48	ML	7.75	8.17	BR	8.54
		1	RMH	18	2	BR	1.33	1.83	3.47	3.89	3.99	MR	4.23	4.48	ML	7.84	8.26	BR	8.64
		1	RMH	14	2	BR	1.33	1.83	3.47	3.89	3.99	MR	4.23	4.48	ML	7.84	8.26	BR	8.64
		1	SNR	1	1	BR	0.83	1.33	2.14	2.47	2.52	MB	4.15	4.40	MC	5.34	5.67	BR	6.06
		1	SNR	2	1	BR	0.83	1.33	2.14	2.47	2.52	MB	4.15	4.40	MC	5.34	5.67	BR	6.06
		1	SNR	3	1	BR	0.83	1.33	2.14	2.47	2.52	MB	4.15	4.40	MC	5.34	5.67	BR	6.06
		1	SNR	13	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	MC	5.60	6.02	BR	6.41
		1	SNR	11	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	MC	5.60	6.02	BR	6.41
		1	SNR	15	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	MC	5.60	6.02	BR	6.41
		1	SNR	10	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	MC	5.60	6.02	BR	6.41
		1	SNR	14	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	MC	5.60	6.02	BR	6.41
		1	SNR	12	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	MC	5.60	6.02	BR	6.41
		1	SNR	9	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	MC	5.84	6.17	BR	6.56
		1	SNR	6	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	MC	5.84	6.17	BR	6.56
		1	SNR	4	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	MC	5.84	6.17	BR	6.56
		1	SNR	7	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	MC	5.84	6.17	BR	6.56
		1	SNR	5	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	MC	5.84	6.17	BR	6.56
		1	SNR	8	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	MC	5.84	6.17	BR	6.56
		1	SNR	17	2	BR	1.66	2.16	2.97	3.39	3.44	MB	5.07	5.32	MC	6.26	6.68	BR	7.07
		1	SNR	16	2	BR	1.66	2.16	2.97	3.39	3.44	MB	5.07	5.32	MC	6.26	6.68	BR	7.07
		1	SNR	18	2	BR	1.66	2.16	2.97	3.39	3.44	MB	5.07	5.32	MC	6.26	6.68	BR	7.07
		1	SNR	19	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	MC	6.64	7.06	BR	7.45
		1	SNR	21	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	MC	6.68	7.10	BR	7.49
		1	SNR	20	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	MC	6.64	7.06	BR	7.45
		1	SNR	24	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	MC	6.68	7.10	BR	7.49
		1	SNR	23	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	MC	6.64	7.06	BR	7.45
		1	SNR	22	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	MC	6.68	7.10	BR	7.49
		1	SNR	25	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.91	6.16	MC	7.06	7.48	BR	7.87
		1	SNR	29	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.91	6.16	MC	7.06	7.48	BR	7.87

Table 1 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	SNR	27	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.91	6.16	HC	7.10	7.52	BR	7.91
		1	SNR	28	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.91	6.16	HC	7.10	7.52	BR	7.91
		1	SNR	26	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.91	6.16	HC	7.06	7.48	BR	7.87
		1	SNR	30	2	BR	3.50	4.00	4.81	5.23	5.24	MB	6.69	6.94	HC	7.36	7.78	BR	8.17
		1	SNR	31	2	BR	3.50	4.00	4.81	5.23	5.24	MB	6.69	6.94	HC	7.48	7.90	BR	8.29
		1	SNR	32	2	BR	3.50	4.00	4.81	5.23	5.24	MB	6.69	6.94	HC	7.48	7.90	BR	8.29
		1	WHN	6	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	5.31
		1	WHN	5	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	5.31
		1	WHN	3	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	5.31
		1	WHN	4	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	5.31
		1	WHN	1	1	BR	0.67	1.17	2.00	2.33	2.92	MP	3.36	3.61	HP	3.61	3.94	BR	5.30
		1	WHN	2	1	BR	0.67	1.17	2.00	2.33	2.92	MP	3.36	3.61	HP	3.61	3.94	BR	5.30
		1	WHN	7	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.73
		1	WHN	10	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.73
		1	WHN	9	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.73
		1	WHN	12	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.73
		1	WHN	8	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.73
		1	WHN	11	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.73
		1	WHN	15	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	6.23
		1	WHN	14	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	6.23
		1	WHN	16	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	6.23
		1	WHN	13	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	6.23
		1	WHN	17	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	6.23
		1	WHN	15	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	6.23
		1	WHN	21	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.54
		1	WHN	20	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.54
		1	WHN	22	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.54
		1	WHN	19	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.54
		1	WHN	18	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.54
		1	WHN	23	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.54
		1	WHN	24	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.29	5.71	BR	6.63
		1	WHN	27	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.29	5.71	BR	6.63
		1	WHN	26	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.71	6.13	BR	6.81
		1	WHN	28	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.29	5.71	BR	6.63
		1	WHN	25	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.29	5.71	BR	6.63
		1	WHN	30	2	BR	3.08	3.58	4.41	4.83	5.08	MP	5.52	5.77	HP	5.77	6.19	BR	6.88
		1	WHN	31	2	BR	3.08	3.58	4.41	4.83	5.08	MP	5.52	5.77	HP	5.77	6.19	BR	6.88
		1	WHN	29	2	BR	3.08	3.58	4.41	4.83	5.08	MP	5.52	5.77	HP	5.77	6.19	BR	6.88

able 2A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	GHS	3	2	BR	0.33	0.83	1.90	2.40	3.04	MB	4.89	5.14	HW	5.25	5.75	BR	5.96
		1	GHS	2	2	BR	0.33	0.83	1.90	2.40	3.04	MB	4.89	5.14	HW	5.25	5.75	BR	5.96
		1	GHS	1	2	BR	0.33	0.83	1.90	2.40	3.04	MB	4.89	5.14	HW	5.25	5.75	BR	5.96
		1	GHS	4	2	BR	0.33	0.83	1.90	2.40	3.04	MB	4.89	5.14	HW	5.25	5.75	BR	5.96
GHS	2	2	HCS	9	2	BR	5.96	6.21	8.09	8.59	8.59	-			-			-	NA
GHS	3	2	HCS	8	2	BR	5.96	6.21	8.09	8.59	8.59	-			-			-	NA
GHS	4	2	HCS	10	2	BR	5.96	6.21	8.09	8.5	8.59	-			-			-	NA
OKH	13	2	HCS	16	2	BR	7.02	7.27	8.62	9.12	9.12	-			-			-	NA
OKH	12	2	HCS	11	2	BR	7.02	7.27	8.62	9.12	9.12	-			-			-	NA
OKH	11	2	HCS	14	2	BR	7.02	7.27	8.62	9.12	9.12	-			-			-	NA
OKH	16	2	HCS	13	2	BR	7.02	7.27	8.62	9.12	9.12	-			-			-	NA
OKH	14	2	HCS	12	2	BR	7.02	7.27	8.62	9.12	9.12	-			-			-	NA
OKH	15	2	HCS	15	2	BR	7.02	7.27	8.62	9.12	9.12	-			-			-	NA
HSI	3	2	HCS	1	1	BR	7.42	7.67	8.84	9.34	9.34	-			-			HSHH	10.50
OKH	3	2	HCS	3	1	BR	7.44	7.69	8.86	9.36	9.36	-			-			HSHH	10.51
OKH	4	2	HCS	2	1	BR	7.44	7.69	8.86	9.36	9.36	-			-			HSHH	10.51
OKH	22	2	HCS	18	2	BR	7.52	7.77	9.12	9.62	9.62	-			-			-	NA
OKH	17	2	HCS	17	2	BR	7.52	7.77	9.12	9.62	9.62	-			-			-	NA
SMR	12	2	HCS	19	2	BR	7.53	7.78	9.12	9.62	9.62	-			-			-	NA
SMR	7	2	HCS	4	1	BR	7.86	8.11	9.27	9.77	9.77	-			-			HSHH	10.93
SMR	9	2	HCS	6	1	BR	7.86	8.11	9.27	9.77	9.77	-			-			HSHH	10.93
SMR	8	2	HCS	5	1	BR	7.86	8.11	9.27	9.77	9.77	-			-			HSHH	10.93
HSI	23	2	HCS	7	1	BR	10.21	10.46	11.63	12.13	12.13	-			-			HSHH	13.28
HCS	1	3	HCS	20	1	SH	10.50	11.00	12.01	12.51	12.51	-			-			HSHH	13.66
HCS	2	3	HCS	22	1	SH	10.51	11.01	12.02	12.52	12.52	-			-			HSHH	13.68
HCS	3	3	HCS	21	1	SH	10.51	11.01	12.02	12.52	12.52	-			-			HSHH	13.68
HCS	5	3	HCS	23	1	SH	10.93	11.43	12.44	12.94	12.94	-			-			HSHH	14.09
HCS	6	3	HCS	25	1	SH	10.93	11.43	12.44	12.94	12.94	-			-			HSHH	14.09
HCS	4	3	HCS	24	1	SH	10.93	11.43	12.44	12.94	12.94	-			-			HSHH	14.09
HSI	53	3	HCS	26	1	BR	12.26	12.51	13.68	14.18	14.18	-			-			HGSH	NA
HSI	55	3	HCS	28	1	BR	12.32	12.57	13.74	14.24	14.24	-			-			HGSH	NA
HSI	54	3	HCS	27	1	BR	12.32	12.57	13.74	14.24	14.24	-			-			HGSH	NA
HSI	56	3	HCS	29	1	BR	12.72	12.97	14.14	14.64	14.64	-			-			HGSH	NA
HSI	57	3	HCS	31	1	BR	12.76	13.01	14.18	14.68	14.68	-			-			HGSH	NA
HSI	58	3	HCS	30	1	BR	12.76	13.01	14.18	14.68	14.68	-			-			HGSH	NA
HSI	63	3	HCS	32	1	BR	13.26	13.51	14.68	15.18	15.18	-			-			HGSH	NA
HSI	65	3	HCS	33	1	BR	13.26	13.51	14.68	15.18	15.18	-			-			HGSH	NA
HSI	66	3	HCS	34	1	BR	13.32	13.57	14.74	15.24	15.24	-			-			HGSH	NA
HCS	7	3	HCS	35	1	SH	13.28	13.78	14.79	15.29	15.29	-			-			HGSH	NA
		1	HHC	2	1	BR	0.00	0.50	2.14	2.97	4.57	HSTJ	6.53	7.03	-			BR	7.92
		1	HHC	1	1	BR	0.00	0.50	2.14	2.97	4.57	HSTJ	6.53	7.03	-			BR	7.92
		1	HHC	3	1	BR	0.00	0.50	2.14	2.97	4.57	HSTJ	6.53	7.03	-			BR	7.92
		1	HHC	4	1	BR	0.00	0.50	2.14	2.97	4.57	HSTJ	6.53	7.03	-			BR	7.92
		1	HHC	5	1	BR	0.00	0.50	2.14	2.97	4.57	HSTJ	6.53	7.03	-			BR	7.92
		1	HHC	8	1	PE	0.25	0.75	2.30	3.13	4.73	HSTJ	6.53	7.03	-			BR	7.92
		1	HHC	9	1	PE	0.25	0.75	2.30	3.13	4.73	HSTJ	7.03	7.53	-			BR	8.34

Table 2 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	HHC	12	1	BR	0.25	0.75	2.39	3.22	4.82	HSTJ	7.03	7.53	-			BR	8.34
		1	HHC	7	1	BR	0.25	0.75	2.39	3.22	4.82	HSTJ	7.03	7.53	-			BR	8.34
		1	HHC	6	1	BR	0.25	0.75	2.39	3.22	4.82	HSTJ	7.03	7.53	-			BR	8.34
		1	HHC	10	1	BR	0.25	0.75	2.39	3.22	4.82	HSTJ	7.03	7.53	-			BR	8.34
		1	HHC	11	1	BR	0.25	0.75	2.39	3.22	4.82	HSTJ	7.03	7.53	-			BR	8.59
		1	HHC	13	1	BR	0.50	1.00	2.64	3.47	5.07	HSTJ	7.53	8.03	-			BR	9.14
		1	HHC	17	2	PE	0.00	0.50	2.05	4.05	5.65	HSGH	7.10	7.60	-			BR	8.23
		1	HHC	16	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.19	7.69	-			BR	8.23
		1	HHC	15	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.19	7.69	-			BR	8.44
		1	HHC	18	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.60	8.10	-			BR	8.49
		1	HHC	21	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.69	8.19	-			BR	8.23
		1	HHC	20	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.19	7.69	-			BR	8.23
		1	HHC	14	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.19	7.69	-			BR	8.23
		1	HHC	22	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.19	7.69	-			BR	8.49
		1	HHC	19	2	BR	0.00	0.50	2.14	4.14	5.74	HSGH	7.69	8.19	-			-	NA
WHN	11	2	HJM	13	2	BR	6.70	6.95	7.99	8.49	8.50	-			-			-	NA
WHN	12	2	HJM	11	2	BR	6.70	6.95	7.99	8.49	8.50	-			-			-	NA
WHN	9	2	HJM	14	2	BR	6.70	6.95	7.99	8.49	8.50	-			-			-	NA
WHN	8	2	HJM	12	2	BR	6.70	6.95	7.99	8.49	8.50	-			-			-	NA
OKH	20	2	HJM	17	2	BR	7.52	7.77	8.81	9.31	9.32	-			-			-	NA
OKH	19	2	HJM	15	2	BR	7.52	7.77	8.81	9.31	9.32	-			-			-	NA
OKH	18	2	HJM	16	2	BR	7.52	7.77	8.81	9.31	9.32	-			-			-	NA
OKH	21	2	HJM	18	2	BR	7.52	7.77	8.81	9.31	9.32	-			-			-	NA
WHN	22	2	HJM	19	2	BR	7.62	7.87	8.91	9.41	9.42	-			-			-	NA
RCF	1	2	HJM	21	2	BR	7.69	7.94	8.98	9.48	9.49	-			-			HGSH	11.14
SNR	4	2	HJM	1	1	BR	7.86	8.11	9.14	9.64	9.65	-			-			HGSH	11.21
HHC	3	2	HJM	6	1	BR	7.92	8.17	9.21	9.71	9.72	-			-			HGSH	11.21
HHC	4	2	HJM	4	1	BR	7.92	8.17	9.21	9.71	9.72	-			-			HGSH	11.21
HHC	2	2	HJM	2	1	BR	7.92	8.17	9.21	9.71	9.72	-			-			HGSH	11.21
HHC	3	2	HJM	3	1	BR	7.92	8.17	9.21	9.71	9.72	-			-			HGSH	11.21
HHC	1	2	HJM	5	1	BR	7.92	8.17	9.21	9.71	9.72	-			-			-	NA
RCF	3	2	HJM	20	2	BR	7.69	7.94	9.31	9.81	9.82	-			-			-	NA
WHN	19	2	HJM	25	2	BR	7.70	7.95	9.31	9.81	9.82	-			-			-	NA
RCF	2	2	HJM	22	2	BR	7.69	7.94	9.31	9.81	9.82	-			-			-	NA
WHN	21	2	HJM	24	2	BR	7.70	7.95	9.31	9.81	9.82	-			-			-	NA
WHN	20	2	HJM	23	2	BR	7.70	7.95	9.41	9.91	9.92	-			-			-	NA
OKH	25	2	HJM	26	2	BR	8.02	8.27	9.48	9.98	9.99	-			-			-	NA
MCF	1	2	HJM	27	2	BR	8.12	8.37	9.81	10.31	10.32	-			-			HGSH	13.04
OKH	1	2	HJM	7	1	BR	9.75	10.00	11.04	11.54	11.55	-			-			HGSH	13.19
HSI	13	2	HJM	10	1	BR	9.91	10.16	11.20	11.70	11.71	-			-			HGSH	13.19
HSI	14	2	HJM	8	1	BR	9.91	10.16	11.20	11.70	11.71	-			-			HGSH	13.19
HSI	15	2	HJM	9	1	BR	9.91	10.16	11.20	11.70	11.71	-			-			HGSH	13.99
HSI	37	3	HJM	22	1	BR	10.71	10.96	12.00	12.50	12.51	-			-			HGSH	14.55
HSI	39	3	HJM	29	1	BR	11.26	11.51	12.55	13.05	13.06	-			-			HGSH	14.55
HSI	41	3	HJM	30	1	BR	11.26	11.51	12.55	13.05	13.06	-			-			HGSH	15.05
HSI	48	3	HJM	37	1	BR	11.76	12.01	13.05	13.55	13.56	-			-				

Table 2 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
HSI	50	3	HJM	38	1	BR	11.82	12.07	13.11	13.61	13.62	-			-			HGSH	15.10
HSI	49	3	HJM	39	1	BR	11.82	12.07	13.11	13.61	13.62	-			-			HGSH	15.10
HJM	1	3	HJM	31	1	GH	11.14	11.64	13.16	13.66	13.67	-			-			HGSH	15.16
HJM	4	3	HJM	35	1	GH	11.21	11.71	13.23	13.73	13.74	-			-			HGSH	15.23
HJM	2	3	HJM	33	1	GH	11.21	11.71	13.23	13.73	13.74	-			-			HGSH	15.23
HJM	5	3	HJM	36	1	GH	11.21	11.71	13.55	14.05	14.06	-			-			HGSH	15.55
HJM	3	3	HJM	34	1	GH	11.21	11.71	13.61	14.11	14.12	-			-			HGSH	15.60
HJM	6	3	HJM	32	1	GH	11.21	11.71	13.61	14.11	14.12	-			-			HGSH	15.60
HSI	47	3	HJM	40	1	BR	12.22	12.47	13.66	14.16	14.17	-			-			HGSH	15.66
HSI	52	3	HJM	42	1	BR	12.26	12.51	13.73	14.23	14.24	-			-			HGSH	15.73
HSI	51	3	HJM	41	1	BR	12.26	12.51	13.73	14.23	14.24	-			-			HGSH	15.73
HSI	61	3	HJM	43	1	BR	12.76	13.01	14.05	14.55	14.56	-			-			HGSH	16.05
HSI	59	3	HJM	44	1	BR	12.82	13.07	14.11	14.61	14.62	-			-			HGSH	16.10
HSI	60	3	HJM	45	1	BR	12.82	13.07	14.11	14.61	14.62	-			-			HGSH	16.10
HSI	62	3	HJM	46	1	BR	13.22	13.47	14.51	15.01	15.02	-			-			HGSH	16.50
HSI	64	3	HJM	47	1	BR	13.26	13.51	14.55	15.05	15.06	-			-			HGSH	16.55
WHN	6	2	HSC	10	2	BR	6.20	6.45	7.51	8.01	8.05	-			-			-	NA
WHN	3	2	HSC	12	2	BR	6.20	6.45	7.51	8.01	8.05	-			-			-	NA
WHN	5	2	HSC	11	2	BR	6.20	6.45	7.51	8.01	8.05	-			-			-	NA
WHN	4	2	HSC	9	2	BR	6.20	6.45	7.51	8.01	8.05	-			-			-	NA
WHN	7	2	HSC	13	2	BR	6.62	6.87	7.93	8.43	8.47	-			-			-	NA
WHN	10	2	HSC	14	2	BR	6.62	6.87	7.93	8.43	8.47	-			-			-	NA
WHN	15	2	HSC	16	2	BR	7.12	7.37	8.43	8.93	8.97	-			-			-	NA
WHN	16	2	HSC	15	2	BR	7.12	7.37	8.43	8.93	8.97	-			-			-	NA
WHN	14	2	HSC	17	2	BR	7.20	7.45	8.51	9.01	9.05	-			-			-	NA
WHN	17	2	HSC	20	2	BR	7.20	7.45	8.51	9.01	9.05	-			-			-	NA
WHN	13	2	HSC	18	2	BR	7.20	7.45	8.51	9.01	9.05	-			-			-	NA
WHN	15	2	HSC	19	2	BR	7.20	7.45	8.51	9.01	9.05	-			-			-	NA
SNR	10	2	HSC	22	2	BR	7.53	7.78	8.93	9.43	9.47	-			-			-	NA
SNR	11	2	HSC	23	2	BR	7.53	7.78	8.93	9.43	9.47	-			-			-	NA
SNR	14	2	HSC	25	2	BR	7.53	7.78	9.01	9.51	9.55	-			-			-	NA
WHN	18	2	HSC	26	2	BR	7.62	7.87	9.01	9.51	9.55	-			-			-	NA
SNR	15	2	HSC	21	2	BR	7.53	7.78	9.01	9.51	9.55	-			-			-	NA
SNR	12	2	HSC	24	2	BR	7.53	7.78	9.01	9.51	9.55	-			-			-	NA
WHN	23	2	HSC	27	2	BR	7.70	7.95	9.43	9.93	9.97	-			-			-	NA
OKH	23	2	HSC	28	2	BR	8.02	8.27	9.43	9.93	9.97	-			-			-	NA
OKH	24	2	HSC	30	2	BR	8.02	8.27	9.51	10.01	10.05	-			-			-	NA
OKH	26	2	HSC	29	2	BR	8.02	8.27	9.51	10.01	10.05	-			-			-	NA
HSI	7	2	HSC	2	1	BR	8.34	8.59	9.65	10.15	10.18	-			-			HGSH	11.82
HSI	9	2	HSC	1	1	BR	8.34	8.59	9.65	10.15	10.18	-			-			HGSH	11.82
HSI	8	2	HSC	3	1	BR	8.34	8.59	9.65	10.15	10.18	-			-			HGSH	11.82
HHC	6	2	HSC	6	1	BR	8.34	8.59	9.65	10.15	10.19	-			-			HGSH	11.82
HHC	10	2	HSC	5	1	BR	8.34	8.59	9.65	10.15	10.19	-			-			HGSH	11.82
HHC	11	2	HSC	4	1	BR	8.34	8.59	9.65	10.15	10.19	-			-			HGSH	11.82
HSI	12	2	HSC	7	1	BR	9.91	10.16	11.22	11.72	11.76	-			-			HGSH	13.40
HSI	27	2	HSC	8	1	BR	9.93	10.18	11.24	11.74	11.78	-			-			HGSH	13.41

Table 7 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
HSI	36	3	HSC	31	1	BR	10.71	10.96	12.02	12.52	12.56	-			-			HHHH	14.20
HSI	38	3	HSC	32	1	BR	11.22	11.47	12.53	13.03	13.07	-			-			HHHH	14.71
HSI	40	3	HSC	33	1	BR	11.26	11.51	12.58	13.08	13.11	-			-			HHHH	14.75
HSI	42	3	HSC	35	1	BR	11.32	11.57	12.63	13.13	13.17	-			-			HHHH	14.80
HSI	44	3	HSC	34	1	BR	11.32	11.57	12.63	13.13	13.17	-			-			HHHH	14.80
HSI	45	3	HSC	36	1	BR	11.72	11.97	13.03	13.53	13.57	-			-			HHHH	15.21
HSI	46	3	HSC	37	1	BR	11.76	12.01	13.08	13.58	13.61	-			-			HHHH	15.25
HSI	47	3	HSC	38	1	BR	11.76	12.01	13.08	13.58	13.61	-			-			HHHH	15.25
HSC	2	3	HSC	39	1	HH	11.82	12.32	13.98	14.48	14.51	-			-			HHHH	16.15
HSC	3	3	HSC	40	1	HH	11.82	12.32	13.98	14.48	14.51	-			-			HHHH	16.15
HSC	1	3	HSC	41	1	HH	11.82	12.32	13.98	14.48	14.51	-			-			HHHH	16.15
HSC	4	3	HSC	44	1	HH	11.82	12.32	13.98	14.48	14.51	-			-			HHHH	16.15
HSC	5	3	HSC	43	1	HH	11.82	12.32	13.98	14.48	14.51	-			-			HHHH	16.15
HSC	6	3	HSC	42	1	HH	11.82	12.32	13.98	14.48	14.51	-			-			HHHH	16.15
HSI	67	3	HSC	45	1	BR	13.32	13.57	14.63	15.13	15.17	-			-			HHHH	16.80
HSI	69	3	HSC	46	1	BR	13.72	13.97	15.03	15.53	15.57	-			-			HHHH	17.21
		1	HSI	5	1	BR	1.67	2.17	3.30	3.80	4.17	HSTJ	6.03	6.53	-			BR	7.42
		1	HSI	4	1	BR	1.67	2.17	3.30	3.80	4.17	HSTJ	6.03	6.53	-			BR	7.42
		1	HSI	3	1	BR	1.67	2.17	3.30	3.80	4.17	HSTJ	6.03	6.53	-			BR	7.42
		1	HSI	6	1	BR	1.67	2.17	3.30	3.80	4.17	HSTJ	6.03	6.53	-			BR	7.42
		1	HSI	2	1	BR	1.67	2.17	3.30	3.80	4.17	HSTJ	6.03	6.53	-			BR	7.42
		1	HSI	1	1	BR	1.67	2.17	3.30	3.80	4.17	HSTJ	6.03	6.53	-			BR	7.42
		1	HSI	10	1	BR	2.00	2.50	3.80	4.30	4.67	HSSH	7.14	7.64	-			BR	8.34
		1	HSI	8	1	BR	2.00	2.50	3.80	4.30	4.67	HSSH	7.14	7.64	-			BR	8.34
		1	HSI	9	1	BR	2.00	2.50	3.80	4.30	4.67	HSSH	7.14	7.64	-			BR	8.34
		1	HSI	11	1	BR	2.00	2.50	3.80	4.30	4.67	HSSH	7.14	7.64	-			BR	8.34
		1	HSI	7	1	BR	2.00	2.50	3.80	4.30	4.67	HSSH	7.14	7.64	-			BR	8.34
		1	HSI	19	1	BR	2.50	3.00	4.13	4.63	5.00	HVAH	7.63	8.13	-			BR	8.90
		1	HSI	21	1	BR	2.50	3.00	4.30	4.80	5.17	HVAH	7.80	8.30	-			BR	9.07
		1	HSI	20	1	BR	2.50	3.00	4.30	4.80	5.17	HVAH	7.80	8.30	-			BR	9.07
		1	HSI	17	1	BR	2.50	3.00	4.30	4.80	5.17	HVAH	7.80	8.30	-			BR	9.07
		1	HSI	16	1	BR	2.50	3.00	4.30	4.80	5.17	HVAH	7.80	8.30	-			BR	9.07
		1	HSI	18	1	BR	2.50	3.00	4.30	4.80	5.17	HVAH	7.80	8.30	-			BR	9.07
		1	HSI	22	1	BR	2.67	3.17	4.63	5.13	5.50	HSTJ	7.53	8.03	-			BR	8.59
		1	HSI	25	1	BR	3.50	4.00	5.13	5.63	6.00	HVAH	8.44	8.94	-			BR	9.71
		1	HSI	24	1	BR	3.50	4.00	5.13	5.63	6.00	HSTJ	7.86	8.36	-			BR	8.81
		1	HSI	31	2	BR	3.83	4.33	5.46	5.96	6.07	HSSH	8.40	8.90	-			BR	9.59
		1	HSI	28	2	BR	3.83	4.33	5.46	5.96	6.07	HSSH	8.40	8.90	-			BR	9.59
		1	HSI	29	2	BR	3.83	4.33	5.46	5.96	6.07	HSSH	8.40	8.90	-			BR	9.59
		1	HSI	30	2	BR	3.83	4.33	5.46	5.96	6.07	HSSH	8.40	8.90	-			BR	9.59
		1	HSI	26	1	BR	4.00	4.50	5.63	6.13	6.19	HSGH	7.60	8.10	-			BR	8.44
		1	HSI	32	2	BR	4.33	4.83	5.96	6.46	6.53	HSSH	8.55	9.05	-			BR	9.74
		1	HSI	33	2	BR	4.33	4.83	5.96	6.46	6.53	HSSH	8.55	9.05	-			BR	9.74
		1	HSI	34	2	BR	4.33	4.83	5.96	6.46	6.53	HSSH	8.90	9.40	-			BR	10.09
		1	HSI	35	2	BR	4.33	4.83	5.96	6.46	6.53	HSSH	8.90	9.40	-			BR	10.09
		1	HSI	15	1	PE	2.17	2.67	6.04	6.54	6.60	HVAH	8.64	9.14	-			BR	9.91

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
		1	HSI	13	1	PE	2.17	2.67	6.04	6.54	6.60	HVAH	8.64	9.14	-			BR	9.91
		1	HSI	14	1	PE	2.17	2.67	6.04	6.54	6.60	HVAH	8.64	9.14	-			BR	9.91
		1	HSI	12	1	PE	2.17	2.67	6.04	6.54	6.60	HVAH	8.64	9.14	-			BR	9.91
		1	HSI	27	1	BR	4.50	5.00	6.13	6.63	6.69	HVAH	8.66	9.16	-			BR	9.93
		1	HSI	23	1	PE	3.17	3.67	6.21	6.71	6.77	HVAH	8.94	9.44	-			BR	10.21
GHS	1	2	HSI	74	2	BR	5.96	6.21	7.34	7.84	7.92	-			-			-	NA
WHH	1	2	HSI	37	1	BR	6.37	6.62	7.75	8.25	8.31	HVAH	9.44	9.94	-			BR	10.71
WHH	2	2	HSI	36	1	BR	6.37	6.62	7.75	8.25	8.31	HVAH	9.44	9.94	-			BR	10.71
OKH	2	2	HSI	38	1	BR	7.27	7.52	8.26	8.76	8.82	HVAH	9.95	10.45	-			BR	11.22
SMR	3	2	HSI	40	1	BR	7.36	7.61	8.30	8.80	8.86	HVAH	9.99	10.49	-			BR	11.26
SMR	2	2	HSI	41	1	BR	7.36	7.61	8.30	8.80	8.86	HVAH	9.99	10.49	-			BR	11.26
SMR	1	2	HSI	39	1	BR	7.36	7.61	8.30	8.80	8.86	HVAH	9.99	10.49	-			BR	11.26
HSI	4	2	HSI	43	1	BR	7.42	7.67	8.35	8.85	8.92	HVAH	10.05	10.55	-			BR	11.32
HSI	5	2	HSI	44	1	BR	7.42	7.67	8.35	8.85	8.92	HVAH	10.05	10.55	-			BR	11.32
HSI	2	2	HSI	45	1	BR	7.42	7.67	8.76	9.26	9.32	HVAH	10.45	10.95	-			BR	11.72
OKH	9	2	HSI	48	1	BR	7.77	8.02	8.80	9.30	9.36	HVAH	10.49	10.99	-			BR	11.76
HSI	1	2	HSI	46	1	BR	7.42	7.67	8.80	9.30	9.36	HVAH	10.49	10.99	-			BR	11.76
HSI	6	2	HSI	42	1	BR	7.42	7.67	8.80	9.30	9.36	HVAH	10.49	10.99	-			BR	11.76
OKH	5	2	HSI	49	1	BR	7.77	8.02	8.85	9.35	9.42	HVAH	10.55	11.05	-			BR	11.82
OKH	10	2	HSI	50	1	BR	7.77	8.02	8.85	9.35	9.42	HVAH	10.55	11.05	-			BR	11.82
OKH	7	2	HSI	47	1	BR	7.77	8.02	9.26	9.76	9.82	HVAH	10.95	11.45	-			BR	12.22
SMR	5	2	HSI	52	1	BR	7.86	8.11	9.30	9.80	9.86	HVAH	10.99	11.49	-			BR	12.26
HHC	5	2	HSI	53	1	BR	7.92	8.17	9.30	9.80	9.86	HVAH	10.99	11.49	-			BR	12.26
SMR	6	2	HSI	51	1	BR	7.86	8.11	9.30	9.80	9.86	HVAH	10.99	11.49	-			BR	12.26
OKH	6	2	HSI	54	1	BR	7.94	8.19	9.35	9.85	9.92	HVAH	11.05	11.55	-			BR	12.32
RMH	1	2	HSI	55	1	BR	7.94	8.19	9.35	9.85	9.92	HVAH	11.05	11.55	-			BR	12.32
OKH	9	2	HSI	56	1	BR	8.26	8.51	9.76	10.26	10.32	HVAH	11.45	11.95	-			BR	12.72
HSI	10	2	HSI	57	1	BR	8.34	8.59	9.80	10.30	10.36	HVAH	11.49	11.99	-			BR	12.76
HHC	9	2	HSI	61	1	BR	8.34	8.59	9.80	10.30	10.36	HVAH	11.49	11.99	-			BR	12.76
HSI	11	2	HSI	58	1	BR	8.34	8.59	9.80	10.30	10.36	HVAH	11.49	11.99	-			BR	12.76
HHC	7	2	HSI	60	1	BR	8.34	8.59	9.85	10.35	10.42	HVAH	11.55	12.05	-			BR	12.82
HHC	12	2	HSI	59	1	BR	8.34	8.59	9.85	10.35	10.42	HVAH	11.55	12.05	-			BR	12.82
OLP	2	2	HSI	62	1	BR	8.43	8.68	10.26	10.76	10.82	HVAH	11.95	12.45	-			BR	13.22
HSI	22	2	HSI	64	1	BR	8.59	8.84	10.30	10.80	10.86	HVAH	11.99	12.49	-			BR	13.26
HSI	26	2	HSI	63	1	BR	8.44	8.69	10.30	10.80	10.86	HVAH	11.99	12.49	-			BR	13.26
HHC	13	2	HSI	65	1	BR	8.59	8.84	10.30	10.80	10.86	HVAH	11.99	12.49	-			BR	13.26
HSI	19	2	HSI	67	1	BR	8.90	9.15	10.35	10.85	10.92	HVAH	12.05	12.55	-			BR	13.32
HSI	24	2	HSI	66	1	BR	8.81	9.06	10.35	10.85	10.92	HVAH	12.05	12.55	-			BR	13.32
HSI	20	2	HSI	69	1	BR	9.07	9.32	10.76	11.26	11.32	HVAH	12.45	12.95	-			BR	13.72
HSI	18	2	HSI	68	1	BR	9.07	9.32	10.80	11.30	11.36	HVAH	12.49	12.99	-			BR	13.76
HSI	21	2	HSI	71	1	BR	9.07	9.32	10.80	11.30	11.36	HVAH	12.49	12.99	-			BR	13.76
HSI	17	2	HSI	70	1	BR	9.07	9.32	10.80	11.30	11.36	HVAH	12.49	12.99	-			BR	13.76
HSI	16	2	HSI	72	1	BR	9.07	9.32	10.85	11.35	11.42	HVAH	12.55	13.05	-			BR	13.82
HSI	25	2	HSI	73	1	BR	9.71	9.96	10.85	11.35	11.42	HVAH	12.55	13.05	-			BR	13.82
		1	ILO	2	2	BR	0.33	0.83	2.16	2.66	3.65	MP	4.50	4.75	HI	5.67	6.17	BR	8.53
		1	ILO	1	2	BR	0.33	0.83	2.16	2.66	3.65	MP	4.50	4.75	HI	5.67	6.17	BR	8.53

Prior Run	Prior Run Number	Move Number	This Run	This Run Number	Type	Dispatch Point Code	Name	Arrival	Leave	Special Facility Arrival	Leave	Leave EPZ	1st Facility Code	Name	Arrival	Leave	Next Facility Code	Name	Arrival	Leave	Final Facility Code	Name	Arrival
		1	MCF	1	2	BR		0.83	1.33	2.41	2.91	3.13	MP		5.70	5.95	MP		5.96	6.46	BR		8.12
		1	MCF	2	2	BR		0.83	1.33	2.41	2.91	3.13	MP		5.70	5.95	MP		5.96	6.46	BR		8.12
		1	OKH	14	2	BR		0.25	0.75	1.99	2.49	3.07	MB		4.74	4.99	HL		5.53	6.03	BR		7.02
		1	OKH	13	2	BR		0.25	0.75	1.99	2.49	3.07	MB		4.74	4.99	HL		5.53	6.03	BR		7.02
		1	OKH	15	2	BR		0.25	0.75	1.99	2.49	3.07	MB		4.74	4.99	HL		5.53	6.03	BR		7.02
		1	OKH	16	2	BR		0.25	0.75	1.99	2.49	3.07	MB		4.74	4.99	HL		5.53	6.03	BR		7.02
		1	OKH	12	2	BR		0.25	0.75	1.99	2.49	3.07	MB		4.74	4.99	HL		5.53	6.03	BR		7.02
		1	OKH	11	2	BR		0.25	0.75	1.99	2.49	3.07	MB		4.74	4.99	HL		5.53	6.03	BR		7.02
		1	OKH	2	1	BR		0.50	1.00	2.24	2.74	3.32	MB		4.99	5.24	HL		5.78	6.28	BR		7.27
		1	OKH	3	1	BR		0.67	1.17	2.41	2.91	3.49	MB		5.16	5.41	HL		5.95	6.45	BR		7.44
		1	OKH	4	1	BR		0.67	1.17	2.41	2.91	3.49	MB		5.16	5.41	HL		5.95	6.45	BR		7.44
		1	OKH	17	2	BR		0.67	1.17	2.49	2.99	3.57	MB		5.24	5.49	HL		6.03	6.53	BR		7.52
		1	OKH	20	2	BR		0.67	1.17	2.49	2.99	3.57	MB		5.24	5.49	HL		6.03	6.53	BR		7.52
		1	OKH	21	2	BR		0.67	1.17	2.49	2.99	3.57	MB		5.24	5.49	HL		6.03	6.53	BR		7.52
		1	OKH	19	2	BR		0.67	1.17	2.49	2.99	3.57	MB		5.24	5.49	HL		6.03	6.53	BR		7.52
		1	OKH	22	2	BR		0.67	1.17	2.49	2.99	3.57	MB		5.24	5.49	HL		6.03	6.53	BR		7.52
		1	OKH	18	2	BR		0.67	1.17	2.49	2.99	3.57	MB		5.24	5.49	HL		6.03	6.53	BR		7.52
		1	OKH	8	1	BR		1.00	1.50	2.74	3.24	3.82	MB		5.49	5.74	HL		6.28	6.78	BR		7.77
		1	OKH	5	1	BR		1.00	1.50	2.74	3.24	3.82	MB		5.49	5.74	HL		6.28	6.78	BR		7.77
		1	OKH	7	1	BR		1.00	1.50	2.74	3.24	3.82	MB		5.49	5.74	HL		6.28	6.78	BR		7.77
		1	OKH	10	1	BR		1.00	1.50	2.74	3.24	3.82	MB		5.49	5.74	HL		6.28	6.78	BR		7.77
		1	OKH	6	1	BR		1.00	1.50	2.91	3.41	3.99	MB		5.66	5.91	HL		6.45	6.95	BR		7.94
		1	OKH	9	1	BR		1.00	1.50	2.91	3.41	3.99	MB		5.66	5.91	HL		6.78	7.28	BR		8.26
		1	OKH	23	2	BR		1.25	1.75	2.99	3.49	4.07	MB		5.74	5.99	HL		6.53	7.03	BR		8.02
		1	OKH	24	2	BR		1.25	1.75	2.99	3.49	4.07	MB		5.74	5.99	HL		6.53	7.03	BR		8.02
		1	OKH	26	2	BR		1.25	1.75	2.99	3.49	4.07	MB		5.74	5.99	HL		6.53	7.03	BR		8.02
		1	OKH	25	2	BR		1.25	1.75	2.99	3.49	4.07	MB		5.74	5.99	HL		6.53	7.03	BR		8.02
		1	OKH	28	2	BR		1.75	2.25	3.49	3.99	4.57	MB		6.24	6.49	HL		7.03	7.53	BR		8.34
		1	OKH	31	2	BR		1.75	2.25	3.49	3.99	4.57	MB		6.24	6.49	HL		7.44	7.94	BR		8.55
		1	OKH	29	2	BR		1.75	2.25	3.49	3.99	4.57	MB		6.24	6.49	HL		7.03	7.53	BR		8.34
		1	OKH	32	2	BR		1.75	2.25	3.49	3.99	4.57	MB		6.24	6.49	HL		7.03	7.53	BR		8.34
		1	OKH	30	2	BR		1.75	2.25	3.49	3.99	4.57	MB		6.24	6.49	HL		7.03	7.53	BR		8.34
		1	OKH	27	2	BR		1.75	2.25	3.49	3.99	4.57	MB		6.24	6.49	HL		7.03	7.53	BR		8.34
		1	OKH	34	2	BR		2.17	2.67	3.99	4.49	5.07	MB		6.74	6.99	HL		7.53	8.03	BR		8.61
		1	OKH	35	2	BR		2.17	2.67	3.99	4.49	5.07	MB		6.74	6.99	HL		7.53	8.03	BR		8.61
		1	OKH	38	2	BR		2.17	2.67	3.99	4.49	5.07	MB		6.74	6.99	HL		7.53	8.03	BR		8.61
		1	OKH	33	2	BR		2.17	2.67	3.99	4.49	5.07	MB		6.74	6.99	HL		7.53	8.03	BR		8.61
		1	OKH	37	2	BR		2.17	2.67	3.99	4.49	5.07	MB		6.74	6.99	HL		7.53	8.03	BR		8.61
		1	OKH	36	2	BR		2.17	2.67	3.99	4.49	5.07	MB		6.74	6.99	HL		7.94	8.44	BR		8.91
		1	OKH	40	2	BR		2.83	3.33	4.57	5.07	5.65	MB		7.32	7.57	HL		8.53	9.03	BR		9.50
		1	OKH	41	2	BR		2.83	3.33	4.57	5.07	5.65	MB		7.32	7.57	HL		8.53	9.03	BR		9.50
		1	OKH	39	2	BR		2.83	3.33	4.57	5.07	5.65	MB		7.32	7.57	HL		8.53	9.03	BR		9.50
		1	OKH	1	1	PE		0.50	1.00	5.93	6.43	6.53	MB		8.06	8.31	HL		8.78	9.28	BR		9.75
		1	OLP	1	2	BR		0.17	0.67	2.17	2.67	3.69	MP		6.23	6.48	MP		6.48	6.98	BR		8.36
		1	OLP	2	1	BR		0.50	1.00	2.50	3.00	4.02	MP		6.56	6.81	MP		6.81	7.31	BR		8.43
		1	RCF	3	2	BR		0.17	0.67	2.18	2.68	4.11	MB		5.54	5.79	HM		6.78	7.28	BR		7.69

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	RCF	2	2	BR	0.17	0.67	2.18	2.68	4.11	MB	5.54	5.79	MM	6.78	7.28	BR	7.69
		1	RCF	1	2	BR	0.17	0.67	2.18	2.68	4.11	MB	5.54	5.79	MM	6.78	7.28	BR	7.69
		1	RNH	1	1	PE	0.67	1.17	1.50	2.00	2.13	MR	2.42	2.67	ML	6.45	6.95	BR	7.94
		1	RNH	12	2	PE	1.25	1.75	2.08	2.58	2.71	MR	3.00	3.25	ML	6.94	7.44	BR	8.32
		1	RNH	5	2	BR	0.42	0.92	2.96	3.46	3.59	MR	3.89	4.14	ML	8.44	8.94	BR	9.41
		1	RNH	4	2	BR	0.42	0.92	2.96	3.46	3.59	MR	3.89	4.14	ML	8.03	8.53	BR	9.00
		1	RNH	6	2	BR	0.42	0.92	2.96	3.46	3.59	MR	3.89	4.14	ML	8.03	8.53	BR	9.00
		1	RNH	2	2	BR	0.42	0.92	2.96	3.46	3.59	MR	3.89	4.14	ML	8.03	8.53	BR	9.00
		1	RNH	3	2	BR	0.42	0.92	2.96	3.46	3.59	MR	3.89	4.14	ML	8.03	8.53	BR	9.00
		1	RNH	7	2	BR	0.42	0.92	2.96	3.46	3.59	MR	3.89	4.14	ML	8.03	8.53	BR	9.00
		1	RNH	10	2	BR	0.83	1.33	3.46	3.96	4.09	MR	4.39	4.64	ML	8.94	9.44	BR	9.91
		1	RNH	9	2	BR	0.83	1.33	3.46	3.96	4.09	MR	4.39	4.64	ML	8.53	9.03	BR	9.50
		1	RNH	8	2	BR	0.83	1.33	3.46	3.96	4.09	MR	4.39	4.64	ML	8.53	9.03	BR	9.50
		1	RNH	11	2	BR	0.83	1.33	3.46	3.96	4.09	MR	4.39	4.64	ML	9.03	9.53	BR	10.00
		1	RNH	18	2	BR	1.33	1.83	3.87	4.37	4.50	MR	4.80	5.05	ML	9.03	9.53	BR	10.00
		1	RNH	13	2	BR	1.33	1.83	3.87	4.37	4.50	MR	4.80	5.05	ML	9.03	9.53	BR	10.00
		1	RNH	14	2	BR	1.33	1.83	3.96	4.46	4.59	MR	4.89	5.14	ML	9.53	10.03	BR	10.50
		1	RNH	15	2	BR	1.33	1.83	3.96	4.46	4.59	MR	4.89	5.14	ML	9.03	9.53	BR	10.00
		1	RNH	17	2	BR	1.33	1.83	3.96	4.46	4.59	MR	4.89	5.14	ML	9.44	9.94	BR	10.41
		1	RNH	16	2	BR	1.33	1.83	3.96	4.46	4.59	MR	4.89	5.14	ML	9.03	9.53	BR	10.00
		1	SNR	1	1	BR	0.83	1.33	2.34	2.84	2.90	MB	4.94	5.19	MC	6.37	6.87	BR	7.36
		1	SNR	2	1	BR	0.83	1.33	2.34	2.84	2.90	MB	4.94	5.19	MC	6.37	6.87	BR	7.36
		1	SNR	3	1	BR	0.83	1.33	2.34	2.84	2.90	MB	4.94	5.19	MC	6.37	6.87	BR	7.36
		1	SNR	15	2	BR	1.00	1.50	2.51	3.01	3.07	MB	5.11	5.36	MC	6.54	7.04	BR	7.53
		1	SNR	11	2	BR	1.00	1.50	2.51	3.01	3.07	MB	5.11	5.36	MC	6.54	7.04	BR	7.53
		1	SNR	10	2	BR	1.00	1.50	2.51	3.01	3.07	MB	5.11	5.36	MC	6.54	7.04	BR	7.53
		1	SNR	13	2	BR	1.00	1.50	2.51	3.01	3.07	MB	5.11	5.36	MC	6.54	7.04	BR	7.53
		1	SNR	14	2	BR	1.00	1.50	2.51	3.01	3.07	MB	5.11	5.36	MC	6.54	7.04	BR	7.53
		1	SNR	12	2	BR	1.00	1.50	2.51	3.01	3.07	MB	5.11	5.36	MC	6.54	7.04	BR	7.53
		1	SNR	7	1	BR	1.33	1.83	2.84	3.34	3.40	MB	5.44	5.69	MC	6.87	7.37	BR	7.86
		1	SNR	5	1	BR	1.33	1.83	2.84	3.34	3.40	MB	5.44	5.69	MC	6.87	7.37	BR	7.86
		1	SNR	8	1	BR	1.33	1.83	2.84	3.34	3.40	MB	5.44	5.69	MC	6.87	7.37	BR	7.86
		1	SNR	9	1	BR	1.33	1.83	2.84	3.34	3.40	MB	5.44	5.69	MC	6.87	7.37	BR	7.86
		1	SNR	4	1	BR	1.33	1.83	2.84	3.34	3.40	MB	5.44	5.69	MC	6.87	7.37	BR	7.86
		1	SNR	6	1	BR	1.33	1.83	2.84	3.34	3.40	MB	5.44	5.69	MC	6.87	7.37	BR	7.86
		1	SNR	17	2	BR	1.66	2.16	3.17	3.67	3.73	MB	5.77	6.02	MC	7.20	7.70	BR	8.19
		1	SNR	16	2	BR	1.66	2.16	3.17	3.67	3.73	MB	5.77	6.02	MC	7.20	7.70	BR	8.19
		1	SNR	18	2	BR	1.66	2.16	3.17	3.67	3.73	MB	5.77	6.02	MC	7.20	7.70	BR	8.19
		1	SNR	23	2	BR	2.08	2.58	3.59	4.09	4.15	MB	6.19	6.44	MC	7.62	8.12	BR	8.61
		1	SNR	19	2	BR	2.08	2.58	3.59	4.09	4.15	MB	6.19	6.44	MC	7.62	8.12	BR	8.61
		1	SNR	21	2	BR	2.08	2.58	3.59	4.09	4.15	MB	6.19	6.44	MC	7.62	8.12	BR	8.61
		1	SNR	24	2	BR	2.08	2.58	3.67	4.17	4.23	MB	6.27	6.52	MC	7.70	8.20	BR	8.69
		1	SNR	20	2	BR	2.08	2.58	3.67	4.17	4.23	MB	6.27	6.52	MC	7.70	8.20	BR	8.69
		1	SNR	22	2	BR	2.08	2.58	3.67	4.17	4.23	MB	6.27	6.52	MC	7.70	8.20	BR	8.69
		1	SNR	26	2	BR	2.50	3.00	4.09	4.59	4.65	MB	6.69	6.94	MC	8.12	8.62	BR	9.11
		1	SNR	27	2	BR	2.50	3.00	4.09	4.59	4.65	MB	6.69	6.94	MC	8.12	8.62	BR	9.11

Table 7 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code		Special Facility			Leave EPZ	1st Facility Code			Next Facility Code			Final Facility Code	
						Name	Arrival	Leave	Arrival	Leave		Name	Arrival	Leave	Name	Arrival	Leave	Name	Arrival
		1	SNR	25	2	BR	2.50	3.00	4.09	4.59	4.65	MB	5.69	5.94	HC	8.12	8.62	BR	9.11
		1	SNR	28	2	BR	2.50	3.00	4.17	4.67	4.73	MB	6.77	7.02	HC	8.20	8.70	BR	9.19
		1	SNR	29	2	BR	2.50	3.00	4.17	4.67	4.73	MB	6.77	7.02	HC	8.20	8.70	BR	9.19
		1	SNR	31	2	BR	3.50	4.00	5.01	5.51	5.57	MB	7.61	7.86	HC	8.64	9.14	BR	9.63
		1	SNR	30	2	BR	3.50	4.00	5.01	5.51	5.57	MB	7.61	7.86	HC	8.64	9.14	BR	9.63
		1	SNR	32	2	BR	3.50	4.00	5.01	5.51	5.57	MB	7.61	7.86	HC	8.64	9.14	BR	9.63
		1	WHN	5	2	BR	0.50	1.00	2.04	2.54	3.24	MP	3.79	4.04	MP	4.04	4.54	BR	6.20
		1	WHN	3	2	BR	0.50	1.00	2.04	2.54	3.24	MP	3.79	4.04	MP	4.04	4.54	BR	6.20
		1	WHN	6	2	BR	0.50	1.00	2.04	2.54	3.24	MP	3.79	4.04	MP	4.04	4.54	BR	6.20
		1	WHN	4	2	BR	0.50	1.00	2.04	2.54	3.24	MP	3.79	4.04	MP	4.04	4.54	BR	6.20
		1	WHN	1	1	BR	0.67	1.17	2.21	2.71	3.41	MP	3.96	4.21	MP	4.21	4.71	BR	6.37
		1	WHN	2	1	BR	0.67	1.17	2.21	2.71	3.41	MP	3.96	4.21	MP	4.21	4.71	BR	6.37
		1	WHN	10	2	BR	0.92	1.42	2.46	2.96	3.66	MP	4.21	4.46	MP	4.46	4.96	BR	6.62
		1	WHN	7	2	BR	0.92	1.42	2.46	2.96	3.66	MP	4.21	4.46	MP	4.46	4.96	BR	6.62
		1	WHN	9	2	BR	0.92	1.42	2.54	3.04	3.74	MP	4.29	4.54	MP	4.54	5.04	BR	6.70
		1	WHN	8	2	BR	0.92	1.42	2.54	3.04	3.74	MP	4.29	4.54	MP	4.54	5.04	BR	6.70
		1	WHN	11	2	BR	0.92	1.42	2.54	3.04	3.74	MP	4.29	4.54	MP	4.54	5.04	BR	6.70
		1	WHN	12	2	BR	0.92	1.42	2.54	3.04	3.74	MP	4.29	4.54	MP	4.54	5.04	BR	6.70
		1	WHN	15	2	BR	1.42	1.92	2.96	3.46	4.16	MP	4.71	4.96	MP	4.96	5.46	BR	7.12
		1	WHN	16	2	BR	1.42	1.92	2.96	3.46	4.16	MP	4.71	4.96	MP	4.96	5.46	BR	7.12
		1	WHN	15	2	BR	1.42	1.92	3.04	3.54	4.24	MP	4.79	5.04	MP	5.04	5.54	BR	7.20
		1	WHN	13	2	BR	1.42	1.92	3.04	3.54	4.24	MP	4.79	5.04	MP	5.04	5.54	BR	7.20
		1	WHN	17	2	BR	1.42	1.92	3.04	3.54	4.24	MP	4.79	5.04	MP	5.04	5.54	BR	7.20
		1	WHN	14	2	BR	1.42	1.92	3.04	3.54	4.24	MP	4.79	5.04	MP	5.04	5.54	BR	7.20
		1	WHN	22	2	BR	1.83	2.33	3.46	3.96	4.66	MP	5.21	5.46	MP	5.46	5.96	BR	7.62
		1	WHN	18	2	BR	1.83	2.33	3.46	3.96	4.66	MP	5.21	5.46	MP	5.46	5.96	BR	7.62
		1	WHN	21	2	BR	1.83	2.33	3.54	4.04	4.74	MP	5.29	5.54	MP	5.54	6.04	BR	7.70
		1	WHN	20	2	BR	1.83	2.33	3.54	4.04	4.74	MP	5.29	5.54	MP	5.54	6.04	BR	7.70
		1	WHN	23	2	BR	1.83	2.33	3.54	4.04	4.74	MP	5.29	5.54	MP	5.54	6.04	BR	7.70
		1	WHN	19	2	BR	1.83	2.33	3.54	4.04	4.74	MP	5.29	5.54	MP	5.54	6.04	BR	7.70
		1	WHN	27	2	BR	2.25	2.75	3.96	4.46	5.16	MP	5.71	5.96	MP	6.04	6.54	BR	8.20
		1	WHN	25	2	BR	2.25	2.75	3.96	4.46	5.16	MP	5.71	5.96	MP	6.04	6.54	BR	8.20
		1	WHN	24	2	BR	2.25	2.75	4.04	4.54	5.24	MP	5.79	6.04	MP	6.04	6.54	BR	8.20
		1	WHN	26	2	BR	2.25	2.75	4.04	4.54	5.24	MP	5.79	6.04	MP	6.46	6.96	BR	8.36
		1	WHN	28	2	BR	2.25	2.75	4.04	4.54	5.24	MP	5.79	6.04	MP	6.04	6.54	BR	8.20
		1	WHN	31	2	BR	3.08	3.58	4.62	5.12	5.82	MP	6.37	6.62	MP	6.62	7.12	BR	8.39
		1	WHN	29	2	BR	3.08	3.58	4.62	5.12	5.82	MP	6.37	6.62	MP	6.62	7.12	BR	8.39
		1	WHN	30	2	BR	3.08	3.58	4.62	5.12	5.82	MP	6.37	6.62	MP	6.62	7.12	BR	8.39

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Name	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Name	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Name	Final Facility Arrival
		1	GHS	3	2	BR	0.33	0.83	1.57	1.99	2.52	MB		3.66	3.91	HW		3.99	4.41	BR		4.53
		1	GHS	2	2	BR	0.33	0.83	1.57	1.99	2.52	MB		3.66	3.91	HW		3.99	4.41	BR		4.53
		1	GHS	1	2	BR	0.33	0.83	1.57	1.99	2.52	MB		3.66	3.91	HW		3.99	4.41	BR		4.53
		1	GHS	4	2	BR	0.33	0.83	1.57	1.99	2.52	MB		3.66	3.91	HW		3.99	4.41	BR		4.53
GHS	2	2	HCS	9	2	BR	4.53	4.78	6.13	6.55	6.55	-				-				-		NA
GHS	3	2	HCS	8	2	BR	4.53	4.78	6.13	6.55	6.55	-				-				-		NA
GHS	4	2	HCS	10	2	BR	4.53	4.78	6.13	6.55	6.55	-				-				-		NA
HHC	8	2	HCS	1	1	BR	5.69	5.94	7.30	7.63	7.63	-				-				HSHH		8.69
HHC	7	2	HCS	2	1	BR	5.69	5.94	7.30	7.63	7.63	-				-				HSHH		8.69
HHC	10	2	HCS	3	1	BR	5.69	5.94	7.30	7.63	7.63	-				-				HSHH		8.69
OKH	14	2	HCS	16	2	BR	5.69	5.94	7.30	7.72	7.72	-				-				-		NA
OKH	13	2	HCS	15	2	BR	5.69	5.94	7.30	7.72	7.72	-				-				-		NA
OKH	16	2	HCS	14	2	BR	5.69	5.94	7.30	7.72	7.72	-				-				-		NA
OKH	12	2	HCS	13	2	BR	5.69	5.94	7.30	7.72	7.72	-				-				-		NA
OKH	11	2	HCS	12	2	BR	5.69	5.94	7.30	7.72	7.72	-				-				-		NA
OKH	15	2	HCS	11	2	BR	5.69	5.94	7.30	7.72	7.72	-				-				-		NA
OKH	3	2	HCS	4	1	BR	5.93	6.18	7.54	7.87	7.87	-				-				HSHH		8.93
HHC	13	2	HCS	5	1	BR	6.02	6.27	7.63	7.96	7.96	-				-				HSHH		9.02
HSI	1	2	HCS	6	1	BR	6.07	6.32	7.68	8.01	8.01	-				-				HSHH		9.06
OKH	17	2	HCS	19	2	BR	6.11	6.36	7.72	8.14	8.14	-				-				-		NA
HHC	14	2	HCS	18	2	BR	6.04	6.29	7.72	8.14	8.14	-				-				-		NA
HHC	15	2	HCS	17	2	BR	6.04	6.29	7.72	8.14	8.14	-				-				-		NA
HCS	3	3	HCS	21	1	SH	8.69	9.02	10.27	10.60	10.60	-				-				HSHH		11.66
HCS	1	3	HCS	20	1	SH	8.69	9.02	10.27	10.60	10.60	-				-				HSHH		11.66
HCS	2	3	HCS	22	1	SH	8.69	9.02	10.27	10.60	10.60	-				-				HSHH		11.66
HCS	4	3	HCS	23	1	SH	8.93	9.26	10.52	10.85	10.85	-				-				HSHH		11.90
HCS	5	3	HCS	24	1	SH	9.02	9.35	10.60	10.93	10.93	-				-				HSHH		11.99
HCS	6	3	HCS	25	1	SH	9.06	9.39	10.65	10.98	10.98	-				-				HSHH		12.03
HSI	27	2	HCS	7	1	BR	9.51	9.76	11.12	11.45	11.45	-				-				HSHH		12.50
HSI	57	3	HCS	27	1	BR	11.02	11.27	12.63	12.96	12.96	-				-				HGSH		NA
HSI	56	3	HCS	28	1	BR	11.02	11.27	12.63	12.96	12.96	-				-				HGSH		NA
HSI	54	3	HCS	26	1	BR	11.02	11.27	12.63	12.96	12.96	-				-				HGSH		NA
HSI	58	3	HCS	31	1	BR	11.11	11.36	12.72	13.05	13.05	-				-				HGSH		NA
HSI	55	3	HCS	30	1	BR	11.11	11.36	12.72	13.05	13.05	-				-				HGSH		NA
HSI	53	3	HCS	29	1	BR	11.11	11.36	12.72	13.05	13.05	-				-				HGSH		NA
HSI	60	3	HCS	32	1	BR	11.87	12.12	13.48	13.81	13.81	-				-				HGSH		NA
HSI	64	3	HCS	33	1	BR	11.98	12.23	13.59	13.92	13.92	-				-				HGSH		NA
HSI	66	3	HCS	34	1	BR	12.47	12.72	14.08	14.41	14.41	-				-				HGSH		NA
HCS	7	3	HCS	35	1	SH	12.50	12.83	14.09	14.42	14.42	-				-				HGSH		NA
		1	HHC	3	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ		4.55	4.88	-				BR		5.36
		1	HHC	1	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ		4.55	4.88	-				BR		5.36
		1	HHC	2	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ		4.55	4.88	-				BR		5.36
		1	HHC	5	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ		4.55	4.88	-				BR		5.36
		1	HHC	4	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ		4.55	4.88	-				BR		5.36
		1	HHC	9	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ		4.76	5.09	-				BR		5.57
		1	HHC	8	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ		4.88	5.21	-				BR		5.69

Table 3 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	HHC	7	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	4.89	5.21	-			BR	5.89
		1	HHC	6	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	4.88	5.21	-			BR	5.89
		1	HHC	10	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	4.88	5.21	-			BR	5.89
		1	HHC	12	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.09	5.42	-			BR	5.90
		1	HHC	11	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	4.88	5.21	-			BR	5.89
		1	HHC	13	1	BR	0.50	1.00	2.31	2.89	4.22	HSTJ	5.21	5.54	-			BR	6.02
		1	HHC	17	2	PE	0.00	0.50	1.77	3.19	4.52	HSGH	5.30	5.72	-			BR	6.00
		1	HHC	18	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.42
		1	HHC	19	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.76	6.18	-			BR	6.46
		1	HHC	21	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.76	6.18	-			BR	6.46
		1	HHC	22	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.34	5.76	-			BR	6.04
		1	HHC	20	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.34	5.76	-			BR	6.04
		1	HHC	14	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.34	5.76	-			BR	6.04
		1	HHC	16	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.34	5.76	-			BR	6.04
		1	HHC	15	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.34	5.76	-			BR	6.04
WHN	9	2	HJM	11	2	BR	5.39	5.64	6.47	6.89	6.90	-			-			-	NA
WHN	8	2	HJM	14	2	BR	5.39	5.64	6.47	6.89	6.90	-			-			-	NA
WHN	11	2	HJM	12	2	BR	5.39	5.64	6.47	6.89	6.90	-			-			-	NA
WHN	12	2	HJM	13	2	BR	5.39	5.64	6.47	6.89	6.90	-			-			-	NA
HSI	3	2	HJM	2	1	BR	6.07	6.32	7.15	7.48	7.48	-			-			HGSH	9.31
HSI	5	2	HJM	3	1	BR	6.07	6.32	7.15	7.48	7.48	-			-			HGSH	9.31
HSI	4	2	HJM	1	1	BR	6.07	6.32	7.15	7.48	7.48	-			-			HGSH	9.31
HHC	17	2	HJM	15	2	BR	6.00	6.25	7.08	7.50	7.51	-			-			-	NA
HHC	16	2	HJM	16	2	BR	6.04	6.29	7.12	7.54	7.55	-			-			-	NA
HHC	22	2	HJM	18	2	BR	6.04	6.29	7.12	7.54	7.55	-			-			-	NA
HHC	20	2	HJM	17	2	BR	6.04	6.29	7.12	7.54	7.55	-			-			-	NA
HSI	6	2	HJM	4	1	BR	6.23	6.48	7.31	7.64	7.65	-			-			HGSH	9.48
OLF	2	2	HJM	5	1	BR	6.23	6.48	7.31	7.64	7.65	-			-			HGSH	9.48
OKH	10	2	HJM	6	1	BR	6.26	6.51	7.34	7.67	7.68	-			-			HGSH	9.51
SMR	15	2	HJM	22	2	BR	6.22	6.47	7.30	7.72	7.73	-			-			-	NA
SMR	12	2	HJM	19	2	BR	6.22	6.47	7.30	7.72	7.73	-			-			-	NA
SMR	10	2	HJM	21	2	BR	6.22	6.47	7.50	7.92	7.93	-			-			-	NA
SMR	11	2	HJM	20	2	BR	6.22	6.47	7.54	7.96	7.97	-			-			-	NA
SMR	13	2	HJM	23	2	BR	6.22	6.47	7.54	7.96	7.97	-			-			-	NA
WHN	15	2	HJM	25	2	BR	6.28	6.53	7.54	7.96	7.97	-			-			-	NA
WHN	14	2	HJM	24	2	BR	6.28	6.53	7.72	8.14	8.15	-			-			-	NA
HHC	18	2	HJM	26	2	BR	6.42	6.67	7.72	8.14	8.15	-			-			-	NA
HHC	19	2	HJM	27	2	BR	6.46	6.71	7.92	8.34	8.35	-			-			-	NA
HSI	25	2	HJM	7	1	BR	8.51	8.76	9.59	9.92	9.93	-			-			HGSH	11.76
HSI	12	2	HJM	8	1	BR	8.84	9.09	9.92	10.25	10.26	-			-			HGSH	12.09
HSI	13	2	HJM	10	1	BR	8.84	9.09	9.92	10.25	10.26	-			-			HGSH	12.09
HSI	15	2	HJM	9	1	BR	8.84	9.09	9.92	10.25	10.26	-			-			HGSH	12.09
HSI	37	3	HJM	28	1	BR	9.72	9.97	10.80	11.13	11.14	-			-			HGSH	12.97
HJM	1	3	HJM	32	1	GH	9.31	9.64	10.92	11.25	11.26	-			-			HGSH	13.08
HJM	2	3	HJM	31	1	GH	9.31	9.64	10.92	11.25	11.26	-			-			HGSH	13.08
HJM	3	3	HJM	33	1	GH	9.31	9.64	10.92	11.25	11.26	-			-			HGSH	13.08

Table 3 A

Prior Run	Prior Run Number	Move Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
HJM	4	3	HJM	34	1	GH	9.48	9.81	11.08	11.41	11.42	-			-			HGSH	13.25
HJM	5	3	HJM	35	1	GH	9.48	9.81	11.08	11.41	11.42	-			-			HGSH	13.25
HJM	6	3	HJM	36	1	GH	9.51	9.84	11.13	11.46	11.47	-			-			HGSH	13.30
HSI	39	3	HJM	29	1	BR	10.12	10.37	11.25	11.58	11.59	-			-			HGSH	13.41
HSI	38	3	HJM	30	1	BR	10.12	10.37	11.25	11.58	11.59	-			-			HGSH	13.41
HSI	47	3	HJM	37	1	BR	10.52	10.77	11.60	11.93	11.94	-			-			HGSH	13.77
HSI	48	3	HJM	38	1	BR	10.63	10.88	11.71	12.04	12.05	-			-			HGSH	13.88
HSI	50	3	HJM	39	1	BR	10.63	10.88	11.71	12.04	12.05	-			-			HGSH	13.88
HSI	51	3	HJM	41	1	BR	10.78	11.03	11.86	12.19	12.20	-			-			HGSH	14.03
HSI	49	3	HJM	40	1	BR	10.78	11.03	11.86	12.19	12.20	-			-			HGSH	14.03
HSI	52	3	HJM	42	1	BR	10.78	11.03	11.86	12.19	12.20	-			-			HGSH	14.03
HSI	61	3	HJM	43	1	BR	11.87	12.12	12.95	13.28	13.29	-			-			HGSH	15.12
HSI	62	3	HJM	46	1	BR	11.87	12.12	12.95	13.28	13.29	-			-			HGSH	15.12
HSI	59	3	HJM	45	1	BR	11.87	12.12	12.95	13.28	13.29	-			-			HGSH	15.12
HSI	63	3	HJM	44	1	BR	11.87	12.12	12.95	13.28	13.29	-			-			HGSH	15.12
HSI	65	3	HJM	47	1	BR	12.40	12.65	13.48	13.81	13.82	-			-			HGSH	15.65
WHN	5	2	HSC	10	2	BR	4.97	5.22	6.07	6.49	6.53	-			-			-	NA
WHN	3	2	HSC	9	2	BR	4.97	5.22	6.07	6.49	6.53	-			-			-	NA
WHN	6	2	HSC	12	2	BR	4.97	5.22	6.07	6.49	6.53	-			-			-	NA
WHN	4	2	HSC	11	2	BR	4.97	5.22	6.07	6.49	6.53	-			-			-	NA
WHN	10	2	HSC	14	2	BR	5.39	5.64	6.49	6.91	6.95	-			-			-	NA
WHN	7	2	HSC	13	2	BR	5.39	5.64	6.49	6.91	6.95	-			-			-	NA
MCF	2	2	HSC	16	2	BR	5.86	6.11	6.96	7.38	7.41	-			-			-	NA
MCF	1	2	HSC	15	2	BR	5.86	6.11	6.96	7.38	7.41	-			-			-	NA
WHN	13	2	HSC	17	2	BR	5.89	6.14	6.99	7.41	7.45	-			-			-	NA
WHN	17	2	HSC	19	2	BR	5.89	6.14	6.99	7.41	7.45	-			-			-	NA
WHN	16	2	HSC	18	2	BR	5.89	6.14	6.99	7.41	7.45	-			-			-	NA
WHN	15	2	HSC	20	2	BR	5.89	6.14	6.99	7.41	7.45	-			-				NA
OKH	21	2	HSC	23	2	BR	6.11	6.36	7.38	7.80	7.83	-			-			-	NA
OKH	20	2	HSC	22	2	BR	6.11	6.36	7.38	7.80	7.83	-			-			-	NA
SMR	4	2	HSC	2	1	BR	6.37	6.62	7.47	7.80	7.83	-			-			HHHH	9.58
SMR	5	2	HSC	5	1	BR	6.37	6.62	7.47	7.80	7.83	-			-			HHHH	9.58
SMR	6	2	HSC	1	1	BR	6.37	6.62	7.47	7.80	7.83	-			-			HHHH	9.58
SMR	7	2	HSC	4	1	BR	6.37	6.62	7.47	7.80	7.83	-			-			HHHH	9.58
SMR	8	2	HSC	6	1	BR	6.37	6.62	7.47	7.80	7.83	-			-			HHHH	9.58
SMR	9	2	HSC	3	1	BR	6.37	6.62	7.47	7.80	7.83	-			-			HHHH	9.58
SMR	14	2	HSC	26	2	BR	6.22	6.47	7.41	7.83	7.87	-			-			-	NA
OKH	22	2	HSC	25	2	BR	6.11	6.36	7.41	7.83	7.87	-			-			-	NA
OKH	19	2	HSC	21	2	BR	6.11	6.36	7.41	7.83	7.87	-			-			-	NA
OKH	18	2	HSC	24	2	BR	6.11	6.36	7.41	7.83	7.87	-			-			-	NA
OLF	1	2	HSC	27	2	BR	6.31	6.56	7.80	8.22	8.25	-			-			-	NA
WHN	22	2	HSC	28	2	BR	6.31	6.56	7.80	8.22	8.25	-			-			-	NA
WHN	18	2	HSC	30	2	BR	6.31	6.56	7.83	8.25	8.29	-			-			-	NA
WHN	17	2	HSC	29	2	BR	6.31	6.56	7.83	8.25	8.29	-			-			-	NA
HSI	14	2	HSC	7	1	BR	8.84	9.09	9.94	10.27	10.30	-			-			HHHH	12.05
HSI	23	2	HSC	8	1	BR	9.01	9.26	10.11	10.44	10.47	-			-			HHHH	12.22

Table 3 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
HSI	38	3	HSC	31	1	BR	9.72	9.97	10.82	11.15	11.18	-			-			HHHH	12.93
HSI	41	3	HSC	34	1	BR	10.12	10.37	11.22	11.55	11.58	-			-			HHHH	13.33
HSI	40	3	HSC	32	1	BR	10.12	10.37	11.22	11.55	11.58	-			-			HHHH	13.33
HSI	42	3	HSC	33	1	BR	10.12	10.37	11.22	11.55	11.58	-			-			HHHH	13.33
HSC	5	3	HSC	43	1	HH	9.58	9.91	11.24	11.57	11.60	-			-			HHHH	13.34
HSC	2	3	HSC	40	1	HH	9.58	9.91	11.24	11.57	11.60	-			-			HHHH	13.34
HSC	3	3	HSC	41	1	HH	9.58	9.91	11.24	11.57	11.60	-			-			HHHH	13.34
HSC	4	3	HSC	42	1	HH	9.58	9.91	11.55	11.88	11.91	-			-			HHHH	13.66
HSC	6	3	HSC	44	1	HH	9.58	9.91	11.55	11.88	11.91	-			-			HHHH	13.66
HSC	1	3	HSC	39	1	HH	9.58	9.91	11.55	11.88	11.91	-			-			HHHH	13.66
HSI	46	3	HSC	37	1	BR	10.45	10.70	11.57	11.90	11.93	-			-			HHHH	13.67
HSI	44	3	HSC	36	1	BR	10.45	10.70	11.57	11.90	11.93	-			-			HHHH	13.67
HSI	43	3	HSC	35	1	BR	10.26	10.51	11.57	11.90	11.93	-			-			HHHH	13.67
HSI	45	3	HSC	38	1	BR	10.45	10.70	11.88	12.21	12.24	-			-			HHHH	13.99
HSI	69	3	HSC	45	1	BR	12.52	12.77	13.62	13.95	13.98	-			-			HHHH	15.73
HSI	67	3	HSC	46	1	BR	12.52	12.77	13.62	13.95	13.98	-			-			HHHH	15.73
		1	HSI	1	1	BR	1.67	2.17	2.93	3.26	3.56	HSTJ	5.26	5.59	-			BR	6.07
		1	HSI	6	1	BR	1.67	2.17	2.93	3.26	3.56	HSTJ	5.42	5.75	-			BR	6.23
		1	HSI	5	1	BR	1.67	2.17	2.93	3.26	3.56	HSTJ	5.26	5.59	-			BR	6.07
		1	HSI	3	1	BR	1.67	2.17	2.93	3.26	3.56	HSTJ	5.26	5.59	-			BR	6.07
		1	HSI	4	1	BR	1.67	2.17	2.93	3.26	3.56	HSTJ	5.26	5.59	-			BR	6.07
		1	HSI	2	1	BR	1.67	2.17	2.93	3.26	3.56	HSTJ	5.54	5.87	-			BR	6.35
		1	HSI	8	1	BR	2.00	2.50	3.26	3.59	3.89	HSSH	6.20	6.53	-			BR	7.12
		1	HSI	9	1	BR	2.00	2.50	3.26	3.59	3.89	HSSH	6.20	6.53	-			BR	7.12
		1	HSI	7	1	BR	2.00	2.50	3.26	3.59	3.89	HSSH	6.20	6.53	-			BR	7.12
		1	HSI	10	1	BR	2.00	2.50	3.26	3.59	3.89	HSSH	6.20	6.53	-			BR	7.12
		1	HSI	11	1	BR	2.00	2.50	3.26	3.59	3.89	HSSH	6.20	6.53	-			BR	7.12
		1	HSI	16	1	BR	2.50	3.00	3.76	4.09	4.39	HVAH	6.78	7.11	-			BR	7.76
		1	HSI	17	1	BR	2.50	3.00	3.76	4.09	4.39	HVAH	6.78	7.11	-			BR	7.76
		1	HSI	18	1	BR	2.50	3.00	3.76	4.09	4.39	HVAH	6.78	7.11	-			BR	7.76
		1	HSI	19	1	BR	2.50	3.00	3.76	4.09	4.39	HVAH	6.78	7.11	-			BR	7.76
		1	HSI	20	1	BR	2.50	3.00	3.76	4.09	4.39	HVAH	6.78	7.11	-			BR	7.76
		1	HSI	21	1	BR	2.50	3.00	3.76	4.09	4.39	HVAH	6.78	7.11	-			BR	7.76
		1	HSI	22	1	BR	2.67	3.17	4.09	4.42	4.72	HSTJ	6.42	6.75	-			BR	7.23
		1	HSI	24	1	BR	3.50	4.00	4.76	5.09	5.14	HSTJ	6.83	7.16	-			BR	7.64
		1	HSI	25	1	BR	3.50	4.00	4.76	5.09	5.14	HVAH	7.53	7.86	-			BR	8.51
		1	HSI	13	1	PE	2.17	2.67	5.09	5.42	5.47	HVAH	7.86	8.19	-			BR	8.84
		1	HSI	15	1	PE	2.17	2.67	5.09	5.42	5.47	HVAH	7.86	8.19	-			BR	8.84
		1	HSI	14	1	PE	2.17	2.67	5.09	5.42	5.47	HVAH	7.86	8.19	-			BR	8.84
		1	HSI	12	1	PE	2.17	2.67	5.09	5.42	5.47	HVAH	7.86	8.19	-			BR	8.84
		1	HSI	28	2	BR	3.83	4.33	5.09	5.51	5.57	HSSH	7.88	8.30	-			BR	8.88
		1	HSI	29	2	BR	3.83	4.33	5.09	5.51	5.57	HSSH	7.88	8.30	-			BR	8.88
		1	HSI	31	2	BR	3.83	4.33	5.09	5.51	5.57	HSSH	7.88	8.30	-			BR	8.88
		1	HSI	30	2	BR	3.83	4.33	5.09	5.51	5.57	HSSH	7.88	8.30	-			BR	8.88
		1	HSI	26	1	BR	4.00	4.50	5.26	5.59	5.64	HSGH	7.09	7.42	-			BR	7.71
		1	HSI	23	1	PE	3.17	3.67	5.26	5.59	5.64	HVAH	8.03	8.36	-			BR	9.01

Table 1 A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Arrival	Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
GHC	1	2	HSI	74	2	BR	4.53	4.78	5.53	5.95	6.02	-			-			-	NA
		1	HSI	35	2	BR	4.33	4.83	5.59	6.01	6.07	HSSH	8.38	8.80	-			BR	9.38
		1	HSI	33	2	BR	4.33	4.83	5.59	6.01	6.07	HSSH	8.38	8.80	-			BR	9.38
		1	HSI	34	2	BR	4.33	4.83	5.59	6.01	6.07	HSSH	8.38	8.80	-			BR	9.38
		1	HSI	32	2	BR	4.33	4.83	5.59	6.01	6.07	HSSH	8.38	8.80	-			BR	9.38
		1	HSI	27	1	BR	4.50	5.00	5.76	6.09	6.14	HVAH	8.53	8.86	-			BR	9.51
WHN	2	2	HSI	37	1	BR	4.96	5.21	5.97	6.30	6.35	HVAH	8.74	9.07	-			BR	9.72
WHN	1	2	HSI	36	1	BR	4.96	5.21	5.97	6.30	6.35	HVAH	8.74	9.07	-			BR	9.72
HHC	4	2	HSI	38	1	BR	5.36	5.61	6.37	6.70	6.75	HVAH	9.14	9.47	-			BR	10.12
HHC	2	2	HSI	42	1	BR	5.36	5.61	6.37	6.70	6.75	HVAH	9.14	9.47	-			BR	10.12
HHC	1	2	HSI	40	1	BR	5.36	5.61	6.37	6.70	6.75	HVAH	9.14	9.47	-			BR	10.12
HHC	5	2	HSI	41	1	BR	5.36	5.61	6.37	6.70	6.75	HVAH	9.14	9.47	-			BR	10.12
HHC	3	2	HSI	39	1	BR	5.36	5.61	6.37	6.70	6.75	HVAH	9.14	9.47	-			BR	10.12
RMH	1	2	HSI	43	1	BR	5.50	5.75	6.51	6.84	6.89	HVAH	9.28	9.61	-			BR	10.26
HHC	9	2	HSI	44	1	BR	5.57	5.82	6.70	7.03	7.08	HVAH	9.47	9.80	-			BR	10.45
HHC	11	2	HSI	46	1	BR	5.69	5.94	6.70	7.03	7.08	HVAH	9.47	9.80	-			BR	10.45
HHC	6	2	HSI	45	1	BR	5.69	5.94	6.70	7.03	7.08	HVAH	9.47	9.80	-			BR	10.45
OKH	2	2	HSI	47	1	BR	5.76	6.01	6.77	7.10	7.16	HVAH	9.54	9.87	-			BR	10.52
SNR	2	2	HSI	50	1	BR	5.87	6.12	6.88	7.21	7.27	HVAH	9.65	9.98	-			BR	10.63
SNR	1	2	HSI	48	1	BR	5.87	6.12	6.88	7.21	7.27	HVAH	9.65	9.98	-			BR	10.63
HHC	12	2	HSI	51	1	BR	5.90	6.15	7.03	7.36	7.41	HVAH	9.80	10.13	-			BR	10.78
OKH	4	2	HSI	52	1	BR	5.93	6.18	7.03	7.36	7.41	HVAH	9.80	10.13	-			BR	10.78
SNR	3	2	HSI	49	1	BR	5.87	6.12	7.03	7.36	7.41	HVAH	9.80	10.13	-			BR	10.78
OKH	8	2	HSI	56	1	BR	6.26	6.51	7.27	7.60	7.66	HVAH	10.04	10.37	-			BR	11.02
OKH	6	2	HSI	54	1	BR	6.26	6.51	7.27	7.60	7.66	HVAH	10.04	10.37	-			BR	11.02
OKH	5	2	HSI	57	1	BR	6.26	6.51	7.27	7.60	7.66	HVAH	10.04	10.37	-			BR	11.02
OKH	7	2	HSI	53	1	BR	6.26	6.51	7.36	7.69	7.74	HVAH	10.13	10.46	-			BR	11.11
OKH	9	2	HSI	55	1	BR	6.26	6.51	7.36	7.69	7.74	HVAH	10.13	10.46	-			BR	11.11
HSI	2	2	HSI	53	1	BR	6.35	6.60	7.36	7.69	7.74	HVAH	10.13	10.46	-			BR	11.11
HSI	3	2	HSI	62	1	BR	7.12	7.37	8.13	8.46	8.51	HVAH	10.90	11.23	-			BR	11.87
HSI	11	2	HSI	60	1	BR	7.12	7.37	8.13	8.46	8.51	HVAH	10.90	11.23	-			BR	11.87
HSI	10	2	HSI	59	1	BR	7.12	7.37	8.13	8.46	8.51	HVAH	10.90	11.23	-			BR	11.87
HSI	9	2	HSI	63	1	BR	7.12	7.37	8.13	8.46	8.51	HVAH	10.90	11.23	-			BR	11.87
HSI	7	2	HSI	61	1	BR	7.12	7.37	8.13	8.46	8.51	HVAH	10.90	11.23	-			BR	11.87
HSI	22	2	HSI	64	1	BR	7.23	7.48	8.24	8.57	8.62	HVAH	11.00	11.33	-			BR	11.98
HSI	24	2	HSI	65	1	BR	7.64	7.89	8.65	8.98	9.03	HVAH	11.42	11.75	-			BR	12.40
HSI	26	2	HSI	66	1	BR	7.71	7.96	8.72	9.05	9.10	HVAH	11.49	11.82	-			BR	12.47
HSI	21	2	HSI	69	1	BR	7.76	8.01	8.77	9.10	9.15	HVAH	11.54	11.87	-			BR	12.52
HSI	19	2	HSI	68	1	BR	7.76	8.01	8.77	9.10	9.15	HVAH	11.54	11.87	-			BR	12.52
HSI	18	2	HSI	67	1	BR	7.76	8.01	8.77	9.10	9.15	HVAH	11.54	11.87	-			BR	12.52
HSI	20	2	HSI	71	1	BR	7.76	8.01	8.77	9.10	9.15	HVAH	11.54	11.87	-			BR	12.52
HSI	17	2	HSI	70	1	BR	7.76	8.01	8.98	9.31	9.36	HVAH	11.75	12.08	-			BR	12.73
HSI	16	2	HSI	72	1	BR	7.76	8.01	9.05	9.38	9.43	HVAH	11.82	12.15	-			BR	12.80
OKH	1	2	HSI	73	1	BR	8.48	8.73	9.49	9.82	9.87	HVAH	12.26	12.59	-			BR	13.24
		1	ILO	2	2	BR	0.33	0.83	1.72	2.14	2.97	MP	3.59	3.84	HI	4.58	5.00	BR	6.91
		1	ILO	1	2	BR	0.33	0.83	1.72	2.14	2.97	MP	3.59	3.84	HI	4.58	5.00	BR	6.91

Table 3A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	MCF	2	2	BR	0.83	1.33	2.20	2.62	2.80	MP	4.17	4.42	MP	4.42	4.84	BR	5.86
		1	MCF	1	2	BR	0.83	1.33	2.20	2.62	2.80	MP	4.17	4.42	MP	4.42	4.84	BR	5.86
		1	OKH	14	2	BR	0.25	0.75	1.64	2.06	2.54	MB	4.02	4.27	ML	4.70	5.12	BR	5.69
		1	OKH	13	2	BR	0.25	0.75	1.64	2.06	2.54	MB	4.02	4.27	ML	4.70	5.12	BR	5.69
		1	OKH	15	2	BR	0.25	0.75	1.64	2.06	2.54	MB	4.02	4.27	ML	4.70	5.12	BR	5.69
		1	OKH	16	2	BR	0.25	0.75	1.64	2.06	2.54	MB	4.02	4.27	ML	4.70	5.12	BR	5.69
		1	OKH	12	2	BR	0.25	0.75	1.64	2.06	2.54	MB	4.02	4.27	ML	4.70	5.12	BR	5.69
		1	OKH	11	2	BR	0.25	0.75	1.64	2.06	2.54	MB	4.02	4.27	ML	4.70	5.12	BR	5.69
		1	OKH	2	1	BR	0.50	1.00	1.89	2.22	2.70	MB	4.18	4.43	ML	4.86	5.19	BR	5.76
		1	OKH	4	1	BR	0.67	1.17	2.06	2.39	2.87	MB	4.35	4.60	ML	5.03	5.36	BR	5.93
		1	OKH	3	1	BR	0.67	1.17	2.06	2.39	2.87	MB	4.35	4.60	ML	5.03	5.36	BR	5.93
		1	OKH	19	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.44	4.69	ML	5.12	5.54	BR	6.11
		1	OKH	18	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.44	4.69	ML	5.12	5.54	BR	6.11
		1	OKH	21	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.44	4.69	ML	5.12	5.54	BR	6.11
		1	OKH	22	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.44	4.69	ML	5.12	5.54	BR	6.11
		1	OKH	17	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.44	4.69	ML	5.12	5.54	BR	6.11
		1	OKH	20	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.44	4.69	ML	5.12	5.54	BR	6.11
		1	OKH	8	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.68	4.93	ML	5.36	5.69	BR	6.26
		1	OKH	10	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.68	4.93	ML	5.36	5.69	BR	6.26
		1	OKH	9	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.68	4.93	ML	5.36	5.69	BR	6.26
		1	OKH	7	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.68	4.93	ML	5.36	5.69	BR	6.26
		1	OKH	5	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.68	4.93	ML	5.36	5.69	BR	6.26
		1	OKH	6	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.68	4.93	ML	5.36	5.69	BR	6.26
		1	OKH	24	2	BR	1.25	1.75	2.64	3.06	3.54	MB	5.02	5.27	ML	5.96	6.38	BR	6.95
		1	OKH	25	2	BR	1.25	1.75	2.64	3.06	3.54	MB	5.02	5.27	ML	5.96	6.38	BR	6.95
		1	OKH	23	2	BR	1.25	1.75	2.64	3.06	3.54	MB	5.02	5.27	ML	5.96	6.38	BR	6.95
		1	OKH	26	2	BR	1.25	1.75	2.64	3.06	3.54	MB	5.02	5.27	ML	5.96	6.38	BR	6.95
		1	OKH	29	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.52	5.77	ML	6.80	7.22	BR	7.79
		1	OKH	32	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.52	5.77	ML	6.80	7.22	BR	7.79
		1	OKH	30	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.52	5.77	ML	6.38	6.80	BR	7.37
		1	OKH	28	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.52	5.77	ML	6.38	6.80	BR	7.37
		1	OKH	27	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.52	5.77	ML	6.38	6.80	BR	7.37
		1	OKH	31	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.52	5.77	ML	6.80	7.22	BR	7.79
		1	OKH	37	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.94	6.19	ML	7.22	7.64	BR	8.21
		1	OKH	35	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.94	6.19	ML	7.64	8.06	BR	8.63
		1	OKH	33	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.94	6.19	ML	7.64	8.06	BR	8.63
		1	OKH	34	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.94	6.19	ML	7.64	8.06	BR	8.63
		1	OKH	38	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.94	6.19	ML	7.22	7.64	BR	8.21
		1	OKH	36	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.94	6.19	ML	7.22	7.64	BR	8.21
		1	OKH	41	2	BR	2.83	3.33	4.22	4.64	5.02	MB	6.51	6.76	ML	7.64	8.06	BR	8.63
		1	OKH	40	2	BR	2.83	3.33	4.22	4.64	5.02	MB	6.51	6.76	ML	7.64	8.06	BR	8.63
		1	OKH	39	2	BR	2.83	3.33	4.22	4.64	5.02	MB	6.51	6.76	ML	7.64	8.06	BR	8.63
		1	OKH	1	1	PE	0.50	1.00	5.00	5.33	5.41	MB	6.90	7.15	ML	7.58	7.91	BR	8.48
		1	OLP	1	2	BR	0.17	0.67	1.76	2.18	3.03	MP	4.39	4.64	MP	4.87	5.29	BR	6.31
		1	OLP	2	1	BR	0.50	1.00	2.10	2.43	3.28	MP	4.63	4.88	MP	4.88	5.21	BR	6.23
		1	RCF	3	2	BR	0.17	0.67	1.70	2.12	3.31	MB	4.88	5.13	MM	6.08	6.50	BR	6.94

From Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	RCF	2	2	BR	0.17	0.67	1.70	2.12	3.31	MR	4.88	5.13	MM	6.08	6.50	BR	6.94
		1	RCF	1	2	BR	0.17	0.67	1.70	2.12	3.31	MR	4.88	5.13	MM	6.08	6.50	BR	6.94
		1	RMH	1	1	PE	0.67	1.17	1.44	1.77	1.87	MR	2.03	2.28	ML	4.60	4.95	BR	5.50
		1	RMH	12	2	PE	1.25	1.75	2.02	2.44	2.54	MR	2.70	2.95	ML	5.54	5.96	BR	6.53
		1	RMH	3	2	BR	0.42	0.92	2.27	2.69	2.80	MR	2.95	3.20	ML	5.54	5.96	BR	6.53
		1	RMH	6	2	BR	0.42	0.92	2.27	2.69	2.80	MR	2.95	3.20	ML	5.54	5.96	BR	6.53
		1	RMH	4	2	BR	0.42	0.92	2.27	2.69	2.80	MR	2.95	3.20	ML	5.54	5.96	BR	6.53
		1	RMH	5	2	BR	0.42	0.92	2.27	2.69	2.80	MR	2.95	3.20	ML	5.54	5.96	BR	6.53
		1	RMH	2	2	BR	0.42	0.92	2.27	2.69	2.80	MR	2.95	3.20	ML	5.54	5.96	BR	6.53
		1	RMH	7	2	BR	0.42	0.92	2.44	2.86	2.96	MR	3.12	3.37	ML	5.96	6.38	BR	6.95
		1	RMH	11	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.37	3.62	ML	6.38	6.80	BR	7.37
		1	RMH	8	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.37	3.62	ML	5.96	6.38	BR	6.95
		1	RMH	9	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.37	3.62	ML	6.38	6.80	BR	7.37
		1	RMH	10	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.37	3.62	ML	6.38	6.80	BR	7.37
		1	RMH	15	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.87	4.12	ML	7.22	7.64	BR	8.21
		1	RMH	13	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.87	4.12	ML	6.80	7.22	BR	7.79
		1	RMH	16	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.87	4.12	ML	6.80	7.22	BR	7.79
		1	RMH	18	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.87	4.12	ML	6.80	7.22	BR	7.79
		1	RMH	17	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.87	4.12	ML	7.22	7.64	BR	8.21
		1	RMH	14	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.87	4.12	ML	7.22	7.64	BR	8.21
		1	SMR	1	1	BR	0.83	1.33	2.14	2.47	2.52	MB	3.61	3.86	MC	5.01	5.34	BR	5.87
		1	SMR	2	1	BR	0.83	1.33	2.14	2.47	2.52	MB	3.61	3.86	MC	5.01	5.34	BR	5.87
		1	SMR	3	1	BR	0.83	1.33	2.14	2.47	2.52	MB	3.61	3.86	MC	5.01	5.34	BR	5.87
		1	SMR	13	2	BR	1.00	1.50	2.31	2.73	2.78	MB	3.87	4.12	MC	5.27	5.69	BR	6.22
		1	SMR	11	2	BR	1.00	1.50	2.31	2.73	2.78	MB	3.87	4.12	MC	5.27	5.69	BR	6.22
		1	SMR	15	2	BR	1.00	1.50	2.31	2.73	2.78	MB	3.87	4.12	MC	5.27	5.69	BR	6.22
		1	SMR	10	2	BR	1.00	1.50	2.31	2.73	2.78	MB	3.87	4.12	MC	5.27	5.69	BR	6.22
		1	SMR	14	2	BR	1.00	1.50	2.31	2.73	2.78	MB	3.87	4.12	MC	5.27	5.69	BR	6.22
		1	SMR	12	2	BR	1.00	1.50	2.31	2.73	2.78	MB	3.87	4.12	MC	5.27	5.69	BR	6.22
		1	SMR	9	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.11	4.36	MC	5.51	5.84	BR	6.37
		1	SMR	6	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.11	4.36	MC	5.51	5.84	BR	6.37
		1	SMR	4	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.11	4.36	MC	5.51	5.84	BR	6.37
		1	SMR	7	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.11	4.36	MC	5.51	5.84	BR	6.37
		1	SMR	5	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.11	4.36	MC	5.51	5.84	BR	6.37
		1	SMR	8	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.11	4.36	MC	5.51	5.84	BR	6.37
		1	SMR	17	2	BR	1.66	2.16	2.97	3.39	3.44	MB	4.53	4.78	MC	5.93	6.35	BR	6.88
		1	SMR	16	2	BR	1.66	2.16	2.97	3.39	3.44	MB	4.53	4.78	MC	5.93	6.35	BR	6.88
		1	SMR	18	2	BR	1.66	2.16	2.97	3.39	3.44	MB	4.53	4.78	MC	5.93	6.35	BR	6.88
		1	SMR	19	2	BR	2.08	2.58	3.39	3.81	3.86	MB	4.95	5.20	MC	6.35	6.77	BR	7.30
		1	SMR	21	2	BR	2.08	2.58	3.39	3.81	3.86	MB	4.95	5.20	MC	6.35	6.77	BR	7.30
		1	SMR	20	2	BR	2.08	2.58	3.39	3.81	3.86	MB	4.95	5.20	MC	6.35	6.77	BR	7.30
		1	SMR	24	2	BR	2.08	2.58	3.39	3.81	3.86	MB	4.95	5.20	MC	6.35	6.77	BR	7.30
		1	SMR	23	2	BR	2.08	2.58	3.39	3.81	3.86	MB	4.95	5.20	MC	6.35	6.77	BR	7.30
		1	SMR	22	2	BR	2.08	2.58	3.39	3.81	3.86	MB	4.95	5.20	MC	6.35	6.77	BR	7.30
		1	SMR	25	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.37	5.62	MC	6.77	7.19	BR	7.72
		1	SMR	29	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.37	5.62	MC	6.77	7.19	BR	7.72

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Special Facility Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	SNR	27	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.37	5.62	HC	6.77	7.19	BR	7.72
		1	SNR	28	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.37	5.62	HC	6.77	7.19	BR	7.72
		1	SNR	26	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.37	5.62	HC	6.77	7.19	BR	7.72
		1	SNR	30	2	BR	3.50	4.00	4.81	5.23	5.24	MB	6.33	6.58	HC	7.73	8.15	BR	8.68
		1	SNR	31	2	BR	3.50	4.00	4.81	5.23	5.24	MB	6.33	6.58	HC	7.73	8.15	BR	8.68
		1	SNR	32	2	BR	3.50	4.00	4.81	5.23	5.24	MB	6.33	6.58	HC	7.73	8.15	BR	8.68
		1	WHN	5	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	4.97
		1	WHN	3	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	4.97
		1	WHN	6	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	4.97
		1	WHN	4	2	BR	0.50	1.00	1.83	2.25	2.84	MP	3.28	3.53	HP	3.53	3.95	BR	4.97
		1	WHN	1	1	BR	0.67	1.17	2.00	2.33	2.92	MP	3.36	3.61	HP	3.61	3.94	BR	4.96
		1	WHN	2	1	BR	0.67	1.17	2.00	2.33	2.92	MP	3.36	3.61	HP	3.61	3.94	BR	4.96
		1	WHN	8	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.39
		1	WHN	12	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.39
		1	WHN	10	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.39
		1	WHN	11	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.39
		1	WHN	9	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.39
		1	WHN	7	2	BR	0.92	1.42	2.25	2.67	3.26	MP	3.70	3.95	HP	3.95	4.37	BR	5.39
		1	WHN	15	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	5.89
		1	WHN	17	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	5.89
		1	WHN	13	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	5.89
		1	WHN	14	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.84	5.26	BR	6.28
		1	WHN	15	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.84	5.26	BR	6.28
		1	WHN	16	2	BR	1.42	1.92	2.75	3.17	3.76	MP	4.20	4.45	HP	4.45	4.87	BR	5.89
		1	WHN	19	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.31
		1	WHN	22	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.31
		1	WHN	21	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	5.26	5.68	BR	6.70
		1	WHN	23	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	5.29	5.71	BR	6.73
		1	WHN	20	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	5.26	5.68	BR	6.70
		1	WHN	18	2	BR	1.83	2.33	3.17	3.59	4.18	MP	4.62	4.87	HP	4.87	5.29	BR	6.31
		1	WHN	26	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.68	6.10	BR	7.12
		1	WHN	25	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	27	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.68	6.10	BR	7.12
		1	WHN	28	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	24	2	BR	2.25	2.75	3.59	4.01	4.60	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	30	2	BR	3.08	3.58	4.41	4.83	5.08	MP	5.52	5.77	HP	5.77	6.19	BR	7.22
		1	WHN	31	2	BR	3.08	3.58	4.41	4.83	5.08	MP	5.52	5.77	HP	5.77	6.19	BR	7.22
		1	WHN	29	2	BR	3.08	3.58	4.41	4.83	5.08	MP	5.52	5.77	HP	5.77	6.19	BR	7.22

Table 4-A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	GHS	3	2	BR	0.33	0.83	1.98	2.40	2.93	MB	4.63	4.88	HW	4.99	5.41	BR	5.58
		1	GHS	2	2	BR	0.33	0.83	1.98	2.40	2.93	MB	4.63	4.88	HW	4.99	5.41	BR	5.58
		1	GHS	1	2	BR	0.33	0.83	1.98	2.40	2.93	MB	4.63	4.88	HW	4.99	5.41	BR	5.58
		1	GHS	4	2	BR	0.33	0.83	1.98	2.40	2.93	MB	4.63	4.88	HW	4.99	5.41	BR	5.58
GHS	4	2	HCS	10	2	BR	5.58	5.83	6.97	7.39	7.39	-			-			-	NA
GHS	1	2	HCS	8	2	BR	5.58	5.83	6.97	7.39	7.39	-			-			-	NA
GHS	2	2	HCS	9	2	BR	5.58	5.83	6.97	7.39	7.39	-			-			-	NA
HHC	8	2	HCS	2	1	BR	6.34	6.59	7.71	8.04	8.04	-			-			HSHH	9.23
HHC	6	2	HCS	1	1	BR	6.34	6.59	7.71	8.04	8.04	-			-			HSHH	9.23
HHC	12	2	HCS	3	1	BR	6.54	6.79	7.90	8.23	8.23	-			-			HSHH	9.42
HHC	17	2	HCS	11	2	BR	6.52	6.77	7.88	8.30	8.30	-			-			-	NA
HHC	14	2	HCS	16	2	BR	6.55	6.80	7.91	8.33	8.33	-			-			-	NA
HHC	22	2	HCS	14	2	BR	6.55	6.80	7.91	8.33	8.33	-			-			-	NA
HHC	15	2	HCS	15	2	BR	6.55	6.80	7.91	8.33	8.33	-			-			-	NA
HHC	16	2	HCS	13	2	BR	6.55	6.80	7.91	8.33	8.33	-			-			-	NA
HHC	20	2	HCS	12	2	BR	6.55	6.80	7.91	8.33	8.33	-			-			-	NA
SNR	1	2	HCS	4	1	BR	6.73	6.98	8.09	8.42	8.42	-			-			HSHH	9.62
RMH	1	2	HCS	5	1	BR	6.78	7.03	8.14	8.47	8.47	-			-			HSHH	9.67
HSI	1	2	HCS	6	1	BR	6.81	7.06	8.17	8.50	8.50	-			-			HSHH	9.70
WHH	16	2	HCS	17	2	BR	6.61	6.86	8.30	8.72	8.72	-			-			-	NA
WHH	22	2	HCS	19	2	BR	6.73	6.98	8.33	8.75	8.75	-			-			-	NA
WHH	14	2	HCS	18	2	BR	6.61	6.86	8.33	8.75	8.75	-			-			-	NA
HSI	27	2	HCS	7	1	BR	8.80	9.05	10.16	10.49	10.49	-			-			HSHH	11.69
HCS	1	3	HCS	20	1	SH	9.23	9.56	10.60	10.93	10.93	-			-			HSHH	12.13
HCS	2	3	HCS	21	1	SH	9.23	9.56	10.60	10.93	10.93	-			-			HSHH	12.13
HCS	3	3	HCS	22	1	SH	9.42	9.75	10.80	11.13	11.13	-			-			HSHH	12.32
HCS	4	3	HCS	23	1	SH	9.62	9.95	10.99	11.32	11.32	-			-			HSHH	12.52
HCS	5	3	HCS	24	1	SH	9.67	10.00	11.04	11.37	11.37	-			-			HSHH	12.57
HCS	6	3	HCS	25	1	SH	9.70	10.03	11.07	11.40	11.40	-			-			HSHH	12.59
HSI	54	3	HCS	26	1	BR	10.53	10.78	11.89	12.22	12.22	-			-			HGSH	NA
HSI	56	3	HCS	27	1	BR	10.53	10.78	11.89	12.22	12.22	-			-			HGSH	NA
HSI	55	3	HCS	28	1	BR	10.60	10.85	11.96	12.29	12.29	-			-			HGSH	NA
HSI	53	3	HCS	29	1	BR	10.60	10.85	11.96	12.29	12.29	-			-			HGSH	NA
HSI	57	3	HCS	30	1	BR	10.62	10.87	11.98	12.31	12.31	-			-			HGSH	NA
HSI	58	3	HCS	31	1	BR	10.72	10.97	12.08	12.41	12.41	-			-			HGSH	NA
HSI	63	3	HCS	32	1	BR	11.33	11.58	12.69	13.02	13.02	-			-			HGSH	NA
HSI	62	3	HCS	33	1	BR	11.33	11.58	12.69	13.02	13.02	-			-			HGSH	NA
HSI	64	3	HCS	34	1	BR	11.35	11.60	12.71	13.04	13.04	-			-			HGSH	NA
HCS	7	3	HCS	35	1	SH	11.69	12.02	13.06	13.39	13.39	-			-			HGSH	NA
		1	HHC	3	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	1	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	2	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	5	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	4	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	4.97	5.30	-			BR	6.01
		1	HHC	9	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	8	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ	5.30	5.63	-			BR	6.34

Table 4A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	HHC	7	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.30	5.63	-			BR	6.34
		1	HHC	6	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.30	5.63	-			BR	6.34
		1	HHC	10	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.30	5.63	-			BR	6.34
		1	HHC	12	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.51	5.84	-			BR	6.54
		1	HHC	11	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.30	5.63	-			BR	6.34
		1	HHC	13	1	BR	0.50	1.00	2.31	2.89	4.22	HSTJ	5.63	5.96	-			BR	6.62
		1	HHC	17	2	PE	0.00	0.50	1.77	3.19	4.52	HSGH	5.68	6.10	-			BR	6.52
		1	HHC	18	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.10	6.52	-			BR	6.81
		1	HHC	19	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.14	6.56	-			BR	6.85
		1	HHC	14	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.55
		1	HHC	16	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.55
		1	HHC	15	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.55
		1	HHC	22	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.55
		1	HHC	20	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.55
		1	HHC	21	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.14	6.56	-			BR	6.85
WHN	7	2	HJM	12	2	BR	6.33	6.58	7.68	8.10	8.11	-			-			-	NA
WHN	11	2	HJM	11	2	BR	6.33	6.58	7.68	8.10	8.11	-			-			-	NA
WHN	9	2	HJM	14	2	BR	6.33	6.58	7.68	8.10	8.11	-			-			-	NA
WHN	12	2	HJM	13	2	BR	6.33	6.58	7.68	8.10	8.11	-			-			-	NA
WHN	13	2	HJM	18	2	BR	6.61	6.86	7.94	8.38	8.39	-			-			-	NA
WHN	15	2	HJM	17	2	BR	6.61	6.86	7.96	8.38	8.39	-			-			-	NA
HSI	3	2	HJM	3	1	BR	6.81	7.06	8.17	8.50	8.51	-			-			HGSH	10.07
HSI	4	2	HJM	1	1	BR	6.81	7.06	8.17	8.50	8.51	-			-			HGSH	10.07
HSI	6	2	HJM	4	1	BR	6.81	7.06	8.17	8.50	8.51	-			-			HGSH	10.07
HSI	5	2	HJM	2	1	BR	6.81	7.06	8.17	8.50	8.51	-			-			HGSH	10.07
HSI	2	2	HJM	5	1	BR	6.84	7.09	8.19	8.52	8.53	-			-			HGSH	10.10
WHN	17	2	HJM	15	2	BR	6.61	6.86	8.10	8.52	8.53	-			-			-	NA
WHN	15	2	HJM	16	2	BR	6.61	6.86	8.10	8.52	8.53	-			-			-	NA
HHC	19	2	HJM	20	2	BR	6.85	7.10	8.21	8.63	8.64	-			-			-	NA
HHC	21	2	HJM	19	2	BR	6.85	7.10	8.21	8.63	8.64	-			-			-	NA
OKH	7	2	HJM	6	1	BR	6.97	7.22	8.33	8.66	8.67	-			-			HGSH	10.24
OKH	19	2	HJM	23	2	BR	6.87	7.12	8.38	8.80	8.81	-			-			-	NA
OKH	20	2	HJM	25	2	BR	6.87	7.12	8.38	8.80	8.81	-			-			-	NA
OKH	17	2	HJM	22	2	BR	6.87	7.12	8.52	8.94	8.95	-			-			-	NA
OKH	18	2	HJM	24	2	BR	6.87	7.12	8.52	8.94	8.95	-			-			-	NA
WHN	24	2	HJM	26	2	BR	6.94	7.19	8.63	9.05	9.06	-			-			-	NA
OKH	22	2	HJM	21	2	BR	6.87	7.12	8.63	9.05	9.06	-			-			-	NA
WHN	27	2	HJM	27	2	BR	6.94	7.19	8.80	9.22	9.23	-			-			-	NA
HSI	13	2	HJM	9	1	BR	8.37	8.62	9.73	10.06	10.07	-			-			HGSH	11.63
HSI	12	2	HJM	7	1	BR	8.37	8.62	9.73	10.06	10.07	-			-			HGSH	11.63
HSI	14	2	HJM	8	1	BR	8.37	8.62	9.73	10.06	10.07	-			-			HGSH	11.63
HSI	15	2	HJM	10	1	BR	8.37	8.62	9.73	10.06	10.07	-			-			HGSH	11.63
HSI	37	3	HJM	28	1	BR	9.45	9.70	10.81	11.14	11.15	-			-			HGSH	12.71
HSI	41	3	HJM	30	1	BR	9.57	9.82	10.92	11.25	11.26	-			-			HGSH	12.83
HSI	40	3	HJM	29	1	BR	9.57	9.82	10.92	11.25	11.26	-			-			HGSH	12.83
HSI	47	3	HJM	37	1	BR	10.16	10.41	11.52	11.85	11.86	-			-			HGSH	13.43

Table 4.A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Special Facility Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
HSI	48	3	HJM	38	1	BR	10.17	10.42	11.53	11.86	11.86	-			-			HGSH	13.45
HSI	49	3	HJM	40	1	BR	10.27	10.52	11.63	11.96	11.96	-			-			HGSH	13.53
HSI	50	3	HJM	39	1	BR	10.27	10.52	11.63	11.96	11.96	-			-			HGSH	13.53
HSI	51	3	HJM	41	1	BR	10.29	10.54	11.64	11.97	11.98	-			-			HGSH	13.55
HSI	52	3	HJM	42	1	BR	10.29	10.54	11.64	11.97	11.98	-			-			HGSH	13.55
HJM	1	3	HJM	34	1	GH	10.07	10.40	12.01	12.34	12.35	-			-			HGSH	13.92
HJM	3	3	HJM	31	1	GH	10.07	10.40	12.01	12.34	12.35	-			-			HGSH	13.92
HJM	4	3	HJM	33	1	GH	10.07	10.40	12.01	12.34	12.35	-			-			HGSH	13.92
HJM	2	3	HJM	32	1	GH	10.07	10.40	12.01	12.34	12.35	-			-			HGSH	13.92
HJM	5	3	HJM	35	1	GH	10.10	10.43	12.04	12.37	12.38	-			-			HGSH	13.94
HJM	6	3	HJM	36	1	GH	10.24	10.57	12.17	12.50	12.51	-			-			HGSH	14.08
HSI	59	3	HJM	43	1	BR	10.86	11.11	12.34	12.67	12.68	-			-			HGSH	14.25
HSI	60	3	HJM	44	1	BR	11.02	11.27	12.37	12.70	12.71	-			-			HGSH	14.28
HSI	61	3	HJM	45	1	BR	11.12	11.37	12.48	12.81	12.82	-			-			HGSH	14.39
HSI	66	3	HJM	46	1	BR	11.33	11.58	12.69	13.02	13.03	-			-			HGSH	14.60
HSI	65	3	HJM	47	1	BR	11.33	11.58	12.69	13.02	13.03	-			-			HGSH	14.60
WHN	3	2	HSC	11	2	BR	5.91	6.16	7.29	7.71	7.75	-			-			-	NA
WHN	5	2	HSC	9	2	BR	5.91	6.16	7.29	7.71	7.75	-			-			-	NA
WHN	6	2	HSC	10	2	BR	5.91	6.16	7.29	7.71	7.75	-			-			-	NA
WHN	4	2	HSC	12	2	BR	5.91	6.16	7.29	7.71	7.75	-			-			-	NA
WHN	10	2	HSC	13	2	BR	6.33	6.58	7.71	8.13	8.17	-			-			-	NA
WHN	8	2	HSC	14	2	BR	6.33	6.58	7.71	8.13	8.17	-			-			-	NA
DKH	14	2	HSC	18	2	BR	6.59	6.84	7.97	8.39	8.43	-			-			-	NA
DKH	13	2	HSC	15	2	BR	6.59	6.84	7.97	8.39	8.43	-			-			-	NA
DKH	11	2	HSC	19	2	BR	6.59	6.84	7.97	8.39	8.43	-			-			-	NA
DKH	15	2	HSC	17	2	BR	6.59	6.84	7.97	8.39	8.43	-			-			-	NA
DKH	16	2	HSC	20	2	BR	6.59	6.84	8.13	8.55	8.59	-			-			-	NA
DKH	12	2	HSC	16	2	BR	6.59	6.84	8.13	8.55	8.59	-			-			-	NA
WHN	19	2	HSC	23	2	BR	6.73	6.98	8.39	8.81	8.85	-			-			-	NA
WHN	20	2	HSC	21	2	BR	6.73	6.98	8.39	8.81	8.85	-			-			-	NA
WHN	18	2	HSC	24	2	BR	6.73	6.98	8.39	8.81	8.85	-			-			-	NA
WHN	21	2	HSC	22	2	BR	6.73	6.98	8.39	8.81	8.85	-			-			-	NA
SNR	9	2	HSC	1	1	BR	7.23	7.48	8.62	8.95	8.98	-			-			HGSH	10.73
SNR	6	2	HSC	6	1	BR	7.23	7.48	8.62	8.95	8.98	-			-			HGSH	10.73
SNR	8	2	HSC	4	1	BR	7.23	7.48	8.62	8.95	8.98	-			-			HGSH	10.73
SNR	4	2	HSC	3	1	BR	7.23	7.48	8.62	8.95	8.98	-			-			HGSH	10.73
SNR	7	2	HSC	2	1	BR	7.23	7.48	8.62	8.95	8.98	-			-			HGSH	10.73
SNR	5	2	HSC	5	1	BR	7.23	7.48	8.62	8.95	8.98	-			-			HGSH	10.73
WHN	23	2	HSC	25	2	BR	6.73	6.98	8.55	8.97	9.01	-			-			-	NA
HHC	18	2	HSC	26	2	BR	6.81	7.06	8.55	8.97	9.01	-			-			-	NA
MCF	1	2	HSC	28	2	BR	6.94	7.19	8.81	9.23	9.27	-			-			-	NA
DKH	21	2	HSC	27	2	BR	6.87	7.12	8.81	9.23	9.27	-			-			-	NA
MCF	2	2	HSC	29	2	BR	6.94	7.19	8.81	9.23	9.27	-			-			-	NA
WHN	28	2	HSC	30	2	BR	6.94	7.19	8.81	9.23	9.27	-			-			-	NA
HSI	25	2	HSC	8	1	BR	8.37	8.62	9.75	10.08	10.12	-			-			HGSH	11.86
HSI	23	2	HSC	7	1	BR	8.37	8.62	9.75	10.08	10.12	-			-			HGSH	11.86

Table 4A

This Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Arrival	Leave	Special Facility Arrival	Leave	Leave EPZ	1st Facility Code Name	Arrival	Leave	Next Facility Code Name	Arrival	Leave	Final Facility Code Name	Arrival
MSI	36	3	MSC	31	1	BR	9.55	9.70	10.83	11.16	11.19	-			-			HHHH	12.94
MSI	42	3	MSC	33	1	BR	9.57	9.82	10.95	11.28	11.31	-			-			HHHH	13.06
MSI	39	3	MSC	32	1	BR	9.57	9.82	10.95	11.28	11.31	-			-			HHHH	13.06
MSI	38	3	MSC	34	1	BR	9.78	10.03	11.16	11.49	11.52	-			-			HHHH	13.27
MSI	43	3	MSC	35	1	BR	9.78	10.03	11.16	11.49	11.52	-			-			HHHH	13.27
MSI	44	3	MSC	36	1	BR	9.90	10.15	11.28	11.61	11.64	-			-			HHHH	13.39
MSI	46	3	MSC	37	1	BR	9.90	10.15	11.28	11.61	11.64	-			-			HHHH	13.39
MSI	45	3	MSC	38	1	BR	9.90	10.15	11.28	11.61	11.64	-			-			HHHH	13.39
MSC	3	3	MSC	41	1	HH	10.73	11.06	12.82	13.15	13.18	-			-			HHHH	14.93
MSC	6	3	MSC	44	1	HH	10.73	11.06	12.82	13.15	13.18	-			-			HHHH	14.93
MSC	2	3	MSC	40	1	HH	10.73	11.06	12.82	13.15	13.18	-			-			HHHH	14.93
MSC	4	3	MSC	42	1	HH	10.73	11.06	12.82	13.15	13.18	-			-			HHHH	14.93
MSC	1	3	MSC	39	1	HH	10.73	11.06	12.82	13.15	13.18	-			-			HHHH	14.93
MSC	5	3	MSC	43	1	HH	10.73	11.06	12.82	13.15	13.18	-			-			HHHH	14.93
MSI	69	3	MSC	46	1	BR	11.66	11.91	13.15	13.48	13.51	-			-			HHHH	15.26
MSI	67	3	MSC	45	1	BR	11.56	11.81	13.15	13.48	13.51	-			-			HHHH	15.26
		1	MSI	3	1	BR	1.67	2.17	3.37	3.70	4.01	MSTJ	5.92	6.25	-			BR	6.81
		1	MSI	1	1	BR	1.67	2.17	3.37	3.70	4.01	MSTJ	5.92	6.25	-			BR	6.81
		1	MSI	6	1	BR	1.67	2.17	3.37	3.70	4.01	MSTJ	5.92	6.25	-			BR	6.81
		1	MSI	4	1	BR	1.67	2.17	3.37	3.70	4.01	MSTJ	5.92	6.25	-			BR	6.81
		1	MSI	2	1	BR	1.67	2.17	3.37	3.70	4.01	MSTJ	5.96	6.29	-			BR	6.84
		1	MSI	5	1	BR	1.67	2.17	3.37	3.70	4.01	MSTJ	5.92	6.25	-			BR	6.81
		1	MSI	8	1	BR	2.00	2.50	3.70	4.03	4.34	MSSH	6.72	7.05	-			BR	7.78
		1	MSI	9	1	BR	2.00	2.50	3.70	4.03	4.34	MSSH	6.72	7.05	-			BR	7.78
		1	MSI	7	1	BR	2.00	2.50	3.70	4.03	4.34	MSSH	6.72	7.05	-			BR	7.78
		1	MSI	10	1	BR	2.00	2.50	3.70	4.03	4.34	MSSH	6.72	7.05	-			BR	7.78
		1	MSI	11	1	BR	2.00	2.50	3.70	4.03	4.34	MSSH	6.72	7.05	-			BR	7.78
		1	MSI	20	1	BR	2.50	3.00	4.20	4.53	4.84	HVAH	6.90	7.23	-			BR	8.04
		1	MSI	18	1	BR	2.50	3.00	4.20	4.53	4.84	HVAH	6.90	7.23	-			BR	8.04
		1	MSI	16	1	BR	2.50	3.00	4.20	4.53	4.84	HVAH	6.90	7.23	-			BR	8.04
		1	MSI	19	1	BR	2.50	3.00	4.20	4.53	4.84	HVAH	6.90	7.23	-			BR	8.04
		1	MSI	21	1	BR	2.50	3.00	4.20	4.53	4.84	HVAH	6.90	7.23	-			BR	8.04
		1	MSI	17	1	BR	2.50	3.00	4.20	4.53	4.84	HVAH	6.90	7.23	-			BR	8.04
		1	MSI	22	1	BR	2.67	3.17	4.53	4.86	5.03	MSTJ	6.66	6.99	-			BR	7.46
		1	MSI	12	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	7.23	7.56	-			BR	8.37
		1	MSI	14	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	7.23	7.56	-			BR	8.37
		1	MSI	15	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	7.23	7.56	-			BR	8.37
		1	MSI	13	1	PE	2.17	2.67	5.11	5.44	5.49	HVAH	7.23	7.56	-			BR	8.37
		1	MSI	24	1	BR	3.50	4.00	5.20	5.53	5.59	MSTJ	6.76	7.09	-			BR	7.57
		1	MSI	25	1	BR	3.50	4.00	5.20	5.53	5.59	HVAH	7.23	7.56	-			BR	8.37
		1	MSI	23	1	PE	3.17	3.67	5.44	5.77	5.82	HVAH	7.23	7.56	-			BR	8.37
		1	MSI	30	2	BR	3.83	4.33	5.53	5.95	6.02	HSSH	7.06	7.48	-			BR	8.20
		1	MSI	31	2	BR	3.83	4.33	5.53	5.95	6.02	HSSH	7.06	7.48	-			BR	8.20
		1	MSI	29	2	BR	3.83	4.33	5.53	5.95	6.02	HSSH	7.06	7.48	-			BR	8.20
		1	MSI	28	2	BR	3.83	4.33	5.53	5.95	6.02	HSSH	7.06	7.48	-			BR	8.20
		1	MSI	26	1	BR	4.00	4.50	5.70	6.03	6.09	HSGH	6.66	6.99	-			BR	7.27

Table 4A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Arrival	Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	Arrival	Leave	Next Facility Code	Arrival	Leave	Final Facility Code	Arrival
		1	HSI	35	2	BR	4.33	4.83	6.03	6.45	6.52	HSSH	7.56	7.98	-			BR	8.70
		1	HSI	33	2	BR	4.33	4.83	6.03	6.45	6.52	HSSH	7.56	7.98	-			BR	8.70
		1	HSI	34	2	BR	4.33	4.83	6.03	6.45	6.52	HSSH	7.56	7.98	-			BR	8.70
		1	HSI	32	2	BR	4.33	4.83	6.03	6.45	6.52	HSSH	7.56	7.98	-			BR	8.80
		1	HSI	27	1	BR	4.50	5.00	6.16	6.49	6.54	HVAH	7.66	7.99	-			-	NA
GMS	3	2	HSI	74	2	BR	5.58	5.83	6.51	6.93	6.99	-			-			BR	9.45
WHH	2	2	HSI	34	1	BR	5.90	6.15	6.80	7.13	7.19	HVAH	8.31	8.64	-			BR	9.45
WHH	1	2	HSI	37	1	BR	5.90	6.15	6.80	7.13	7.19	HVAH	8.31	8.64	-			BR	9.57
HHC	2	2	HSI	39	1	BR	6.01	6.26	6.92	7.25	7.30	HVAH	8.43	8.76	-			BR	9.57
HHC	5	2	HSI	41	1	BR	6.01	6.26	6.92	7.25	7.30	HVAH	8.43	8.76	-			BR	9.57
HHC	3	2	HSI	42	1	BR	6.01	6.26	6.92	7.25	7.30	HVAH	8.43	8.76	-			BR	9.57
HHC	1	2	HSI	40	1	BR	6.01	6.26	6.92	7.25	7.30	HVAH	8.43	8.76	-			BR	9.78
HHC	9	2	HSI	43	1	BR	6.22	6.47	7.13	7.46	7.52	HVAH	8.64	8.97	-			BR	9.78
HHC	4	2	HSI	38	1	BR	6.01	6.26	7.13	7.46	7.52	HVAH	8.64	8.97	-			BR	9.90
HHC	10	2	HSI	45	1	BR	6.34	6.59	7.25	7.58	7.63	HVAH	8.76	9.09	-			BR	9.90
HHC	7	2	HSI	46	1	BR	6.34	6.59	7.25	7.58	7.63	HVAH	8.76	9.09	-			BR	9.90
HHC	11	2	HSI	44	1	BR	6.34	6.59	7.25	7.58	7.63	HVAH	8.76	9.09	-			BR	10.16
DKH	2	2	HSI	47	1	BR	6.61	6.86	7.52	7.85	7.90	HVAH	9.02	9.35	-			BR	10.17
HHC	13	2	HSI	48	1	BR	6.62	6.87	7.52	7.85	7.90	HVAH	9.03	9.36	-			BR	10.27
DKH	3	2	HSI	50	1	BR	6.72	6.97	7.62	7.95	8.00	HVAH	9.13	9.46	-			BR	10.27
DKH	4	2	HSI	49	1	BR	6.72	6.97	7.62	7.95	8.00	HVAH	9.13	9.46	-			BR	10.29
SMR	2	2	HSI	52	1	BR	6.73	6.98	7.64	7.97	8.02	HVAH	9.15	9.48	-			BR	10.29
SMR	3	2	HSI	51	1	BR	6.73	6.98	7.64	7.97	8.02	HVAH	9.15	9.48	-			BR	10.53
DKH	6	2	[illegible]	56	1	BR	6.97	7.22	7.88	8.21	8.26	HVAH	9.39	9.72	-			BR	10.53
DKH	8	2	[illegible]	54	1	BR	6.97	7.22	7.88	8.21	8.26	HVAH	9.39	9.72	-			BR	10.60
DKH	9	2	HSI	55	1	BR	6.97	7.22	7.95	8.28	8.33	HVAH	9.46	9.79	-			BR	10.60
DKH	10	2	HSI	53	1	BR	6.97	7.22	7.95	8.28	8.33	HVAH	9.46	9.79	-			BR	10.62
DKH	5	2	HSI	57	1	BR	7.03	[illegible]	7.97	8.30	8.35	HVAH	9.48	9.81	-			BR	10.72
DLP	2	2	HSI	58	1	BR	7.17	7.42	8.08	8.41	8.46	HVAH	9.58	9.91	-			BR	10.86
HSI	26	2	HSI	59	1	BR	7.27	7.52	8.21	8.54	8.59	HVAH	9.72	10.05	-			BR	11.02
HSI	22	2	HSI	60	1	BR	7.46	7.71	8.37	8.70	8.75	HVAH	9.88	10.21	-			BR	11.12
HSI	24	2	HSI	61	1	BR	7.57	7.82	8.48	8.81	8.86	HVAH	9.98	10.31	-			BR	11.33
HSI	7	2	HSI	66	1	BR	7.78	8.03	8.69	9.02	9.07	HVAH	10.19	10.52	-			BR	11.33
HSI	10	2	HSI	62	1	BR	7.78	8.03	8.69	9.02	9.07	HVAH	10.19	10.52	-			BR	11.33
HSI	9	2	HSI	63	1	BR	7.78	8.03	8.69	9.02	9.07	HVAH	10.19	10.52	-			BR	11.33
HSI	8	2	HSI	65	1	BR	7.78	8.03	8.69	9.02	9.07	HVAH	10.19	10.52	-			BR	11.35
HSI	11	2	HSI	64	1	BR	7.78	8.03	8.70	9.03	9.08	HVAH	10.21	10.54	-			BR	11.56
DKH	1	2	HSI	67	1	BR	8.00	8.25	8.91	9.24	9.29	HVAH	10.42	10.75	-			BR	11.66
HSI	20	2	HSI	71	1	BR	8.04	8.29	9.02	9.35	9.40	HVAH	10.52	10.85	-			BR	11.66
HSI	16	2	HSI	70	1	BR	8.04	8.29	9.02	9.35	9.40	HVAH	10.52	10.85	-			BR	11.66
HSI	21	2	HSI	69	1	BR	8.04	8.29	9.02	9.35	9.40	HVAH	10.52	10.85	-			BR	11.66
HSI	18	2	HSI	68	1	BR	8.04	8.29	9.03	9.36	9.41	HVAH	10.54	10.87	-			BR	11.68
HSI	17	2	HSI	72	1	BR	8.04	8.29	9.24	9.57	9.62	HVAH	10.75	11.08	-			BR	11.89
HSI	19	2	HSI	73	1	BR	8.04	8.29	9.24	9.57	9.62	HVAH	10.75	11.08	-			BR	11.89
		1	ILO	2	2	BR	0.33	0.83	2.24	2.66	3.49	MP	4.27	4.52	HI	5.51	5.93	BR	7.37
		1	ILO	1	2	BR	0.33	0.83	2.24	2.66	3.49	MP	4.27	4.52	HI	5.51	5.93	BR	7.37

Table 4A

Prior Run	Prior Run Number	Move Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Name	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Name	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Name	Final Facility Arrival
		1	MCF	2	2	BR	0.83	.33	2.49	2.91	3.08	MP		5.14	5.39	MP		5.71	6.13	BR		6.94
		1	MCF	1	2	BR	0.83	1.33	2.49	2.91	3.08	MP		5.14	5.39	MP		5.71	6.13	BR		6.94
		1	OKH	14	2	BR	0.25	0.75	2.07	2.49	2.98	MB		4.67	4.92	ML		5.49	5.91	BR		6.59
		1	OKH	13	2	BR	0.25	0.75	2.07	2.49	2.98	MB		4.67	4.92	ML		5.49	5.91	BR		6.59
		1	OKH	15	2	BR	0.25	0.75	2.07	2.49	2.98	MB		4.67	4.92	ML		5.49	5.91	BR		6.59
		1	OKH	16	2	BR	0.25	0.75	2.07	2.49	2.98	MB		4.67	4.92	ML		5.49	5.91	BR		6.59
		1	OKH	12	2	BR	0.25	0.75	2.07	2.49	2.98	MB		4.67	4.92	ML		5.49	5.91	BR		6.59
		1	OKH	11	2	BR	0.25	0.75	2.07	2.49	2.98	MB		4.67	4.92	ML		5.49	5.91	BR		6.59
		1	OKH	2	1	BR	0.50	1.00	2.32	2.65	3.14	MB		4.83	5.08	ML		5.65	5.98	BR		6.61
		1	OKH	4	1	BR	0.67	1.17	2.49	2.82	3.31	MB		5.00	5.25	ML		5.82	6.15	BR		6.72
		1	OKH	3	1	BR	0.67	1.17	2.49	2.82	3.31	MB		5.00	5.25	ML		5.82	6.15	BR		6.72
		1	OKH	17	2	BR	0.67	1.17	2.49	2.91	3.40	MB		5.09	5.34	ML		5.91	6.33	BR		6.87
		1	OKH	20	2	BR	0.67	1.17	2.49	2.91	3.40	MB		5.09	5.34	ML		5.91	6.33	BR		6.87
		1	OKH	21	2	BR	0.67	1.17	2.49	2.91	3.40	MB		5.09	5.34	ML		5.91	6.33	BR		6.87
		1	OKH	19	2	BR	0.67	1.17	2.49	2.91	3.40	MB		5.09	5.34	ML		5.91	6.33	BR		6.87
		1	OKH	22	2	BR	0.67	1.17	2.49	2.91	3.40	MB		5.09	5.34	ML		5.91	6.33	BR		6.87
		1	OKH	18	2	BR	0.67	1.17	2.49	2.91	3.40	MB		5.09	5.34	ML		5.91	6.33	BR		6.87
		1	OKH	8	1	BR	1.00	1.50	2.82	3.15	3.64	MB		5.33	5.58	ML		6.15	6.48	BR		6.97
		1	OKH	10	1	BR	1.00	1.50	2.82	3.15	3.64	MB		5.33	5.58	ML		6.15	6.48	BR		6.97
		1	OKH	9	1	BR	1.00	1.50	2.82	3.15	3.64	MB		5.33	5.58	ML		6.15	6.48	BR		6.97
		1	OKH	7	1	BR	1.00	1.50	2.82	3.15	3.64	MB		5.33	5.58	ML		6.15	6.48	BR		6.97
		1	OKH	5	1	BR	1.00	1.50	2.82	3.15	3.64	MB		5.33	5.58	ML		6.27	6.55	BR		7.03
		1	OKH	6	1	BR	1.00	1.50	2.82	3.15	3.64	MB		5.33	5.58	ML		6.15	6.48	BR		6.97
		1	OKH	25	2	BR	1.25	1.75	3.07	3.49	3.98	MB		5.67	5.92	ML		6.46	6.88	BR		7.36
		1	OKH	24	2	BR	1.25	1.75	3.07	3.49	3.98	MB		5.67	5.92	ML		6.46	6.88	BR		7.36
		1	OKH	23	2	BR	1.25	1.75	3.07	3.49	3.98	MB		5.67	5.92	ML		6.46	6.88	BR		7.36
		1	OKH	26	2	BR	1.25	1.75	3.07	3.49	3.98	MB		5.67	5.92	ML		6.46	6.88	BR		7.36
		1	OKH	29	2	BR	1.75	2.25	3.57	3.99	4.48	MB		6.17	6.42	ML		7.30	7.72	BR		8.20
		1	OKH	32	2	BR	1.75	2.25	3.57	3.99	4.48	MB		6.17	6.42	ML		7.30	7.72	BR		8.20
		1	OKH	28	2	BR	1.75	2.25	3.57	3.99	4.48	MB		6.17	6.42	ML		7.25	7.67	BR		8.15
		1	OKH	31	2	BR	1.75	2.25	3.57	3.99	4.48	MB		6.17	6.42	ML		7.30	7.72	BR		8.20
		1	OKH	30	2	BR	1.75	2.25	3.57	3.99	4.48	MB		6.17	6.42	ML		7.30	7.72	BR		8.20
		1	OKH	27	2	BR	1.75	2.25	3.57	3.99	4.48	MB		6.17	6.42	ML		7.31	7.73	BR		8.21
		1	OKH	37	2	BR	2.17	2.67	3.99	4.41	4.90	MB		6.30	6.55	ML		8.09	8.51	BR		8.99
		1	OKH	36	2	BR	2.17	2.67	3.99	4.41	4.90	MB		6.30	6.55	ML		8.14	8.56	BR		9.04
		1	OKH	33	2	BR	2.17	2.67	3.99	4.41	4.90	MB		6.30	6.55	ML		8.14	8.56	BR		9.04
		1	OKH	35	2	BR	2.17	2.67	3.99	4.41	4.90	MB		6.30	6.55	ML		8.14	8.56	BR		9.04
		1	OKH	38	2	BR	2.17	2.67	3.99	4.41	4.90	MB		6.30	6.55	ML		7.72	8.14	BR		8.62
		1	OKH	34	2	BR	2.17	2.67	3.99	4.41	4.90	MB		6.30	6.55	ML		7.73	8.15	BR		8.63
		1	OKH	41	2	BR	2.83	3.33	4.65	5.07	5.17	MB		6.38	6.63	ML		8.14	8.56	BR		9.04
		1	OKH	39	2	BR	2.83	3.33	4.65	5.07	5.17	MB		6.38	6.63	ML		8.15	8.57	BR		9.05
		1	OKH	40	2	BR	2.83	3.33	4.65	5.07	5.17	MB		6.38	6.63	ML		8.51	8.93	BR		9.41
		1	OKH	1	1	PE	0.50	1.00	5.02	5.35	5.43	MB		6.45	6.70	ML		7.19	7.52	BR		8.00
		1	OLP	1	2	BR	0.17	0.67	2.27	2.69	3.54	MP		5.57	5.82	MP		6.13	6.55	BR		7.29
		1	OLP	2	1	BR	0.50	1.00	2.60	2.93	3.78	MP		5.81	6.06	MP		6.06	6.39	BR		7.17
		1	RCF	3	2	BR	0.17	0.67	2.28	2.70	3.89	MB		5.51	5.76	MM		6.66	7.08	BR		7.49

Table 4.A

Prior Run	Prior Run Number	Move Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Name	Dispatch Point Arrival	Special Facility Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Name	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Name	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Name	Final Facility Arrival
		1	RCF	2	2	BR		0.17	0.67	2.28	2.70	3.89	MB		5.51	5.76	HM		6.66	7.08	BR		7.49
		1	RCF	1	2	BR		0.17	0.67	2.28	2.70	3.89	MB		5.51	5.76	HM		6.66	7.08	BR		7.49
		1	RNH	1	1	PE		0.67	1.17	1.49	1.82	1.93	MR		2.16	2.41	HL		5.89	6.22	BR		6.78
		1	RNH	12	2	PE		1.25	1.75	2.07	2.49	2.60	MR		2.83	3.08	HL		6.47	6.89	BR		7.37
		1	RNH	5	2	BR		0.42	0.92	3.10	3.52	3.63	MR		3.86	4.11	HL		6.88	7.30	BR		7.78
		1	RNH	7	2	BR		0.42	0.92	3.10	3.52	3.63	MR		3.86	4.11	HL		6.89	7.31	BR		7.79
		1	RNH	6	2	BR		0.42	0.92	3.10	3.52	3.63	MR		3.86	4.11	HL		6.88	7.30	BR		7.78
		1	RNH	2	2	BR		0.42	0.92	3.10	3.52	3.63	MR		3.86	4.11	HL		6.88	7.30	BR		7.78
		1	RNH	3	2	BR		0.42	0.92	3.10	3.52	3.63	MR		3.86	4.11	HL		6.88	7.30	BR		7.78
		1	RNH	4	2	BR		0.42	0.92	3.10	3.52	3.63	MR		3.86	4.11	HL		6.83	7.25	BR		7.73
		1	RNH	8	2	BR		0.83	1.33	3.52	3.94	4.05	MR		4.28	4.53	HL		7.72	8.14	BR		8.62
		1	RNH	10	2	BR		0.83	1.33	3.52	3.94	4.05	MR		4.28	4.53	HL		7.67	8.09	BR		8.57
		1	RNH	11	2	BR		0.83	1.33	3.52	3.94	4.05	MR		4.28	4.53	HL		7.72	8.14	BR		8.62
		1	RNH	9	2	BR		0.83	1.33	3.52	3.94	4.05	MR		4.28	4.53	HL		7.72	8.14	BR		8.62
		1	RNH	14	2	BR		1.33	1.83	4.01	4.43	4.54	MR		4.78	5.03	HL		8.93	9.35	BR		9.83
		1	RNH	17	2	BR		1.33	1.83	4.01	4.43	4.54	MR		4.78	5.03	HL		8.57	8.99	BR		9.47
		1	RNH	15	2	BR		1.33	1.83	4.01	4.43	4.54	MR		4.78	5.03	HL		8.56	8.98	BR		9.46
		1	RNH	16	2	BR		1.33	1.83	4.01	4.43	4.54	MR		4.78	5.03	HL		8.56	8.98	BR		9.46
		1	RNH	13	2	BR		1.33	1.83	4.01	4.43	4.54	MR		4.78	5.03	HL		8.56	8.98	BR		9.46
		1	RNH	18	2	BR		1.33	1.83	4.01	4.43	4.54	MR		4.78	5.03	HL		8.56	8.98	BR		9.46
		1	SNR	1	1	BR		0.83	1.33	2.41	2.74	2.79	MB		4.42	4.67	HC		5.93	6.26	BR		6.73
		1	SNR	2	1	BR		0.83	1.33	2.41	2.74	2.79	MB		4.42	4.67	HC		5.93	6.26	BR		6.73
		1	SNR	3	1	BR		0.83	1.33	2.41	2.74	2.79	MB		4.42	4.67	HC		5.93	6.26	BR		6.73
		1	SNR	13	2	BR		1.00	1.50	2.58	3.00	3.05	MB		4.68	4.93	HC		6.19	6.61	BR		7.08
		1	SNR	11	2	BR		1.00	1.50	2.58	3.00	3.05	MB		4.68	4.93	HC		6.19	6.61	BR		7.08
		1	SNR	15	2	BR		1.00	1.50	2.58	3.00	3.05	MB		4.68	4.93	HC		6.19	6.61	BR		7.08
		1	SNR	10	2	BR		1.00	1.50	2.58	3.00	3.05	MB		4.68	4.93	HC		6.19	6.61	BR		7.08
		1	SNR	14	2	BR		1.00	1.50	2.58	3.00	3.05	MB		4.68	4.93	HC		6.19	6.61	BR		7.08
		1	SNR	12	2	BR		1.00	1.50	2.58	3.00	3.05	MB		4.68	4.93	HC		6.19	6.61	BR		7.08
		1	SNR	9	1	BR		1.33	1.83	2.91	3.24	3.29	MB		4.92	5.17	HC		6.43	6.76	BR		7.23
		1	SNR	6	1	BR		1.33	1.83	2.91	3.24	3.29	MB		4.92	5.17	HC		6.43	6.76	BR		7.23
		1	SNR	4	1	BR		1.33	1.83	2.91	3.24	3.29	MB		4.92	5.17	HC		6.43	6.76	BR		7.23
		1	SNR	7	1	BR		1.33	1.83	2.91	3.24	3.29	MB		4.92	5.17	HC		6.43	6.76	BR		7.23
		1	SNR	5	1	BR		1.33	1.83	2.91	3.24	3.29	MB		4.92	5.17	HC		6.43	6.76	BR		7.23
		1	SNR	8	1	BR		1.33	1.83	2.91	3.24	3.29	MB		4.92	5.17	HC		6.43	6.76	BR		7.23
		1	SNR	17	2	BR		1.66	2.16	3.24	3.66	3.71	MB		5.34	5.59	HC		6.68	7.10	BR		7.58
		1	SNR	16	2	BR		1.66	2.16	3.24	3.66	3.71	MB		5.34	5.59	HC		6.68	7.10	BR		7.58
		1	SNR	18	2	BR		1.66	2.16	3.24	3.66	3.71	MB		5.34	5.59	HC		6.68	7.10	BR		7.58
		1	SNR	19	2	BR		2.08	2.58	3.66	4.08	4.13	MB		5.76	6.01	HC		6.80	7.22	BR		7.70
		1	SNR	21	2	BR		2.08	2.58	3.66	4.08	4.13	MB		5.76	6.01	HC		7.10	7.52	BR		8.00
		1	SNR	20	2	BR		2.08	2.58	3.66	4.08	4.13	MB		5.76	6.01	HC		6.80	7.22	BR		7.70
		1	SNR	24	2	BR		2.08	2.58	3.66	4.08	4.13	MB		5.76	6.01	HC		7.10	7.52	BR		8.00
		1	SNR	23	2	BR		2.08	2.58	3.66	4.08	4.13	MB		5.76	6.01	HC		6.80	7.22	BR		7.70
		1	SNR	22	2	BR		2.08	2.58	3.66	4.08	4.13	MB		5.76	6.01	HC		7.10	7.52	BR		8.00
		1	SNR	25	2	BR		2.50	3.00	4.08	4.50	4.55	MB		6.18	6.43	HC		7.22	7.64	BR		8.12
		1	SNR	29	2	BR		2.50	3.00	4.08	4.50	4.55	MB		6.18	6.43	HC		7.22	7.64	BR		8.12

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	SNR	27	2	BR	2.50	3.00	4.08	4.50	4.55	MB	6.18	6.43	HC	7.52	7.94	BR	8.42
		1	SNR	28	2	BR	2.50	3.00	4.08	4.50	4.55	MB	6.18	6.43	HC	7.52	7.94	BR	8.42
		1	SNR	26	2	BR	2.50	3.00	4.08	4.50	4.55	MB	6.18	6.43	HC	7.22	7.64	BR	8.12
		1	SNR	30	2	BR	3.50	4.00	5.08	5.50	5.51	MB	6.93	7.18	HC	7.65	8.07	BR	8.55
		1	SNR	31	2	BR	3.50	4.00	5.08	5.50	5.51	MB	6.93	7.18	HC	7.65	8.07	BR	8.55
		1	SNR	32	2	BR	3.50	4.00	5.08	5.50	5.51	MB	6.93	7.18	HC	7.65	8.07	BR	8.55
		1	WHN	6	2	BR	0.50	1.00	2.11	2.53	3.11	MP	3.70	3.95	HP	3.95	4.37	BR	5.91
		1	WHN	5	2	BR	0.50	1.00	2.11	2.53	3.11	MP	3.70	3.95	HP	3.95	4.37	BR	5.91
		1	WHN	3	2	BR	0.50	1.00	2.11	2.53	3.11	MP	3.70	3.95	HP	3.95	4.37	BR	5.91
		1	WHN	4	2	BR	0.50	1.00	2.11	2.53	3.11	MP	3.70	3.95	HP	3.95	4.37	BR	5.91
		1	WHN	1	1	BR	0.67	1.17	2.28	2.61	3.19	MP	3.78	4.03	HP	4.03	4.36	BR	5.90
		1	WHN	2	1	BR	0.67	1.17	2.28	2.61	3.19	MP	3.78	4.03	HP	4.03	4.36	BR	5.90
		1	WHN	7	2	BR	0.92	1.42	2.53	2.95	3.53	MP	4.12	4.37	HP	4.37	4.79	BR	6.33
		1	WHN	10	2	BR	0.92	1.42	2.53	2.95	3.53	MP	4.12	4.37	HP	4.37	4.79	BR	6.33
		1	WHN	9	2	BR	0.92	1.42	2.53	2.95	3.53	MP	4.12	4.37	HP	4.37	4.79	BR	6.33
		1	WHN	12	2	BR	0.92	1.42	2.53	2.95	3.53	MP	4.12	4.37	HP	4.37	4.79	BR	6.33
		1	WHN	8	2	BR	0.92	1.42	2.53	2.95	3.53	MP	4.12	4.37	HP	4.37	4.79	BR	6.33
		1	WHN	11	2	BR	0.92	1.42	2.53	2.95	3.53	MP	4.12	4.37	HP	4.37	4.79	BR	6.33
		1	WHN	15	2	BR	1.42	1.92	3.03	3.45	4.03	MP	4.62	4.87	HP	4.87	5.29	BR	6.61
		1	WHN	14	2	BR	1.42	1.92	3.03	3.45	4.03	MP	4.62	4.87	HP	4.87	5.29	BR	6.61
		1	WHN	16	2	BR	1.42	1.92	3.03	3.45	4.03	MP	4.62	4.87	HP	4.87	5.29	BR	6.61
		1	WHN	13	2	BR	1.42	1.92	3.03	3.45	4.03	MP	4.62	4.87	HP	4.87	5.29	BR	6.61
		1	WHN	17	2	BR	1.42	1.92	3.03	3.45	4.03	MP	4.62	4.87	HP	4.87	5.29	BR	6.61
		1	WHN	15	2	BR	1.42	1.92	3.03	3.45	4.03	MP	4.62	4.87	HP	4.87	5.29	BR	6.61
		1	WHN	21	2	BR	1.83	2.33	3.45	3.87	4.45	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	20	2	BR	1.83	2.33	3.45	3.87	4.45	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	22	2	BR	1.83	2.33	3.45	3.87	4.45	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	19	2	BR	1.83	2.33	3.45	3.87	4.45	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	18	2	BR	1.83	2.33	3.45	3.87	4.45	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	23	2	BR	1.83	2.33	3.45	3.87	4.45	MP	5.04	5.29	HP	5.29	5.71	BR	6.73
		1	WHN	24	2	BR	2.25	2.75	3.87	4.29	4.87	MP	5.46	5.71	HP	5.71	6.13	BR	6.94
		1	WHN	27	2	BR	2.25	2.75	3.87	4.29	4.87	MP	5.46	5.71	HP	5.71	6.13	BR	6.94
		1	WHN	26	2	BR	2.25	2.75	3.87	4.29	4.87	MP	5.46	5.71	HP	6.13	6.55	BR	7.29
		1	WHN	28	2	BR	2.25	2.75	3.87	4.29	4.87	MP	5.46	5.71	HP	5.71	6.13	BR	6.94
		1	WHN	25	2	BR	2.25	2.75	3.87	4.29	4.87	MP	5.46	5.71	HP	5.71	6.13	BR	6.94
		1	WHN	30	2	BR	3.08	3.58	4.69	5.11	5.23	MP	5.82	6.07	HP	6.13	6.55	BR	7.29
		1	WHN	31	2	BR	3.08	3.58	4.69	5.11	5.23	MP	5.82	6.07	HP	6.13	6.55	BR	7.29
		1	WHN	29	2	BR	3.08	3.58	4.69	5.11	5.23	MP	5.82	6.07	HP	6.13	6.55	BR	7.29

Table A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Destination Code Name	Final Destination Arrival
		1	GHS	3	2	BR	0.33	0.83	1.57	1.99	2.52	MB	4.04	4.29	HW	4.38	4.80	BR	4.97
		1	GHS	2	2	BR	0.33	0.83	1.57	1.99	2.52	MB	4.04	4.29	HW	4.38	4.80	BR	4.97
		1	GHS	1	2	BR	0.33	0.83	1.57	1.99	2.52	MB	4.04	4.29	HW	4.38	4.80	BR	4.97
		1	GHS	4	2	BR	0.33	0.83	1.57	1.99	2.52	MB	4.04	4.29	HW	4.38	4.80	BR	4.97
GHS	3	2	HCS	8	2	BR	4.97	5.22	6.38	6.80	6.80	-			-			-	NA
GHS	4	2	HCS	10	2	BR	4.97	5.22	6.38	6.80	6.80	-			-			-	NA
GHS	2	2	HCS	9	2	BR	4.97	5.22	6.38	6.80	6.80	-			-			-	NA
WHN	12	2	HCS	15	2	BR	5.73	5.98	6.83	7.25	7.25	-			-			-	NA
WHN	10	2	HCS	14	2	BR	5.73	5.98	6.83	7.25	7.25	-			-			-	NA
WHN	7	2	HCS	12	2	BR	5.73	5.98	6.83	7.25	7.25	-			-			-	NA
WHN	9	2	HCS	16	2	BR	5.73	5.98	6.83	7.25	7.25	-			-			-	NA
WHN	8	2	HCS	13	2	BR	5.73	5.98	6.83	7.25	7.25	-			-			-	NA
WHN	11	2	HCS	11	2	BR	5.73	5.98	6.83	7.25	7.25	-			-			-	NA
HSI	5	2	HCS	1	1	BR	5.89	6.14	7.00	7.33	7.33	-			-			HSHH	8.25
HSI	1	2	HCS	3	1	BR	5.89	6.14	7.00	7.33	7.33	-			-			HSHH	8.25
HSI	2	2	HCS	2	1	BR	5.89	6.14	7.00	7.33	7.33	-			-			HSHH	8.25
HHC	3	2	HCS	4	1	BR	6.22	6.47	7.33	7.66	7.66	-			-			HSHH	8.58
HHC	4	2	HCS	5	1	BR	6.22	6.47	7.33	7.66	7.66	-			-			HSHH	8.58
HHC	1	2	HCS	6	1	BR	6.22	6.47	7.33	7.66	7.66	-			-			HSHH	8.58
WHN	17	2	HCS	18	2	BR	6.23	6.48	7.33	7.75	7.75	-			-			-	NA
WHN	13	2	HCS	19	2	BR	6.23	6.48	7.33	7.75	7.75	-			-			-	NA
WHN	15	2	HCS	17	2	BR	6.23	6.48	7.33	7.75	7.75	-			-			-	NA
HSI	27	2	HCS	7	1	BR	7.99	8.24	9.09	9.42	9.42	-			-			HSHH	10.35
HCS	2	3	HCS	22	1	SH	8.25	8.58	9.39	9.72	9.72	-			-			HSHH	10.64
HCS	1	3	HCS	20	1	SH	8.25	8.58	9.39	9.72	9.72	-			-			HSHH	10.64
HCS	3	3	HCS	21	1	SH	8.25	8.58	9.39	9.72	9.72	-			-			HSHH	10.64
HCS	6	3	HCS	25	1	SH	8.58	8.91	9.72	10.05	10.05	-			-			HSHH	10.97
HCS	5	3	HCS	23	1	SH	8.58	8.91	9.72	10.05	10.05	-			-			HSHH	10.97
HCS	4	3	HCS	24	1	SH	8.58	8.91	9.72	10.05	10.05	-			-			HSHH	10.97
HSI	55	3	HCS	28	1	BR	9.47	9.72	10.58	10.91	10.91	-			-			HGSH	NA
HSI	54	3	HCS	26	1	BR	9.47	9.72	10.58	10.91	10.91	-			-			HGSH	NA
HSI	53	3	HCS	27	1	BR	9.47	9.72	10.58	10.91	10.91	-			-			HGSH	NA
HSI	56	3	HCS	29	1	BR	9.60	9.85	10.70	11.03	11.03	-			-			HGSH	NA
HSI	58	3	HCS	31	1	BR	9.77	10.02	10.87	11.20	11.20	-			-			HGSH	NA
HSI	57	3	HCS	30	1	BR	9.77	10.02	10.87	11.20	11.20	-			-			HGSH	NA
HSI	63	3	HCS	32	1	BR	10.10	10.35	11.20	11.53	11.53	-			-			HGSH	NA
HSI	64	3	HCS	33	1	BR	10.10	10.35	11.20	11.53	11.53	-			-			HGSH	NA
HSI	66	3	HCS	34	1	BR	10.13	10.38	11.24	11.57	11.57	-			-			HGSH	NA
HCS	7	3	HCS	35	1	SH	10.35	10.68	11.49	11.82	11.82	-			-			HGSH	NA
		1	HHC	2	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	1	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	3	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	4	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	5	1	BR	0.00	0.50	1.81	2.39	3.72	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	8	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ	5.18	5.51	-			BR	6.22
		1	HHC	9	1	PE	0.25	0.75	2.02	2.60	3.93	HSTJ	5.51	5.84	-			BR	6.53

Table 6.A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	HHC	17	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.51	5.84	-			BR	6.53
		1	HHC	7	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.51	5.84	-			BR	6.53
		1	HHC	6	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.51	5.84	-			BR	6.53
		1	HHC	10	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.51	5.84	-			BR	6.53
		1	HHC	11	1	BR	0.25	0.75	2.06	2.64	3.97	HSTJ	5.51	5.84	-			BR	6.53
		1	HHC	13	1	BR	0.50	1.00	2.31	2.89	4.22	HSTJ	5.84	6.17	-			BR	6.69
		1	HHC	17	2	PE	0.00	0.50	1.77	3.19	4.52	HSGH	5.68	6.10	-			BR	6.52
		1	HHC	16	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	15	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	18	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.10	6.52	-			BR	6.74
		1	HHC	21	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.14	6.56	-			BR	6.78
		1	HHC	20	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	14	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	22	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	5.72	6.14	-			BR	6.54
		1	HHC	19	2	BR	0.00	0.50	1.81	3.23	4.56	HSGH	6.14	6.56	-			BR	6.78
DKH	13	2	HJM	11	2	BR	5.60	5.85	6.68	7.10	7.11	-			-			-	NA
DKH	15	2	HJM	12	2	BR	5.60	5.85	6.68	7.10	7.11	-			-			-	NA
DKH	12	2	HJM	14	2	BR	5.60	5.85	6.68	7.10	7.11	-			-			-	NA
DKH	16	2	HJM	13	2	BR	5.60	5.85	6.68	7.10	7.11	-			-			-	NA
DKH	18	2	HJM	15	2	BR	6.02	6.27	7.10	7.52	7.53	-			-			-	NA
DKH	19	2	HJM	17	2	BR	6.02	6.27	7.10	7.52	7.53	-			-			-	NA
DKH	22	2	HJM	16	2	BR	6.02	6.27	7.10	7.52	7.53	-			-			-	NA
HHC	2	2	HJM	1	1	BR	6.22	6.47	7.30	7.63	7.64	-			-			HGSH	8.82
HHC	5	2	HJM	2	1	BR	6.22	6.47	7.30	7.63	7.64	-			-			HGSH	8.82
HHC	8	2	HJM	3	1	BR	6.22	6.47	7.30	7.63	7.64	-			-			HGSH	8.82
WHN	14	2	HJM	18	2	BR	6.23	6.48	7.31	7.73	7.74	-			-			-	NA
SMR	10	2	HJM	20	2	BR	6.23	6.48	7.31	7.73	7.74	-			-			-	NA
SMR	14	2	HJM	19	2	BR	6.23	6.48	7.31	7.73	7.74	-			-			-	NA
SMR	7	2	HJM	6	1	BR	6.38	6.63	7.46	7.79	7.80	-			-			HGSH	8.98
SMR	8	2	HJM	5	1	BR	6.38	6.63	7.46	7.79	7.80	-			-			HGSH	8.98
SMR	6	2	HJM	4	1	BR	6.38	6.63	7.46	7.79	7.80	-			-			HGSH	8.98
HHC	17	2	HJM	21	2	BR	6.52	6.77	7.60	8.02	8.03	-			-			-	NA
DKH	24	2	HJM	24	2	BR	6.53	6.78	7.62	8.04	8.05	-			-			-	NA
DKH	25	2	HJM	22	2	BR	6.53	6.78	7.62	8.04	8.05	-			-			-	NA
DKH	23	2	HJM	23	2	BR	6.53	6.78	7.73	8.15	8.16	-			-			-	NA
HHC	14	2	HJM	26	2	BR	6.54	6.79	7.73	8.15	8.16	-			-			-	NA
DKH	26	2	HJM	25	2	BR	6.53	6.78	7.73	8.15	8.16	-			-			-	NA
WHN	18	2	HJM	27	2	BR	6.54	6.79	8.02	8.44	8.45	-			-			-	NA
CKH	1	2	HJM	7	1	BR	7.70	7.95	8.78	9.11	9.11	-			-			HGSH	10.29
HSI	15	2	HJM	9	1	BR	7.74	7.99	8.82	9.15	9.16	-			-			HGSH	10.33
HSI	12	2	HJM	3	1	BR	7.74	7.99	8.82	9.15	9.16	-			-			HGSH	10.33
HSI	13	2	HJM	10	1	BR	7.74	7.99	8.82	9.15	9.16	-			-			HGSH	10.33
HSI	37	3	HJM	28	1	BR	8.39	8.64	9.47	9.80	9.81	-			-			HGSH	10.99
HSI	40	3	HJM	30	1	BR	8.78	9.03	9.86	10.19	10.20	-			-			HGSH	11.37
HSI	39	3	HJM	29	1	BR	8.78	9.03	9.86	10.19	10.20	-			-			HGSH	11.37
HSI	48	3	HJM	37	1	BR	9.14	9.39	10.22	10.55	10.56	-			-			HGSH	11.74

Table 3-A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
HSI	50	3	HJM	38	1	BR	9.14	9.39	10.22	10.55	10.56	-			-			HGSH	11.74
HSI	47	3	HJM	39	1	BR	9.14	9.39	10.22	10.55	10.56	-			-			HGSH	11.74
HSI	51	3	HJM	40	1	BR	9.27	9.52	10.35	10.68	10.69				-			HGSH	11.86
HJM	2	3	HJM	31	1	GH	8.82	9.15	10.36	10.69	10.70	-			-			HGSH	11.88
HJM	1	3	HJM	32	1	GH	8.82	9.15	10.36	10.69	10.70	-			-			HGSH	11.88
HJM	5	3	HJM	36	1	GH	8.98	9.31	10.55	10.88	10.89	-			-			HGSH	12.07
HJM	3	3	HJM	33	1	GH	8.82	9.15	10.55	10.88	10.89	-			-			HGSH	12.07
HJM	4	3	HJM	35	1	GH	8.98	9.31	10.55	10.88	10.89	-			-			HGSH	12.07
HJM	6	3	HJM	34	1	GH	8.98	9.31	10.68	11.01	11.02	-			-			HGSH	12.19
HSI	49	3	HJM	42	1	BR	9.44	9.69	10.69	11.02	11.03	-			-			HGSH	12.21
HSI	52	3	HJM	41	1	BR	9.44	9.69	10.69	11.02	11.03	-			-			HGSH	12.21
HSI	60	3	HJM	43	1	BR	9.80	10.05	10.88	11.21	11.22	-			-			HGSH	12.40
HSI	59	3	HJM	44	1	BR	9.80	10.05	10.88	11.21	11.22	-			-			HGSH	12.40
HSI	61	3	HJM	45	1	BR	9.80	10.05	10.88	11.21	11.22	-			-			HGSH	12.40
HSI	62	3	HJM	46	1	BR	9.93	10.18	11.01	11.34	11.35	-			-			HGSH	12.52
HSI	65	3	HJM	47	1	BR	10.13	10.38	11.21	11.54	11.55	-			-			HGSH	12.73
WHN	4	2	HSC	11	2	BR	5.31	5.56	6.41	6.83	6.86	-			-			-	NA
WHN	3	2	HSC	10	2	BR	5.31	5.56	6.41	6.83	6.86	-			-			-	NA
WHN	5	2	HSC	12	2	BR	5.31	5.56	6.41	6.83	6.86	-			-			-	NA
WHN	6	2	HSC	9	2	BR	5.31	5.56	6.41	6.83	6.86	-			-			-	NA
DKH	14	2	HSC	13	2	BR	5.60	5.85	6.70	7.12	7.16	-			-			-	NA
DKH	11	2	HSC	14	2	BR	5.60	5.85	6.70	7.12	7.16	-			-			-	NA
RCF	3	2	HSC	17	2	BR	5.87	6.12	6.97	7.39	7.42	-			-			-	NA
RCF	1	2	HSC	15	2	BR	5.87	6.12	6.97	7.39	7.42	-			-			-	NA
RCF	2	2	HSC	16	2	BR	5.87	6.12	6.97	7.39	7.42	-			-			-	NA
DKH	21	2	HSC	20	2	BR	6.02	6.27	7.12	7.54	7.58	-			-			-	NA
DKH	17	2	HSC	19	2	BR	6.02	6.27	7.12	7.54	7.58	-			-			-	NA
DKH	20	2	HSC	18	2	BR	6.02	6.27	7.12	7.54	7.58	-			-			-	NA
WHN	15	2	HSC	22	2	BR	6.23	6.48	7.39	7.81	7.84	-			-			-	NA
SNR	13	2	HSC	25	2	BR	6.23	6.48	7.39	7.81	7.84	-			-			-	NA
WHN	16	2	HSC	21	2	BR	6.23	6.48	7.39	7.81	7.84	-			-			-	NA
HSI	2	2	HSC	1	1	BR	6.46	6.71	7.56	7.89	7.92	-			-			HBBH	9.23
HSI	9	2	HSC	2	1	BR	6.46	6.71	7.56	7.89	7.92	-			-			HBBH	9.23
RNH	3	2	HSC	3	1	BR	6.52	6.77	7.62	7.95	7.98	-			-			HBBH	9.29
HHC	6	2	HSC	5	1	BR	6.53	6.78	7.63	7.96	7.99	-			-			HBBH	9.30
HHC	11	2	HSC	4	1	BR	6.53	6.78	7.63	7.96	7.99	-			-			HBBH	9.30
HHC	10	2	HSC	6	1	BR	6.53	6.78	7.63	7.96	7.99	-			-			HBBH	9.30
SNR	15	2	HSC	24	2	BR	6.23	6.48	7.54	7.96	8.00	-			-			-	NA
SNR	12	2	HSC	26	2	BR	6.23	6.48	7.54	7.96	8.00	-			-			-	NA
SNR	11	2	HSC	23	2	BR	6.23	6.48	7.54	7.96	8.00	-			-			-	NA
HHC	18	2	HSC	28	2	BR	6.54	6.79	7.81	8.23	8.26	-			-			-	NA
HHC	15	2	HSC	29	2	BR	6.54	6.79	7.81	8.23	8.26	-			-			-	NA
HHC	20	2	HSC	27	2	BR	6.54	6.79	7.81	8.23	8.26	-			-			-	NA
HHC	22	2	HSC	30	2	BR	6.54	6.79	7.96	8.38	8.42	-			-			-	NA
HSI	14	2	HSC	7	1	BR	7.74	7.99	8.84	9.17	9.20	-			-			HBBH	10.51
HSI	23	2	HSC	8	1	BR	7.77	8.02	8.87	9.20	9.24	-			-			HBBH	10.55

Table 6A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
MSI	36	3	MSC	31	1	BR	8.39	8.64	9.49	9.82	9.85	-			-			HHHH	11.16
MSI	38	3	MSC	32	1	BR	8.61	8.86	9.71	10.04	10.07	-			-			HHHH	11.38
MSI	41	3	MSC	34	1	BR	8.81	9.06	9.91	10.24	10.27	-			-			HHHH	11.58
MSI	42	3	MSC	35	1	BR	8.81	9.06	9.91	10.24	10.27	-			-			HHHH	11.58
MSI	43	3	MSC	33	1	BR	8.81	9.06	9.91	10.24	10.27	-			-			HHHH	11.58
MSI	44	3	MSC	36	1	BR	8.94	9.19	10.04	10.37	10.40	-			-			HHHH	11.71
MSI	45	3	MSC	38	1	BR	9.11	9.36	10.21	10.54	10.57	-			-			HHHH	11.88
MSI	46	3	MSC	37	1	BR	9.11	9.36	10.21	10.54	10.57	-			-			HHHH	11.88
MSC	1	3	MSC	40	1	HH	9.23	9.56	10.89	11.22	11.25	-			-			HHHH	12.56
MSC	2	3	MSC	39	1	HH	9.23	9.56	10.89	11.22	11.25	-			-			HHHH	12.56
MSC	3	3	MSC	41	1	HH	9.29	9.62	10.94	11.27	11.30	-			-			HHHH	12.61
MSC	4	3	MSC	44	1	HH	9.30	9.63	10.95	11.28	11.31	-			-			HHHH	12.62
MSC	5	3	MSC	43	1	HH	9.30	9.63	10.95	11.28	11.31	-			-			HHHH	12.62
MSC	6	3	MSC	42	1	HH	9.30	9.63	10.95	11.28	11.31	-			-			HHHH	12.62
MSI	69	3	MSC	45	1	BR	10.13	10.38	11.23	11.56	11.59	-			-			HHHH	12.90
MSI	67	3	MSC	46	1	BR	10.26	10.51	11.36	11.69	11.72	-			-			HHHH	13.03
		1	MSI	5	1	BR	1.67	2.17	2.93	3.26	3.56	MSTJ	4.85	5.18	-			BR	5.89
		1	MSI	4	1	BR	1.67	2.17	2.93	3.26	3.56	MSTJ	4.85	5.18	-			BR	5.89
		1	MSI	1	1	BR	1.67	2.17	2.93	3.26	3.56	MSTJ	4.85	5.18	-			BR	5.89
		1	MSI	3	1	BR	1.67	2.17	2.93	3.26	3.56	MSTJ	4.85	5.18	-			BR	5.89
		1	MSI	2	1	BR	1.67	2.17	2.93	3.26	3.56	MSTJ	4.85	5.18	-			BR	5.89
		1	MSI	6	1	BR	1.67	2.17	2.93	3.26	3.56	MSTJ	4.85	5.18	-			BR	5.89
		1	MSI	7	1	BR	2.00	2.50	3.26	3.59	3.89	MSSH	5.58	5.91	-			BR	6.46
		1	MSI	11	1	BR	2.00	2.50	3.26	3.59	3.89	MSSH	5.58	5.91	-			BR	6.46
		1	MSI	10	1	BR	2.00	2.50	3.26	3.59	3.89	MSSH	5.58	5.91	-			BR	6.46
		1	MSI	8	1	BR	2.00	2.50	3.26	3.59	3.89	MSSH	5.58	5.91	-			BR	6.46
		1	MSI	9	1	BR	2.00	2.50	3.26	3.59	3.89	MSSH	5.58	5.91	-			BR	6.46
		1	MSI	14	1	BR	2.50	3.00	3.76	4.09	4.39	MVAH	6.21	6.54	-			BR	7.15
		1	MSI	20	1	BR	2.50	3.00	3.76	4.09	4.39	MVAH	6.21	6.54	-			BR	7.15
		1	MSI	18	1	BR	2.50	3.00	3.76	4.09	4.39	MVAH	6.21	6.54	-			BR	7.15
		1	MSI	19	1	BR	2.50	3.00	3.76	4.09	4.39	MVAH	6.21	6.54	-			BR	7.15
		1	MSI	17	1	BR	2.50	3.00	3.76	4.09	4.39	MVAH	6.21	6.54	-			BR	7.15
		1	MSI	21	1	BR	2.50	3.00	3.76	4.09	4.39	MVAH	6.21	6.54	-			BR	7.15
		1	MSI	22	1	BR	2.67	3.17	4.09	4.42	4.72	MSTJ	6.01	6.34	-			BR	6.78
		1	MSI	24	1	BR	3.50	4.00	4.76	5.09	5.14	MSTJ	6.42	6.75	-			BR	7.11
		1	MSI	25	1	BR	3.50	4.00	4.76	5.09	5.14	MVAH	6.72	7.05	-			BR	7.66
		1	MSI	15	1	PE	2.17	2.67	5.11	5.44	5.49	MVAH	6.80	7.13	-			BR	7.74
		1	MSI	13	1	PE	2.17	2.67	5.11	5.44	5.49	MVAH	6.80	7.13	-			BR	7.74
		1	MSI	14	1	PE	2.17	2.67	5.11	5.44	5.49	MVAH	6.80	7.13	-			BR	7.74
		1	MSI	12	1	PE	2.17	2.67	5.11	5.44	5.49	MVAH	6.80	7.13	-			BR	7.74
		1	MSI	28	2	BR	3.83	4.33	5.09	5.51	5.57	MSSH	6.75	7.17	-			BR	7.72
		1	MSI	29	2	BR	3.83	4.33	5.09	5.51	5.57	MSSH	6.75	7.17	-			BR	7.72
		1	MSI	31	2	BR	3.83	4.33	5.09	5.51	5.57	MSSH	6.75	7.17	-			BR	7.72
		1	MSI	30	2	BR	3.83	4.33	5.09	5.51	5.57	MSSH	6.75	7.17	-			BR	7.72
		1	MSI	26	1	BR	4.00	4.50	5.26	5.59	5.64	MSGH	6.41	6.74	-			BR	6.96
		1	MSI	23	1	PE	3.17	3.67	5.28	5.61	5.66	MVAH	6.84	7.17	-			BR	7.77

Table 6A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Name	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Name	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Name	Final Facility Arrival
		1	HSI	34	2	BR		4.33	4.83	5.59	6.01	6.07	HSSH		7.17	7.59	-				BR		8.14
		1	HSI	32	2	BR		4.33	4.83	5.59	6.01	6.07	HSSH		6.88	7.30	-				BR		7.85
		1	HSI	33	2	BR		4.33	4.83	5.59	6.01	6.07	HSSH		6.88	7.30	-				BR		7.85
		1	HSI	35	2	BR		4.33	4.83	5.59	6.01	6.07	HSSH		7.17	7.59	-				BR		8.14
		1	HSI	27	1	BR		4.50	5.00	5.76	6.09	6.14	HVAH		7.05	7.38	-				BR		7.99
GHS	1	2	HSI	74	2	BR		4.97	5.22	5.97	6.39	6.46	-				-				-		NA
WHN	2	2	HSI	36	1	BR		5.30	5.55	6.21	6.54	6.59	HVAH		7.45	7.78	-				BR		8.39
WHN	1	2	HSI	37	1	BR		5.30	5.55	6.21	6.54	6.59	HVAH		7.45	7.78	-				BR		8.39
DKH	2	2	HSI	38	1	BR		5.67	5.92	6.43	6.76	6.81	HVAH		7.67	8.00	-				BR		8.61
DKH	3	2	HSI	40	1	BR		5.84	6.09	6.60	6.93	6.98	HVAH		7.84	8.17	-				BR		8.78
DKH	4	2	HSI	39	1	BR		5.84	6.09	6.60	6.93	6.98	HVAH		7.84	8.17	-				BR		8.78
SMR	1	2	HSI	42	1	BR		5.88	6.13	6.63	6.96	7.01	HVAH		7.87	8.20	-				BR		8.81
SMR	3	2	HSI	41	1	BR		5.88	6.13	6.63	6.96	7.01	HVAH		7.87	8.20	-				BR		8.81
SMR	2	2	HSI	43	1	BR		5.88	6.13	6.63	6.96	7.01	HVAH		7.87	8.20	-				BR		8.81
HSI	6	2	HSI	44	1	BR		5.89	6.14	6.76	7.09	7.14	HVAH		8.00	8.33	-				BR		8.94
HSI	4	2	HSI	45	1	BR		5.89	6.14	6.93	7.26	7.31	HVAH		8.17	8.50	-				BR		9.11
HSI	3	2	HSI	46	1	BR		5.89	6.14	6.93	7.26	7.31	HVAH		8.17	8.50	-				BR		9.11
DKH	8	2	HSI	50	1	BR		6.17	6.42	6.96	7.29	7.34	HVAH		8.20	8.53	-				BR		9.14
DKH	6	2	HSI	47	1	BR		6.17	6.42	6.96	7.29	7.34	HVAH		8.20	8.53	-				BR		9.14
DKH	7	2	HSI	48	1	BR		6.17	6.42	6.96	7.29	7.34	HVAH		8.20	8.53	-				BR		9.14
DKH	9	2	HSI	51	1	BR		6.17	6.42	7.09	7.42	7.47	HVAH		8.33	8.66	-				BR		9.27
DKH	5	2	HSI	49	1	BR		6.17	6.42	7.26	7.59	7.64	HVAH		8.50	8.83	-				BR		9.44
DKH	10	2	HSI	52	1	BR		6.17	6.42	7.26	7.59	7.64	HVAH		8.50	8.83	-				BR		9.44
SMR	4	2	HSI	55	1	BR		6.38	6.63	7.29	7.62	7.67	HVAH		8.53	8.86	-				BR		9.47
SMR	5	2	HSI	54	1	BR		6.38	6.63	7.29	7.62	7.67	HVAH		8.53	8.86	-				BR		9.47
SMR	9	2	HSI	53	1	BR		6.38	6.63	7.29	7.62	7.67	HVAH		8.53	8.86	-				BR		9.47
HSI	10	2	HSI	56	1	BR		6.46	6.71	7.42	7.75	7.80	HVAH		8.66	8.99	-				BR		9.60
HSI	8	2	HSI	57	1	BR		6.46	6.71	7.59	7.92	7.97	HVAH		8.83	9.16	-				BR		9.77
HSI	11	2	HSI	58	1	BR		6.46	6.71	7.59	7.92	7.97	HVAH		8.83	9.16	-				BR		9.77
HHC	9	2	HSI	59	1	BR		6.53	6.78	7.62	7.95	8.00	HVAH		8.86	9.19	-				BR		9.80
HHC	7	2	HSI	61	1	BR		6.53	6.78	7.62	7.95	8.00	HVAH		8.86	9.19	-				BR		9.80
HHC	12	2	HSI	60	1	BR		6.53	6.78	7.62	7.95	8.00	HVAH		8.86	9.19	-				BR		9.80
DLP	2	2	HSI	62	1	BR		6.68	6.93	7.75	8.08	8.13	HVAH		8.99	9.32	-				BR		9.93
HSI	22	2	HSI	64	1	BR		6.78	7.03	7.92	8.25	8.30	HVAH		9.16	9.49	-				BR		10.10
HHC	13	2	HSI	63	1	BR		6.69	6.94	7.92	8.25	8.30	HVAH		9.16	9.49	-				BR		10.10
HSI	26	2	HSI	65	1	BR		6.96	7.21	7.95	8.28	8.33	HVAH		9.19	9.52	-				BR		10.13
HSI	20	2	HSI	69	1	BR		7.15	7.40	7.95	8.28	8.33	HVAH		9.19	9.52	-				BR		10.13
HSI	24	2	HSI	66	1	BR		7.11	7.36	7.95	8.28	8.33	HVAH		9.19	9.52	-				BR		10.13
HSI	18	2	HSI	67	1	BR		7.15	7.40	8.08	8.41	8.46	HVAH		9.32	9.65	-				BR		10.26
HSI	17	2	HSI	71	1	BR		7.15	7.40	8.25	8.58	8.63	HVAH		9.49	9.82	-				BR		10.43
HSI	19	2	HSI	68	1	BR		7.15	7.40	8.25	8.58	8.63	HVAH		9.49	9.82	-				BR		10.43
HSI	16	2	HSI	70	1	BR		7.15	7.40	8.28	8.61	8.66	HVAH		9.52	9.85	-				BR		10.46
HSI	21	2	HSI	72	1	BR		7.15	7.40	8.28	8.61	8.66	HVAH		9.52	9.85	-				BR		10.46
HSI	25	2	HSI	73	1	BR		7.66	7.91	8.41	8.74	8.80	HVAH		9.65	9.98	-				BR		10.59
		1	ILO	2	2	BR		0.33	0.83	1.72	2.14	2.97	MP		3.60	3.85	HI		4.58	5.00	BR		6.78
		1	ILO	1	2	BR		0.33	0.83	1.72	2.14	2.97	MP		3.60	3.85	HI		4.58	5.00	BR		6.78

Table 2.A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
		1	MCF	2	2	BR	0.83	1.33	2.20	2.62	2.80	MP	4.85	5.10	HP	5.29	5.71	BR	6.63
		1	MCF	1	2	BR	0.83	1.33	2.20	2.62	2.80	MP	4.85	5.10	HP	5.29	5.71	BR	6.63
		1	OKH	14	2	BR	0.25	0.75	1.64	2.06	2.54	MB	3.70	3.95	HL	4.38	4.80	BR	5.60
		1	OKH	13	2	BR	0.25	0.75	1.64	2.06	2.54	MB	3.70	3.95	HL	4.38	4.80	BR	5.60
		1	OKH	15	2	BR	0.25	0.75	1.64	2.06	2.54	MB	3.70	3.95	HL	4.38	4.80	BR	5.60
		1	OKH	16	2	BR	0.25	0.75	1.64	2.06	2.54	MB	3.70	3.95	HL	4.38	4.80	BR	5.60
		1	OKH	12	2	BR	0.25	0.75	1.64	2.06	2.54	MB	3.70	3.95	HL	4.38	4.80	BR	5.60
		1	OKH	11	2	BR	0.25	0.75	1.64	2.06	2.54	MB	3.70	3.95	HL	4.38	4.80	BR	5.60
		1	OKH	2	1	BR	0.50	1.00	1.89	2.22	2.70	MB	3.86	4.11	HL	4.54	4.87	BR	5.67
		1	OKH	3	1	BR	0.67	1.17	2.06	2.39	2.87	MB	4.03	4.28	HL	4.71	5.04	BR	5.84
		1	OKH	4	1	BR	0.67	1.17	2.06	2.39	2.87	MB	4.03	4.28	HL	4.71	5.04	BR	5.84
		1	OKH	17	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.12	4.37	HL	4.80	5.22	BR	6.02
		1	OKH	20	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.12	4.37	HL	4.80	5.22	BR	6.02
		1	OKH	21	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.12	4.37	HL	4.80	5.22	BR	6.02
		1	OKH	19	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.12	4.37	HL	4.80	5.22	BR	6.02
		1	OKH	22	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.12	4.37	HL	4.80	5.22	BR	6.02
		1	OKH	18	2	BR	0.67	1.17	2.06	2.48	2.96	MB	4.12	4.37	HL	4.80	5.22	BR	6.02
		1	OKH	8	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.36	4.61	HL	5.04	5.37	BR	6.17
		1	OKH	9	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.36	4.61	HL	5.04	5.37	BR	6.17
		1	OKH	6	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.36	4.61	HL	5.04	5.37	BR	6.17
		1	OKH	10	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.36	4.61	HL	5.04	5.37	BR	6.17
		1	OKH	7	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.36	4.61	HL	5.04	5.37	BR	6.17
		1	OKH	5	1	BR	1.00	1.50	2.39	2.72	3.20	MB	4.36	4.61	HL	5.04	5.37	BR	6.17
		1	OKH	25	2	BR	1.25	1.75	2.64	3.06	3.54	MB	4.70	4.95	HL	5.38	5.80	BR	6.53
		1	OKH	24	2	BR	1.25	1.75	2.64	3.06	3.54	MB	4.70	4.95	HL	5.38	5.80	BR	6.53
		1	OKH	23	2	BR	1.25	1.75	2.64	3.06	3.54	MB	4.70	4.95	HL	5.38	5.80	BR	6.53
		1	OKH	26	2	BR	1.25	1.75	2.64	3.06	3.54	MB	4.70	4.95	HL	5.38	5.80	BR	6.53
		1	OKH	28	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.20	5.45	HL	5.88	6.30	BR	6.77
		1	OKH	32	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.20	5.45	HL	5.88	6.30	BR	6.77
		1	OKH	31	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.20	5.45	HL	5.88	6.30	BR	6.77
		1	OKH	27	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.20	5.45	HL	5.88	6.30	BR	6.77
		1	OKH	30	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.20	5.45	HL	5.88	6.30	BR	6.77
		1	OKH	29	2	BR	1.75	2.25	3.14	3.56	4.04	MB	5.20	5.45	HL	5.88	6.30	BR	6.77
		1	OKH	34	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.62	5.87	HL	6.30	6.72	BR	7.09
		1	OKH	35	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.62	5.87	HL	6.72	7.14	BR	7.51
		1	OKH	33	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.62	5.87	HL	6.30	6.72	BR	7.09
		1	OKH	36	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.62	5.87	HL	6.30	6.72	BR	7.09
		1	OKH	38	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.62	5.87	HL	6.30	6.72	BR	7.09
		1	OKH	37	2	BR	2.17	2.67	3.56	3.98	4.46	MB	5.62	5.87	HL	6.30	6.72	BR	7.09
		1	OKH	41	2	BR	2.83	3.33	4.22	4.64	5.02	MB	6.18	6.43	HL	7.56	7.98	BR	8.35
		1	OKH	40	2	BR	2.83	3.33	4.22	4.64	5.02	MB	6.18	6.43	HL	7.98	8.40	BR	8.77
		1	OKH	39	2	BR	2.83	3.33	4.22	4.64	5.02	MB	6.18	6.43	HL	7.98	8.40	BR	8.77
		1	OKH	1	1	PE	0.50	1.00	5.02	5.35	5.43	MB	6.37	6.62	HL	6.99	7.32	BR	7.70
		1	OLP	1	2	BR	0.17	0.67	1.76	2.18	3.03	MP	5.06	5.31	HP	5.71	6.13	BR	6.81
		1	OLP	2	1	BR	0.50	1.00	2.10	2.43	3.28	MP	5.31	5.56	HP	5.56	5.89	BR	6.68
		1	RCF	3	2	BR	0.17	0.67	1.70	2.12	3.31	MB	4.22	4.47	HM	5.13	5.55	BR	5.87

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	RCF	2	2	BR	0.17	0.67	1.70	2.12	3.31	MR	4.22	4.47	HM	5.13	5.55	BR	5.87
		1	RCF	1	2	BR	0.17	0.67	1.70	2.12	3.31	MR	4.22	4.47	HM	5.13	5.55	BR	5.87
		1	RNH	1	1	PE	0.67	1.17	1.44	1.77	1.87	MR	2.11	2.36	HL	5.40	5.73	BR	6.52
		1	RNH	12	2	PE	1.25	1.75	2.02	2.44	2.54	MR	2.78	3.03	HL	6.30	6.72	BR	7.09
		1	RNH	6	2	BR	0.42	0.92	2.27	2.69	2.80	MR	3.03	3.28	HL	6.72	7.14	BR	7.51
		1	RNH	4	2	BR	0.42	0.92	2.27	2.69	2.80	MR	3.03	3.28	HL	6.72	7.14	BR	7.51
		1	RNH	3	2	BR	0.42	0.92	2.27	2.69	2.80	MR	3.03	3.28	HL	6.72	7.14	BR	7.51
		1	RNH	5	2	BR	0.42	0.92	2.27	2.69	2.80	MR	3.03	3.28	HL	6.72	7.14	BR	7.51
		1	RNH	2	2	BR	0.42	0.92	2.27	2.69	2.80	MR	3.03	3.28	HL	6.72	7.14	BR	7.51
		1	RNH	7	2	BR	0.42	0.92	2.44	2.86	2.96	MR	3.20	3.45	HL	7.14	7.56	BR	7.93
		1	RNH	10	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.45	3.70	HL	7.14	7.56	BR	7.93
		1	RNH	8	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.45	3.70	HL	7.14	7.56	BR	7.93
		1	RNH	11	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.45	3.70	HL	7.14	7.56	BR	7.93
		1	RNH	9	2	BR	0.83	1.33	2.69	3.11	3.22	MR	3.45	3.70	HL	7.14	7.56	BR	7.93
		1	RNH	17	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.95	4.20	HL	7.56	7.98	BR	8.35
		1	RNH	16	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.95	4.20	HL	7.56	7.98	BR	8.35
		1	RNH	13	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.95	4.20	HL	7.14	7.56	BR	7.93
		1	RNH	15	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.95	4.20	HL	7.56	7.98	BR	8.35
		1	RNH	18	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.95	4.20	HL	7.56	7.98	BR	8.35
		1	RNH	14	2	BR	1.33	1.83	3.18	3.60	3.71	MR	3.95	4.20	HL	7.56	7.98	BR	8.35
		1	SNR	1	1	BR	0.83	1.33	2.14	2.47	2.52	MB	4.15	4.40	HC	5.18	5.51	BR	5.88
		1	SNR	2	1	BR	0.83	1.33	2.14	2.47	2.52	MB	4.15	4.40	HC	5.18	5.51	BR	5.88
		1	SNR	3	1	BR	0.83	1.33	2.14	2.47	2.52	MB	4.15	4.40	HC	5.18	5.51	BR	5.88
		1	SNR	13	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	HC	5.44	5.86	BR	6.23
		1	SNR	11	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	HC	5.44	5.86	BR	6.23
		1	SNR	15	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	HC	5.44	5.86	BR	6.23
		1	SNR	10	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	HC	5.44	5.86	BR	6.23
		1	SNR	14	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	HC	5.44	5.86	BR	6.23
		1	SNR	12	2	BR	1.00	1.50	2.31	2.73	2.78	MB	4.41	4.66	HC	5.44	5.86	BR	6.23
		1	SNR	9	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	HC	5.68	6.01	BR	6.38
		1	SNR	6	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	HC	5.68	6.01	BR	6.38
		1	SNR	4	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	HC	5.68	6.01	BR	6.38
		1	SNR	7	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	HC	5.68	6.01	BR	6.38
		1	SNR	5	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	HC	5.68	6.01	BR	6.38
		1	SNR	8	1	BR	1.33	1.83	2.64	2.97	3.02	MB	4.65	4.90	HC	5.68	6.01	BR	6.38
		1	SNR	17	2	BR	1.66	2.16	2.97	3.39	3.44	MB	5.07	5.32	HC	6.10	6.52	BR	6.89
		1	SNR	16	2	BR	1.66	2.16	2.97	3.39	3.44	MB	5.07	5.32	HC	6.10	6.52	BR	6.89
		1	SNR	18	2	BR	1.66	2.16	2.97	3.39	3.44	MB	5.07	5.32	HC	6.10	6.52	BR	6.89
		1	SNR	19	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	HC	6.52	6.94	BR	7.31
		1	SNR	21	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	HC	6.52	6.94	BR	7.31
		1	SNR	20	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	HC	6.52	6.94	BR	7.31
		1	SNR	24	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	HC	6.52	6.94	BR	7.31
		1	SNR	23	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	HC	6.52	6.94	BR	7.31
		1	SNR	22	2	BR	2.08	2.58	3.39	3.81	3.86	MB	5.49	5.74	HC	6.52	6.94	BR	7.31
		1	SNR	25	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.91	6.16	HC	6.94	7.36	BR	7.73
		1	SNR	29	2	BR	2.50	3.00	3.81	4.23	4.28	MB	5.91	6.16	HC	6.94	7.36	BR	7.73

Table 6.A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Name	Arrival	Leave	Special Facility Arrival	Leave	Leave EPZ	1st Facility Code	Name	Arrival	Leave	Next Facility Code	Name	Arrival	Leave	Final Facility Code	Name	Arrival
		1	SMR	27	2	BR		2.50	3.00	3.81	4.23	4.28	MB		5.91	6.16	HC		6.94	7.36	BR		7.73
		1	SMR	28	2	BR		2.50	3.00	3.81	4.23	4.28	MB		5.91	6.16	HC		6.94	7.36	BR		7.73
		1	SMR	26	2	BR		2.50	3.00	3.81	4.23	4.28	MB		5.91	6.16	HC		6.94	7.36	BR		7.73
		1	SMR	30	2	BR		3.50	4.00	4.81	5.23	5.24	MB		6.69	6.94	HC		7.33	7.75	BR		8.12
		1	SMR	31	2	BR		3.50	4.00	4.81	5.23	5.24	MB		6.69	6.94	HC		7.36	7.78	BR		8.15
		1	SMR	32	2	BR		3.50	4.00	4.81	5.23	5.24	MB		6.69	6.94	HC		7.36	7.78	BR		8.15
		1	WHN	6	2	BR		0.50	1.00	1.83	2.25	2.84	MP		3.28	3.53	HP		3.53	3.95	BR		5.31
		1	WHN	5	2	BR		0.50	1.00	1.83	2.25	2.84	MP		3.28	3.53	HP		3.53	3.95	BR		5.31
		1	WHN	3	2	BR		0.50	1.00	1.83	2.25	2.84	MP		3.28	3.53	HP		3.53	3.95	BR		5.31
		1	WHN	4	2	BR		0.50	1.00	1.83	2.25	2.84	MP		3.28	3.53	HP		3.53	3.95	BR		5.31
		1	WHN	1	1	BR		0.67	1.17	2.00	2.33	2.92	MP		3.36	3.61	HP		3.61	3.94	BR		5.30
		1	WHN	2	1	BR		0.67	1.17	2.00	2.33	2.92	MP		3.36	3.61	HP		3.61	3.94	BR		5.30
		1	WHN	7	2	BR		0.92	1.42	2.25	2.67	3.26	MP		3.70	3.95	HP		3.95	4.37	BR		5.73
		1	WHN	10	2	BR		0.92	1.42	2.25	2.67	3.26	MP		3.70	3.95	HP		3.95	4.37	BR		5.73
		1	WHN	9	2	BR		0.92	1.42	2.25	2.67	3.26	MP		3.70	3.95	HP		3.95	4.37	BR		5.73
		1	WHN	12	2	BR		0.92	1.42	2.25	2.67	3.26	MP		3.70	3.95	HP		3.95	4.37	BR		5.73
		1	WHN	8	2	BR		0.92	1.42	2.25	2.67	3.26	MP		3.70	3.95	HP		3.95	4.37	BR		5.73
		1	WHN	11	2	BR		0.92	1.42	2.25	2.67	3.26	MP		3.70	3.95	HP		3.95	4.37	BR		5.73
		1	WHN	15	2	BR		1.42	1.92	2.75	3.17	3.76	MP		4.20	4.45	HP		4.45	4.87	BR		6.23
		1	WHN	14	2	BR		1.42	1.92	2.75	3.17	3.76	MP		4.20	4.45	HP		4.45	4.87	BR		6.23
		1	WHN	16	2	BR		1.42	1.92	2.75	3.17	3.76	MP		4.20	4.45	HP		4.45	4.87	BR		6.23
		1	WHN	13	2	BR		1.42	1.92	2.75	3.17	3.76	MP		4.20	4.45	HP		4.45	4.87	BR		6.23
		1	WHN	17	2	BR		1.42	1.92	2.75	3.17	3.76	MP		4.20	4.45	HP		4.45	4.87	BR		6.23
		1	WHN	15	2	BR		1.42	1.92	2.75	3.17	3.76	MP		4.20	4.45	HP		4.45	4.87	BR		6.23
		1	WHN	21	2	BR		1.83	2.33	3.17	3.59	4.18	MP		4.62	4.87	HP		4.87	5.29	BR		6.54
		1	WHN	20	2	BR		1.83	2.33	3.17	3.59	4.18	MP		4.62	4.87	HP		4.87	5.29	BR		6.54
		1	WHN	22	2	BR		1.83	2.33	3.17	3.59	4.18	MP		4.62	4.87	HP		4.87	5.29	BR		6.54
		1	WHN	19	2	BR		1.83	2.33	3.17	3.59	4.18	MP		4.62	4.87	HP		4.87	5.29	BR		6.54
		1	WHN	18	2	BR		1.83	2.33	3.17	3.59	4.18	MP		4.62	4.87	HP		4.87	5.29	BR		6.54
		1	WHN	23	2	BR		1.83	2.33	3.17	3.59	4.18	MP		4.62	4.87	HP		4.87	5.29	BR		6.54
		1	WHN	24	2	BR		2.25	2.75	3.59	4.01	4.60	MP		5.04	5.29	HP		5.29	5.71	BR		6.63
		1	WHN	27	2	BR		2.25	2.75	3.59	4.01	4.60	MP		5.04	5.29	HP		5.29	5.71	BR		6.63
		1	WHN	26	2	BR		2.25	2.75	3.59	4.01	4.60	MP		5.04	5.29	HP		5.71	6.13	BR		6.81
		1	WHN	28	2	BR		2.25	2.75	3.59	4.01	4.60	MP		5.04	5.29	HP		5.29	5.71	BR		6.63
		1	WHN	25	2	BR		2.25	2.75	3.59	4.01	4.60	MP		5.04	5.29	HP		5.29	5.71	BR		6.63
		1	WHN	30	2	BR		3.08	3.58	4.41	4.83	5.08	MP		5.52	5.77	HP		5.77	6.19	BR		6.88
		1	WHN	31	2	BR		3.08	3.58	4.41	4.83	5.08	MP		5.52	5.77	HP		5.77	6.19	BR		6.88
		1	WHN	29	2	BR		3.08	3.58	4.41	4.83	5.08	MP		5.52	5.77	HP		5.77	6.19	BR		6.88

Table II A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
		1	GHS	3	2	BR	0.33	0.83	1.26	1.68	2.16	MB	3.39	3.64	HW	3.71	4.13	BR	4.27
		1	GHS	2	2	BR	0.33	0.83	1.26	1.68	2.16	MB	3.39	3.64	HW	3.71	4.13	BR	4.27
		1	GHS	1	2	BR	0.33	0.83	1.26	1.68	2.16	MB	3.39	3.64	HW	3.71	4.13	BR	4.27
		1	GHS	4	2	BR	0.33	0.83	1.26	1.68	2.16	MB	3.39	3.64	HW	3.71	4.13	BR	4.27
GHS	4	2	HCS	10	2	BR	4.27	4.52	5.21	5.63	5.63	-			-			-	NA
GHS	3	2	HCS	8	2	BR	4.27	4.52	5.21	5.63	5.63	-			-			-	NA
GHS	2	2	HCS	9	2	BR	4.27	4.52	5.21	5.63	5.63	-			-			-	NA
WHH	10	2	HCS	11	2	BR	5.16	5.41	6.10	6.52	6.52	-			-			-	NA
WHH	9	2	HCS	14	2	BR	5.16	5.41	6.10	6.52	6.52	-			-			-	NA
WHH	7	2	HCS	13	2	BR	5.16	5.41	6.10	6.52	6.52	-			-			-	NA
WHH	11	2	HCS	16	2	BR	5.16	5.41	6.10	6.52	6.52	-			-			-	NA
WHH	12	2	HCS	15	2	BR	5.16	5.41	6.10	6.52	6.52	-			-			-	NA
WHH	8	2	HCS	12	2	BR	5.16	5.41	6.10	6.52	6.52	-			-			-	NA
SMR	3	2	HCS	1	1	BR	5.32	5.57	6.26	6.59	6.59	-			-			HSHH	7.35
SMR	4	2	HCS	2	1	BR	5.32	5.57	6.26	6.59	6.59	-			-			HSHH	7.35
SMR	2	2	HCS	3	1	BR	5.32	5.57	6.26	6.59	6.59	-			-			HSHH	7.35
HHC	2	2	HCS	6	1	BR	5.61	5.86	6.56	6.89	6.89	-			-			HSHH	7.64
HHC	5	2	HCS	5	1	BR	5.61	5.86	6.56	6.89	6.89	-			-			HSHH	7.64
HHC	3	2	HCS	4	1	BR	5.61	5.86	6.56	6.89	6.89	-			-			HSHH	7.64
WHH	14	2	HCS	18	2	BR	5.66	5.91	6.60	7.02	7.02	-			-			-	NA
WHH	13	2	HCS	19	2	BR	5.66	5.91	6.60	7.02	7.02	-			-			-	NA
WHH	17	2	HCS	17	2	BR	5.66	5.91	6.60	7.02	7.02	-			-			-	NA
HCS	2	3	HCS	22	1	SH	7.35	7.68	8.34	8.67	8.67	-			-			HSHH	9.42
HCS	1	3	HCS	20	1	SH	7.35	7.68	8.34	8.67	8.67	-			-			HSHH	9.42
HCS	3	3	HCS	21	1	SH	7.35	7.68	8.34	8.67	8.67	-			-			HSHH	9.42
HCS	6	3	HCS	25	1	SH	7.64	7.97	8.63	8.96	8.96	-			-			HSHH	9.72
HCS	5	3	HCS	23	1	SH	7.64	7.97	8.63	8.96	8.96	-			-			HSHH	9.72
HCS	4	3	HCS	24	1	SH	7.64	7.97	8.63	8.96	8.96	-			-			HSHH	9.72
HSI	27	2	HCS	7	1	BR	7.74	7.99	8.69	9.02	9.02	-			-			HSHH	9.77
HSI	55	3	HCS	26	1	BR	8.60	8.85	9.55	9.88	9.88	-			-			HGSH	NA
HSI	54	3	HCS	27	1	BR	8.62	8.87	9.57	9.90	9.90	-			-			HGSH	NA
HSI	53	3	HCS	28	1	BR	8.62	8.87	9.57	9.90	9.90	-			-			HGSH	NA
HSI	56	3	HCS	29	1	BR	8.67	8.92	9.61	9.94	9.94	-			-			HGSH	NA
HSI	58	3	HCS	31	1	BR	8.76	9.01	9.70	10.03	10.03	-			-			HGSH	NA
HSI	57	3	HCS	30	1	BR	8.76	9.01	9.70	10.03	10.03	-			-			HGSH	NA
HSI	63	3	HCS	32	1	BR	9.09	9.34	10.03	10.36	10.36	-			-			HGSH	NA
HSI	64	3	HCS	33	1	BR	9.10	9.35	10.05	10.38	10.38	-			-			HGSH	NA
HSI	69	3	HCS	34	1	BR	9.28	9.53	10.23	10.56	10.56	-			-			HGSH	NA
HCS	7	3	HCS	35	1	SH	9.77	10.10	10.77	11.10	11.10	-			-			HGSH	NA
		1	HHC	2	1	BR	0.00	0.50	1.81	2.39	3.58	HSTJ	4.68	5.01	-			BR	5.61
		1	HHC	1	1	BR	0.00	0.50	1.81	2.39	3.58	HSTJ	4.68	5.01	-			BR	5.61
		1	HHC	3	1	BR	0.00	0.50	1.81	2.39	3.58	HSTJ	4.68	5.01	-			BR	5.61
		1	HHC	4	1	BR	0.00	0.50	1.81	2.39	3.58	HSTJ	4.68	5.01	-			BR	5.61
		1	HHC	5	1	BR	0.00	0.50	1.81	2.39	3.58	HSTJ	4.68	5.01	-			BR	5.61
		1	HHC	8	1	PE	0.25	0.75	2.02	2.60	3.79	HSTJ	4.83	5.16	-			BR	5.76
		1	HHC	9	1	PE	0.25	0.75	2.02	2.60	3.79	HSTJ	5.01	5.34	-			BR	5.94

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	HHC	12	1	BR	0.25	0.75	2.06	2.64	3.83	HSTJ	5.01	5.34	-			BR	5.94
		1	HHC	7	1	BR	0.25	0.75	2.06	2.64	3.83	HSTJ	5.16	5.49	-			BR	6.09
		1	HHC	6	1	BR	0.25	0.75	2.06	2.64	3.83	HSTJ	5.01	5.34	-			BR	5.94
		1	HHC	10	1	BR	0.25	0.75	2.06	2.64	3.83	HSTJ	5.01	5.34	-			BR	5.94
		1	HHC	11	1	BR	0.25	0.75	2.06	2.64	3.83	HSTJ	5.01	5.34	-			BR	5.94
		1	HHC	13	1	BR	0.50	1.00	2.31	2.89	4.08	HSTJ	5.34	5.67	-			BR	6.27
		1	HHC	17	2	PE	0.00	0.50	1.77	3.19	4.38	HSGH	5.35	5.77	-			BR	6.13
		1	HHC	16	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.39	5.81	-			BR	6.17
		1	HHC	15	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.39	5.81	-			BR	6.17
		1	HHC	18	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.77	6.19	-			BR	6.52
		1	HHC	21	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.81	6.23	-			BR	6.54
		1	HHC	20	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.39	5.81	-			BR	6.17
		1	HHC	14	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.39	5.81	-			BR	6.17
		1	HHC	22	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.39	5.81	-			BR	6.17
		1	HHC	19	2	BR	0.00	0.50	1.81	3.23	4.42	HSGH	5.81	6.23	-			BR	6.54
DKH	13	2	HJM	13	2	BR	4.86	5.11	5.77	6.19	6.20	-			-			-	NA
DKH	12	2	HJM	12	2	BR	4.86	5.11	5.77	6.19	6.20	-			-			-	NA
DKH	15	2	HJM	11	2	BR	4.86	5.11	5.77	6.19	6.20	-			-			-	NA
DKH	14	2	HJM	14	2	BR	4.86	5.11	5.77	6.19	6.20	-			-			-	NA
DKH	20	2	HJM	16	2	BR	5.28	5.53	6.19	6.61	6.62	-			-			-	NA
DKH	19	2	HJM	15	2	BR	5.28	5.53	6.19	6.61	6.62	-			-			-	NA
DKH	17	2	HJM	17	2	BR	5.28	5.53	6.19	6.61	6.62	-			-			-	NA
HHC	1	2	HJM	1	1	BR	5.61	5.86	6.53	6.86	6.86	-			-			HGSH	7.91
HHC	4	2	HJM	2	1	BR	5.61	5.86	6.53	6.86	6.86	-			-			HGSH	7.91
WHH	15	2	HJM	18	2	BR	5.66	5.91	6.57	6.99	7.00	-			-			-	NA
RHH	1	2	HJM	3	1	BR	5.76	6.01	6.67	7.00	7.01	-			-			HGSH	8.06
HHC	8	2	HJM	4	1	BR	5.76	6.01	6.67	7.00	7.01	-			-			HGSH	8.06
SHR	12	2	HJM	20	2	BR	5.67	5.92	6.58	7.00	7.01	-			-			-	NA
SHR	11	2	HJM	19	2	BR	5.67	5.92	6.58	7.00	7.01	-			-			-	NA
SHR	9	2	HJM	5	1	BR	5.82	6.07	6.73	7.06	7.07	-			-			HGSH	8.12
SHR	A	2	HJM	6	1	BR	5.82	6.07	6.73	7.06	7.07	-			-			HGSH	8.12
DKH	26	2	HJM	24	2	BR	5.86	6.11	6.77	7.19	7.20	-			-			-	NA
DKH	23	2	HJM	23	2	BR	5.86	6.11	6.77	7.19	7.20	-			-			-	NA
DKH	25	2	HJM	22	2	BR	5.86	6.11	6.77	7.19	7.20	-			-			-	NA
DKH	24	2	HJM	21	2	BR	5.86	6.11	6.99	7.41	7.42	-			-			-	NA
WHH	21	2	HJM	26	2	BR	6.08	6.33	7.00	7.42	7.43	-			-			-	NA
WHH	22	2	HJM	25	2	BR	6.08	6.33	7.00	7.42	7.43	-			-			-	NA
RHH	7	2	HJM	27	2	BR	6.11	6.36	7.19	7.61	7.62	-			-			-	NA
HSI	25	2	HJM	7	1	BR	7.41	7.66	8.33	8.66	8.67	-			-			HGSH	9.72
HSI	12	2	HJM	10	1	BR	7.56	7.81	8.48	8.81	8.82	-			-			HGSH	9.86
HSI	15	2	HJM	8	1	BR	7.56	7.81	8.48	8.81	8.82	-			-			HGSH	9.86
HSI	13	2	HJM	9	1	BR	7.56	7.81	8.48	8.81	8.82	-			-			HGSH	9.86
HSI	37	3	HJM	28	1	BR	7.63	7.88	8.55	8.88	8.89	-			-			HGSH	9.94
HSI	39	3	HJM	30	1	BR	7.77	8.02	8.68	9.01	9.02	-			-			HGSH	10.07
HSI	40	3	HJM	29	1	BR	7.77	8.02	8.68	9.01	9.02	-			-			HGSH	10.07
HSI	49	3	HJM	37	1	BR	8.27	8.52	9.19	9.52	9.52	-			-			HGSH	10.57

Table 11.4

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
MSI	50	3	HJM	38	1	BR	8.29	8.54	9.21	9.54	9.55	-			-			HGSH	10.60
MSI	48	3	HJM	39	1	BR	8.29	8.54	9.21	9.54	9.55	-			-			HGSH	10.60
HJM	1	3	HJM	32	1	GH	7.91	8.24	9.21	9.54	9.55	-			-			HGSH	10.60
HJM	2	3	HJM	31	1	GH	7.91	8.24	9.21	9.54	9.55	-			-			HGSH	10.60
MSI	47	3	HJM	40	1	BR	8.34	8.59	9.25	9.58	9.59	-			-			HGSH	10.64
MSI	51	3	HJM	41	1	BR	8.43	8.68	9.52	9.85	9.85	-			-			HGSH	10.90
HJM	3	3	HJM	33	1	GH	8.06	8.39	9.54	9.87	9.88	-			-			HGSH	10.93
MSI	52	3	HJM	42	1	BR	8.43	8.68	9.54	9.87	9.88	-			-			HGSH	10.93
HJM	6	3	HJM	35	1	GH	8.12	8.45	9.54	9.87	9.88	-			-			HGSH	10.93
HJM	4	3	HJM	34	1	GH	8.06	8.39	9.54	9.87	9.88	-			-			HGSH	10.93
HJM	5	3	HJM	36	1	GH	8.12	8.45	9.58	9.91	9.92	-			-			HGSH	10.97
MSI	59	3	HJM	43	1	BR	8.93	9.18	9.85	10.18	10.18	-			-			HGSH	11.23
MSI	61	3	HJM	45	1	BR	8.95	9.20	9.87	10.20	10.21	-			-			HGSH	11.26
MSI	62	3	HJM	44	1	BR	8.95	9.20	9.87	10.20	10.21	-			-			HGSH	11.26
MSI	60	3	HJM	46	1	BR	9.00	9.25	9.91	10.24	10.25	-			-			HGSH	11.30
MSI	70	3	HJM	47	1	BR	9.26	9.51	10.18	10.51	10.51	-			-			HGSH	11.56
WHN	5	2	HSC	11	2	BR	4.74	4.99	5.67	6.09	6.12	-			-			-	NA
WHN	4	2	HSC	9	2	BR	4.74	4.99	5.67	6.09	6.12	-			-			-	NA
WHN	3	2	HSC	12	2	BR	4.74	4.99	5.67	6.09	6.12	-			-			-	NA
WHC	6	2	HSC	10	2	BR	4.74	4.99	5.67	6.09	6.12	-			-			-	NA
OKH	11	2	HSC	14	2	BR	4.86	5.11	5.79	6.21	6.24	-			-			-	NA
OKH	16	2	HSC	13	2	BR	4.86	5.11	5.79	6.21	6.24	-			-			-	NA
RCF	2	2	HSC	16	2	BR	5.16	5.41	6.09	6.51	6.54	-			-			-	NA
RCF	1	2	HSC	15	2	BR	5.16	5.41	6.09	6.51	6.54	-			-			-	NA
RCF	3	2	HSC	17	2	BR	5.16	5.41	6.09	6.51	6.54	-			-			-	NA
OKH	22	2	HSC	18	2	BR	5.28	5.53	6.21	6.63	6.66	-			-			-	NA
OKH	21	2	HSC	19	2	BR	5.28	5.53	6.21	6.63	6.66	-			-			-	NA
OKH	18	2	HSC	20	2	BR	5.28	5.53	6.21	6.63	6.66	-			-			-	NA
WHN	15	2	HSC	21	2	BR	5.66	5.91	6.59	7.01	7.04	-			-			-	NA
WHN	16	2	HSC	22	2	BR	5.66	5.91	6.59	7.01	7.04	-			-			-	NA
SNR	13	2	HSC	25	2	BR	5.67	5.9_	6.60	7.02	7.05	-			-			-	NA
SNR	14	2	HSC	26	2	BR	5.67	5.92	6.63	7.05	7.08	-			-			-	NA
SNR	15	2	HSC	23	2	BR	5.67	5.92	6.63	7.05	7.08	-			-			-	NA
SNR	10	2	HSC	24	2	BR	5.67	5.92	6.63	7.05	7.08	-			-			-	NA
MSI	8	2	HSC	1	1	BR	5.84	6.09	6.77	7.10	7.13	-			-			HHHH	8.29
MSI	10	2	HSC	2	1	BR	5.84	6.09	6.77	7.10	7.13	-			-			HHHH	8.29
MSI	11	2	HSC	3	1	BR	5.84	6.09	6.77	7.10	7.13	-			-			HHHH	8.29
HHC	10	2	HSC	6	1	BR	5.94	6.19	6.87	7.20	7.23	-			-			HHHH	8.40
HHC	9	2	HSC	5	1	BR	5.94	6.19	6.87	7.20	7.23	-			-			HHHH	8.40
HHC	11	2	HSC	4	1	BR	5.94	6.19	6.87	7.20	7.23	-			-			HHHH	8.40
WHN	18	2	HSC	28	2	BR	6.08	6.33	7.01	7.43	7.46	-			-			-	NA
OLP	1	2	HSC	27	2	BR	6.08	6.33	7.01	7.43	7.46	-			-			-	NA
WHN	19	2	HSC	29	2	BR	6.08	6.33	7.02	7.44	7.47	-			-			-	NA
WHN	20	2	HSC	30	2	BR	6.08	6.33	7.05	7.47	7.50	-			-			-	NA
MSI	14	2	HSC	7	1	BR	7.56	7.81	8.49	8.82	8.85	-			-			HHHH	10.02
MSI	23	2	HSC	8	1	BR	7.60	7.85	8.53	8.86	8.89	-			-			HHHH	10.06

Table 11.A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Arrival	Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	Arrival	Leave	Next Facility Code	Arrival	Leave	Final Facility Code	Arrival
MSI	36	3	MSC	31	1	BR	7.63	7.88	8.56	8.89	8.92	-			-			HHHH	10.09
MSI	38	3	MSC	32	1	BR	7.68	7.93	8.61	8.94	8.97	-			-			HHHH	10.14
MSI	44	3	MSC	33	1	BR	7.94	8.19	8.87	9.20	9.23	-			-			HHHH	10.40
MSI	43	3	MSC	34	1	BR	7.96	8.21	8.89	9.22	9.25	-			-			HHHH	10.42
MSI	46	3	MSC	35	1	BR	7.96	8.21	8.89	9.22	9.25	-			-			HHHH	10.42
MSI	41	3	MSC	36	1	BR	8.01	8.26	8.94	9.27	9.30	-			-			HHHH	10.47
MSI	42	3	MSC	37	1	BR	8.10	8.35	9.03	9.36	9.39	-			-			HHHH	10.56
MSI	45	3	MSC	38	1	BR	8.10	8.35	9.03	9.36	9.39	-			-			HHHH	10.56
MSC	3	3	MSC	40	1	HH	8.29	8.62	9.68	10.01	10.04	-			-			HHHH	11.21
MSC	1	3	MSC	41	1	HH	8.29	8.62	9.68	10.01	10.04	-			-			HHHH	11.21
MSC	2	3	MSC	39	1	HH	8.29	8.62	9.68	10.01	10.04	-			-			HHHH	11.21
MSC	5	3	MSC	43	1	HH	8.40	8.73	9.79	10.12	10.15	-			-			HHHH	11.32
MSC	6	3	MSC	42	1	HH	8.40	8.73	9.79	10.12	10.15	-			-			HHHH	11.32
MSC	4	3	MSC	44	1	HH	8.40	8.73	9.79	10.12	10.15	-			-			HHHH	11.32
MSI	66	3	MSC	45	1	BR	9.28	9.53	10.21	10.54	10.57	-			-			HHHH	11.74
MSI	65	3	MSC	46	1	BR	9.33	9.58	10.26	10.59	10.62	-			-			HHHH	11.79
		1	MSI	5	1	BR	1.67	2.17	2.58	2.91	3.18	MSTJ	4.35	4.68	-			BR	5.28
		1	MSI	4	1	BR	1.67	2.17	2.58	2.91	3.18	MSTJ	4.35	4.68	-			BR	5.28
		1	MSI	1	1	BR	1.67	2.17	2.58	2.91	3.18	MSTJ	4.35	4.68	-			BR	5.28
		1	MSI	3	1	BR	1.67	2.17	2.58	2.91	3.18	MSTJ	4.35	4.68	-			BR	5.28
		1	MSI	2	1	BR	1.67	2.17	2.58	2.91	3.18	MSTJ	4.35	4.68	-			BR	5.28
		1	MSI	6	1	BR	1.67	2.17	2.58	2.91	3.18	MSTJ	4.35	4.68	-			BR	5.28
		1	MSI	7	1	BR	2.00	2.50	2.91	3.24	3.51	MSSH	5.07	5.40	-			BR	5.84
		1	MSI	11	1	BR	2.00	2.50	2.91	3.24	3.51	MSSH	5.07	5.40	-			BR	5.84
		1	MSI	10	1	BR	2.00	2.50	2.91	3.24	3.51	MSSH	5.07	5.40	-			BR	5.84
		1	MSI	8	1	BR	2.00	2.50	2.91	3.24	3.51	MSSH	5.07	5.40	-			BR	5.84
		1	MSI	9	1	BR	2.00	2.50	2.91	3.24	3.51	MSSH	5.07	5.40	-			BR	5.84
		1	MSI	16	1	BR	2.50	3.00	3.41	3.74	4.01	MVAH	5.67	6.00	-			BR	6.49
		1	MSI	20	1	BR	2.50	3.00	3.41	3.74	4.01	MVAH	5.67	6.00	-			BR	6.49
		1	MSI	18	1	BR	2.50	3.00	3.41	3.74	4.01	MVAH	5.67	6.00	-			BR	6.49
		1	MSI	19	1	BR	2.50	3.00	3.41	3.74	4.01	MVAH	5.67	6.00	-			BR	6.49
		1	MSI	17	1	BR	2.50	3.00	3.41	3.74	4.01	MVAH	5.67	6.00	-			BR	6.49
		1	MSI	21	1	BR	2.50	3.00	3.41	3.74	4.01	MVAH	5.67	6.00	-			BR	6.49
		1	MSI	22	1	BR	2.67	3.17	3.74	4.07	4.34	MSTJ	5.51	5.84	-			BR	6.44
		1	MSI	24	1	BR	3.50	4.00	4.41	4.74	5.00	MSTJ	6.17	6.50	-			BR	6.79
		1	MSI	25	1	BR	3.50	4.00	4.41	4.74	5.00	MVAH	6.60	6.93	-			BR	7.41
		1	MSI	29	2	BR	3.83	4.33	4.74	5.16	5.22	MSSH	6.63	7.05	-			BR	7.49
		1	MSI	30	2	BR	3.83	4.33	4.74	5.16	5.22	MSSH	6.63	7.05	-			BR	7.49
		1	MSI	28	2	BR	3.83	4.33	4.74	5.16	5.22	MSSH	6.63	7.05	-			BR	7.49
		1	MSI	31	2	BR	3.83	4.33	4.74	5.16	5.22	MSSH	6.63	7.05	-			BR	7.49
		1	MSI	26	1	BR	4.00	4.50	4.91	5.24	5.29	MSGH	6.16	6.49	-			BR	6.67
GMS	1	2	MSI	74	2	BR	4.27	4.52	4.93	5.35	5.41	-			-			-	NA
		1	MSI	14	1	PE	2.17	2.67	5.06	5.39	5.44	MVAH	6.74	7.07	-			BR	7.56
		1	MSI	15	1	PE	2.17	2.67	5.06	5.39	5.44	MVAH	6.74	7.07	-			BR	7.56
		1	MSI	12	1	PE	2.17	2.67	5.06	5.39	5.44	MVAH	6.74	7.07	-			BR	7.56
		1	MSI	13	1	PE	2.17	2.67	5.06	5.39	5.44	MVAH	6.74	7.07	-			BR	7.56

Table 11A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Name	Arrival	Leave	Special Facility Arrival	Leave	Leave EPZ	1st Facility Code	Name	Arrival	Leave	Next Facility Code	Name	Arrival	Leave	Final Facility Code	Name	Arrival
		1	HSI	23	1	PE		3.17	3.67	5.25	5.58	5.63	HVAH		6.79	7.12	-				BR		7.60
		1	HSI	34	2	BR		4.33	4.83	5.24	5.66	5.72	HSSH		7.05	7.47	-				BR		7.91
		1	HSI	33	2	BR		4.33	4.83	5.24	5.66	5.72	HSSH		6.74	7.16	-				BR		7.60
		1	HSI	32	2	BR		4.33	4.83	5.24	5.66	5.72	HSSH		6.74	7.16	-				BR		7.60
		1	HSI	35	2	BR		4.33	4.83	5.24	5.66	5.72	HSSH		7.05	7.47	-				BR		7.91
WBN	2	2	HSI	37	1	BR		4.73	4.98	5.38	5.71	5.77	HVAH		6.82	7.15	-				BR		7.63
WBN	1	2	HSI	36	1	BR		4.73	4.98	5.38	5.71	5.77	HVAH		6.82	7.15	-				BR		7.63
		1	HSI	27	1	BR		4.50	5.00	5.41	5.74	5.79	HVAH		6.93	7.26	-				BR		7.74
DKH	2	2	HSI	38	1	BR		4.93	5.18	5.59	5.92	5.97	HVAH		6.86	7.19	-				BR		7.68
DKH	3	2	HSI	39	1	BR		5.10	5.35	5.76	6.09	6.14	HVAH		6.95	7.28	-				BR		7.77
DKH	4	2	HSI	40	1	BR		5.10	5.35	5.76	6.09	6.14	HVAH		6.95	7.28	-				BR		7.77
HSI	5	2	HSI	46	1	BR		5.28	5.53	5.94	6.27	6.32	HVAH		7.15	7.48	-				BR		7.96
HSI	3	2	HSI	41	1	BR		5.28	5.53	5.94	6.27	6.32	HVAH		7.19	7.52	-				BR		8.01
HSI	1	2	HSI	44	1	BR		5.28	5.53	5.94	6.27	6.32	HVAH		7.12	7.45	-				BR		7.94
HSI	2	2	HSI	43	1	BR		5.28	5.53	5.94	6.27	6.32	HVAH		7.15	7.48	-				BR		7.96
HSI	6	2	HSI	45	1	BR		5.28	5.53	6.09	6.42	6.47	HVAH		7.28	7.61	-				BR		8.10
HSI	4	2	HSI	42	1	BR		5.28	5.53	6.09	6.42	6.47	HVAH		7.28	7.61	-				BR		8.10
DKH	10	2	HSI	49	1	BR		5.43	5.68	6.27	6.60	6.65	HVAH		7.45	7.78	-				BR		8.27
DKH	8	2	HSI	47	1	BR		5.43	5.68	6.27	6.60	6.65	HVAH		7.52	7.85	-				BR		8.34
DKH	5	2	HSI	50	1	BR		5.43	5.68	6.27	6.60	6.65	HVAH		7.48	7.81	-				BR		8.29
DKH	7	2	HSI	48	1	BR		5.43	5.68	6.27	6.60	6.65	HVAH		7.48	7.81	-				BR		8.29
DKH	6	2	HSI	52	1	BR		5.43	5.68	6.42	6.75	6.80	HVAH		7.61	7.94	-				BR		8.43
DKH	9	2	HSI	51	1	BR		5.43	5.68	6.42	6.75	6.80	HVAH		7.61	7.94	-				BR		8.43
SMR	8	2	HSI	55	1	BR		5.82	6.07	6.60	6.93	6.98	HVAH		7.78	8.11	-				BR		8.60
SMR	4	2	HSI	54	1	BR		5.82	6.07	6.60	6.93	6.98	HVAH		7.81	8.14	-				BR		8.62
SMR	5	2	HSI	53	1	BR		5.82	6.07	6.60	6.93	6.98	HVAH		7.81	8.14	-				BR		8.62
SMR	7	2	HSI	56	1	BR		5.82	6.07	6.60	6.93	6.98	HVAH		7.85	8.18	-				BR		8.67
HSI	9	2	HSI	58	1	BR		5.84	6.09	6.75	7.08	7.13	HVAH		7.94	8.27	-				BR		8.76
HSI	7	2	HSI	57	1	BR		5.84	6.09	6.75	7.08	7.13	HVAH		7.94	8.27	-				BR		8.76
OLP	2	2	HSI	62	1	BR		6.19	6.44	6.93	7.26	7.31	HVAH		8.14	8.47	-				BR		8.95
HBC	7	2	HSI	61	1	BR		6.09	6.34	6.93	7.26	7.31	HVAH		8.14	8.47	-				BR		8.95
HBC	6	2	HSI	59	1	BR		5.94	6.19	6.93	7.26	7.31	HVAH		8.11	8.44	-				BR		8.93
HBC	12	2	HSI	60	1	BR		5.94	6.19	6.93	7.26	7.31	HVAH		8.18	8.51	-				BR		9.00
HBC	13	2	HSI	63	1	BR		6.27	6.52	7.08	7.41	7.46	HVAH		8.27	8.60	-				BR		9.09
HSI	22	2	HSI	64	1	BR		6.44	6.69	7.10	7.43	7.48	HVAH		8.28	8.61	-				BR		9.10
HSI	21	2	HSI	69	1	BR		6.49	6.74	7.26	7.59	7.64	HVAH		8.47	8.80	-				BR		9.28
HSI	18	2	HSI	65	1	BR		6.49	6.74	7.26	7.59	7.64	HVAH		8.51	8.84	-				BR		9.33
HSI	20	2	HSI	66	1	BR		6.49	6.74	7.26	7.59	7.64	HVAH		8.47	8.80	-				BR		9.28
HSI	16	2	HSI	70	1	BR		6.49	6.74	7.26	7.59	7.64	HVAH		8.44	8.77	-				BR		9.26
HSI	17	2	HSI	67	1	BR		6.49	6.74	7.41	7.74	7.79	HVAH		8.60	8.93	-				BR		9.42
HSI	19	2	HSI	68	1	BR		6.49	6.74	7.43	7.76	7.81	HVAH		8.61	8.94	-				BR		9.43
HSI	26	2	HSI	71	1	BR		6.67	6.92	7.59	7.92	7.97	HVAH		8.77	9.10	-				BR		9.59
HSI	24	2	HSI	72	1	BR		6.79	7.04	7.59	7.92	7.97	HVAH		8.80	9.13	-				BR		9.61
DKH	1	2	HSI	73	1	BR		7.33	7.58	7.99	8.32	8.37	HVAH		9.17	9.50	-				BR		9.99
		1	ILO	2	2	BR		0.33	0.83	1.30	1.72	2.47	MP		3.01	3.26	HI		3.76	4.18	BR		6.20
		1	ILO	1	2	BR		0.33	0.83	1.30	1.72	2.47	MP		3.01	3.26	HI		3.76	4.18	BR		6.20

Table 11A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Arrival
		1	MCF	1	2	BR	0.83	1.33	2.03	2.45	2.60	MP	4.32	4.57	MP	4.97	5.39	BR	6.50
		1	MCF	2	2	BR	0.83	1.33	2.03	2.45	2.60	MP	4.32	4.57	MP	4.97	5.39	BR	6.50
		1	OKH	14	2	BR	0.25	0.75	1.31	1.73	2.16	MB	3.22	3.47	ML	3.78	4.20	BR	4.86
		1	OKH	13	2	BR	0.25	0.75	1.31	1.73	2.16	MB	3.22	3.47	ML	3.78	4.20	BR	4.86
		1	OKH	15	2	BR	0.25	0.75	1.31	1.73	2.16	MB	3.22	3.47	ML	3.78	4.20	BR	4.86
		1	OKH	16	2	BR	0.25	0.75	1.31	1.73	2.16	MB	3.22	3.47	ML	3.78	4.20	BR	4.86
		1	OKH	12	2	BR	0.25	0.75	1.31	1.73	2.16	MB	3.22	3.47	ML	3.78	4.20	BR	4.86
		1	OKH	11	2	BR	0.25	0.75	1.31	1.73	2.16	MB	3.22	3.47	ML	3.78	4.20	BR	4.86
		1	OKH	2	1	BR	0.50	1.00	1.56	1.89	2.32	MB	3.38	3.63	ML	3.94	4.27	BR	4.93
		1	OKH	3	1	BR	0.67	1.17	1.73	2.06	2.49	MB	3.55	3.80	ML	4.11	4.44	BR	5.10
		1	OKH	4	1	BR	0.67	1.17	1.73	2.06	2.49	MB	3.55	3.80	ML	4.11	4.44	BR	5.10
		1	OKH	18	2	BR	0.67	1.17	1.73	2.15	2.58	MB	3.64	3.89	ML	4.20	4.62	BR	5.28
		1	OKH	20	2	BR	0.67	1.17	1.73	2.15	2.58	MB	3.64	3.89	ML	4.20	4.62	BR	5.28
		1	OKH	21	2	BR	0.67	1.17	1.73	2.15	2.58	MB	3.64	3.89	ML	4.20	4.62	BR	5.28
		1	OKH	19	2	BR	0.67	1.17	1.73	2.15	2.58	MB	3.64	3.89	ML	4.20	4.62	BR	5.28
		1	OKH	22	2	BR	0.67	1.17	1.73	2.15	2.58	MB	3.64	3.89	ML	4.20	4.62	BR	5.28
		1	OKH	17	2	BR	0.67	1.17	1.73	2.15	2.58	MB	3.64	3.89	ML	4.20	4.62	BR	5.28
		1	OKH	8	1	BR	1.00	1.50	2.06	2.39	2.82	MB	3.88	4.13	ML	4.44	4.77	BR	5.43
		1	OKH	5	1	BR	1.00	1.50	2.06	2.39	2.82	MB	3.88	4.13	ML	4.44	4.77	BR	5.43
		1	OKH	10	1	BR	1.00	1.50	2.06	2.39	2.82	MB	3.88	4.13	ML	4.44	4.77	BR	5.43
		1	OKH	7	1	BR	1.00	1.50	2.06	2.39	2.82	MB	3.88	4.13	ML	4.44	4.77	BR	5.43
		1	OKH	6	1	BR	1.00	1.50	2.06	2.39	2.82	MB	3.88	4.13	ML	4.44	4.77	BR	5.43
		1	OKH	9	1	BR	1.00	1.50	2.06	2.39	2.82	MB	3.88	4.13	ML	4.44	4.77	BR	5.43
		1	OKH	26	2	BR	1.25	1.75	2.31	2.73	3.16	MB	4.22	4.47	ML	4.78	5.20	BR	5.86
		1	OKH	24	2	BR	1.25	1.75	2.31	2.73	3.16	MB	4.22	4.47	ML	4.78	5.20	BR	5.86
		1	OKH	23	2	BR	1.25	1.75	2.31	2.73	3.16	MB	4.22	4.47	ML	4.78	5.20	BR	5.86
		1	OKH	25	2	BR	1.25	1.75	2.31	2.73	3.16	MB	4.22	4.47	ML	4.78	5.20	BR	5.86
		1	OKH	32	2	BR	1.75	2.25	2.81	3.23	3.66	MB	4.72	4.97	ML	5.62	6.04	BR	6.54
		1	OKH	29	2	BR	1.75	2.25	2.81	3.23	3.66	MB	4.72	4.97	ML	5.62	6.04	BR	6.54
		1	OKH	28	2	BR	1.75	2.25	2.81	3.23	3.66	MB	4.72	4.97	ML	5.45	5.87	BR	6.50
		1	OKH	30	2	BR	1.75	2.25	2.81	3.23	3.66	MB	4.72	4.97	ML	5.62	6.04	BR	6.54
		1	OKH	27	2	BR	1.75	2.25	2.81	3.23	3.66	MB	4.72	4.97	ML	5.45	5.87	BR	6.50
		1	OKH	31	2	BR	1.75	2.25	2.81	3.23	3.66	MB	4.72	4.97	ML	5.62	6.04	BR	6.54
		1	OKH	35	2	BR	2.17	2.67	3.23	3.65	4.08	MB	5.14	5.39	ML	6.29	6.71	BR	7.01
		1	OKH	36	2	BR	2.17	2.67	3.23	3.65	4.08	MB	5.14	5.39	ML	6.46	6.88	BR	7.18
		1	OKH	37	2	BR	2.17	2.67	3.23	3.65	4.08	MB	5.14	5.39	ML	6.46	6.88	BR	7.18
		1	OKH	33	2	BR	2.17	2.67	3.23	3.65	4.08	MB	5.14	5.39	ML	6.46	6.88	BR	7.18
		1	OKH	38	2	BR	2.17	2.67	3.23	3.65	4.08	MB	5.14	5.39	ML	6.04	6.46	BR	6.79
		1	OKH	34	2	BR	2.17	2.67	3.23	3.65	4.08	MB	5.14	5.39	ML	6.29	6.71	BR	7.01
		1	OKH	41	2	BR	2.83	3.33	3.89	4.31	4.74	MB	5.80	6.05	ML	6.88	7.30	BR	7.60
		1	OKH	40	2	BR	2.83	3.33	3.89	4.31	4.74	MB	5.80	6.05	ML	7.13	7.55	BR	7.85
		1	OKH	39	2	BR	2.83	3.33	3.89	4.31	4.74	MB	5.80	6.05	ML	7.13	7.55	BR	7.85
		1	OKH	1	1	FE	0.50	1.00	4.65	4.98	5.08	MB	6.14	6.39	ML	6.69	7.02	BR	7.33
		1	OLP	1	2	BR	0.17	0.67	1.40	1.82	2.58	MP	4.27	4.52	MP	4.55	4.97	BR	6.08
		1	OLP	2	1	BR	0.50	1.00	1.73	2.06	2.82	MP	4.51	4.76	MP	4.76	5.09	BR	6.19
		1	RCF	1	2	BR	0.17	0.67	1.26	1.68	2.75	MB	3.62	3.87	MB	4.49	4.91	BR	5.16

Table 11A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code	Dispatch Point Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code	1st Facility Name	1st Facility Arrival	1st Facility Leave	Next Facility Code	Next Facility Name	Next Facility Arrival	Next Facility Leave	Final Facility Code	Final Facility Name	Final Facility Arrival
		1	RCF	2	2	MR		0.17	0.67	1.26	1.68	2.75	MB		3.62	3.87	HM		4.49	4.91	BR		5.16
		1	RCF	3	2	BR		0.17	0.67	1.26	1.68	2.75	MB		3.62	3.87	HM		4.49	4.91	BR		5.16
		1	RMH	1	1	PE		0.67	1.17	1.39	1.72	1.82	MR		2.02	2.27	HL		4.77	5.10	BR		5.76
		1	RMH	5	2	BR		0.42	0.92	1.61	2.03	2.12	MR		2.32	2.57	HL		5.20	5.62	BR		6.28
		1	RMH	3	2	BR		0.42	0.92	1.61	2.03	2.12	MR		2.32	2.57	HL		5.20	5.62	BR		6.28
		1	RMH	2	2	BR		0.42	0.92	1.61	2.03	2.12	MR		2.32	2.57	HL		5.03	5.45	BR		6.11
		1	RMH	4	2	BR		0.42	0.92	1.61	2.03	2.12	MR		2.32	2.57	HL		5.20	5.62	BR		6.28
		1	RMH	7	2	BR		0.42	0.92	1.61	2.03	2.12	MR		2.32	2.57	HL		5.03	5.45	BR		6.11
		1	RMH	6	2	BR		0.42	0.92	1.61	2.03	2.12	MR		2.32	2.57	HL		5.20	5.62	BR		6.28
		1	RMH	8	2	BR		0.83	1.33	2.03	2.45	2.54	MR		2.74	2.99	HL		6.04	6.46	BR		6.79
		1	RMH	11	2	BR		0.83	1.33	2.03	2.45	2.54	MR		2.74	2.99	HL		5.87	6.29	BR		6.70
		1	RMH	10	2	BR		0.83	1.33	2.03	2.45	2.54	MR		2.74	2.99	HL		6.04	6.46	BR		6.79
		1	RMH	12	2	PE		1.25	1.75	2.03	2.45	2.54	MR		2.74	2.99	HL		5.87	6.29	BR		6.70
		1	RMH	9	2	BR		0.83	1.33	2.03	2.45	2.54	MR		2.74	2.99	HL		6.04	6.46	BR		6.79
		1	RMH	15	2	BR		1.33	1.83	2.52	2.94	3.04	MR		3.23	3.48	HL		6.88	7.30	BR		7.60
		1	RMH	17	2	BR		1.33	1.83	2.52	2.94	3.04	MR		3.23	3.48	HL		6.46	6.88	BR		7.18
		1	RMH	18	2	BR		1.33	1.83	2.52	2.94	3.04	MR		3.23	3.48	HL		6.71	7.13	BR		7.43
		1	RMH	16	2	BR		1.33	1.83	2.52	2.94	3.04	MR		3.23	3.48	HL		6.71	7.13	BR		7.43
		1	RMH	13	2	BR		1.33	1.83	2.52	2.94	3.04	MR		3.23	3.48	HL		6.88	7.30	BR		7.60
		1	RMH	14	2	BR		1.33	1.83	2.52	2.94	3.04	MR		3.23	3.48	HL		6.88	7.30	BR		7.60
		1	SNR	1	1	BR		0.83	1.33	1.98	2.31	2.35	MB		3.71	3.96	HC		4.69	5.02	BR		5.32
		1	SNR	2	1	BR		0.83	1.33	1.98	2.31	2.35	MB		3.71	3.96	HC		4.69	5.02	BR		5.32
		1	SNR	3	1	BR		0.83	1.33	1.98	2.31	2.35	MB		3.71	3.96	HC		4.69	5.02	BR		5.32
		1	SNR	13	2	BR		1.00	1.50	2.15	2.57	2.61	MB		3.97	4.22	HC		4.95	5.37	BR		5.67
		1	SNR	11	2	BR		1.00	1.50	2.15	2.57	2.61	MB		3.97	4.22	HC		4.95	5.37	BR		5.67
		1	SNR	15	2	BR		1.00	1.50	2.15	2.57	2.61	MB		3.97	4.22	HC		4.95	5.37	BR		5.67
		1	SNR	10	2	BR		1.00	1.50	2.15	2.57	2.61	MB		3.97	4.22	HC		4.95	5.37	BR		5.67
		1	SNR	14	2	BR		1.00	1.50	2.15	2.57	2.61	MB		3.97	4.22	HC		4.95	5.37	BR		5.67
		1	SNR	12	2	BR		1.00	1.50	2.15	2.57	2.61	MB		3.97	4.22	HC		4.95	5.37	BR		5.67
		1	SNR	9	1	BR		1.33	1.83	2.48	2.81	2.85	MB		4.21	4.46	HC		5.19	5.52	BR		5.82
		1	SNR	6	1	BR		1.33	1.83	2.48	2.81	2.85	MB		4.21	4.46	HC		5.19	5.52	BR		5.82
		1	SNR	4	1	BR		1.33	1.83	2.48	2.81	2.85	MB		4.21	4.46	HC		5.19	5.52	BR		5.82
		1	SNR	7	1	BR		1.33	1.83	2.48	2.81	2.85	MB		4.21	4.46	HC		5.19	5.52	BR		5.82
		1	SNR	5	1	BR		1.33	1.83	2.48	2.81	2.85	MB		4.21	4.46	HC		5.19	5.52	BR		5.82
		1	SNR	8	1	BR		1.33	1.83	2.48	2.81	2.85	MB		4.21	4.46	HC		5.19	5.52	BR		5.82
		1	SNR	17	2	BR		1.66	2.16	2.81	3.23	3.27	MB		4.63	4.88	HC		5.61	6.03	BR		6.33
		1	SNR	16	2	BR		1.66	2.16	2.81	3.23	3.27	MB		4.63	4.88	HC		5.61	6.03	BR		6.33
		1	SNR	18	2	BR		1.66	2.16	2.81	3.23	3.27	MB		4.63	4.88	HC		5.61	6.03	BR		6.33
		1	SNR	19	2	BR		2.08	2.58	3.23	3.65	3.69	MB		5.05	5.30	HC		6.03	6.45	BR		6.75
		1	SNR	21	2	BR		2.08	2.58	3.23	3.65	3.69	MB		5.05	5.30	HC		6.03	6.45	BR		6.75
		1	SNR	20	2	BR		2.08	2.58	3.23	3.65	3.69	MB		5.05	5.30	HC		6.03	6.45	BR		6.75
		1	SNR	24	2	BR		2.08	2.58	3.23	3.65	3.69	MB		5.05	5.30	HC		6.03	6.45	BR		6.75
		1	SNR	23	2	BR		2.08	2.58	3.23	3.65	3.69	MB		5.05	5.30	HC		6.03	6.45	BR		6.75
		1	SNR	22	2	BR		2.08	2.58	3.23	3.65	3.69	MB		5.05	5.30	HC		6.03	6.45	BR		6.75
		1	SNR	25	2	BR		2.50	3.00	3.65	4.07	4.11	MB		5.47	5.72	HC		6.45	6.87	BR		7.17
		1	SNR	29	2	BR		2.50	3.00	3.65	4.07	4.11	MB		5.47	5.72	HC		6.45	6.87	BR		7.17

Table 11A

Prior Run	Prior Run Number	Wave Number	This Run	This Run Number	Type	Dispatch Point Code Name	Dispatch Point Arrival	Dispatch Point Leave	Special Facility Arrival	Special Facility Leave	Leave EPZ	1st Facility Code Name	1st Facility Arrival	1st Facility Leave	Next Facility Code Name	Next Facility Arrival	Next Facility Leave	Final Facility Code Name	Final Facility Arrival
		1	SNR	27	2	BR	2.50	3.00	3.65	4.07	4.11	MB	5.47	5.72	HC	6.45	6.87	BR	7.17
		1	SNR	28	2	BR	2.50	3.00	3.65	4.07	4.11	MB	5.47	5.72	HC	6.45	6.87	BR	7.17
		1	SNR	26	2	BR	2.50	3.00	3.65	4.07	4.11	MB	5.47	5.72	HC	6.45	6.87	BR	7.17
		1	SNR	30	2	BR	3.50	4.00	4.65	5.07	5.08	MB	6.44	6.69	HC	7.14	7.56	BR	7.86
		1	SNR	31	2	BR	3.50	4.00	4.65	5.07	5.08	MB	6.44	6.69	HC	7.14	7.56	BR	7.86
		1	SNR	32	2	BR	3.50	4.00	4.65	5.07	5.08	MB	6.44	6.69	HC	7.14	7.56	BR	7.86
		1	WHN	6	2	BR	0.50	1.00	1.67	2.09	2.61	MP	2.96	3.21	HP	3.21	3.63	BR	4.74
		1	WHN	5	2	BR	0.50	1.00	1.67	2.09	2.61	MP	2.96	3.21	HP	3.21	3.63	BR	4.74
		1	WHN	3	2	BR	0.50	1.00	1.67	2.09	2.61	MP	2.96	3.21	HP	3.21	3.63	BR	4.74
		1	WHN	4	2	BR	0.50	1.00	1.67	2.09	2.61	MP	2.96	3.21	HP	3.21	3.63	BR	4.74
		1	WHN	1	1	BR	0.67	1.17	1.84	2.17	2.69	MP	3.04	3.29	HP	3.29	3.62	BR	4.73
		1	WHN	2	1	BR	0.67	1.17	1.84	2.17	2.69	MP	3.04	3.29	HP	3.29	3.62	BR	4.73
		1	WHN	7	2	BR	0.92	1.42	2.09	2.51	3.03	MP	3.38	3.63	HP	3.63	4.05	BR	5.16
		1	WHN	10	2	BR	0.92	1.42	2.09	2.51	3.03	MP	3.38	3.63	HP	3.63	4.05	BR	5.16
		1	WHN	9	2	BR	0.92	1.42	2.09	2.51	3.03	MP	3.38	3.63	HP	3.63	4.05	BR	5.16
		1	WHN	12	2	BR	0.92	1.42	2.09	2.51	3.03	MP	3.38	3.63	HP	3.63	4.05	BR	5.16
		1	WHN	8	2	BR	0.92	1.42	2.09	2.51	3.03	MP	3.38	3.63	HP	3.63	4.05	BR	5.16
		1	WHN	11	2	BR	0.92	1.42	2.09	2.51	3.03	MP	3.38	3.63	HP	3.63	4.05	BR	5.16
		1	WHN	15	2	BR	1.42	1.92	2.59	3.01	3.53	MP	3.88	4.13	HP	4.13	4.55	BR	5.66
		1	WHN	13	2	BR	1.42	1.92	2.59	3.01	3.53	MP	3.88	4.13	HP	4.13	4.55	BR	5.66
		1	WHN	17	2	BR	1.42	1.92	2.59	3.01	3.53	MP	3.88	4.13	HP	4.13	4.55	BR	5.66
		1	WHN	16	2	BR	1.42	1.92	2.59	3.01	3.53	MP	3.88	4.13	HP	4.13	4.55	BR	5.66
		1	WHN	14	2	BR	1.42	1.92	2.59	3.01	3.53	MP	3.88	4.13	HP	4.13	4.55	BR	5.66
		1	WHN	15	2	BR	1.42	1.92	2.59	3.01	3.53	MP	3.88	4.13	HP	4.13	4.55	BR	5.66
		1	WHN	21	2	BR	1.83	2.33	3.01	3.43	3.95	MP	4.30	4.55	HP	4.55	4.97	BR	6.08
		1	WHN	20	2	BR	1.83	2.33	3.01	3.43	3.95	MP	4.30	4.55	HP	4.55	4.97	BR	6.08
		1	WHN	18	2	BR	1.83	2.33	3.01	3.43	3.95	MP	4.30	4.55	HP	4.55	4.97	BR	6.08
		1	WHN	23	2	BR	1.83	2.33	3.01	3.43	3.95	MP	4.30	4.55	HP	4.97	5.39	BR	6.50
		1	WHN	22	2	BR	1.83	2.33	3.01	3.43	3.95	MP	4.30	4.55	HP	4.55	4.97	BR	6.08
		1	WHN	19	2	BR	1.83	2.33	3.01	3.43	3.95	MP	4.30	4.55	HP	4.55	4.97	BR	6.08
		1	WHN	26	2	BR	2.25	2.75	3.43	3.85	4.37	MP	4.72	4.97	HP	5.39	5.81	BR	6.58
		1	WHN	27	2	BR	2.25	2.75	3.43	3.85	4.37	MP	4.72	4.97	HP	4.97	5.39	BR	6.50
		1	WHN	25	2	BR	2.25	2.75	3.43	3.85	4.37	MP	4.72	4.97	HP	5.39	5.81	BR	6.58
		1	WHN	28	2	BR	2.25	2.75	3.43	3.85	4.37	MP	4.72	4.97	HP	4.97	5.39	BR	6.50
		1	WHN	24	2	BR	2.25	2.75	3.43	3.85	4.37	MP	4.72	4.97	HP	4.97	5.39	BR	6.50
		1	WHN	30	2	BR	3.08	3.58	4.25	4.67	5.04	MP	5.40	5.65	HP	5.65	6.07	BR	6.66
		1	WHN	31	2	BR	3.08	3.58	4.25	4.67	5.04	MP	5.40	5.65	HP	5.65	6.07	BR	6.66
		1	WHN	29	2	BR	3.08	3.58	4.25	4.67	5.04	MP	5.40	5.65	HP	5.65	6.07	BR	6.66

CERTIFICATE OF SERVICE

In the Matter of
LONG ISLAND LIGHTING COMPANY
(Shoreham Nuclear Power Station, Unit 1)
Docket No. 50-322-OL-3

I hereby certify that copies of Motion for Leave to File Corrections to Rebuttal Testmony and Corrections to Rebuttal Testimony of Edward B. Lieberman and Diane P. Driekorn on the Remanded Issue of the Bases and Accuracy of LILCO's Hospital Evacuation Time Estimates were served this date upon the following by Federal Express as indicated by one asterisk, or by first-class mail, postage prepaid.

James P. Gleason, Chairman *
Atomic Safety and Licensing Board
513 Gilmoure Drive
Silver Spring, Maryland 20901

Dr. Jerry R. Kline *
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
East-West Towers, Rm. 427
4350 East-West Hwy.
Bethesda, MD 20814

Mr. Frederick J. Shon *
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
East-West Towers, Rm. 430
4350 East-West Hwy.
Bethesda, MD 20814

Secretary of the Commission
Attention Docketing and Service Section
U.S. Nuclear Regulatory Commission
1717 H Street, N.W.
Washington, D.C. 20555

Atomic Safety and Licensing Appeal Board Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Adjudicatory File
Atomic Safety and Licensing Board Panel Docket
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Richard G. Bachmann, Esq. *
U.S. Nuclear Regulatory Commission
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

Herbert H. Brown, Esq. *
Lawrence Coe Lanpher, Esq.
Karla J. Letsche, Esq.
Kirkpatrick & Lockhart
South Lobby - 9th Floor
1800 M Street, N.W.
Washington, D.C. 20036-5891

Fabian G. Palomino, Esq. *
Richard J. Zahnleuter, Esq.
Special Counsel to the Governor
Executive Chamber
Room 229
State Capitol
Albany, New York 12224

Alfred L. Nardelli, Esq.
Assistant Attorney General
120 Broadway
Room 3-118
New York, New York 10271

George W. Watson, Esq. *
William R. Cumming, Esq.
Federal Emergency Management Agency
500 C Street, S.W., Room 840
Washington, D.C. 20472

Mr. Jay Dunkleberger
New York State Energy Office
Agency Building 2
Empire State Plaza
Albany, New York 12223

Stephen B. Latham, Esq. *
Twomey, Latham & Shea
33 West Second Street
P.O. Box 298
Riverhead, New York 11901

Mr. Philip McIntire
Federal Emergency Management Agency
26 Federal Plaza
New York, New York 10278

Jonathan D. Feinberg, Esq.
New York State Department of Public Service, Staff Counsel
Three Rockefeller Plaza
Albany, New York 12223

Ms. Nora Bredes
Executive Coordinator
Shoreham Opponents' Coalition
195 East Main Street
Smithtown, New York 11787

Evan A. Davis, Esq.
Counsel to the Governor
Executive Chamber
State Capitol
Albany, New York 12224

E. Thomas Boyle, Esq.
Suffolk County Attorney
Building 158 North County Complex
Veterans Memorial Highway
Hauppauge, New York 11788

Dr. Monroe Schneider
North Shore Committee
P.O. Box 231
Wading River, NY 11792

Dr. David T. Hartgen *
Information Resources Management, 5-308
New York State Department of Transportion
Albany, NY 12232

Charles L. Ingebretson

Hunton & Williams
707 East Main Street
P.O. Box 1535
Richmond, Virginia 23212

DATED: May 31, 1988

CERTIFICATE OF SERVICE

In the Matter of
LONG ISLAND LIGHTING COMPANY
(Shoreham Nuclear Power Station, Unit 1)
Docket No. 50-322-OL-3

I hereby certify that copies of Motion for Leave to File Corrections to Rebuttal Testmony and Corrections to Rebuttal Testimony of Edward B. Lieberman and Diane P. Driekorn on the Remanded Issue of the Bases and Accuracy of LILCO's Hospital Evacuation Time Estimates were served this date upon the following by Federal Express as indicated by one asterisk, or by first-class mail, postage prepaid.

James P. Gleason, Chairman *
Atomic Safety and Licensing Board
513 Gilmoure Drive
Silver Spring, Maryland 20901

Dr. Jerry R. Kline *
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
East-West Towers, Rm. 427
4350 East-West Hwy.
Bethesda, MD 20814

Mr. Frederick J. Shon *
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
East-West Towers, Rm. 430
4350 East-West Hwy.
Bethesda, MD 20814

Secretary of the Commission
Attention Docketing and Service Section
U.S. Nuclear Regulatory Commission
1717 H Street, N.W.
Washington, D.C. 20555

Atomic Safety and Licensing Appeal Board Panel
U.S. Nuclear Regulatory Commission
Washington D.C. 20555

Adjudicatory File
Atomic Safety and Licensing Board Panel Docket
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Richard G. Bachmann, Esq. *
U.S. Nuclear Regulatory Commission
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

Herbert H. Brown, Esq. *
Lawrence Coe Lanpher, Esq.
Karla J. Letsche, Esq.
Kirkpatrick & Lockhart
South Lobby - 9th Floor
1800 M Street, N.W.
Washington, D.C. 20036-5891

Fabian G. Palomino, Esq. *
Richard J. Zahnleuter, Esq.
Special Counsel to the Governor
Executive Chamber
Room 229
State Capitol
Albany, New York 12224

Alfred L. Nardelli, Esq.
Assistant Attorney General
120 Broadway
Room 3-118
New York, New York 10271

George W. Watson, Esq. *
William R. Cumming, Esq.
Federal Emergency Management
Agency
500 C Street, S.W., Room 840
Washington, D.C. 20472

Mr. Jay Dunkleberger
New York State Energy Office
Agency Building 2
Empire State Plaza
Albany, New York 12223

Stephen B. Latham, Esq. *
Twomey, Latham & Shea
33 West Second Street
P.O. Box 298
Riverhead, New York 11901

Mr. Philip McIntire
Federal Emergency Management
Agency
26 Federal Plaza
New York, New York 10278

Jonathan D. Feinberg, Esq.
New York State Department of
Public Service, Staff Counsel
Three Rockefeller Plaza
Albany, New York 12223

Ms. Nora Bredes
Executive Coordinator
Shoreham Opponents' Coalition
195 East Main Street
Smithtown, New York 11787

Evan A. Davis, Esq.
Counsel to the Governor
Executive Chamber
State Capitol
Albany, New York 12224

E. Thomas Boyle, Esq.
Suffolk County Attorney
Building 158 North County Complex
Veterans Memorial Highway
Hauppauge, New York 11788

Dr. Monroe Schneider
North Shore Committee
P.O. Box 231
Wading River, NY 11792

Dr. David T. Hartgen *
Information Resources
Management, 5-308
New York State Department
of Transportion
Albany, NY 12232

Charles L. Ingebretson

Hunton & Williams
707 East Main Street
P.O. Box 1535
Richmond, Virginia 23212

DATED: May 31, 1988