November 5, 1997

Barbara K. Dankmyer, Resident Manager Molycorp, Incorporated 300 Caldwell Avenue Washington, PA 15301

SUBJECT: INSPECTION NO. 040-08794/97-002

Dear Ms. Dankmyer:

On October 9, 16, and 17, 1997, Todd Jackson and Craig Gordon of this office conducted a safety inspection at York, Pennsylvania o' activities authorized by the NRC license listed below. The inspection was an examination of your licensed activities as they relate to radiation safety and to compliance with the Commission's regulations and the license conditions. The inspection consisted of observations by the inspectors, interviews with personnel, and a selective examination of representative records. The findings of the inspection were discussed with Mr. George Dawes at the conclusion of the inspection.

Within the scope of this inspection, no violations were identified.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter will be placed in the Public Document Room. No reply to this letter is required.

'our cooperation with us is appreciated.

Sincerely,

Original firmed Ey: Ronald E. Balancy

Ronald R. Bellamy, Ph.D., Chief Decommissioning and Lab Branch Division of Nuclear Materials Safety

Docke: No.: 040-08794 License No.: SMB-1408

Enclosure: NRC Inspection Report No. 040 08794/97-002

500036

R. R. NAL TO

11200328

OFFICIAL RECORD COPY

1E:07

B. Dankmyer Molycorp, Incorporated

٠

cc w/encl: George Dawes, Radiation Safety Officer Commonwealth of Pennsylvania J. Kopenhaver, PaDEP B. Dankmyer
Molycorp, Incorporated

Distribution w/encl:

PUBLIC Nuclear Safety Information Center (NSIC) Region I Docket Room (w/concurrences) L. Person, DWM T. Jackson, RI

## DOCUMENT NAME: R:\WPS\MLDL\LSMB1408.972

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N DNMS/RI	DNMS/RI	
NAME	TJacksor.	CGordon/ C215	RBellamy/	
DATE	10/24/97	10/3/97	10/4/97	11/ /97

## OFFICIAL RECORD COPY