

NOVEMBER 12, 1997

EA 97-411

Duke Energy Corporation
ATTN: Mr. H. B. Barron
Vice President
McGuire Site
12700 Hagers Ferry Road
Huntersville, NC 28078-8985

SUBJECT: NRC INSPECTION REPORT NOS. 50-369/97-13 AND 50-370/97-13

Dear Mr. Barron:

Thank you for your response of October 23, 1997, to our Notice of Violation issued on September 11, 1997, concerning activities conducted at your McGuire facility.

During a telephone conversation conducted between Mr. R. Cross of your organization and G. Belisle and W. Stansberry on November 12, 1997, the response to Violation 50-369, 370/97-13-02 was clarified. Based on the conversation it is our understanding that the additional security officer that was posted at each Personnel Access Portal exit turnstile to verify that security badges are not removed from the protected area by employees, will be in place until the new access control system (palm geometry) is implemented in 1998.

We have evaluated your response and found that it meets the requirements of 10 CFR 2.201. We will examine the implementation of your corrective actions during future inspections.

We appreciate your cooperation in this matter.

Sincerely,
ORIGINAL SIGNED BY
CHARLES CASTO FOR:

Johns P. Jaudon, Director
Division of Reactor Safety

Docket Nos. 50-369, 50-370
License Nos. NPF-9, NPF-17

cc: Michael T. Cash
Regulatory Compliance
Duke Energy Corporation
12700 Hagers Ferry Road
Huntersville, NC 28078-8985

(cc cont'd - See page 2)

9711250020 971112
PDR ADOCK 05000369
G PDR



1601

(cc cont'd)
G. A. Copp
Licensing - EC050
Duke Energy Corporation
P. O. Box 1007
Charlotte, NC 28242

Paul R. Newton
Legal Department (PB05E)
Duke Energy Corporation
422 South Church Street
Charlotte, NC 28242-0001

Executive Director
Public Staff - NCUC
P. O. Box 29520
Raleigh, NC 27626-0520

J. Michael McGarry, III, Esq.
Winston and Strawn
1400 L Street, NW
Washington, D. C. 20005

Director
Division of Radiation Protection
N. C. Department of Environmental
Health & Natural Resources
3825 Barrett Drive
Raleigh, NC 27609-7721

County Manager of Mecklenburg County
720 East Fourth Street
Charlotte, NC 28202

Peter R. Harden IV
Account Sales Manager
Power Systems Field Sales
Westinghouse Electric Corporation
P. O. Box 7288
Charlotte, NC 28241

Director
Mecklenburg County Department
of Environmental Protection
700 North Tryon Street
Charlotte, NC 28203

(cc cont'd - See page 3)

Duke Power Company





3

(cc cont'd)
Assistant Attorney General
N. C. Department of Justice
P. O. Box 629
Raleigh, NC 27602

Distribution:

V. Nerses, NRR
S. Rudisail, RII
C. Payne, RII
J. Lieberman, OE
B. Summers, OE:EA File (2)
PUBLIC

NRC Resident Inspector
U.S. Nuclear Regulatory Commission
12700 Hagers Ferry Road
Huntersville, NC 28078-8985

OFFICE	RII-DRS	RII-DRP	RII-DRS	RII-FICE		
SIGNATURE						
NAME	STANSBERRY	OGLE	BEVIS	MOLAND		
DATE	11 / 11 / 97	11 / 12 / 97	11 / 12 / 97	11 / 12 / 97	11 / / 97	11 / / 97
COPY?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO

OFFICIAL RECORD COPY

DOCUMENT NAME: S:\DRS\SIB\MCG9713.ACK