

NRC TLD Direct Radiation Monitoring Network

Progress Report
January-March 1986

U.S. Nuclear Regulatory Commission

NRC Region I

J. Jang, K. Rabatin, L. Cohen



8607080467 860630
PDR NUREG
0837 R PDR

Available from

Superintendent of Documents
U.S. Government Printing Office
Post Office Box 37082
Washington, D.C. 20013-7082

A year's subscription consists of 4 issues for
this publication.

Single copies of this publication
are available from National Technical
Information Service, Springfield, VA 22161

NRC TLD Direct Radiation Monitoring Network

Progress Report
January-March 1986

Manuscript Completed: June 1986
Date Published: June 1986

J. Jang, K. Rabatin, L. Cohen*

*Headquarters, USNRC

Region I
U.S. Nuclear Regulatory Commission
King of Prussia, PA 19406



Preface

The U. S. Nuclear Regulatory Commission (NRC) Direct Radiation Monitoring Network is operated by the NRC in cooperation with participating states to provide continuous measurement of the ambient radiation levels around licensed NRC facilities, primarily power reactors. Ambient radiation levels result from naturally occurring radionuclides present in the soil, cosmic radiation constantly bombarding the earth from outer space, and the contribution, if any, from the monitored facilities and other man-made sources. The Network is intended to measure radiation levels during routine facility operations and to establish background radiation levels used to assess the radiological impact of an unusual condition, such as an accident. This report presents the radiation levels measured around all facilities in the Network for the second quarter of 1985. A complete listing of the site facilities monitored is included. In some instances, two power reactor facilities are monitored by the same set of dosimeters (e.g., Keweenaw and Point Beach).

All radiation measurements are made using small, passive detectors called thermoluminescent dosimeters (TLDs), which provide a quantitative measurement of the radiation levels in the area in which they are placed. Each site is monitored by arranging approximately 40 to 50 TLD stations in two concentric rings extending to about five miles from the facility. All TLD stations are outside the site boundary of the facility. A complete description of the program can be found in NUREG-0837, Volume 2, Number 4 and NUREG-0837, Volume 3, Number 4. The National Bureau of Standards (NBS) has been performing an independent study of the following characteristics of the NRC dosimetry system; energy response, angular dependence, temperature and humidity sensitivity, fading, light dependence, self-irradiation, and reproducibility. NBS has also tested the response of the NRC's dosimetry system against the requirements of ANSI N545-1975 and NRC Regulatory Guide 4.13. Details of this testing can be found in NUREG/CR-2560, NUREG/CR-3120, and NUREG/CR-3775.

The radiation levels are presented as gross and net exposures. The gross exposure includes naturally occurring background radiation, radiation levels resulting from a facility's operation, and the exposure received during transport and storage of the TLD. Net exposures are obtained by subtracting an estimate of the exposure received by the dosimeter during transit from the gross exposures. All exposures are normalized to a 90-day quarter (standard quarter) and reported in units of milliroentgens (mR). Station numbers for which no data are reported included stations which have been deleted, stations for which the TLD was lost during the quarter, or stations for which the TLD was damaged. When control dosimeter data are unavailable, no net exposures are calculated.

Three sets of data are presented for each site. The first set includes the TLD station number, its direction and distance from the site, the integrated gross exposure for the period, and the net exposure normalized to a 90-day quarter (standard quarter). All measurements are listed with their respective random and total uncertainties.

The uncertainties are listed in the following format:

$$X \pm S_x; U_x$$

where X = value of the result

S_x = random uncertainty expressed as one standard deviation

U_x = combined total uncertainty

The second set of data summarizes the average net exposure measured in each of the 16 standard windrose sectors around the facility, normalized to a standard quarter. The third set of data summarizes the average net exposure measured at three ranges of distances from the facility, normalized to a standard quarter. When average net exposures cannot be reported because of the unavailability of the site's control dosimeters, the average gross exposures, normalized to a standard quarter, are reported in these two sets of data. The "std.dev." refers to the standard deviation of the measurements made in each sector and range, respectively.

Maps indicating the measured doses around a site are presented in this report. Due to the constraints of digitizing the entire monitoring area onto the limited space on the map, some TLD data are not included.

This report is one of a continuing series of technical reports covering the results and experiences of the operation of the NRC TLD Direct Radiation Monitoring Network. Suggestions on methods to improve the presentation or analysis of the data contained in this NUREG are appreciated and should be submitted to NRC Region I, 631 Park Avenue, King of Prussia, Pennsylvania 19406, ATTN: Radiation Dosimetry Specialist.

ATTACHMENT 1Sites Monitored During the First Quarter 1986

- | | | | |
|-----|-----------------------------|-----|----------------------|
| 1. | Arkansas Nuclear One | 37. | Millstone |
| 2. | Beaver Valley | 38. | Monticello |
| 3. | Big Rock Point | 39. | North Anna |
| 4. | Braidwood | 40. | Oconee |
| 5. | Browns Ferry | 41. | Oyster Creek |
| 6. | Brunswick | 42. | Palisades |
| 7. | Byron | 43. | Palo Verde |
| 8. | Callaway | 44. | Peach Bottom |
| 9. | Calvert Cliffs | 45. | Perry |
| 10. | Catawba | 46. | Pilgrim |
| 11. | Clinton | 47. | Prairie Island |
| 12. | Comanche Peak | 48. | Quad Cities |
| 13. | D. C. Cook | 49. | Rancho Seco |
| 14. | Cooper | 50. | River Bend |
| 15. | Crystal River | 51. | Robinson |
| 16. | Davis-Besse | 52. | St. Lucie |
| 17. | Diablo Canyon | 53. | Salem/Hope Creek |
| 18. | Dresden | 54. | San Onofre |
| 19. | Duane Arnold | 55. | Seabrook |
| 20. | Farley | 56. | Sequoyah |
| 21. | Fermi | 57. | Shoreham |
| 22. | FitzPatrick/Nine Mile Point | 58. | Summer |
| 23. | Fort Calhoun | 59. | Surry |
| 24. | Fort St. Vrain | 60. | Susquehanna |
| 25. | Ginna | 61. | Three Mile Island |
| 26. | Grand Gulf | 62. | Trojan |
| 27. | Haddam Neck | 63. | Turkey Point |
| 28. | Harris | 64. | Vermont Yankee |
| 29. | Hatch | 65. | Vogtle |
| 30. | Indian Point | 66. | Washington Nuclear 2 |
| 31. | Kewaunee/Point Beach | 67. | Waterford |
| 32. | Lacrosse | 68. | Watts Barr |
| 33. | LaSalle | 69. | Wolf Creek |
| 34. | Limerick | 70. | Yankee Rowe |
| 35. | Maine Yankee | 71. | Zion |
| 36. | McGuire | | |

ARKANSAS

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860415 121 DAYS
 FIELD TIME 94 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001		0.4	15.9
002	353	4.1	16.9
003	32	1.1	17.2
004	13	3.1	15.1
005	53	1.1	17.6
006	37	3.1	15.0
007	78	1.1	17.2
008	68	3.1	15.6
009	92	1.1	17.0
010	123	3.1	15.4
011	129	1.1	17.4
012	138	3.1	14.4
013	138	1.1	17.4
014	167	3.1	15.4
015	171	1.1	17.4
016	189	3.1	15.4
017	205	1.1	17.4
018	235	3.1	15.4
019	257	1.1	17.4
020	243	4.1	15.4
021	223	1.1	17.4
022	223	4.1	15.4
023	223	1.1	17.4
024	223	4.1	15.4
025	223	1.1	17.4
026	223	4.1	15.4
027	223	1.1	17.4
028	223	4.1	15.4
029	223	1.1	17.4
030	345	4.1	15.4
031	335	1.1	17.4
032	118	4.1	15.4
033	112	1.1	17.4
034	147	4.1	15.4
040	106	1.1	17.4
041	318	1.1	17.4
042	0	1.1	17.4
043	0	1.1	17.4
044	0	1.1	17.4
045	0	1.1	17.4
046	0	1.1	17.4
TRANSIT DOSE =	3.3	+- .3	14.4


ARKANSAS
FOR THE PERIOD 851216-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.5 +- 1.2	6
11.25-33.75 (NNE)	16.2 +- 1.5	2
33.75-56.25 (NE)	16.5 +- 1.9	2
56.25-78.75 (ENE)	21.1 +- 3.6	2
78.75-101.25 (E)	18.7 +- 1.5	2
101.25-123.75 (ESE)	17.2 +- 1.2	5
123.75-146.25 (SE)	14.3 +- 1.0	2
146.25-168.75 (SSW)	17.1 +- .5	2
168.75-191.25 (S)	16.9 +- .4	2
191.25-213.75 (SSW)	17.4 +- .9	2
213.75-236.25 (SW)	16.3 +- 4.2	2
236.25-258.75 (WSW)	15.6 +- .9	2
258.75-281.25 (W)	17.9 +- 1.5	2
281.25-303.75 (WNW)	17.0 +- 1.1	2
303.75-326.25 (NW)	16.3 +- .9	3
326.25-348.75 (NNW)	16.7 +- 1.6	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.2 +- 1.0	11
2-5	16.4 +- 2.3	17
>5	17.1 +- 1.3	12
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR ARKANSAS AREA
(mR per 90 days)



7

BEAVER VALLEY
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851218-860410 114 DAYS
FIELD TIME 88 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	DAMAGED DOSIMETERS OR MISSING	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	344	16.	19.0	5.6
002	006	13.	18.7	5.7
004	31	12.	MISSING	5.8
005	55	9.4	19.7	5.9
006	60	9.4	19.4	5.9
007	357	9.4	19.7	5.9
008	110	9.4	19.7	5.9
009	110	9.4	19.7	5.9
010	91	9.4	19.7	5.9
011	77	9.4	19.7	5.9
012	153	9.4	19.7	5.9
013	170	9.4	19.7	5.9
014	190	9.4	19.7	5.9
015	200	9.4	19.7	5.9
016	264	9.4	19.7	5.9
017	232	9.4	19.7	5.9
018	232	9.4	19.7	5.9
019	232	9.4	19.7	5.9
020	232	9.4	19.7	5.9
021	232	9.4	19.7	5.9
022	232	9.4	19.7	5.9
023	232	9.4	19.7	5.9
024	232	9.4	19.7	5.9
025	232	9.4	19.7	5.9
026	232	9.4	19.7	5.9
027	232	9.4	19.7	5.9
028	232	9.4	19.7	5.9
029	232	9.4	19.7	5.9
030	232	9.4	19.7	5.9
031	232	9.4	19.7	5.9
032	232	9.4	19.7	5.9
033	232	9.4	19.7	5.9
034	232	9.4	19.7	5.9
035	232	9.4	19.7	5.9
036	232	9.4	19.7	5.9
037	232	9.4	19.7	5.9
038	232	9.4	19.7	5.9
039	232	9.4	19.7	5.9
040	232	9.4	19.7	5.9
041	232	9.4	19.7	5.9
TRANSIT DOSE #	3.3	3.3	4.7	5.9


BEAVER VALLEY
FOR THE PERIOD 051210-060410

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.4 +- 1.1	4
11.25-33.75 (NNE)	18.5 +- 1.6	2
33.75-56.25 (NE)	16.1 +- 1.0	3
56.25-78.75 (ENE)	18.1 +- .8	3
78.75-101.25 (E)	18.1 +- .7	2
101.25-123.75 (ESE)	19.2 +- 1.6	2
123.75-146.25 (SE)	18.3 +- 0.8	1
146.25-168.75 (SSE)	18.8 +- 0.8	1
168.75-191.25 (S)	17.3 +- .6	4
191.25-213.75 (SSW)	17.1 +- .7	2
213.75-236.25 (SW)	16.8 +- .2	2
236.25-258.75 (WSW)	20.9 +- 0.0	1
258.75-281.25 (W)	17.3 +- .5	3
281.25-303.75 (WNW)	17.1 +- 2.1	2
303.75-326.25 (NW)	18.1 +- .4	2
326.25-348.75 (NNW)	17.6 +- .7	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.7 +- .8	9
2-5	17.8 +- 1.4	20
>5	17.1 +- .8	7
UPWIND CONTROL DATA	16.2 +- .4	3

NRC TLD DOSES FOR BEAVER VALLEY AREA
 (mR per 90 days)



BIG ROCK
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851216-860423 129 DAYS
FIELD TIME 83 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std.Qtr.
001	208	4.3	+/- Rdm;Tot.	+/- Rdm;Tot.
002	220	3.0000	+/-	+/-
003	204	3.0000	+/-	+/-
004	176	3.0000	+/-	+/-
005	161	4.3	+/-	+/-
006	133	4.3	+/-	+/-
007	116	4.3	+/-	+/-
008	111	4.3	+/-	+/-
009	99	4.3	+/-	+/-
010	/	1.0000	+/-	+/-
011	003	1.0000	+/-	+/-
012	003	1.0000	+/-	+/-
013	77	1.0000	+/-	+/-
014	95	1.0000	+/-	+/-
015	119	1.0000	+/-	+/-
016	134	1.0000	+/-	+/-
017	222	1.0000	+/-	+/-
018	194	1.0000	+/-	+/-
019	179	1.0000	+/-	+/-
020	153	1.0000	+/-	+/-
TRANSLIT DOSE #	00	+/-	+/-	+/-


BIG ROCK
FOR THE PERIOD 851216-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	11.7 +- 0.0	1
78.75-101.25 (E)	12.0 +- 1.4	3
101.25-123.75 (ESE)	11.4 +- 1.2	3
123.75-146.25 (SE)	12.0 +- 1.1	2
146.25-168.75 (SSE)	12.0 +- .5	2
168.75-191.25 (S)	12.1 +- .3	2
191.25-213.75 (SSW)	12.1 +- .1	3
213.75-236.25 (SW)	11.1 +- 1.0	2
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	12.0 +- 1.1	7
2-5	11.8 +- .7	10
>5	10.9 +- 0.0	1
UPWIND CONTROL DATA	11.4 +- 2.0	3

NRC TLD DOSES FOR BIG ROCK POINT AREA
(mR per 90 days)



BRAIDWOOD
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851205-860328 114 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	351	14.7 +- .4	2.2
002	19	14.0 +- .4	2.2
003	45	14.0 +- .4	2.1
004	66	14.0 +- .4	2.2
005	87	14.0 +- .4	2.1
006	114	14.2 +- .4	2.1
007	133	14.4 +- .4	2.2
008	151	14.5 +- .5	2.2
009	178	21.1 +- .6	2.3
010	197	14.3 +- .4	2.1
011	222	14.0 +- .4	2.2
012	252	15.0 +- .4	2.2
013	261	13.0 +- .4	2.1
014	278	MISSING OR DAMAGED DOSIMETER	
015	310	13.8 +- .4	2.1
016	335	13.9 +- .4	2.1
017	359	14.4 +- .4	2.2
018	318	MISSING OR DAMAGED DOSIMETER	
019	042	15.1 +- .5	2.3
020	069	16.2 +- .5	2.4
021	086	17.0 +- .5	2.6
022	106	15.0 +- .5	2.4
023	45	15.7 +- .5	2.3
024	070	13.9 +- .4	2.1
025	086	14.0 +- .4	2.1
026	113	15.1 +- .5	2.3
027	142	MISSING OR DAMAGED DOSIMETER	
028	161	14.1 +- .4	2.1
029	180	20.3 +- .6	3.0
030	191	19.9 +- .6	3.0
031	236	16.7 +- .5	2.8
032	266	15.0 +- .4	2.4
033	289	18.1 +- .5	2.8
034	315	15.8 +- .5	2.4
035	333	15.2 +- .5	2.3
036	006	13.0 +- .4	2.1
037	021	13.7 +- .4	2.0
038	190	13.6 +- .4	2.1
039	224	13.7 +- .4	2.1
040	224	17.7 +- .7	2.7

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)

BRAIDWOOD
FOR THE PERIOD 851205-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.9 +- .8	3
11.25-33.75 (NNE)	14.1 +- .7	2
33.75-56.25 (NE)	14.7 +- .9	3
56.25-78.75 (ENE)	14.8 +- 1.1	3
78.75-101.25 (E)	15.1 +- 1.4	4
101.25-123.75 (ESE)	14.5 +- .6	2
123.75-146.25 (SE)	14.2 +- 0.8	1
146.25-168.75 (SSW)	14.1 +- .3	2
168.75-191.25 (S)	18.5 +- 3.4	4
191.25-213.75 (SSW)	14.1 +- 0.0	1
213.75-236.25 (SW)	15.6 +- 1.9	2
236.25-258.75 (WSW)	14.8 +- 0.0	1
258.75-281.25 (W)	14.2 +- .8	2
281.25-303.75 (WNW)	17.9 +- 0.0	1
303.75-326.25 (NW)	14.6 +- 1.4	2
326.25-348.75 (NNW)	14.3 +- .9	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.1 +- .4	11
2-5	15.4 +- 2.0	12
>5	15.7 +- 2.3	12
UPWIND CONTROL DATA	15.5 +- 2.8	2

MAP FOR BRAIDWOOD

Map will be provided for this site in the future.

BROWNS FERRY
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860416 121 DAYS
 FIELD TIME 93 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	130	16.6	3.7
002	133	19.5	3.7
003	153	19.5	3.7
004	210	19.5	3.7
005	228	19.5	3.7
006	245	19.5	3.7
007	269	19.5	3.7
008	277	19.5	3.7
009	295	19.5	3.7
010	292	19.5	3.7
011	269	19.5	3.7
012	240	19.5	3.7
013	220	19.5	3.7
014	268	19.5	3.7
015	281	19.5	3.7
016	51	19.5	3.7
017	62	19.5	3.7
018	64	19.5	3.7
020	90	19.5	3.7
021	111	19.5	3.7
022	111	19.5	3.7
023	46	19.5	3.7
025	333	19.5	3.7
026	333	19.5	3.7
027	333	19.5	3.7
028	348	19.5	3.7
031	348	19.5	3.7
032	312	19.5	3.7
033	402	19.5	3.7
035	950	19.5	3.7
037	149	19.5	3.7
038	164	19.5	3.7
TRANSIT DOSE =	0.0	+- .1	3.6


BROWNS FERRY
FOR THE PERIOD 051217-860416

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-31.25 (N)	18.5 +- 2.8	2
11.25-33.75 (NNE)	20.5 +- .8	2
33.75-56.25 (NE)	18.2 +- 1.4	4
56.25-78.75 (ENE)	19.5 +- 1.9	3
78.75-101.25 (E)	20.7 +- 3.1	3
101.25-123.75 (ESE)	19.4 +- 1.2	2
123.75-146.25 (SE)	15.7 +- .5	2
146.25-168.75 (SSE)	16.6 +- .7	3
168.75-191.25 (S)	17.7 +- 0.0	1
191.25-213.75 (SSW)	18.6 +- .2	2
213.75-236.25 (SW)	17.9 +- 1.5	2
236.25-258.75 (WSW)	18.7 +- 1.5	2
258.75-281.25 (W)	18.1 +- .3	2
281.25-303.75 (WNW)	18.4 +- .2	2
303.75-326.25 (NW)	22.7 +- 0.0	1
326.25-348.75 (NNW)	19.3 +- 1.5	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	19.3 +- 1.3	9
2-5	18.2 +- 1.4	13
>5	18.7 +- 2.6	14
UPWIND CONTROL DATA	17.7 +- 1.6	2

NRC TLD DOSES FOR BROWNS FERRY AREA
(mR per 90 days)



BRUNSWICK
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851212-860415 125 DAYS
FIELD TIME 101 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.)	(mi.)	GROSS EXPOSURE (mR)			NET EXPOSURE RATE mR/Std.Otr.
				+/-	Rdm	Tot.	
001			2.2	+/-			+/-
002		268	4.4	+/-			+/-
003		245	4.4	+/-			+/-
004		231	0.0	+/-			+/-
005		219	0.0	+/-			+/-
006		217	0.0	+/-			+/-
007		272	4.4	+/-			+/-
008		73	3.4	+/-			+/-
009		97	0.0	+/-			+/-
010		129	0.0	+/-			+/-
011		131	0.0	+/-			+/-
012		156	4.4	+/-			+/-
013		218	0.0	+/-			+/-
014		219	0.0	+/-			+/-
015		291	0.0	+/-			+/-
016		218	0.0	+/-			+/-
017		272	0.0	+/-			+/-
018		1.9	0.0	+/-			+/-
019		220	0.0	+/-			+/-
020		220	0.0	+/-			+/-
021		220	0.0	+/-			+/-
022		220	0.0	+/-			+/-
023		220	0.0	+/-			+/-
024		220	0.0	+/-			+/-
025		220	0.0	+/-			+/-
026		220	0.0	+/-			+/-
027		220	0.0	+/-			+/-
028		220	0.0	+/-			+/-
029		220	0.0	+/-			+/-
030		220	0.0	+/-			+/-
031		220	0.0	+/-			+/-
032		220	0.0	+/-			+/-
033		220	0.0	+/-			+/-
034		220	0.0	+/-			+/-
035		220	0.0	+/-			+/-
036		220	0.0	+/-			+/-
037		220	0.0	+/-			+/-
038		220	0.0	+/-			+/-
039		220	0.0	+/-			+/-
040		220	0.0	+/-			+/-
TRANSIT	DOSER			+/-			+/-


BRUNSWICK
FOR THE PERIOD 851212-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	9.5 +- .2	2
11.25-33.75 (NNE)	9.7 +- .6	4
33.75-56.25 (NE)	10.8 +- .1	2
56.25-78.75 (ENE)	11.3 +- .7	4
78.75-101.25 (E)	10.2 +- 1.2	2
101.25-123.75 (ESE)	11.4 +- 0.0	1
123.75-146.25 (SE)	10.5 +- 0.0	1
146.25-168.75 (SSE)	11.3 +- 0.0	1
168.75-191.25 (S)	10.7 +- .5	2
191.25-213.75 (SSW)	10.8 +- 1.4	3
213.75-236.25 (SW)	9.7 +- 2.1	2
236.25-258.75 (WSW)	9.3 +- 1.8	2
258.75-281.25 (W)	9.8 +- 1.4	5
281.25-303.75 (WNW)	8.9 +- .5	2
303.75-326.25 (NW)	8.9 +- .5	2
326.25-348.75 (NNW)	9.9 +- .6	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	10.4 +- 1.1	15
2-5	9.6 +- 1.2	13
>5	10.4 +- .9	9
UPWIND CONTROL DATA	11.1 +- .8	3

NRC TLD DOSES FOR BRUNSWICK AREA
(mR per 90 days)



BYRON

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851205-860328 114 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	18	1.1	17.5
002	23	1.0	16.0
003	46.6	1.1	17.0
004	66.0	1.1	17.0
005	111.0	1.1	17.0
006	133.0	1.1	17.0
007	155.0	1.1	17.0
008	177.0	1.1	17.0
010	198.3	1.1	17.0
011	210.0	1.1	17.0
012	233.6	1.1	17.0
013	244.7	1.1	17.0
014	247.2	1.1	17.0
015	345.0	1.1	17.0
016	322.0	1.1	17.0
017	244.4	1.1	17.0
018	213.0	1.1	17.0
019	215.0	1.1	17.0
020	284.0	1.1	17.0
021	178.0	1.1	17.0
022	138.0	1.1	17.0
023	119.0	1.1	17.0
024	79.1	1.1	17.0
025	49.0	1.1	17.0
026	45.0	1.1	17.0
027	320.0	0.0	4.5
TRANSIT DOSE =		0.0	4.5
		+- .2	+- .2
		MISSING	DOSIMETER
		2.1	2.1
		2.5	2.5
		16.5	16.5
		16.7	16.7
		13.0	13.0
		14.0	14.0
		14.6	14.6
		14.9	14.9
		15.2	15.2
		15.6	15.6
		15.9	15.9
		16.2	16.2
		16.5	16.5
		16.7	16.7
		17.0	17.0
		17.3	17.3
		17.6	17.6
		17.9	17.9
		18.2	18.2
		18.5	18.5
		18.8	18.8
		19.1	19.1
		19.4	19.4
		19.7	19.7
		20.0	20.0
		20.3	20.3
		20.6	20.6
		20.9	20.9
		21.2	21.2
		21.5	21.5
		21.8	21.8
		22.1	22.1
		22.4	22.4
		22.7	22.7
		23.0	23.0
		23.3	23.3
		23.6	23.6
		23.9	23.9
		24.2	24.2
		24.5	24.5
		24.8	24.8
		25.1	25.1
		25.4	25.4
		25.7	25.7
		26.0	26.0
		26.3	26.3
		26.6	26.6
		26.9	26.9
		27.2	27.2
		27.5	27.5
		27.8	27.8
		28.1	28.1
		28.4	28.4
		28.7	28.7
		29.0	29.0
		29.3	29.3
		29.6	29.6
		29.9	29.9
		30.2	30.2
		30.5	30.5
		30.8	30.8
		31.1	31.1
		31.4	31.4
		31.7	31.7
		32.0	32.0
		32.3	32.3
		32.6	32.6
		32.9	32.9
		33.2	33.2
		33.5	33.5
		33.8	33.8
		34.1	34.1
		34.4	34.4
		34.7	34.7
		35.0	35.0
		35.3	35.3
		35.6	35.6
		35.9	35.9
		36.2	36.2
		36.5	36.5
		36.8	36.8
		37.1	37.1
		37.4	37.4
		37.7	37.7
		38.0	38.0
		38.3	38.3
		38.6	38.6
		38.9	38.9
		39.2	39.2
		39.5	39.5
		39.8	39.8
		40.1	40.1
		40.4	40.4
		40.7	40.7
		41.0	41.0
		41.3	41.3
		41.6	41.6
		41.9	41.9
		42.2	42.2
		42.5	42.5
		42.8	42.8
		43.1	43.1
		43.4	43.4
		43.7	43.7
		44.0	44.0
		44.3	44.3
		44.6	44.6
		44.9	44.9
		45.2	45.2
		45.5	45.5

BYRON
FOR THE PERIOD 851205-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.6 +- .9	2
11.25-33.75 (NNE)	15.1 +- 1.3	3
33.75-56.25 (NE)	14.8 +- 1.3	3
56.25-78.75 (ENE)	15.6 +- 2.3	2
78.75-101.25 (E)	16.4 +- 2.1	2
101.25-123.75 (ESE)	17.1 +- .4	2
123.75-146.25 (SE)	16.7 +- .1	2
146.25-168.75 (SSW)	16.2 +- 1.2	2
168.75-191.25 (S)	16.6 +- 1.0	3
191.25-213.75 (SSW)	14.1 +- 1.4	3
213.75-236.25 (SW)	16.5 +- .3	2
236.25-258.75 (WSW)	15.3 +- 2.1	2
258.75-281.25 (W)	15.4 +- 1.9	2
281.25-303.75 (NNW)	16.0 +- 0.0	1
303.75-326.25 (NW)	16.1 +- .9	4
326.25-348.75 (NNW)	16.6 +- 1.6	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.5 +- .8	16
2-5	15.6 +- 1.4	17
>5	14.6 +- 1.6	4
UPWIND CONTROL DATA	15.7 +- 1.8	3

MAP FOR BYRON

Map will be provided for this site in the future.

CALLAWAY
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860410 115 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	247	2 1	4.0
002	259	1 4	4.0
003	282	1 3	4.0
004	304	1 3	4.0
005	338	1 2	4.0
006	1	2	4.0
007	23	2	4.0
008	77	2	4.0
009	85	1 1	4.0
010	98	2 2	4.0
011	121	1 1	4.0
012	148	2 2	4.0
013	150	2 2	4.0
014	163	2 2	4.0
015	177	2 2	4.0
016	189	2 2	4.0
017	202	2 2	4.0
018	237	1 1	4.0
019	312	1 1	4.0
020	262	1 1	4.0
021	247	1 1	4.0
022	228	1 1	4.0
023	226	1 1	4.0
024	157	1 1	4.0
025	134	1 1	4.0
026	119	1 1	4.0
027	113	1 1	4.0
028	44	1 1	4.0
029	14	1 1	4.0
030	12	1 1	4.0
031	10	1 1	4.0
032	8	1 1	4.0
033	6	1 1	4.0
034	4	1 1	4.0
035	2	1 1	4.0
036	0	1 1	4.0
TRANSIT DOSE =	.8	+- .3	


CALLAWAY
FOR THE PERIOD 851217-860410

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.8 +- 2.0	2
11.25-33.75 (NNE)	17.7 +- 1.4	2
33.75-56.25 (NE)	16.3 +- 0.8	1
56.25-78.75 (ENE)	18.2 +- .7	2
78.75-101.25 (E)	17.7 +- .6	3
101.25-123.75 (ESE)	16.9 +- 1.3	2
123.75-146.25 (SE)	16.3 +- 1.2	2
146.25-168.75 (SSE)	18.2 +- .6	2
168.75-191.25 (S)	18.4 +- .5	2
191.25-213.75 (SSW)	16.3 +- 1.6	2
213.75-236.25 (SW)	17.4 +- 1.2	2
236.25-258.75 (WSW)	17.6 +- .7	4
258.75-281.25 (W)	16.5 +- 2.1	3
281.25-303.75 (WNW)	17.9 +- .7	3
303.75-326.25 (NW)	17.3 +- .3	3
326.25-348.75 (NNW)	16.8 +- .8	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.3 +- .6	14
2-5	17.4 +- 1.4	13
>5	17.5 +- 1.2	1B
UPWIND CONTROL DATA	15.6 +- 2.0	3

NRC TLD DOSES FOR CALLAWAY AREA
(mR per 90 days)



CALVERT CLIFFS
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860104-860415 102 DAYS
 FIELD TIME 100 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE	
			mR/Std.Qtr.	+- Rdm;Tot.
001	278	1.5	.4	.3
003	284	1.4	.4	.3
004	323	2.4	.4	.4
005	297	3.1	.4	.3
006	324	4.7	.4	.3
007	324	5.5	.4	.3
008	256	6.1	.4	.3
009	273	4.1	.4	.3
010	223	3.7	.4	.4
011	243	4.1	.4	.4
012	243	1.3	.4	.4
013	222	1.3	.4	.4
014	268	1.3	.4	.3
015	176	1.9	.4	.4
016	169	2.4	.4	.4
019	159	3.3	.4	.4
020	139	4.0	.4	.3
021	261	4.0	.4	.4
022	187	4.7	.4	.4
023	201	6.0	.4	.3
024	190	7.0	.4	.2
025	325	6.3	.4	.3
026	314	11.	12.7	MISSING OR DAMAGED DOSIMETER
027	314	11.	.4	11.4
028	315	10.	.4	12.2
029	190	12.	15.4	.4
			.5	13.8
				.4
				3.2
TRANSIT DOSE =		0.0 +- .0	; 2.7	


CALVERT CLIFFS
FOR THE PERIOD 860104-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	10.3 +- 0.0	1
146.25-168.75 (SSW)	13.3 +- 1.8	2
168.75-191.25 (S)	12.8 +- 1.5	4
191.25-213.75 (SSW)	11.5 +- 1.4	3
213.75-236.25 (SW)	13.1 +- .9	2
236.25-258.75 (WSW)	11.3 +- 1.5	3
258.75-281.25 (W)	10.8 +- .4	2
281.25-303.75 (WNW)	11.0 +- .2	2
303.75-326.25 (NW)	11.7 +- .8	4
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	12.1 +- 1.8	6
2-5	11.8 +- 1.1	11
>5	11.8 +- 1.5	6
UPWIND CONTROL DATA	11.8 +- .6	2

NRC TLD DOSES FOR CALVERT CLIFFS AREA
(mR per 90 days)



CATAWBA
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860423 128 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	134	0.1	5.1
002	162	0.4	5.5
003	132	0.0	5.5
004	111	1.3	5.5
005	045	0.0	5.5
006	298	1.3	5.5
007	084	0.0	5.7
008	332	1.3	5.7
009	318	1.3	6.1
010	176	1.3	6.1
011	203	1.3	6.1
012	225	1.3	6.1
013	250	1.3	6.1
014	331	1.3	6.1
015	311	1.3	6.1
016	296	1.3	6.1
017	324	1.3	6.1
018	222	0.0	6.1
019	261	0.0	6.1
020	229	0.0	6.1
021	269	0.0	6.1
022	229	0.0	6.1
023	269	0.0	6.1
024	229	0.0	6.1
025	269	0.0	6.1
026	229	0.0	6.1
027	269	0.0	6.1
028	229	0.0	6.1
029	269	0.0	6.1
030	229	0.0	6.1
031	269	0.0	6.1
032	229	0.0	6.1
033	269	0.0	6.1
034	229	0.0	6.1
035	269	0.0	6.1
036	229	0.0	6.1
037	269	0.0	6.1
038	229	0.0	6.1
039	269	0.0	6.1
040	229	0.0	6.1
041	218	1.3	6.1
042	213	1.6	5.7
TRANSIT DOSE =	3.7	+- .3	


CATAWBA
FOR THE PERIOD 851217-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.4 +- 2.2	2
11.25-33.75 (NNE)	19.3 +- 0.0	1
33.75-56.25 (NE)	18.7 +- .3	2
56.25-78.75 (ENE)	16.6 +- 1.7	3
78.75-101.25 (E)	17.8 +- 3.5	2
101.25-123.75 (ESE)	17.6 +- 1.5	3
123.75-146.25 (SE)	22.2 +- 1.0	9
146.25-168.75 (SSE)	17.6 +- 2.4	3
168.75-191.25 (S)	13.7 +- 0.0	1
191.25-213.75 (SSW)	20.1 +- 1.1	2
213.75-236.25 (SW)	18.1 +- 4.7	2
236.25-258.75 (WSW)	16.5 +- 2.7	3
258.75-281.25 (W)	16.5 +- .1	2
281.25-303.75 (WNW)	19.6 +- 2.2	3
303.75-326.25 (NW)	17.4 +- 1.9	3
326.25-348.75 (NNW)	20.2 +- 5.4	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	19.2 +- 2.5	15
2-5	17.7 +- 2.4	17
>5	16.8 +- 2.6	5
UPWIND CONTROL DATA	14.9 +- 1.4	3

NRC TLD DOSES FOR CATAWBA AREA
(mR per 90 days)



CLINTON
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851205-860328 114 DAYS
FIELD TIME 91 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	DOSE RATE mR/hr.	DOSE mR	NET EXPOSURE RATE	
					mR/Std.Qtr.	mR/Rdm;Tot.
001					4.4	4.4
002					4.4	4.4
003					4.4	4.4
004					4.4	4.4
005					4.4	4.4
006					4.4	4.4
007					4.4	4.4
008					4.4	4.4
009					4.4	4.4
010					4.4	4.4
011					4.4	4.4
012					4.4	4.4
013					4.4	4.4
014					4.4	4.4
015					4.4	4.4
016					4.4	4.4
017					4.4	4.4
018					4.4	4.4
019					4.4	4.4
020					4.4	4.4
021					4.4	4.4
022					4.4	4.4
023					4.4	4.4
024					4.4	4.4
025					4.4	4.4
026					4.4	4.4
027					4.4	4.4
028					4.4	4.4
029					4.4	4.4
030					4.4	4.4
031					4.4	4.4
032					4.4	4.4
033					4.4	4.4
034					4.4	4.4
035					4.4	4.4
036					4.4	4.4
037					4.4	4.4
038					4.4	4.4
039					4.4	4.4
040					4.4	4.4
041					4.4	4.4
042					4.4	4.4
043					4.4	4.4
TRANSIT					4.4	4.4


CLINTON
FOR THE PERIOD 851205-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.0 +- .8	3
11.25-33.75 (NNE)	18.5 +- .7	2
33.75-56.25 (NE)	17.6 +- 0.8	1
56.25-78.75 (ENE)	17.3 +- .7	4
78.75-101.25 (E)	17.7 +- .8	2
101.25-123.75 (ESE)	16.8 +- .9	3
123.75-146.25 (SE)	17.5 +- .1	2
146.25-168.75 (SSE)	18.1 +- .2	3
168.75-191.25 (S)	18.3 +- 1.0	3
191.25-213.75 (SSW)	17.4 +- .5	2
213.75-236.25 (SW)	16.5 +- 1.7	3
236.25-258.75 (WSW)	17.8 +- 1.8	3
258.75-281.25 (W)	16.1 +- 2.3	3
281.25-303.75 (WNW)	16.3 +- .9	3
303.75-326.25 (NW)	17.9 +- .6	2
326.25-348.75 (NNW)	16.8 +- .5	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.7 +- .6	12
2-5	17.5 +- 1.2	18
>5	16.8 +- 1.4	11
UPWIND CONTROL DATA	17.5 +- 1.5	8

NRC TLD DOSES FOR CLINTON AREA
(mR per 90 days)



COMANCHE PK.
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860415 121 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std.Otr.
001	220,000,000,000	38,000,000,000	+ +	+ +
002	220,000,000,000	38,000,000,000	+ +	+ +
003	220,000,000,000	38,000,000,000	+ +	+ +
004	210,000,000,000	16,000,000,000	+ +	+ +
005	160,000,000,000	11,000,000,000	+ +	+ +
006	140,000,000,000	9,000,000,000	+ +	+ +
010	110,000,000,000	6,000,000,000	+ +	+ +
011	70,000,000,000	4,000,000,000	+ +	+ +
012	40,000,000,000	2,000,000,000	+ +	+ +
013	20,000,000,000	1,000,000,000	+ +	+ +
014	10,000,000,000	500,000,000	+ +	+ +
015	5,000,000,000	250,000,000	+ +	+ +
016	2,500,000,000	125,000,000	+ +	+ +
017	1,250,000,000	62,500,000	+ +	+ +
018	625,000,000	31,250,000	+ +	+ +
019	312,500,000	15,625,000	+ +	+ +
020	156,250,000	7,812,500	+ +	+ +
021	78,125,000	3,906,250	+ +	+ +
022	39,062,500	1,953,125	+ +	+ +
023	19,531,250	976,562	+ +	+ +
024	9,765,625	488,281	+ +	+ +
025	4,882,812	244,140	+ +	+ +
026	2,441,406	122,070	+ +	+ +
027	1,220,703	61,035	+ +	+ +
028	610,351	30,518	+ +	+ +
029	305,175	15,259	+ +	+ +
030	152,587	7,629	+ +	+ +
031	76,294	3,814	+ +	+ +
032	38,147	1,907	+ +	+ +
033	19,073	953	+ +	+ +
034	9,536	477	+ +	+ +
035	4,773	238	+ +	+ +
036	2,386	119	+ +	+ +
037	1,193	59	+ +	+ +
038	596	29	+ +	+ +
039	298	14	+ +	+ +
040	149	7	+ +	+ +
041	74	3.5	+ +	+ +
042	37	1.75	+ +	+ +
043	18.5	.875	+ +	+ +
044	9.25	.4375	+ +	+ +
045	4.625	.21875	+ +	+ +
046	2.3125	.109375	+ +	+ +
047	1.15625	.0546875	+ +	+ +
048	.578125	.02734375	+ +	+ +
049	.2890625	.013671875	+ +	+ +
050	.14453125	.0068359375	+ +	+ +
051	.072265625	.00341796875	+ +	+ +
052	.0361328125	.001708984375	+ +	+ +
053	.01806640625	.0008544921875	+ +	+ +
054	.009033203125	.00042724609375	+ +	+ +
055	.0045166015625	.000213623046875	+ +	+ +
056	.00225830078125	.0001068115234375	+ +	+ +
057	.001129150390625	.00005340576171875	+ +	+ +
058	.0005645751953125	.000026702880859375	+ +	+ +
059	.00028228759765625	.0000133514404296875	+ +	+ +
060	.000141143798828125	.00000667572021484375	+ +	+ +
061	.0000705718994140625	.000003337860107421875	+ +	+ +
062	.00003528594970703125	.0000016689300537109375	+ +	+ +
063	.000017642974853515625	.00000083446502685546875	+ +	+ +
064	.0000088214874267578125	.000000417232513427734375	+ +	+ +
065	.00000441074371337890625	.0000002086162567138671875	+ +	+ +
066	.000002205371856689453125	.00000010430812835593359375	+ +	+ +
067	.0000011026859283447265625	.000000052154064177966796875	+ +	+ +
068	.00000055134296417236328125	.0000000260770320889834984375	+ +	+ +
069	.000000275671482086181640625	.00000001303851604449174921875	+ +	+ +
070	.0000001378357410435908203125	.000000006519258022245874609375	+ +	+ +
071	.00000006891787052179541015625	.0000000032596290111229373046875	+ +	+ +
072	.000000034458935260897705078125	.0000000016298145055614686521875	+ +	+ +
073	.0000000172294676304488525390625	.00000000081490725278023327609375	+ +	+ +
074	.00000000861473381522444776953125	.000000000407453626390116638046875	+ +	+ +
075	.000000004307366907612223884765625	.000000000203726813195058319021875	+ +	+ +
076	.00000000215368345380611194238125	.0000000001018634065975291595109375	+ +	+ +
077	.0000000010768417269030559711953125	.00000000005093170329876457975546875	+ +	+ +
078	.0000000005384208634515279855953125	.000000000025465851649382289827734375	+ +	+ +
079	.00000000026921043172576399279765625	.000000000012732925824691114438875	+ +	+ +
080	.0000000001346052158628819963988125	.0000000000063664629123455572194375	+ +	+ +
081	.000000000067302607931440998199453125	.00000000000318323145617277859721875	+ +	+ +
082	.000000000033651303965720499997234375	.000000000001591615728086389296109375	+ +	+ +
083	.000000000016825651982860249998615625	.0000000000007958078640431946480546875	+ +	+ +
084	.0000000000084128259914301249998078125	.000000000000397903932021597324027734375	+ +	+ +
085	.0000000000042064129957150624999903953125	.0000000000001989519660107986620138875	+ +	+ +
086	.00000000000210320649785753124999951953125	.0000000000000994759830053993310069453125	+ +	+ +
087	.000000000001051603248928765624999975953125	.00000000000004973799150269966550347265625	+ +	+ +
088	.0000000000005258016244643828124999987953125	.00000000000002486899575134983275198671875	+ +	+ +
089	.00000000000026290081223219145124999994953125	.000000000000012434497875674916375993453125	+ +	+ +
090	.0000000000001314504061160957251249999974953125	.000000000000006217248937833758187996734375	+ +	+ +
091	.000000000000065725203058047862512499999874953125	.0000000000000031086244689168790939983671875	+ +	+ +
092	.00000000000003286260152902393124999999374953125	.0000000000000015543122344508950469941834375	+ +	+ +
093	.0000000000000164313007645119656249999996874953125	.000000000000000777156117225047523497091875	+ +	+ +
094	.000000000000008215650382255982812499999984374953125	.000000000000000388578058612523761749554734375	+ +	+ +
095	.0000000000000041078251911279914124999999921874953125	.00000000000000019428902930626188079777734375	+ +	+ +
096	.000000000000002053912595563995701249999999609374953125	.0000000000000000971445146531309003988886734375	+ +	+ +
097	.00000000000000102695629778199785012499999993049374953125	.00000000000000004857225732656549999999994953125	+ +	+ +
098	.000000000000000513478148890998925012499999996924953125	.0000000000000000242861286632827499999999974953125	+ +	+ +
099	.000000000000000256739074445499487501249999999974953125	.000000000000000012143064331441874999999999874953125	+ +	+ +
100	.000000000000000128369537222749743750124999999999374953125	.00000000000000000607153216572093749999999994953125	+ +	+ +
101	.00000000000000006418476861137487187501249999999996874953125	.0000000000000000030357660828604687499999999974953125	+ +	+ +
102	.000000000000000032092384305687358937501249999999999374953125	.00000000000000000151788304143023437499999999874953125	+ +	+ +
103	.0000000000000000160461921528436794750124999999999996874953125	.00000000000000000075894152071511737499999999974953125	+ +	+ +
104	.0000000000000000080230960764218397375012499999999999374953125	.000000000000000000379470760357558749999999999874953125	+ +	+ +
105	.000000000000000004011548038210919868750124999999999996874953125	.000000000000000000189735380178779374999999999974953125	+ +	+ +
106	.0000000000000000020057740191054599343750124999999999999374953125	.0000000000000000000948676900893896749999999999874953125	+ +	+ +
107	.00000000000000000100288700955272996737501249999999999996874953125	.0000000000000000000474338450446948374999999999974953125	+ +	+ +
108	.000000000000000000501443504776364983687501249999999999999374953125	.00000000000000000002371742252234741749999999999874953125	+ +	+ +
109	.00000000000000000025072175238818249184375012499999999999996874953125	.00000000000000000001185871126117370874999999999974953125	+ +	+ +
110	.00000000000000000012536087619409124521875012499999999999999374953125	.000000000000000000005929355630586854437499999999874953125	+ +	+ +
111	.000000000000000000062680438097045622608750124999999999999996874953125	.000000000000000000002964677815293322217499999999974953125	+ +	+ +
112	.0000000000000000000313402190485228113043750124999999999999999374953125	.0000000000000000000014823389076466611087499999999874953125	+ +	+ +
113	.00000000000000000001567010952426140565218750124999999999999996874953125	.000000000000000000000741169453823330554437499999999974953125	+ +	+ +
114	.00000000000000000000783505476213070282608750124999999999999999374953125	.000000000000000000000370584727911665272174999999999874953125	+ +	+ +
115	.000000000000000000003917527381065351413043750124999999999999996874953125	.000000000000000000000185292363955832536087499999999974953125	+ +	+ +
116	.000000000000000000001958763690532675706521875012499999999999999374953125	.0000000000000000000000926451819779163280437499999999874953125	+ +	+ +
117	.0000000000000000000009793818452663338532608750124999999999999996874953125	.0000000000000000000000463225909889581402174999999999974953125	+ +	+ +
118	.0000000000000000000004896909226331669263104375012499999999999999374953125	.00000000000000000000002318454613447805510874999999999874953125	+ +	+ +
119	.00000000000000000000024484546132158349315218750124999999999999996874953125	.00000000000000000000001159227306723917754437499999999974953125	+ +	+ +
120	.00000000000000000000012242273061079174657608750124999999999999999374953125	.000000000000000000000005796136533519588772174999999999874953125	+ +	+ +
121	.000000000000000000000061211365165547572888104375012499999999999996874953125	.000000000000000000000002865568258257394386087499999999974953125	+ +	+ +
122	.000000000000000000000030605682532773786444052187501249999999999999374953125	.000000000000000000000001430284126638732023043		


COMANCHE PK.
FOR THE PERIOD 851216-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	14.0 +- .9	3
11.25-33.75 (NNE)	14.1 +- .1	2
33.75-56.25 (NE)	13.4 +- .8	2
56.25-78.75 (ENE)	17.6 +- 0.0	1
78.75-101.25 (E)	12.8 +- .8	3
101.25-123.75 (ESE)	13.8 +- 1.9	2
123.75-146.25 (SE)	14.7 +- 1.1	3
146.25-168.75 (SSW)	13.8 +- 1.7	3
168.75-191.25 (S)	13.7 +- 1.5	3
191.25-213.75 (SSW)	14.4 +- 1.5	2
213.75-236.25 (SW)	14.5 +- 1.1	3
236.25-258.75 (WSW)	14.3 +- 1.4	5
258.75-281.25 (W)	13.5 +- 1.5	2
281.25-303.75 (WNW)	13.5 +- 1.3	4
303.75-326.25 (NW)	14.8 +- .7	3
326.25-348.75 (NNW)	13.9 +- .3	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	14.2 +- 1.3	15
2-5	14.1 +- 1.4	14
>5	13.8 +- 1.1	14
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR COMANCHE PEAK AREA
(mR per 90 days)



COOPER
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860423 129 DAYS
 FIELD TIME 99 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +/- Rdm;Tot.	NET EXPOSURE RATE mR/St.d.Qtr. +/- Rdm;Tot.
001	36.3	0.0	NO NET DATA
002	10.6	0.0	NO NET DATA
003	16.7	0.0	NO NET DATA
004	47	0.0	NO NET DATA
005	48	0.0	NO NET DATA
006	75	0.0	NO NET DATA
007	55	0.0	NO NET DATA
008	90	0.0	NO NET DATA
010	118	0.0	NO NET DATA
011	141	0.0	NO NET DATA
012	169	0.0	NO NET DATA
013	213	0.0	NO NET DATA
014	19.9	0.0	NO NET DATA
020	221	0.0	NO NET DATA
021	233	0.0	NO NET DATA
022	276	0.0	NO NET DATA
023	333	0.0	NO NET DATA
024	333	0.0	NO NET DATA
025	173	0.0	NO NET DATA
031	219	0.0	NO NET DATA
032	64	0.0	NO NET DATA
033	64	0.0	NO NET DATA
034	93	0.0	NO NET DATA
040	278	0.0	NO NET DATA
041	245	0.0	NO NET DATA
042	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA
043	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA
044	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA
045	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA
046	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA
047	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA
048	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA
049	1	MISSING OR DAMAGED DOSIMETER	NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)


COOPER
FOR THE PERIOD 851216-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	22.2 +- 1.8	2
11.25-33.75 (NNE)	22.9 +- .2	2
33.75-56.25 (NE)	22.6 +- .5	3
56.25-78.75 (ENE)	23.9 +- 2.9	2
78.75-101.25 (E)	23.3 +- .6	3
101.25-123.75 (ESE)	23.1 +- .4	2
123.75-146.25 (SE)	22.3 +- 1.8	2
146.25-168.75 (SSW)	23.2 +- 1.0	2
168.75-191.25 (S)	23.5 +- 0.0	1
191.25-213.75 (SSW)	23.1 +- .4	3
213.75-236.25 (SW)	22.9 +- 1.5	3
236.25-258.75 (WSW)	24.0 +- .1	2
258.75-281.25 (W)	23.6 +- .3	4
281.25-303.75 (WNW)	23.5 +- .6	3
303.75-326.25 (NW)	22.3 +- 0.0	1
326.25-348.75 (NNW)	23.8 +- .7	4

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	22.9 +- .9	6
2-5	23.2 +- .8	27
>5	23.8 +- 1.6	6
UPWIND CONTROL DATA	23.0 +- 1.1	3

NRC TLD DOSES FOR COOPER AREA
(mR per 90 days)



CRYSTAL RIVER
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860415 119 DAYS
 FIELD TIME 93 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
006	61	4.8	5.2
007	58	4.7	5.2
008	20	5.0	5.2
009	6	MISSING OR DAMAGED DOSIMETER	5.3
010	348	16.6	5.3
011	334	16.6	5.3
012	318	16.6	5.3
013	79	16.6	5.3
014	95	MISSING OR DAMAGED DOSIMETER	5.3
015	89	18.1	5.3
016	113	15.4	5.2
017	133	18.0	5.2
018	74	15.4	5.2
019	127	16.6	5.2
020	158	14.4	5.2
021	159	16.6	5.2
022	158	15.1	5.2
023	158	16.6	5.2
024	158	14.0	5.2
025	156	16.6	5.2
026	356	19.0	5.2
027	357	14.0	5.2
028	90	16.6	5.2
TRANSPORT DOSE =	148	17.1	5.3
		3.2 +- .3 ; 4.9	


CRYSTAL RIVER
FOR THE PERIOD 851218-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.8 +- 0.0	1
11.25-33.75 (NNE)	12.2 +- 0.0	1
33.75-56.25 (NE)	13.3 +- 3.0	2
56.25-78.75 (ENE)	11.5 +- .1	2
78.75-101.25 (E)	13.2 +- 1.1	3
101.25-123.75 (ESE)	11.8 +- 0.0	1
123.75-146.25 (SE)	13.6 +- 1.0	3
146.25-168.75 (SSW)	11.9 +- 1.5	2
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	12.2 +- 0.0	1
326.25-348.75 (NNW)	13.1 +- .2	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	14.4 +- 0.0	1
2-5	12.4 +- .9	8
>5	13.0 +- 1.5	9
UPWIND CONTROL DATA	12.2 +- 2.2	3

NRC TLD DOSES FOR CRYSTAL RIVER AREA
(mR per 90 days)



DAVIS BESSE
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851216-860403 109 DAYS
FIELD TIME 84 DAYS


DAVIS BESSE
FOR THE PERIOD 851216-860403

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	11.2 +- 0.0	1
33.75-56.25 (NE)	10.8 +- 0.0	1
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	12.0 +- 0.0	1
101.25-123.75 (ESE)	13.7 +- 0.0	1
123.75-146.25 (SE)	15.8 +- 0.0	1
146.25-168.75 (SSW)	17.3 +- 0.0	1
168.75-191.25 (S)	14.9 +- .5	2
191.25-213.75 (SSW)	15.4 +- 1.2	2
213.75-236.25 (SW)	14.5 +- .4	2
236.25-258.75 (WSW)	17.0 +- 1.5	2
258.75-281.25 (W)	15.5 +- .2	2
281.25-303.75 (WNW)	16.4 +- .3	2
303.75-326.25 (NW)	15.1 +- 0.0	1
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.2 +- 2.0	11
2-5	15.8 +- 1.4	7
>5	16.7 +- 0.0	1
UPWIND CONTROL DATA	16.9 +- .3	2

NRC TLD DOSES FOR DAVIS-BESSE AREA
(mR per 90 days)



D.C.COOK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 051216-860423 129 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	54	1.7	13.6 +- 7 6.1
002	67	1.3	14.2 +- 7 6.1
003	89	1.1	14.0 +- 7 6.1
004	59	0.7	12.4 +- 7 6.0
005	19	2.0	13.0 +- 7 6.1
006	111	1.1	13.0 +- 7 6.1
007	135	1.4	13.0 +- 7 6.1
008	158	0.4	12.2 +- 7 6.0
009	171	1.1	13.0 +- 7 6.1
010	199	1.3	13.0 +- 7 6.1
011	195	1.3	13.0 +- 7 6.1
012	208	0.6	15.0 +- 7 6.2
013	179	0.9	12.2 +- 7 6.3
014	151	4.4	16.0 +- 7 6.4
015	139	4.4	16.0 +- 7 6.3
016	118	4.4	16.0 +- 7 6.1
017	88	0.6	16.0 +- 7 6.1
018	67	0.6	16.0 +- 7 6.0
019	24	0.6	16.0 +- 7 6.2
020	43	0.6	16.0 +- 7 6.3
021	26	0.6	14.7 +- 7 6.1
022	121	18.	16.2 +- 7 6.1
023	121	18.	13.2 +- 7 6.1
024	121	18.	15.7 +- 7 6.2
TRANSIT DOSE =	5.2 +- .4		


D.C.COOK
FOR THE PERIOD 851216-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	14.3 +- 2.1	3
33.75-56.25 (NE)	14.2 +- .7	2
56.25-78.75 (ENE)	13.1 +- 1.0	3
78.75-101.25 (E)	13.9 +- .2	2
101.25-123.75 (ESE)	13.9 +- .5	2
123.75-146.25 (SE)	14.9 +- 2.2	2
146.25-168.75 (SSE)	15.6 +- 2.9	2
168.75-191.25 (S)	14.2 +- 2.8	2
191.25-213.75 (SSW)	13.9 +- 1.0	3
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	13.3 +- .7	9
2-5	14.6 +- 1.7	10
>5	15.8 +- 1.2	2
UPWIND CONTROL DATA	14.0 +- 1.4	3

NRC TLD DOSES FOR D.C. COOK AREA
(mR per 90 days)



DIABLO CANYON
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860415 121 DAYS
 FIELD TIME 72 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE		
		+/- Rdm	+/- Tot.	mR/Std. Str.	+/- Rdm	+/- Tot.	
001	125	1.9	26.2	+/- .8	23.5	+/- 1.1	0.4
002	119	4.0	23.3	+/- .8	19.9	+/- 1.0	0.1
003	107	6.0	23.3	+/- .8	19.5	+/- 1.0	0.1
004	109	11.	21.5	+/- .8	17.7	+/- 1.0	0.0
005	113	14.	23.3	+/- .8	19.9	+/- 1.0	0.1
006	68	9.6	23.9	+/- .8	20.7	+/- 1.0	0.2
007	359	11.	20.2	+/- .8	16.1	+/- 1.0	0.0
008	359	6.6	19.4	+/- .8	15.6	+/- 1.0	0.0
009	339	4.4	17.1	+/- .8	12.2	+/- 1.0	0.0
010	328	3.0	18.7	+/- .8	14.1	+/- 1.0	0.0
011	332	1.0	20.6	+/- .8	16.6	+/- 1.0	0.2
012	37	21.	23.5	+/- .8	20.1	+/- 1.0	0.2
013	37	21.	23.1	+/- .8	19.6	+/- 1.0	0.1
014	37	21.	23.7	+/- .8	20.4	+/- 1.0	0.2
TRANSIT DOSE =		7.4	+/- .4	, 5.5			


DIABLO CANYON
FOR THE PERIOD 851216-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	15.5 +- .8	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	20.7 +- 0.0	1
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	19.3 +- 1.1	4
123.75-146.25 (SE)	23.5 +- 0.0	1
146.25-168.75 (SSE)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	14.3 +- 2.2	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	20.0 +- 4.9	2
2-5	15.4 +- 4.0	3
>5	18.1 +- 2.3	6
UPWIND CONTROL DATA	20.1 +- .4	3

NRC TLD DOSES FOR DIABLO CANYON AREA
(mR per 90 days)



DRESDEN

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851205-860328 114 DAYS
FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) + Rd _m ; Tot.	NET EXPOSURE RATE mR/Std.Otr. + Rd _m ; Tot.
001	70	4.2	
002	92	3.1	
003	119	3.1	
004	134	1.1	
005	115	1.1	
006	189	1.1	
007	179	1.1	
008	166	1.1	
009	206	1.1	
010	254	1.1	
011	258	1.1	
012	263	1.1	
013	188	1.1	
014	137	1.1	
015	134	1.1	
016	189	1.1	
017	231	1.1	
018	234	1.1	
019	295	1.1	
020	311	1.1	
021	346	1.1	
022	327	1.1	
023	318	1.1	
024	381	1.1	
025	400	1.1	
026	296	1.1	
027	422	1.1	
028	274	1.1	
029	274	1.1	
030	274	1.1	
031	274	1.1	
032	274	1.1	
033	274	1.1	
034	274	1.1	
035	274	1.1	
036	274	1.1	
037	274	1.1	
038	274	1.1	
039	274	1.1	
040	274	1.1	
TRANSIT DOSE =	.9 + .3	.9 + .3	

DRESDEN
FOR THE PERIOD 851205-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.4 +- 2.9	2
11.25-33.75 (NNE)	18.1 +- .7	2
33.75-56.25 (NE)	17.3 +- 2.3	3
56.25-78.75 (ENE)	20.1 +- 2.2	2
78.75-101.25 (E)	16.9 +- 1.7	2
101.25-123.75 (ESE)	15.7 +- 2.2	2
123.75-146.25 (SE)	14.5 +- .6	3
146.25-168.75 (SSE)	14.2 +- .2	2
168.75-191.25 (S)	14.7 +- 1.1	3
191.25-213.75 (SSW)	14.6 +- 2.7	2
213.75-236.25 (SW)	19.8 +- 3.4	2
236.25-258.75 (WSW)	16.6 +- 1.7	3
258.75-281.25 (W)	15.7 +- 2.7	2
281.25-303.75 (WNW)	16.5 +- 1.0	2
303.75-326.25 (NW)	16.7 +- 1.7	2
326.25-348.75 (NNW)	19.1 +- .6	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.3 +- 2.4	16
2-5	16.0 +- 2.3	15
>5	16.3 +- 1.3	5
UPWIND CONTROL DATA	17.3 +- 1.0	3

MAP FOR DRESDEN

Map will be provided for this site in the future.

DUANE ARNOLD
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860401 107 DAYS
 FIELD TIME 87 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +/- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +/- Rdm;Tot.
001	163	1.1	1.1
002	170	1.1	1.1
003	180	1.1	1.1
004	216	1.1	1.1
005	201	1.1	1.1
006	213	1.1	1.1
007	246	1.1	1.1
008	279	1.1	1.1
009	299	1.1	1.1
010	328	1.1	1.1
011	343	1.1	1.1
012	359	1.1	1.1
013	359	1.1	1.1
014	348	1.1	1.1
015	339	1.1	1.1
016	339	1.1	1.1
017	359	1.1	1.1
018	359	1.1	1.1
019	359	1.1	1.1
020	359	1.1	1.1
021	359	1.1	1.1
022	359	1.1	1.1
023	359	1.1	1.1
024	359	1.1	1.1
025	359	1.1	1.1
026	359	1.1	1.1
027	359	1.1	1.1
028	359	1.1	1.1
029	359	1.1	1.1
030	359	1.1	1.1
031	91	1.1	1.1
032	93	1.1	1.1
033	113	1.1	1.1
034	141	1.1	1.1
035	153	1.1	1.1
036	153	1.1	1.1
037	111	1.1	1.1
038	120	1.1	1.1
039	132	1.1	1.1
040	139	1.1	1.1
TRANSIT DOSE =	1.1	+/- .1	+/- .1


DUANE ARNOLD
FOR THE PERIOD 851216-860401

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.6 +- .9	3
11.25-33.75 (NNE)	14.3 +- 0.0	1
33.75-56.25 (NE)	14.0 +- 1.4	2
56.25-78.75 (ENE)	15.0 +- .3	2
78.75-101.25 (E)	14.9 +- 1.3	2
101.25-123.75 (ESE)	15.9 +- 1.0	3
123.75-146.25 (SE)	13.5 +- 1.0	4
146.25-168.75 (SSW)	12.8 +- 2.3	3
168.75-191.25 (S)	14.5 +- .1	2
191.25-213.75 (SSW)	13.3 +- .1	2
213.75-236.25 (SW)	15.3 +- 0.0	1
236.25-258.75 (WSW)	14.3 +- .8	2
258.75-281.25 (W)	14.0 +- .7	3
281.25-303.75 (WNW)	14.4 +- 1.3	2
303.75-326.25 (NW)	14.9 +- .5	2
326.25-348.75 (NNW)	13.8 +- 1.4	2

DISTANCE (m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.5 +- 1.0	13
2-5	14.0 +- 1.2	17
>5	14.2 +- 1.6	6
UPWIND CONTROL DATA	14.4 +- .1	3

NRC TLD DOSES FOR DURNE ARNOLD FIREA
(mR per 90 days)



FARLEY
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860416 121 DAYS
 FIELD TIME 90 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	268	15.0	17.4 +- 1.9
002	252	7.1	18.3 +- 1.9
003	217	7.7	17.1 +- 1.9
004	155	4.4	20.1 +- 2.0
005	170	4.4	18.4 +- 1.9
006	197	4.1	17.2 +- 1.9
007	191	4.1	17.1 +- 1.9
008	200	4.1	19.4 +- 2.0
009	228	1.9	17.0 +- 1.9
010	254	1.9	19.6 +- 2.0
011	300	1.9	19.6 +- 2.0
012	319	1.9	19.6 +- 2.0
013	338	1.9	19.6 +- 2.0
014	256	1.9	19.6 +- 2.0
015	16	1.9	19.6 +- 2.0
016	44	1.9	19.6 +- 2.0
017	33	1.9	19.6 +- 2.0
018	37	1.9	19.6 +- 2.0
019	99	1.9	19.6 +- 2.0
020	91	1.9	19.6 +- 2.0
021	332	1.9	19.6 +- 2.0
022	332	1.9	19.6 +- 2.0
023	51	1.9	19.6 +- 2.0
024	44	1.9	19.6 +- 2.0
025	44	1.9	19.6 +- 2.0
026	33	1.9	19.6 +- 2.0
027	33	1.9	19.6 +- 2.0
028	33	1.9	19.6 +- 2.0
029	33	1.9	19.6 +- 2.0
030	33	1.9	19.6 +- 2.0
031	33	1.9	19.6 +- 2.0
032	33	1.9	19.6 +- 2.0
033	33	1.9	19.6 +- 2.0
034	33	1.9	19.6 +- 2.0
035	68	1.9	19.6 +- 2.0
036	124	1.9	19.6 +- 2.0
037	153	1.9	19.6 +- 2.0
038	142	1.9	19.6 +- 2.0
039	136	1.9	19.6 +- 2.0
040	116	1.9	19.6 +- 2.0
041	78	1.9	19.6 +- 2.0
042	60	1.9	19.6 +- 2.0
043	34	1.9	19.6 +- 2.0
044	284	1.9	19.6 +- 2.0
045	293	1.9	19.6 +- 2.0
TRANSIT DOSE	#	0.0	0.0
		+-	+-


FARLEY
FOR THE PERIOD 851217-860416

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	20.1 +- 2.5	3
33.75-56.25 (NE)	19.4 +- 2.2	2
56.25-78.75 (ENE)	17.5 +- 1.9	3
78.75-101.25 (E)	18.5 +- 0.0	1
101.25-123.75 (ESE)	17.3 +- 0.0	1
123.75-146.25 (SE)	17.2 +- 1.6	3
146.25-168.75 (SSW)	19.2 +- 1.3	2
168.75-191.25 (S)	19.4 +- 1.4	2
191.25-213.75 (SSW)	17.2 +- .0	2
213.75-236.25 (SW)	16.7 +- .4	3
236.25-258.75 (WSW)	17.5 +- 1.0	5
258.75-281.25 (W)	18.0 +- 1.5	3
281.25-303.75 (WNW)	19.3 +- 1.5	2
303.75-326.25 (NW)	18.0 +- 1.9	2
326.25-348.75 (NNW)	16.9 +- .1	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.0 +- 2.1	9
2-5	17.9 +- 1.6	18
>5	18.5 +- 1.0	9
UPWIND CONTROL DATA	17.7 +- 1.7	3

NRC TLD DOSES FOR FARLEY AREA
(mR per 90 days)



FERMI
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860423 129 DAYS
 FIELD TIME 82 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)	NET EXPOSURE RATE	
				+/- Std.Qtr. +/- Rdm;Tot.	+/- Std.Qtr. +/- Rdm;Tot.
001	38	24.1	21.2 +/- .6	12.0 +/- .9	.9 ; 8.4
002	22	MISSING OR DAMAGED DOSIMETER			
003	350	24.9 +/- .7	16.2		
004	345	24.9 +/- .7	12.4		
005	346	24.9 +/- .7	12.4		
006	316	24.9 +/- .7	12.4		
007	297	24.9 +/- .7	12.4		
008	238	24.9 +/- .7	12.4		
009	225	24.9 +/- .7	12.4		
010	193	24.9 +/- .7	12.4		
011	183	24.9 +/- .7	12.4		
012	179	24.9 +/- .7	12.4		
013	266	24.9 +/- .7	12.4		
014	245	24.9 +/- .7	12.4		
015	232	24.9 +/- .7	12.4		
016	297	24.9 +/- .7	12.4		
017	320	24.9 +/- .7	12.4		
018	348	24.9 +/- .7	12.4		
021	323	MISSING OR DAMAGED DOSIMETER			
023	342	24.9 +/- .7	12.4		
024	326	24.9 +/- .7	12.4		
025	328	24.9 +/- .7	12.4		
026	329	24.9 +/- .7	12.4		
030	342	24.9 +/- .7	12.4		
031	326	24.9 +/- .7	12.4		
032	345	24.9 +/- .7	12.4		
033	226	24.9 +/- .7	12.4		
034	276	24.9 +/- .7	12.4		
035	227	24.9 +/- .7	12.4		
036	310	MISSING OR DAMAGED DOSIMETER			
038	231	24.9 +/- .7	12.4		
039	348	24.9 +/- .7	12.4		
040	348	24.9 +/- .7	12.4		
041	348	24.9 +/- .7	12.4		
TRANSIT DOSE =		10.2 +/- .9			


FERMI
FOR THE PERIOD 851216-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	15.3 +- .5	5
11.25-33.75 (NNE)	14.4 +- 1.9	3
33.75-56.25 (NE)	12.0 +- 0.0	1
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSE)	NO DATA+-NO DATA	0
168.75-191.25 (S)	15.5 +- .9	2
191.25-213.75 (SSW)	15.3 +- 0.0	1
213.75-236.25 (SW)	15.2 +- 2.4	3
236.25-258.75 (WSW)	14.3 +- 1.3	4
258.75-281.25 (W)	15.2 +- 1.3	4
281.25-303.75 (WNW)	15.4 +- .3	3
303.75-326.25 (NW)	14.3 +- .8	3
326.25-348.75 (NNW)	13.9 +- 1.8	6

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.0 +- 1.0	13
2-5	15.4 +- 2.0	7
>5	14.1 +- 1.2	15
UPWIND CONTROL DATA	14.7 +- .9	3

NRC TLD DOSES FOR FERMI AREA
(mR per 90 days)



FITZPATRICK/NINE MI.
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860417 121 DAYS
 FIELD TIME 75 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE			
		+/- Rdm;Tot.	+/- Rdm;Tot.	+/- Rdm;Tot.	+/- Rdm;Tot.	+/- Rdm;Tot.	+/- Rdm;Tot.	
001	230	6.9	16.8	++	.5	15.5	++	.7 ; 6.0
002	184	14	MISSING OR DAMAGED DOSIMETER					
003	122	8.4	13.9	++	.4	12.1	++	.6 ; 5.8
004	76	11.	16.0	++	.5	15.6	++	.7 ; 6.0
005	91	6.1	15.4	++	.3	13.9	++	.7 ; 5.9
006	112	4.1	16.7	++	.2	15.4	++	.7 ; 6.0
007	138	4.1	16.7	++	.2	15.5	++	.7 ; 6.0
008	152	3.9	16.7	++	.2	15.4	++	.7 ; 6.0
009	183	3.9	MISSING OR DAMAGED DOSIMETER					
010	205	4.5	16.3	++	.4	15.0	++	.7 ; 6.0
011	220	4.4	17.3	++	.2	16.1	++	.7 ; 6.1
012	230	6.1	17.4	++	.2	16.3	++	.7 ; 6.1
013	245	1.0	17.6	++	.2	15.4	++	.7 ; 6.0
014	223	1.0	17.3	++	.2	16.2	++	.7 ; 6.1
015	284	2	17.3	++	.2	16.0	++	.7 ; 6.1
016	181	1.00	17.3	++	.2	16.1	++	.7 ; 6.1
017	157	1.0	17.8	++	.2	15.0	++	.7 ; 6.0
018	137	1.0	16.6	++	.2	15.0	++	.7 ; 6.0
019	115	1.0	16.6	++	.2	14.1	++	.7 ; 6.0
020	92	1.1	17.3	++	.2	16.1	++	.7 ; 6.1
021	229	2.0	16.6	++	.2	15.0	++	.7 ; 6.0
022	229	2.0	16.6	++	.2	14.0	++	.7 ; 6.0
023	229	2.0	16.6	++	.2	15.1	++	.7 ; 6.0
024	196	2	16.6	++	.2	15.1	++	.7 ; 6.0
025	168	2	16.6	++	.2	14.0	++	.7 ; 5.9
026	152	2	17.0	++	.2	16.6	++	.7 ; 6.1
TRANSIT DOSE =		3.8	++	.3	; 4.3			


FITZPATRICK/NINE MI.
FOR THE PERIOD 851218-860417

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	15.6 +- 0.0	1
78.75-101.25 (E)	15.0 +- 1.6	2
101.25-123.75 (ESE)	14.0 +- 1.7	3
123.75-146.25 (SE)	15.4 +- .2	2
146.25-168.75 (SSE)	15.5 +- 1.1	4
168.75-191.25 (S)	16.1 +- 0.0	1
191.25-213.75 (SSW)	15.4 +- .7	3
213.75-236.25 (SW)	16.0 +- .3	4
236.25-258.75 (WSW)	15.4 +- 0.0	1
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.8 +- .6	9
2-5	15.5 +- .4	5
>5	14.6 +- 1.4	7
UPWIND CONTROL DATA	15.1 +- .4	8

NRC TLD DOSES FOR NINE MILE PT/J.FITZPATRICK AREA
(mR per 90 days)



FT.CALHOUN
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860423 129 DAYS
 FIELD TIME 99 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	358	2.55	24.8 +- .7	6.2
002	351	4.0	24.0 +- .7	6.1
003	38	2.5	24.0 +- .7	6.2
004	27	4.0	24.7 +- .7	6.1
005	53	4.0	23.2 +- .7	6.2
006	37	5.9	24.4 +- .7	6.6
007	56	5.9	24.4 +- .7	6.6
008	100	8.0	24.4 +- .7	6.6
010	111	12.2	24.4 +- .7	6.6
012	105	14.5	24.4 +- .7	6.6
013	128	14.5	24.4 +- .7	6.6
014	157	14.5	24.4 +- .7	6.6
015	156	17.3	24.4 +- .7	6.6
016	173	17.3	24.4 +- .7	6.6
017	173	21.2	24.4 +- .7	6.6
018	212	23.4	24.4 +- .7	6.6
020	232	23.4	24.4 +- .7	6.6
021	232	24.3	24.4 +- .7	6.6
022	268	26.2	24.4 +- .7	6.6
023	292	31.1	24.4 +- .7	6.6
024	316	34.0	24.4 +- .7	6.6
025	338	34.0	24.4 +- .7	6.6
026	338	26.9	24.4 +- .7	6.6
027	182	26.9	24.4 +- .7	6.6
028	149	29.3	24.4 +- .7	6.6
029	149	29.3	24.4 +- .7	6.6
030	182	31.1	24.4 +- .7	6.6
031	182	31.1	24.4 +- .7	6.6
032	182	31.1	24.4 +- .7	6.6
033	182	31.1	24.4 +- .7	6.6
035	182	31.1	24.4 +- .7	6.6
039	182	31.1	24.4 +- .7	6.6
040	182	31.1	24.4 +- .7	6.6
043	182	31.1	24.4 +- .7	6.6
044	182	31.1	24.4 +- .7	6.6
045	182	31.1	24.4 +- .7	6.6
047	182	31.1	24.4 +- .7	6.6
048	182	31.1	24.4 +- .7	6.6
049	207	31.1	24.4 +- .7	6.6
TRANSIT DOSE =	5.0	+- .4	18.4	6.2


FT. CALHOUN
FOR THE PERIOD 851216-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.6 +- .5	2
11.25-33.75 (NNE)	17.5 +- .3	3
33.75-56.25 (NE)	17.1 +- .8	2
56.25-78.75 (ENE)	17.4 +- 1.2	4
78.75-101.25 (E)	16.4 +- 2.4	2
101.25-123.75 (ESE)	17.0 +- .2	2
123.75-146.25 (SE)	17.4 +- .7	3
146.25-168.75 (SSE)	17.7 +- .6	3
168.75-191.25 (S)	17.9 +- .7	4
191.25-213.75 (SSW)	19.5 +- .8	2
213.75-236.25 (SW)	18.6 +- .3	2
236.25-258.75 (WSW)	16.7 +- .4	2
258.75-281.25 (W)	18.3 +- .8	2
281.25-303.75 (WNW)	17.8 +- .4	3
303.75-326.25 (NW)	17.9 +- .9	2
326.25-348.75 (NNW)	17.4 +- .2	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.7 +- .7	8
2-5	17.6 +- 1.1	20
>5	17.8 +- .8	12
UPWIND CONTROL DATA	18.2 +- .3	2

NRC TLD DOSES FOR FORT CALHOUN AREA
(mR per 90 days)



FT. ST. VRAIN
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860415 121 DAYS
 FIELD TIME 89 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	0.0	34.3 +- 1.0	NO NET DATA
002	24.9	35.1 +- 1.1	NO NET DATA
003	49.9	36.6 +- 1.1	NO NET DATA
004	74.9	34.9 +- 1.0	NO NET DATA
005	99.9	33.8 +- 1.1	NO NET DATA
006	124.8	37.4 +- 1.1	NO NET DATA
007	149.7	38.0 +- 1.1	NO NET DATA
008	174.6	37.6 +- 1.1	NO NET DATA
009	199.5	37.2 +- 1.1	NO NET DATA
010	224.4	37.8 +- 1.1	NO NET DATA
011	249.3	37.4 +- 1.1	NO NET DATA
012	100.0	37.2 +- 1.1	NO NET DATA
013	85.0	37.8 +- 1.1	NO NET DATA
014	119.9	37.2 +- 1.1	NO NET DATA
015	144.8	37.8 +- 1.1	NO NET DATA
016	169.7	37.4 +- 1.1	NO NET DATA
017	194.6	37.0 +- 1.1	NO NET DATA
018	219.5	37.6 +- 1.1	NO NET DATA
019	244.4	37.2 +- 1.1	NO NET DATA
020	269.3	37.8 +- 1.1	NO NET DATA
021	294.2	37.4 +- 1.1	NO NET DATA
022	319.1	37.0 +- 1.1	NO NET DATA
023	344.0	37.6 +- 1.1	NO NET DATA
024	368.9	37.2 +- 1.1	NO NET DATA
025	393.8	37.8 +- 1.1	NO NET DATA
026	418.7	37.4 +- 1.1	NO NET DATA
027	443.6	37.0 +- 1.1	NO NET DATA
028	468.5	37.6 +- 1.1	NO NET DATA
029	493.4	37.2 +- 1.1	NO NET DATA
030	518.3	37.8 +- 1.1	NO NET DATA
031	543.2	37.4 +- 1.1	NO NET DATA
032	568.1	37.0 +- 1.1	NO NET DATA
033	593.0	37.6 +- 1.1	NO NET DATA
034	617.9	37.2 +- 1.1	NO NET DATA
035	642.8	37.8 +- 1.1	NO NET DATA
036	667.7	37.4 +- 1.1	NO NET DATA
037	692.6	37.0 +- 1.1	NO NET DATA
038	717.5	37.6 +- 1.1	NO NET DATA
039	742.4	37.2 +- 1.1	NO NET DATA
040	767.3	37.8 +- 1.1	NO NET DATA
041	792.2	37.4 +- 1.1	NO NET DATA
042	817.1	37.0 +- 1.1	NO NET DATA
043	842.0	37.6 +- 1.1	NO NET DATA
044	866.9	37.2 +- 1.1	NO NET DATA
045	891.8	37.8 +- 1.1	NO NET DATA
046	916.7	37.4 +- 1.1	NO NET DATA
047	941.6	37.0 +- 1.1	NO NET DATA
048	966.5	37.6 +- 1.1	NO NET DATA
049	360.0	36.5 +- 1.1	NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE-NOT COMPLETE)


FT. ST. VRAIN
FOR THE PERIOD 851216-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	26.0 +- .5	3
11.25-33.75 (NNE)	26.3 +- .6	2
33.75-56.25 (NE)	26.1 +- 1.5	3
56.25-78.75 (ENE)	27.6 +- 1.2	3
78.75-101.25 (E)	26.1 +- .1	2
101.25-123.75 (ESE)	27.6 +- 0.0	2
123.75-146.25 (SE)	25.9 +- .8	3
146.25-168.75 (SSE)	26.7 +- 1.4	3
168.75-191.25 (S)	26.4 +- .7	2
191.25-213.75 (SSW)	27.2 +- .6	3
213.75-236.25 (SW)	26.2 +- 1.0	2
236.25-258.75 (WSW)	27.9 +- 2.4	3
258.75-281.25 (W)	26.8 +- 1.6	4
281.25-303.75 (WNW)	26.8 +- 1.1	2
303.75-326.25 (NW)	25.5 +- .6	2
326.25-348.75 (NNW)	25.4 +- 2.0	3

DISTANCE(m) FROM THE REACTOR	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	26.4 +- 1.0	12
2-5	26.3 +- 1.2	19
>5	27.1 +- 1.6	11
UPWIND CONTROL DATA	26.8 +- 1.5	3

NRC TLD DOSES FOR FT. ST. VRAIN AREA
(mR per 90 days)



GINNA

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860417 121 DAYS
 FIELD TIME 78 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	95	1.7	16.1 +- .7 ; 6.1
002	108	1.1	15.5 +- .7 ; 6.1
003	142	1.7	14.7 +- .7 ; 6.0
004	154	1.5	16.1 +- .7 ; 6.1
005	174	1.4	MISSING OR DAMAGED DOSIMETER
006	212	1.6	16.1 +- .7 ; 6.1
007	244	.9	14.7 +- .7 ; 6.0
008	230	.6	16.0 +- .7 ; 6.1
010	266	1.0	14.0 +- .7 ; 6.0
011	264	4.0	16.7 +- .7 ; 6.2
012	245	3.0	15.3 +- .7 ; 6.1
013	235	4.2	15.7 +- .7 ; 6.1
014	200	4.0	15.0 +- .7 ; 6.0
015	178	4.4	16.5 +- .7 ; 6.2
016	160	3.7	15.8 +- .7 ; 6.0
017	134	3.0	MISSING OR DAMAGED DOSIMETER
018	115	4.0	15.8 +- .7 ; 6.1
019	88	4.0	15.3 +- .7 ; 6.1
020	90	5.2	MISSING OR DAMAGED DOSIMETER
021	123	7.0	16.4 +- .5 ; 6.0
022	151	11.1	MISSING OR DAMAGED DOSIMETER
023	105	12.1	15.1 +- .7 ; 6.0
024	212	14.1	19.5 +- .8 ; 6.4
025	223	13.1	15.4 +- .7 ; 6.1
026	242	16.1	16.7 +- .7 ; 6.2
027	254	14.9	16.2 +- .7 ; 6.1
028	234	16.3	17.0 +- .7 ; 6.2
029	185	15.9	17.1 +- .7 ; 6.2
030	264	15.1	16.0 +- .7 ; 6.1
TRANSIT DOSE =		4.1 +- .3 ; 4.6	


GINNA
FOR THE PERIOD 851218-860417

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	15.7 +- .6	2
101.25-123.75 (ESE)	15.2 +- .7	4
123.75-146.25 (SE)	14.7 +- 0.0	1
146.25-168.75 (SSE)	15.6 +- .7	2
168.75-191.25 (S)	16.8 +- .4	2
191.25-213.75 (SSW)	16.9 +- 2.3	3
213.75-236.25 (SW)	16.0 +- .7	4
236.25-258.75 (WSW)	15.0 +- .4	2
258.75-281.25 (W)	15.7 +- 1.4	2
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.7 +- .8	9
2-5	15.7 +- .6	8
>5	16.3 +- 2.1	5
UPWIND CONTROL DATA	16.3 +- .4	3

NRC TLD DOSES FOR GINNA AREA -
(mR per 90 days)



GRAND GULF
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860403 108 DAYS
 FIELD TIME 86 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	337	2.1	4.8
002	351	1.1	4.6
003	20	1.1	4.6
004	51	2.1	4.6
005	68	2.1	4.6
006	47	4.1	4.6
007	68	4.1	4.6
008	91	4.1	4.6
009	81	3.0	4.6
010	109	3.0	4.6
011	139	3.0	4.6
012	185	1.1	4.6
013	207	1.1	4.6
014	247	1.1	4.6
015	139	4.4	4.6
016	122	4.4	4.6
017	135	4.4	4.6
018	147	4.4	4.6
019	224	4.4	4.6
020	172	4.4	4.6
021	291	1.1	4.6
022	332	1.1	4.6
023	318	1.1	4.6
024	291	4.9	4.6
025	249	4.9	4.6
026	090	13.9	4.6
031	67	5.1	4.4
032	67	5.1	4.4
033	206	4.8	4.8
TRANSIT DOSE =		.2	


GRAND GULF
FOR THE PERIOD 851217-860403

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.0 +- 0.0	1
11.25-33.75 (NNE)	19.2 +- 0.0	1
33.75-56.25 (NE)	16.3 +- .1	2
56.25-78.75 (ENE)	18.1 +- .1	2
78.75-101.25 (E)	17.8 +- 1.3	3
101.25-123.75 (ESE)	19.1 +- .4	2
123.75-146.25 (SE)	18.1 +- .5	3
146.25-168.75 (SSE)	16.1 +- 0.0	1
168.75-191.25 (S)	16.9 +- .9	2
191.25-213.75 (SSW)	18.3 +- 0.0	2
213.75-236.25 (SW)	17.9 +- 0.0	1
236.25-258.75 (WSW)	17.0 +- 1.0	3
258.75-281.25 (W)	16.8 +- 0.0	1
281.25-303.75 (WNW)	17.1 +- .6	2
303.75-326.25 (NW)	17.1 +- 0.0	1
326.25-348.75 (NNW)	18.9 +- .4	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.9 +- 1.0	10
2-5	17.6 +- 1.2	11
>5	17.3 +- 1.0	8
UPWIND CONTROL DATA	14.4 +- .8	3

NRC TLD DOSES FOR GRAND GULF AREA
(mR per 90 days)



HADDAM NECK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860407 111 DAYS
 FIELD TIME 99 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) + Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. + Rdm;Tot.
002	17	1.1	4.4
003	45	1.2	4.4
004	67	1.1	4.4
005	93	1.2	4.4
006	115	1.1	4.4
007	143	1.2	4.4
008	165	1.1	4.4
009	174	1.2	4.4
010	195	1.1	4.4
011	241	1.2	4.4
012	263	1.1	4.4
013	298	1.2	4.4
014	311	1.1	4.4
015	341	1.2	4.4
016	344	1.1	4.4
017	345	1.2	4.4
018	346	1.1	4.4
019	347	1.2	4.4
020	348	1.1	4.4
021	349	1.2	4.4
022	350	1.1	4.4
023	351	1.2	4.4
024	352	1.1	4.4
025	353	1.2	4.4
026	354	1.1	4.4
027	355	1.2	4.4
028	356	1.1	4.4
029	357	1.2	4.4
030	358	1.1	4.4
031	359	1.2	4.4
032	360	1.1	4.4
033	361	1.2	4.4
034	362	1.1	4.4
035	363	1.2	4.4
036	364	1.1	4.4
037	365	1.2	4.4
038	366	1.1	4.4
039	367	1.2	4.4
040	368	1.1	4.4
041	369	1.2	4.4
042	370	1.1	4.4
043	371	1.2	4.4
044	372	1.1	4.4
045	373	1.2	4.4
046	374	1.1	4.4
047	375	1.2	4.4
048	376	1.1	4.4
049	377	1.2	4.4
TRANSIT DOSE =	.1	.2	.4


HADDAM NECK
FOR THE PERIOD 851218-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.8 +- 2.7	2
11.25-33.75 (NNE)	16.9 +- 0.0	1
33.75-56.25 (NE)	17.1 +- .8	2
56.25-78.75 (ENE)	16.7 +- .7	3
78.75-101.25 (E)	16.6 +- 2.1	2
101.25-123.75 (ESE)	16.1 +- 0.0	1
123.75-146.25 (SE)	16.8 +- .9	3
146.25-168.75 (SSE)	15.3 +- .4	4
168.75-191.25 (S)	16.4 +- 1.0	2
191.25-213.75 (SSW)	14.5 +- .4	2
213.75-236.25 (SW)	16.2 +- .1	2
236.25-258.75 (WSW)	17.4 +- 2.0	2
258.75-281.25 (W)	16.0 +- .9	3
281.25-303.75 (WNW)	16.7 +- 1.6	3
303.75-326.25 (NW)	15.6 +- 1.0	5
326.25-348.75 (NNW)	17.4 +- 1.5	5

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.0 +- 1.1	12
2-5	16.7 +- 1.4	15
>5	16.3 +- 1.2	15
UPWIND CONTROL DATA	17.1 +- 0.0	1

NRC TLD DOSES FOR HADDAM NECK AREA
(mR per 90 days)



HARRIS
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851212-860415 125 DAYS
 FIELD TIME 90 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001		2.0	21.9	6.3
002		3.0	20.1	6.1
003		2.0	21.2	6.2
004		1.0	21.3	6.4
005		0.0	21.3	6.1
006		0.0	21.3	6.0
007		0.0	21.3	6.1
008		0.0	21.3	6.0
009		0.0	21.3	6.1
010		0.0	21.3	6.0
011		0.0	21.3	6.1
012		0.0	21.3	6.0
013		0.0	21.3	6.1
014		0.0	21.3	6.0
015		0.0	21.3	6.1
016		0.0	21.3	6.0
017		0.0	21.3	6.1
018		0.0	21.3	6.0
019		0.0	21.3	6.1
020		0.0	21.3	6.0
021		0.0	21.3	6.1
022		0.0	21.3	6.0
023		0.0	21.3	6.1
024		0.0	21.3	6.0
025		0.0	21.3	6.1
026		0.0	21.3	6.0
027		0.0	21.3	6.1
028		0.0	21.3	6.0
029		0.0	21.3	6.1
030		0.0	21.3	6.0
031		0.0	21.3	6.1
032		0.0	21.3	6.0
033		0.0	21.3	6.1
034		0.0	21.3	6.0
035		0.0	21.3	6.1
036		0.0	21.3	6.0
037		0.0	21.3	6.1
038		0.0	21.3	6.0
039		0.0	21.3	6.1
040		0.0	21.3	6.0
041		0.0	21.3	6.1
042		0.0	21.3	6.0
043		0.0	21.3	6.1
044		0.0	21.3	6.0
TRANSIT DOSE =	4.9	+- .4		

HARRIS
FOR THE PERIOD 851212-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.2 +- .2	2
11.25-33.75 (NNE)	16.7 +- 1.6	3
33.75-56.25 (NE)	17.1 +- 2.9	6
56.25-78.75 (ENE)	12.8 +- .4	2
78.75-101.25 (E)	13.7 +- 1.2	4
101.25-123.75 (ESE)	16.2 +- 2.9	3
123.75-146.25 (SE)	11.5 +- 0.0	1
146.25-168.75 (SSE)	14.0 +- .7	3
168.75-191.25 (S)	13.9 +- 1.0	2
191.25-213.75 (SSW)	12.2 +- 0.0	1
213.75-236.25 (SW)	13.7 +- 2.4	2
236.25-258.75 (WSW)	16.9 +- 0.0	1
258.75-281.25 (W)	14.2 +- .7	3
281.25-303.75 (WNW)	17.2 +- 0.0	1
303.75-326.25 (NW)	16.1 +- 0.0	1
326.25-348.75 (NNW)	15.8 +- 2.4	4

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.0 +- 1.8	13
2-5	14.8 +- 2.4	19
>5	16.4 +- 2.7	?
UPWIND CONTROL DATA	13.8 +- .9	8

HATCH

HATCH
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851217-860423 128 DAYS
FIELD TIME 93 DAYS


HATCH
FOR THE PERIOD 851217-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-31.25 (N)	11.1 +- .5	3
11.25-33.75 (NNE)	10.4 +- .9	4
33.75-56.25 (NE)	12.8 +- 2.3	3
56.25-78.75 (ENE)	12.2 +- 0.8	1
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	13.3 +- 2.3	3
123.75-146.25 (SE)	11.5 +- .4	2
146.25-168.75 (SSE)	9.8 +- .7	2
168.75-191.25 (S)	9.7 +- 1.5	4
191.25-213.75 (SSW)	11.7 +- 1.6	2
213.75-236.25 (SW)	9.6 +- 1.6	2
236.25-258.75 (WSW)	10.2 +- 0.8	1
258.75-281.25 (W)	11.3 +- .4	2
281.25-303.75 (WNW)	11.8 +- 1.9	2
303.75-326.25 (NW)	10.2 +- 0.8	1
326.25-348.75 (NNW)	11.9 +- 2.3	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	11.2 +- .8	10
2-5	11.0 +- 1.9	14
>5	11.5 +- 2.1	11
UPWIND CONTROL DATA	12.2 +- .2	3

NRC TLD DOSES FOR HATCH AREA -
(mR per 90 days)



INDIAN POINT
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860417 121 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001			
002			
003			
004			
005			
006			
007			
008			
009			
010			
011			
012			
013			
014			
015			
016			
017			
018			
019			
020			
021			
022			
023			
024			
025			
026			
027			
028			
029			
030			
031			
032			
033			
034			
035			
036			
037			
038			
039			
040			
041			
042			
043			
044			
045			
046			
047			
048			
049			
050			
051			
052			
053			
054			
055			
056			
057			
058			
059			
060			
061			
062			
063			
064			
065			
066			
067			
068			
069			
070			
071			
072			
073			
074			
075			
076			
077			
078			
079			
080			
081			
082			
083			
084			
085			
086			
087			
088			
089			
090			
091			
092			
093			
094			
095			
096			
097			
098			
099			
100			
101			
102			
103			
104			
105			
106			
107			
108			
109			
110			
111			
112			
113			
114			
115			
116			
117			
118			
119			
120			
121			
122			
123			
124			
125			
126			
127			
128			
129			
130			
131			
132			
133			
134			
135			
136			
137			
138			
139			
140			
141			
142			
143			
144			
145			
146			
147			
148			
149			
150			
151			
152			
153			
154			
155			
156			
157			
158			
159			
160			
161			
162			
163			
164			
165			
166			
167			
168			
169			
170			
171			
172			
173			
174			
175			
176			
177			
178			
179			
180			
181			
182			
183			
184			
185			
186			
187			
188			
189			
190			
191			
192			
193			
194			
195			
196			
197			
198			
199			
200			
201			
202			
203			
204			
205			
206			
207			
208			
209			
210			
211			
212			
213			
214			
215			
216			
217			
218			
219			
220			
221			
222			
223			
224			
225			
226			
227			
228			
229			
230			
231			
232			
233			
234			
235			
236			
237			
238			
239			
240			
241			
242			
243			
244			
245			
246			
247			
248			
249			
250			
251			
252			
253			
254			
255			
256			
257			
258			
259			
260			
261			
262			
263			
264			
265			
266			
267			
268			
269			
270			
271			
272			
273			
274			
275			
276			
277			
278			
279			
280			
281			
282			
283			
284			
285			
286			
287			
288			
289			
290			
291			
292			
293			
294			
295			
296			
297			
298			
299			
300			
301			
302			
303			
304			
305			
306			
307			
308			
309			
310			
311			
312			
313			
314			
315			
316			
317			
318			
319			
320			
321			
322			
323			
324			
325			
326			
327			
328			
329			
330			
331			
332			
333			
334			
335			
336			
337			
338			
339			
340			
341			
342			
343			
344			
345			
346			
347			
348			
349			
350			
351			
352			
353			
354			
355			
356			
357			
358			
359			
360			
361			
362			
363			
364			
365			
366			
367			
368			
369			
370			
371			
372			
373			
374			
375			
376			
377			
378			
379			
380			
381			
382			
383			
384			
385			
386			
387			
388			
389			
390			
391			
392			
393			
394			
395			
396			
397			
398			
399			
400			
401			
402			
403			
404			
405			
406			
407			
408			
409			
410			
411			
412			
413			
414			
415			
416			
417			
418			
419			
420			
421			
422			
423			
424			
425			
426			
427			
428			
429			
430			
431			
432			
433			
434			
435			
436			
437			
438			
439			
440			
441			
442			
443			
444			
445			
446			
447			
448			
4			


INDIAN POINT
FOR THE PERIOD 851218-860417

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.9 +- 3.8	5
11.25-33.75 (NNE)	15.6 +- .5	2
33.75-56.25 (NE)	15.1 +- 3.1	3
56.25-78.75 (ENE)	15.3 +- .4	3
78.75-101.25 (E)	15.8 +- .6	3
101.25-123.75 (ESE)	14.3 +- .8	2
123.75-146.25 (SE)	15.2 +- .7	5
146.25-168.75 (SSW)	15.7 +- 1.3	3
168.75-191.25 (S)	15.1 +- 1.6	4
191.25-213.75 (SSW)	15.4 +- .2	3
213.75-236.25 (SW)	16.2 +- 2.1	2
236.25-258.75 (WSW)	18.8 +- 0.0	1
258.75-281.25 (W)	17.5 +- 0.0	1
281.25-303.75 (WNW)	16.4 +- .3	2
303.75-326.25 (NW)	15.7 +- 0.0	1
326.25-348.75 (NNW)	16.8 +- .2	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.0 +- 1.5	18
2-5	15.8 +- 1.4	14
>5	16.1 +- 2.6	11
UPWIND CONTROL DATA	15.3 +- .7	2

NRC TLD DOSES FOR INDIAN POINT AREA
(mR per 90 days)



KEWAUNEE/PT. BEACH
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860410 115 DAYS
 FIELD TIME 70 DAYS

NRC STATION	LOCATION		GROSS EXPOSURE(mR)	NET EXPOSURE RATE
	AZIMUTH/DIST (deg.)	(mi.)		mR/Std.Otr. +- Rdm;Tot.
001	189	3.7	.4	12.5
002	195	4.1	.4	14.0
003	163	3.3	.4	11.0
004	183	3.3	.4	14.0
005	218	1.1	.4	12.0
006	223	1.1	.4	13.1
007	242	1.1	.4	13.4
008	284	1.1	.4	12.4
010	158	1.1	.4	13.0
011	230	1.1	.4	13.4
012	303	1.1	.4	14.1
013	342	1.1	.4	14.3
014	317	1.1	.4	14.4
015	316	1.1	.4	14.4
016	293	1.1	.4	14.2
017	273	1.1	.4	14.2
018	315	1.1	.4	14.2
019	345	1.1	.4	14.4
020	217	1.1	.4	14.4
021	246	1.1	.4	14.4
022	295	1.1	.4	14.4
023	342	1.1	.4	14.4
024	324	1.1	.4	14.4
025	314	1.1	.4	14.4
026	340	1.1	.4	14.4
027	219	1.1	.4	14.4
028	246	1.1	.4	14.4
029	295	1.1	.4	14.4
030	342	1.1	.4	14.4
031	324	1.1	.4	14.4
032	314	1.1	.4	14.4
033	340	1.1	.4	14.4
034	219	1.1	.4	14.4
035	246	1.1	.4	14.4
036	295	1.1	.4	14.4
037	342	1.1	.4	14.4
038	324	1.1	.4	14.4
039	314	1.1	.4	14.4
040	340	1.1	.4	14.4
041	219	1.1	.4	14.4
042	246	1.1	.4	14.4
043	295	1.1	.4	14.4
TRANSLIT DOSE	II	3.1	+-	5.0

KEWAUNEE/PT. BEACH
FOR THE PERIOD 851217-860410

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.4 +- 1.5	2
11.25-33.75 (NNE)	11.8 +- .6	3
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSE)	12.0 +- .3	2
168.75-191.25 (S)	13.5 +- 1.1	3
191.25-213.75 (SSW)	13.5 +- 1.3	3
213.75-236.25 (SW)	12.3 +- .6	3
236.25-258.75 (WSW)	13.6 +- 1.1	4
258.75-281.25 (W)	13.5 +- .9	3
281.25-303.75 (WNW)	13.5 +- 1.0	6
303.75-326.25 (NW)	12.9 +- .9	4
326.25-348.75 (NNW)	13.6 +- 1.3	5

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	13.2 +- 1.0	17
2-5	13.2 +- 1.2	14
>5	12.9 +- 1.0	7
UPWIND CONTROL DATA	12.3 +- .5	3

MAP FOR KEWAUNEE/PT. BEACH

Map will be provided for this site in the future.

LACROSSE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860415 120 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	5/	20. +-. 0.0	7.7
002	5/	20. +-. 0.0	7.7
003	3/	20. +-. 0.0	7.7
004	343	20. +-. 0.0	7.7
005	313	20. +-. 0.0	7.7
006	291	20. +-. 0.0	7.7
007	261	20. +-. 0.0	7.7
008	249	20. +-. 0.0	7.7
009	214	20. +-. 0.0	7.7
010	171	20. +-. 0.0	7.7
011	176	20. +-. 0.0	7.7
012	165	20. +-. 0.0	7.7
013	139	20. +-. 0.0	7.7
014	114	20. +-. 0.0	7.7
015	97	20. +-. 0.0	7.7
016	94	20. +-. 0.0	7.7
017	185	1.1 +-. 0.1	5.5
018	161	1.1 +-. 0.1	5.5
019	356	1.1 +-. 0.1	5.5
020	189	1.1 +-. 0.1	5.5
021	134	1.1 +-. 0.1	5.5
022	136	1.1 +-. 0.1	5.5
023	134	1.1 +-. 0.1	5.5
024	136	1.1 +-. 0.1	5.5
025	136	1.1 +-. 0.1	5.5
026	136	1.1 +-. 0.1	5.5
027	136	1.1 +-. 0.1	5.5
028	136	1.1 +-. 0.1	5.5
029	136	1.1 +-. 0.1	5.5
TRANSPORT DOSE =	3.8 +-. 3 ; 4.8	4.4 +-. 0.4	5.7


LACROSSE
FOR THE PERIOD 851217-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING


AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	14.3 +- 1.8	3
11.25-33.75 (NNE)	13.5 +- .7	4
33.75-56.25 (NE)	12.5 +- 0.0	1
56.25-78.75 (ENE)	13.2 +- .2	2
78.75-101.25 (E)	13.6 +- .1	2
101.25-123.75 (ESE)	14.5 +- .8	2
123.75-146.25 (SE)	15.9 +- .9	2
146.25-168.75 (SSE)	14.2 +- 0.0	1
168.75-191.25 (S)	14.0 +- .6	3
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	13.1 +- 0.0	1
236.25-258.75 (WSW)	15.1 +- 0.0	1
258.75-281.25 (W)	15.3 +- 0.0	1
281.25-303.75 (WNW)	14.8 +- 0.0	1
303.75-326.25 (NW)	13.6 +- 0.0	1
326.25-348.75 (NNW)	15.5 +- 0.0	1

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.1 +- 1.3	9
2-5	14.3 +- 1.0	13
>5	13.5 +- .5	4
UPWIND CONTROL DATA	13.5 +- .7	9

NRC TLD DOSES FOR LaCROSSE AREA
(mR per 90 days)



NRC TLD DOSES FOR LASALLE AREA
(mR PER 90 DAYS)



LIMERICK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851219-860402 105 DAYS
 FIELD TIME 80 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	12	20.4 +- 1.9	5.7
003	88	17.4 +- 1.7	5.5
004	52	18.3 +- 1.8	5.5
005	23	18.6 +- 1.6	5.5
006	8	18.7 +- 1.6	5.5
007	340	17.6 +- 1.6	5.4
008	330	17.4 +- 1.6	5.4
009	313	17.6 +- 1.6	5.4
010	291	18.1 +- 1.7	5.4
011	303	16.2 +- 1.6	5.4
012	314	16.5 +- 1.6	5.4
013	352	16.5 +- 1.6	5.4
014	339	16.3 +- 1.6	5.4
015	47	16.1 +- 1.6	5.4
016	71	19.9 +- 1.9	5.4
017	17	MISSING	5.4
018	286	MISSING	5.4
019	276	MISSING	5.4
020	245	16.6 +- 1.6	5.4
021	224	DAMAGED DOSIMETER	5.4
022	202	DAMAGED DOSIMETER	5.4
023	172	16.7 +- 1.6	5.4
024	150	15.5 +- 1.5	5.3
025	132	19.1 +- 1.9	5.3
026	120	19.4 +- 1.9	5.3
027	160	19.4 +- 1.9	5.3
028	91	MISSING	5.3
029	67	17.8 +- 1.7	5.3
030	146	20.1 +- 1.8	5.3
031	153	18.0 +- 1.8	5.3
032	152	17.6 +- 1.7	5.3
033	184	16.6 +- 1.6	5.3
034	201	17.0 +- 1.7	5.3
035	225	19.6 +- 1.9	5.3
036	245	19.6 +- 1.9	5.3
037	266	19.6 +- 1.9	5.3
038	299	19.6 +- 1.9	5.3
039	298	19.6 +- 1.9	5.3
040	299	19.6 +- 1.9	5.3
041	128	17.6 +- 1.7	5.2
042	111	17.6 +- 1.7	5.4
TRANSIT DOSE = 2.4 +- .3 ; 4.1			


LIMERICK
FOR THE PERIOD 851219-860402

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.1 +- .2	2
11.25-33.75 (NNE)	18.1 +- 2.1	3
33.75-56.25 (NE)	17.7 +- .2	2
56.25-78.75 (ENE)	17.8 +- 1.0	2
78.75-101.25 (E)	16.8 +- 0.0	1
101.25-123.75 (ESE)	17.7 +- 1.5	2
123.75-146.25 (SE)	17.2 +- 3.2	3
146.25-168.75 (SSW)	17.0 +- 1.4	4
168.75-191.25 (S)	15.1 +- .2	2
191.25-213.75 (SSW)	16.7 +- .4	2
213.75-236.25 (SW)	16.4 +- .4	2
236.25-258.75 (WSW)	16.2 +- .2	2
258.75-281.25 (W)	14.4 +- 0.0	1
281.25-303.75 (WNW)	19.9 +- 3.3	2
303.75-326.25 (NW)	16.5 +- .8	2
326.25-348.75 (NNW)	16.6 +- .6	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.8 +- 1.2	14
2-5	17.3 +- 2.0	17
>5	17.6 +- 1.8	4
UPWIND CONTROL DATA	18.9 +- 1.3	3

NRC TLD DOSES FOR LIMERICK AREA
(mR per 90 days)



MAINE YANKEE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860407 111 DAYS
 FIELD TIME 86 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE (mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	340	17.8 +- .3	16.7
002	6	17.8 +- .4	16.8
003	23	15.8 +- .4	15.3
004	44	15.4 +- .5	14.4
005	116	15.4 +- .5	15.2
006	168	15.4 +- .5	14.0
007	185	15.4 +- .5	14.4
008	195	15.4 +- .5	15.2
009	209	15.4 +- .5	14.4
010	310	15.4 +- .5	14.0
011	290	15.4 +- .5	16.0
012	275	15.4 +- .5	15.1
013	256	15.4 +- .5	15.0
014	232	15.4 +- .5	15.0
015	227	15.4 +- .5	15.0
016	246	15.4 +- .5	15.0
017	258	15.4 +- .5	15.0
018	268	15.4 +- .5	15.0
019	283	15.4 +- .5	15.0
020	305	15.4 +- .5	15.0
021	300	15.4 +- .5	15.0
022	332	15.4 +- .5	15.0
023	26	15.4 +- .5	15.0
024	23	15.4 +- .5	15.0
025	42	15.4 +- .5	15.0
026	68	15.4 +- .5	15.0
027	63	15.4 +- .5	15.0
028	64	15.4 +- .5	15.0
029	84	15.4 +- .5	15.0
030	115	15.4 +- .5	15.0
031	135	15.4 +- .5	15.0
032	66	15.4 +- .5	15.0
033	97	15.4 +- .5	15.0
034	123	15.4 +- .5	15.0
035	140	15.4 +- .5	15.0
036	151	15.4 +- .5	15.0
037	152	15.4 +- .5	15.0
038	172	15.4 +- .5	15.0
039	156	15.4 +- .5	15.0
040	174	15.4 +- .5	15.0
TRANSIT DOSE =	1.8 +- .3 ; 4.1		


MAINE YANKEE
FOR THE PERIOD 851218-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.8 +- 0.0	1
11.25-33.75 (NNE)	15.4 +- .7	3
33.75-56.25 (NE)	15.2 +- .1	2
56.25-78.75 (ENE)	15.9 +- 1.8	2
78.75-101.25 (E)	16.1 +- .3	2
101.25-123.75 (ESE)	15.3 +- .9	3
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	16.1 +- .8	3
168.75-191.25 (S)	15.4 +- .9	2
191.25-213.75 (SSW)	15.0 +- .4	2
213.75-236.25 (SW)	15.7 +- .9	2
236.25-258.75 (WSW)	18.0 +- 3.8	3
258.75-281.25 (W)	16.0 +- 0.0	2
281.25-303.75 (WNW)	15.5 +- 1.1	3
303.75-326.25 (NW)	14.6 +- 0.0	1
326.25-348.75 (NNW)	16.3 +- .5	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.5 +- .9	13
2-5	15.8 +- .8	17
>5	17.9 +- 3.9	3
UPWIND CONTROL DATA	14.7 +- 1.0	3

NRC TLD DOSES FOR MAINE YANKEE AREA
(mR per 90 days)



MCGUIRE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851212-860415 125 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	97	0.5	6.0
002	323	1.0	6.1
003	336	1.0	5.5
004	303	1.0	5.1
005	321	1.0	5.2
006	334	1.0	6.0
007	352	1.0	6.0
008	287	1.0	6.0
009	273	1.0	6.0
010	244	1.0	6.1
011	225	1.0	6.0
012	212	1.0	6.2
013	232	1.0	6.6
014	253	1.0	6.6
015	261	1.0	6.5
016	288	1.0	6.6
017	288	1.0	6.7
018	266	1.0	6.7
019	233	1.0	6.8
020	264	1.0	6.8
021	239	1.0	6.2
022	115	1.0	6.2
023	132	1.0	6.0
024	156	1.0	6.4
025	175	1.0	6.4
026	198	1.0	6.0
027	169	1.0	6.0
028	155	1.0	6.0
029	146	1.0	6.0
030	143	1.0	6.1
031	155	1.0	6.0
032	178	1.0	6.0
033	168	1.0	6.1
034	93	1.0	6.2
035	68	1.0	6.1
036	82	1.0	6.1
037	64	1.0	6.0
038	42	1.0	6.4
039	26	1.0	6.2
040	42	1.0	6.2
041	21	1.0	6.4
042	37	1.0	6.3
043	78	1.0	5.4
044	94	1.0	5.4
045	78	MISSING	MISSING
046	94	MISSING	MISSING
TRANSIT DOSE =	4.9	+- .4 ; 5.4	

MC GUIRE
FOR THE PERIOD 851212-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.2 +- 2.5	2
11.25-33.75 (NNE)	17.8 +- 1.7	2
33.75-56.25 (NE)	15.2 +- 4.9	2
56.25-78.75 (ENE)	15.0 +- .7	2
78.75-101.25 (E)	15.2 +- 1.3	3
101.25-123.75 (ESE)	15.5 +- 0.0	1
123.75-146.25 (SE)	13.5 +- 1.3	3
146.25-168.75 (SSW)	13.7 +- 2.0	3
168.75-191.25 (S)	13.6 +- .4	2
191.25-213.75 (SSW)	17.2 +- 1.4	3
213.75-236.25 (SW)	18.1 +- 5.4	2
236.25-258.75 (WSW)	18.4 +- 4.7	2
258.75-281.25 (W)	13.4 +- .9	2
281.25-303.75 (NNW)	22.1 +- 8.0	3
303.75-326.25 (NW)	15.4 +- .1	2
326.25-348.75 (NNW)	18.1 +- 2.5	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	15.2 +- 2.1	12
2-5	17.0 +- 4.2	21
>5	14.4 +- 2.1	- - 3
UPWIND CONTROL DATA	22.8 +- .5	- - 3

111

MAP FOR McGuire

Map will be provided for this site in the future.

MILLSTONE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860407 111 DAYS
 FIELD TIME 97 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	0	1	4.8
002	24	1.1	4.7
003	47	1.1	4.7
004	69	1.1	4.7
005	85	1.1	4.7
006	110	1.1	4.7
007	67	1.1	4.7
008	49	1.1	4.7
009	84	1.1	4.7
011	233	1.1	4.7
012	255	1.1	4.7
013	227	1.1	4.7
014	244	1.1	4.7
015	333	1.1	4.7
016	355	1.1	4.7
017	365	1.1	4.7
018	333	1.1	4.7
019	344	1.1	4.7
020	355	1.1	4.7
022	327	1.1	4.7
028	327	1.1	4.7
030	317	1.1	4.7
031	317	1.1	4.7
032	327	1.1	4.7
033	41	1.1	4.7
039	54	1.1	4.7
040	354	1.1	4.7
041	1	1.1	4.7
042	278	1.1	4.7
043	34	1.1	4.7
044	84	1.1	4.7
045	41	1.1	4.7
046	4	1.1	4.7
047	48	1.1	4.7
048	48	1.1	4.7
049	4	1.1	4.7
TRANSIT DOSE = .4 +- .3 ; 4.1			


MILLSTONE
FOR THE PERIOD 851218-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.8 +- .7	4
11.25-33.75 (NNE)	17.5 +- 2.5	3
33.75-56.25 (NE)	19.4 +- 2.3	6
56.25-78.75 (ENE)	18.1 +- 1.5	3
78.75-101.25 (E)	17.6 +- .6	4
101.25-123.75 (ESE)	17.8 +- 0.0	1
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	16.0 +- 0.0	1
236.25-258.75 (WSW)	20.0 +- 3.1	2
258.75-281.25 (W)	18.2 +- 2.0	3
281.25-303.75 (WNW)	19.3 +- .9	2
303.75-326.25 (NW)	16.1 +- 1.1	2
326.25-348.75 (NNW)	19.5 +- .4	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.5 +- 1.5	10
2-5	18.4 +- 1.4	13
>5	18.8 +- 2.4	- 10
UPWIND CONTROL DATA	21.9 +- .2	- 2

NRC TLD DOSES FOR MILLSTONE AREA
(mR per 90 days)



MONTICELLO
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860407 112 DAYS
 FIELD TIME 84 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	133	3.6	15.6	14.1
002	163	4.1	15.6	14.1
003	183	4.1	15.6	14.1
004	206	4.1	15.6	14.1
005	236	4.1	15.6	14.1
006	253	4.1	15.6	14.1
007	269	4.1	15.6	14.1
008	285	4.1	15.6	14.1
009	274	1.1	15.6	14.1
010	244	1.1	15.6	14.1
011	226	0.6	15.6	14.1
012	181	1.1	15.6	14.1
013	137	1.1	15.6	14.1
014	155	1.1	15.6	14.1
015	208	1.1	15.6	14.1
016	284	1.1	15.6	14.1
017	113	0.6	15.6	14.1
018	65	1.1	15.6	14.1
019	63	1.1	15.6	14.1
020	37	1.1	15.6	14.1
021	223	0.6	15.6	14.1
022	338	0.6	15.6	14.1
023	339	0.6	15.6	14.1
024	354	0.6	15.6	14.1
025	357	0.6	15.6	14.1
026	359	0.6	15.6	14.1
027	354	0.6	15.6	14.1
028	115	1.1	15.6	14.1
029	98	1.1	15.6	14.1
030	223	1.1	15.6	14.1
031	223	1.1	15.6	14.1
032	223	1.1	15.6	14.1
033	223	1.1	15.6	14.1
034	223	1.1	15.6	14.1
035	223	1.1	15.6	14.1
TRANSIT DOSE #		2.3	+- .3	5.5

MONTICELLO
FOR THE PERIOD 851217-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMQTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	14.6 +- .4	2
11.25-33.75 (NNE)	13.9 +- 2.5	2
33.75-56.25 (NE)	14.0 +- .6	2
56.25-78.75 (ENE)	13.5 +- .2	2
78.75-101.25 (E)	14.8 +- 1.0	2
101.25-123.75 (ESE)	14.3 +- .5	2
123.75-146.25 (SE)	14.5 +- .0	2
146.25-168.75 (SSE)	14.6 +- .3	2
168.75-191.25 (S)	13.9 +- .4	2
191.25-213.75 (SSW)	14.7 +- .7	2
213.75-236.25 (SW)	14.2 +- 1.1	2
236.25-258.75 (WSW)	14.1 +- 1.0	2
258.75-281.25 (W)	15.0 +- .5	2
281.25-303.75 (WNW)	14.6 +- .0	2
303.75-326.25 (NW)	14.5 +- .5	2
326.25-348.75 (NNW)	14.4 +- 1.1	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.3 +- .6	16
2-5	14.4 +- .9	16
>5	NO DATA+-NO DATA	- 0
UPWIND CONTROL DATA	13.9 +- .1	- 3

MAP FOR MONTICELLO

Map will be provided for this site in the future.

NORTH ANNA
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860407 111 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	243	1.8	5.3
002	263	1.6	5.1
003	296	1	5.1
004	311	1.3	5.5
005	329	1.0	5.2
006	231	3.0	5.1
007	224	1.8	5.1
008	218	1.6	5.5
009	181	1.4	5.7
010	155	1	5.1
011	136	1.0	5.5
012	163	3.0	5.3
013	198	3.0	5.1
014	205	4.0	5.5
015	148	4.0	5.5
016	113	4.0	5.2
017	93	3.0	5.0
018	64	4.1	6.0
019	78	2.0	
020	97	MISSING	
021	105	1.9	5.1
022	69	1.4	5.1
023	37	2.0	5.3
024	16	1.4	5.6
025	48	3.0	4.4
026	17	3.0	5.1
027	3	4.0	5.1
028	348	4.0	5.1
029	2	4.0	5.0
030	284	1.9	4.4
031	310	4.4	5.3
032	273	4.9	5.2
033	257	7.1	5.2
034	242	11.1	5.1
035	225	11.1	5.1
036	246	11.1	5.1
037	247	11.1	5.1
038	244	19.1	5.7
MISSING OR DAMAGED DOSIMETER			
TRANSPORT DOSE = 1.5 +- .3 ; 4.0			


NORTH ANNA
FOR THE PERIOD 851218-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.9 +- .2	2
11.25-33.75 (NNE)	21.3 +- 2.7	2
33.75-56.25 (NE)	17.6 +- 2.6	2
56.25-78.75 (ENE)	21.1 +- 5.3	3
78.75-101.25 (E)	16.4 +- 0.8	1
101.25-123.75 (ESE)	20.0 +- 4.1	2
123.75-146.25 (SE)	18.5 +- .6	2
146.25-168.75 (SSW)	21.6 +- 3.3	2
168.75-191.25 (S)	16.5 +- .7	2
191.25-213.75 (SSW)	17.0 +- .1	2
213.75-236.25 (SW)	19.6 +- .1	2
236.25-258.75 (WSW)	19.4 +- .7	4
258.75-281.25 (W)	15.3 +- 2.6	2
281.25-303.75 (WNW)	17.3 +- .5	2
303.75-326.25 (NW)	20.3 +- 1.9	2
326.25-348.75 (NNW)	18.3 +- 1.1	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	19.1 +- 2.4	14
2-5	18.4 +- 3.1	17
>5	19.3 +- .7	3
UPWIND CONTROL DATA	18.2 +- .8	2

NRC TLD DOSES FOR NORTH ANNA AREA
(mR per 90 days)



OCONEE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851217-860423 128 DAYS
FIELD TIME 99 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE	
				mR/Std.Otr.	+- Rdm;Tot.
001	156	7	27.0	21.0	6.0
002	133	4	26.6	21.0	5.5
003	119	4	26.4	20.0	5.1
004	84	4	26.1	22.0	6.0
005	65	4	26.0	24.0	6.1
006	52	1	25.9	19.0	6.3
007	223	1	25.8	22.0	6.3
008	333	1	25.7	24.0	6.6
009	552	1	25.6	19.0	5.5
010	666	1	25.5	14.0	4.4
011	167	1	25.4	18.0	5.2
012	87	1	25.3	24.0	6.0
013	142	1	25.2	23.0	5.5
014	166	1	25.1	20.0	5.5
015	226	1	25.0	21.0	5.5
016	267	1	24.9	17.0	5.0
017	182	1	24.8	20.0	5.5
018	196	1	24.7	21.0	5.5
019	155	1	24.6	11.0	3.0
020	203	1	24.5	20.0	5.5
021	218	1	24.4	21.0	5.5
022	227	1	24.3	17.0	5.0
023	246	1	24.2	22.0	6.0
024	268	1	24.1	24.0	6.3
025	257	1	24.0	22.0	5.9
026	293	1	23.9	16.0	4.7
027	311	1	23.8	19.0	5.0
028	288	1	23.7	18.0	4.9
029	321	1	23.6	22.0	6.0
030	344	1	23.5	17.0	4.8
031	336	1	23.4	18.0	5.0
032	356	1	23.3	22.0	6.0
033	149	1	23.2	18.0	4.9
034	126	1	23.1	22.0	6.0
035	96	1	23.0	17.0	4.8
036	32	1	22.9	22.0	6.0
037	31	1	22.8	22.0	6.0
038	29	1	22.7	22.0	6.0
039			MISSING	22.1	6.4
040			MISSING	22.0	6.4
TRANSIT DOSE =	3.3	+- .3	5.2		


OCONEE
FOR THE PERIOD 851217-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.6 +- 0.0	1
11.25-33.75 (NNE)	24.7 +- .2	2
33.75-56.25 (NE)	20.9 +- 2.5	2
56.25-78.75 (ENE)	17.8 +- 5.4	2
78.75-101.25 (E)	23.5 +- .9	3
101.25-123.75 (ESE)	19.8 +- 1.6	2
123.75-146.25 (SE)	22.1 +- 1.3	2
146.25-168.75 (SSSE)	22.1 +- 2.0	4
168.75-191.25 (S)	18.0 +- 1.3	2
191.25-213.75 (SSW)	18.0 +- 5.4	3
213.75-236.25 (SW)	21.2 +- .1	2
236.25-258.75 (WSW)	25.6 +- 4.8	2
258.75-281.25 (W)	21.6 +- 4.2	2
281.25-303.75 (WNW)	19.9 +- .7	2
303.75-326.25 (NW)	18.7 +- 2.8	2
326.25-348.75 (NNW)	19.7 +- 3.3	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	20.4 +- 2.8	14
2-5	21.1 +- 2.5	16
>5	21.7 +- 6.2	- 5
UPWIND CONTROL DATA	24.9 +- 2.6	- 3

NRC TLD DOSES FOR OCONEE AREA
(mR per 90 days)



OYSTER CREEK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851230-860423 115 DAYS
 FIELD TIME 99 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE			
			+- Rdm;Tot.	mR/Std.Otr.	+- Rdm;Tot.	mR/Std.Otr.		
001	141	.5	15.2	+- .5	2.3	13.4	+- .5	4.4
002	120	.9	14.8	+- .4	2.2	13.1	+- .4	4.3
003	105	1.3	13.3	+- .4	2.0	11.7	+- .4	4.2
004	127	1.3	13.9	+- .4	2.1	12.3	+- .4	4.3
005	137	1.3	15.9	+- .5	2.4	14.1	+- .5	4.4
006	158	1.3	13.8	+- .4	2.1	12.2	+- .4	4.3
007	176	2.0	13.1	+- .4	2.0	11.5	+- .4	4.2
008	179	1.0	12.8	+- .4	1.9	11.3	+- .4	4.2
009	159	0.8	12.4	+- .4	1.9	10.9	+- .4	4.1
010	187	0.8	13.2	+- .4	2.0	11.6	+- .4	4.2
011	173	4.4	12.8	+- .4	1.9	11.2	+- .4	4.1
012	196	4.2	14.6	+- .4	2.2	12.9	+- .4	4.3
013	198	0.8	13.5	+- .4	2.0	11.6	+- .4	4.2
014	195	10.1	13.0	+- .4	2.0	13.5	+- .4	4.4
015	171	11.1	13.0	+- .4	2.0	11.9	+- .4	4.3
016	154	12.6	12.8	+- .4	1.9	11.3	+- .4	4.2
017	220	12.6	14.3	+- .4	2.1	12.7	+- .5	4.3
018	231	5.4	MISSING OR DAMAGED DOSIMETER					4.2
019	211	5.5	13.2	+- .4	2.0	11.7	+- .4	4.1
020	258	1.1	12.5	+- .4	1.9	11.3	+- .4	4.1
021	271	1.1	12.5	+- .4	1.9	11.0	+- .4	4.0
022	297	1.1	13.8	+- .4	2.1	12.2	+- .4	4.3
023	318	1.1	13.5	+- .4	2.0	11.9	+- .4	4.2
024	341	1.1	12.5	+- .4	1.9	11.0	+- .4	4.1
025	338	4.0	14.2	+- .4	2.1	12.5	+- .5	4.3
026	358	3.3	14.2	+- .4	2.1	12.6	+- .4	4.3
027	4	3.3	13.4	+- .4	2.0	11.8	+- .4	4.2
028	19	1.0	12.9	+- .4	1.9	11.3	+- .4	4.1
029	69	1.0	13.2	+- .4	2.1	12.1	+- .4	4.2
030	78	1.0	13.3	+- .4	2.0	11.3	+- .4	4.1
031	85	1.0	12.8	+- .4	1.9	11.2	+- .4	4.1
032	338	1.1	14.1	+- .4	2.1	12.0	+- .4	4.3
033	24	1.9	MISSING OR DAMAGED DOSIMETER					
034	58	3.0	MISSING OR DAMAGED DOSIMETER					
035	46	4.0	15.8	+- .5	2.4	14.0	+- .5	4.4
036	27	4.0	14.1	+- .4	2.1	12.4	+- .4	4.3
037	10	4.0	MISSING OR DAMAGED DOSIMETER					
038	10	4.0	14.3	+- .4	2.1	12.7	+- .5	4.3
039	38	4.0	13.3	+- .4	2.0	11.7	+- .4	4.2
040	45	4.0	13.3	+- .4	2.0	11.7	+- .4	4.2
041	73	4.0	13.0	+- .4	2.1	12.2	+- .4	4.3
042	79	4.0	16.4	+- .5	2.5	14.0	+- .5	4.4
043	73	10.1	12.3	+- .4	1.9	10.0	+- .4	4.2
044	79	10.1	15.7	+- .5	2.4	13.9	+- .4	4.4
045	278	20.1	13.9	+- .4	2.1	12.2	+- .4	4.3
046	278	20.1	14.1	+- .4	2.1	12.4	+- .4	4.3
047	278	20.1	14.1	+- .4	2.1	12.4	+- .4	4.3
TRANSIT DOSE = .4 +- .3 ; 4.2								


OYSTER CREEK
FOR THE PERIOD 851230-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	11.6 +- .2	4
11.25-33.75 (NNE)	12.4 +- .4	2
33.75-56.25 (NE)	13.3 +- 1.2	4
56.25-78.75 (ENE)	11.3 +- .5	3
78.75-101.25 (E)	13.2 +- 1.0	2
101.25-123.75 (ESE)	12.4 +- .9	2
123.75-146.25 (SE)	13.1 +- .8	4
146.25-168.75 (SSE)	11.4 +- .6	3
168.75-191.25 (S)	11.8 +- .9	6
191.25-213.75 (SSW)	11.9 +- .8	3
213.75-236.25 (SW)	11.7 +- 0.0	1
236.25-258.75 (WSW)	11.0 +- 0.0	1
258.75-281.25 (W)	12.2 +- 0.0	1
281.25-303.75 (WNW)	11.9 +- 0.0	1
303.75-326.25 (NW)	11.0 +- 0.0	1
326.25-348.75 (NNW)	12.5 +- .0	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	12.0 +- .9	15
2-5	12.1 +- .9	11
>5	12.3 +- 1.1	- 14
UPWIND CONTROL DATA	12.3 +- .1	2

NRC TLD DOSES FOR OYSTER CREEK AREA
(mR per 90 days)



PALISADES
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860423 129 DAYS
 FIELD TIME 82 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE	
		+/- Rdm	+/- Tot.	mR/Std.Otr. +/- Rdm;Tot.		
001	195	4.9	18.9 +/- .6	2.8	11.2 +/- .8	7.6
002	173	4.6	19.2 +/- .6	2.9	11.5 +/- .7	7.7
003	156	3.9	20.4 +/- .6	3.1	12.0 +/- .7	7.7
004	132	4.6	18.7 +/- .6	2.8	11.0 +/- .6	7.6
005	118	3.3	20.1 +/- .6	3.0	12.0 +/- .6	7.7
006	152	1.2	18.1 +/- .6	2.7	10.0 +/- .6	7.6
007	196	2.2	18.1 +/- .6	2.7	10.0 +/- .6	7.7
008	178	1.0	20.7 +/- .6	3.1	13.0 +/- .9	7.6
009	206	0.9	18.8 +/- .6	3.0	11.0 +/- .6	7.7
010	124	1.0	19.2 +/- .6	3.0	11.0 +/- .6	7.7
011	107	1.0	19.2 +/- .6	3.1	11.0 +/- .6	7.7
012	90	1.0	19.6 +/- .6	3.0	11.0 +/- .6	7.7
013	65	1.0	19.4 +/- .6	3.0	11.0 +/- .6	7.7
014	51	1.0	19.7 +/- .6	3.0	12.0 +/- .6	7.7
015	74	3.1	MISSING OR DAMAGED DOSIMETER			
016	90	3.6	MISSING OR DAMAGED DOSIMETER			
017	98/	10.	20.0 +/- .6	3.0	12.4 +/- .9	7.7
018	47	4.	21.1 +/- .6	3.2	13.6 +/- .9	7.8
019	23	1.0	19.7 +/- .6	3.0	12.0 +/- .6	7.7
020	32	4.0	22.2 +/- .6	3.3	14.0 +/- .9	7.9
021	29	7.0	21.2 +/- .6	3.2	13.7 +/- .9	7.8
022	99/	15.	21.2 +/- .6	3.2	13.7 +/- .9	7.8
023	98/	18.	19.7 +/- .6	3.0	12.1 +/- .8	7.7
024	98/	18.	20.5 +/- .6	3.1	13.0 +/- .8	7.8

TRANSIT DOSE = 8.7 +/- .5 ; 6.4

4
11

PALISADES
FOR THE PERIOD 851216-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	13.5 +- 1.4	3
33.75-56.25 (NE)	12.8 +- 1.1	2
56.25-78.75 (ENE)	11.8 +- 0.8	1
78.75-101.25 (E)	12.2 +- .3	2
101.25-123.75 (ESE)	12.0 +- .7	2
123.75-146.25 (SE)	11.2 +- .3	2
146.25-168.75 (SSW)	11.5 +- 1.8	2
168.75-191.25 (S)	12.3 +- 1.2	2
191.25-213.75 (SSW)	10.8 +- .5	3
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	11.7 +- .8	9
2-5	12.2 +- 1.5	8
>5	13.1 +- .8	2
UPWIND CONTROL DATA	12.9 +- .8	3

PALO VERDE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860429 135 DAYS
 FIELD TIME 90 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE	
			mR/Std.Qtr.	+- Rdm;Tot.
001	74	23.	23.7	6.8
002	92	21.	25.5	6.2
003	89	15.	23.5	6.0
004	103	11.	23.9	6.0
005	140	7.4	25.1	6.1
006	142	3.1	23.2	6.0
007	162	2.6	24.2	6.1
008	168	2.0	23.7	6.0
009	193	2.6	27.0	6.3
010	215	3.1	25.9	6.2
011	200	1.7	24.9	6.1
012	214	1.0	24.9	6.1
013	242	0.7	27.3	6.4
014	263	0.6	25.0	6.1
015	295	0.6	25.1	6.2
016	326	0.6	25.0	6.2
017	347	1.1	26.6	6.2
018	8	1.2	24.3	7.1
019	18	1.2	26.5	6.8
020	37	2.2	26.5	6.1
021	58	2.2	26.5	6.3
022	75	2.2	26.5	6.2
023	93	4.4	25.1	6.1
024	101	3.3	25.1	6.1
025	346	3.3	25.7	6.3
026	334	4.4	24.4	6.3
027	333	2.7	26.6	6.3
028	8	2.7	26.6	6.3
029	9	4.3	26.6	6.3
030	27	3.3	26.6	6.3
031	49	4.3	26.6	6.3
032	120	2.2	27.2	6.3
TRANSIT DOSE =	3.5	+- .3	4.9	

PALO VERDE
FOR THE PERIOD 851216-860429

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	25.6 +- 4.7	3
11.25-33.75 (NNE)	21.0 +- 1.3	2
33.75-56.25 (NE)	22.3 +- 1.0	2
56.25-78.75 (ENE)	22.3 +- .6	2
78.75-101.25 (E)	21.5 +- 0.0	1
101.25-123.75 (ESE)	22.0 +- 2.4	2
123.75-146.25 (SE)	20.8 +- 1.0	2
146.25-168.75 (SSW)	20.4 +- .3	2
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	23.0 +- .9	2
213.75-236.25 (SW)	21.8 +- .7	2
236.25-258.75 (WSW)	23.7 +- 0.0	1
258.75-281.25 (W)	21.4 +- 0.0	1
281.25-303.75 (WNW)	21.6 +- 0.0	1
303.75-326.25 (NW)	21.8 +- 0.0	1
326.25-348.75 (NNW)	22.7 +- .8	4

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	21.8 +- 1.0	9
2-5	22.7 +- 2.6	15
>5	22.0 +- 1.3	4
UPWIND CONTROL DATA	20.7 +- 1.1	3

132

MAP FOR PARLO VERDE

Map will be provided for this site in the future.

PEACH BOTTOM
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851219-860402 105 DAYS
FIELD TIME 83 DAYS

PERCH BOTTOM
FOR THE PERIOD 851219-860402

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.7 +- 2.3	2
11.25-33.75 (NNE)	16.3 +- 2.4	3
33.75-56.25 (NE)	17.0 +- 1.7	2
56.25-78.75 (ENE)	16.4 +- 1.2	2
78.75-101.25 (E)	18.5 +- .1	2
101.25-123.75 (ESE)	15.4 +- 2.6	2
123.75-146.25 (SE)	13.8 +- 0.8	1
146.25-168.75 (SSE)	16.5 +- 1.4	3
168.75-191.25 (S)	19.0 +- 1.9	3
191.25-213.75 (SSW)	18.6 +- .4	2
213.75-236.25 (SW)	16.4 +- 3.6	2
236.25-258.75 (WSW)	18.2 +- .4	2
258.75-281.25 (W)	19.9 +- .5	3
281.25-303.75 (WNW)	18.5 +- 2.3	2
303.75-326.25 (NW)	17.1 +- 2.6	2
326.25-348.75 (NNW)	16.0 +- 1.2	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.9 +- 1.7	11
2-5	17.5 +- 2.1	19
>5	16.2 +- 2.5	6
UPWIND CONTROL DATA	14.1 +- .2	3

135

MAP FOR PEACH BOTTOM

Map will be provided for this site in the future.

PERRY

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860403 109 DAYS
 FIELD TIME 79 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	72	5.6	5.5
003	88	5.6	5.4
004	112	6.0	
005	136	4.0	
006	155	5.5	
007	178	5.5	
008	205	4.0	
009	220	5.5	
010	225	4.0	
011	240	5.5	
012	225	1.9	
013	225	1.9	
014	212	1.2	
015	240	1.4	
016	225	0.8	
017	205	0.8	
018	180	0.8	
019	152	1.1	
020	123	1.6	
021	105	1.4	
022	85	1.2	
023	65	1.4	
024	40	0.8	
025	40	0.8	
026	182	0.8	
027	175	0.8	
TRANSIT DOSE =	2.0	+- .3 ; 4.2	


PERRY
FOR THE PERIOD 851216-860403

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	14.9 +- 0.0	1
56.25-78.75 (ENE)	15.7 +- 1.1	2
78.75-101.25 (E)	13.5 +- 1.3	2
101.25-123.75 (ESE)	15.0 +- .2	2
123.75-146.25 (SE)	15.4 +- 0.0	1
146.25-168.75 (SSE)	17.3 +- 2.7	2
168.75-191.25 (S)	15.4 +- .5	4
191.25-213.75 (SSW)	14.3 +- 1.7	2
213.75-236.25 (SW)	15.4 +- 1.7	3
236.25-258.75 (WSW)	15.7 +- 1.3	2
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.7 +- 1.1	10
2-5	15.9 +- 1.7	6
>5	15.8 +- 1.3	5
UPWIND CONTROL DATA	14.1 +- .2	2

NRC TLD DOSES FOR PERRY AREA
(mR per 90 days)



PILGRIM
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851219-860407 110 DAYS
 FIELD TIME 88 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	288	.1	53.8 +- 1.6	3.3 NO NET DATA
002	310	.2	22.6 +- .7	3.3 NO NET DATA
005	289	.7	21.9 +- .7	3.3 NO NET DATA
006	261	1.7	19.3 +- .6	3.9 NO NET DATA
007	270	1.7	22.6 +- .7	3.4 NO NET DATA
008	247	1.7	21.0 +- .6	3.2 NO NET DATA
009	224	1.7	20.8 +- .6	3.1 NO NET DATA
010	205	1.7	24.6 +- .7	3.6 NO NET DATA
011	184	0.3	23.7 +- .7	3.5 NO NET DATA
012	159	.4	MISSING OR DAMAGED DOSIMETER	
013	146	.7	20.3 +- .6	3.8 NO NET DATA
014	155	1	21.1 +- .6	3.2 NO NET DATA
016	136	1.3	19.8 +- .6	3.8 NO NET DATA
018	212	.8	19.2 +- .6	3.9 NO NET DATA
019	232	1	18.5 +- .6	3.9 NO NET DATA
021	256	1.7	20.6 +- .7	3.1 NO NET DATA
022	138	2.3	19.8 +- .7	3.9 NO NET DATA
023	146	2.3	19.7 +- .7	3.9 NO NET DATA
025	168	1.1	19.7 +- .7	3.9 NO NET DATA
026	180	1.1	18.9 +- .7	3.9 NO NET DATA
027	231	1.1	19.9 +- .7	3.9 NO NET DATA
030	153	2.2	21.9 +- .7	3.3 NO NET DATA
031	179	2.2	18.9 +- .7	3.3 NO NET DATA
032	217	2.2	18.7 +- .7	3.3 NO NET DATA
033	234	2.2	20.6 +- .7	3.1 NO NET DATA
037	264	4.0	17.9 +- .7	2.7 NO NET DATA
038	152	3.5	20.1 +- .7	3.8 NO NET DATA
039	155	3.5	19.9 +- .7	3.8 NO NET DATA
040	272	4.0	20.5 +- .7	3.1 NO NET DATA
042	281	4.0	19.9 +- .7	3.9 NO NET DATA
043	291	5.0	21.9 +- .7	3.3 NO NET DATA
045	197	88.6	18.8 +- .7	2.7 NO NET DATA
047	301	26.	20.3 +- .7	3.1 NO NET DATA
048	301	26.	20.3 +- .7	3.0 NO NET DATA
049	301	26.	19.6 +- .7	2.9 NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)

COMMENTS:

STATION 1 IS ON LICENSEE PROPERTY (PILGRIM OVERLOOK AREA).
 ACCESS IS CONTROLLED


PILGRIM
FOR THE PERIOD 851219-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	16.3 +- .2	4
146.25-168.75 (SSE)	16.8 +- .7	5
168.75-191.25 (S)	16.7 +- 2.3	3
191.25-213.75 (SSW)	16.7 +- 2.6	3
213.75-236.25 (SW)	16.1 +- .9	5
236.25-258.75 (WSW)	17.2 +- .5	2
258.75-281.25 (W)	16.4 +- 1.5	5
281.25-303.75 (WNW)	26.6 +- 15.1	3
303.75-326.25 (NW)	18.0 +- 0.0	1
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.5 +- 6.5	18
2-5	16.2 +- .9	10
>5	16.3 +- 1.6	- 3
UPWIND CONTROL DATA	16.4 +- .4	- 3

NRC TLD DOSES FOR PILGRIM AREA
(mR per 90 days)



PRAIRIE ISLAND
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860407 112 DAYS
 FIELD TIME 95 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	312	17.	16.8	4.5
002	310	15.	15.8	4.4
003	310	15.	14.0	4.4
004	308	4.1	14.0	4.4
005	297	1.3	16.0	4.3
006	287	0.	14.0	4.4
007	313	0.	16.0	4.4
008	244	0.	15.0	4.4
009	194	0.	15.0	4.4
010	155	0.	15.0	4.4
011	129	1.4	14.0	4.4
012	153	0.	14.0	4.3
013	217	0.	14.0	4.4
014	178	0.	14.0	4.4
015	272	0.	14.0	4.4
016	255	0.	14.0	4.4
017	225	0.	14.0	4.4
018	233	0.	14.0	4.4
019	208	0.	14.0	4.6
020	187	0.	14.0	4.4
021	160	0.	14.0	4.4
022	140	0.	14.0	4.4
023	131	0.	14.0	4.4
024	117	0.	14.0	4.4
025	89	0.	14.0	4.4
026	69	0.	14.0	4.3
027	47	0.	14.0	4.4
028	19	0.	14.0	4.4
029	356	0.	14.0	4.4
030	346	0.	14.0	4.4
031	344	0.	14.0	4.4
032	343	0.	14.0	4.4
033	17	0.	14.0	4.4
034	45	0.	14.0	4.4
035	40	0.	14.0	4.4
036	361	0.	14.0	4.4
037	36	0.	14.0	4.4
038	36	0.	14.0	4.4
039	10	0.	14.0	4.4
040	111	0.	14.0	4.4
TRANSIT DOSE =	.3	+- .2	; 4.0	
			OR DAMAGED DOSIMETER	
			MISSING	
			DAMAGED DOSIMETER	
			MISSING	
			DAMAGED DOSIMETER	


PRAIRIE ISLAND
FOR THE PERIOD 851217-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	14.3 +- .3	2
11.25-33.75 (NNE)	13.4 +- .8	1
33.75-56.25 (NE)	14.0 +- .3	3
56.25-78.75 (ENE)	13.7 +- 1.2	2
78.75-101.25 (E)	14.6 +- .9	2
101.25-123.75 (ESE)	14.0 +- .1	2
123.75-146.25 (SE)	14.4 +- .7	5
146.25-168.75 (SSE)	13.9 +- .7	3
168.75-191.25 (S)	14.1 +- .5	2
191.25-213.75 (SSW)	14.1 +- .1	2
213.75-236.25 (SW)	14.7 +- 1.7	3
236.25-258.75 (WSW)	14.0 +- .1	2
258.75-281.25 (W)	13.6 +- .2	2
281.25-303.75 (WNW)	14.2 +- 1.2	2
303.75-326.25 (NW)	13.1 +- .8	2
326.25-348.75 (NNW)	15.9 +- 1.2	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	13.8 +- .6	15
2-5	14.4 +- .9	15
>5	14.6 +- 1.1	5
UPWIND CONTROL DATA	14.1 +- .6	3

NRC TLD DOSES FOR PRAIRIE ISLAND AREA
(mR per 90 days)



QUAD CITIES
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851205-860328 114 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	7	0.7	.4
002	17	1.2	.4
003	45	1.1	.4
004	65	1.1	.4
005	90	0.9	.4
006	136	1.1	.4
007	175	1.0	.4
008	157	1.0	.4
009	186	1.1	.4
010	188	1.0	.4
011	156	1.1	.4
012	142	1.2	.4
013	121	1.0	.4
014	114	1.0	.4
015	69	1.4	.4
016	62	1.4	.4
017	33	1.4	.4
018	33	1.4	.4
019	33	1.4	.4
020	33	1.4	.4
021	33	1.4	.4
022	33	1.4	.4
023	33	1.4	.4
024	33	1.4	.4
025	33	1.4	.4
026	33	1.4	.4
027	33	1.4	.4
028	33	1.4	.4
029	33	1.4	.4
030	33	1.4	.4
031	33	1.4	.4
032	33	1.4	.4
033	33	1.4	.4
034	33	1.4	.4
035	33	1.4	.4
036	33	1.4	.4
037	33	1.4	.4
038	33	1.4	.4
039	33	1.4	.4
040	301	1.1	.4
041	301	1.1	.4
TRANSIT DOSE =	.4	+.2	.4


QUAD CITIES
FOR THE PERIOD 851205-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	15.0 +- 2.1	3
11.25-33.75 (NNE)	14.1 +- .8	2
33.75-56.25 (NE)	14.7 +- .8	4
56.25-78.75 (ENE)	15.5 +- 2.3	2
78.75-101.25 (E)	14.7 +- .4	2
101.25-123.75 (ESE)	14.2 +- .1	2
123.75-146.25 (SE)	14.4 +- .1	2
146.25-168.75 (SSW)	14.9 +- .6	2
168.75-191.25 (S)	15.8 +- 1.0	3
191.25-213.75 (SSW)	16.2 +- 2.5	2
213.75-236.25 (SW)	15.5 +- .3	2
236.25-258.75 (WSW)	16.1 +- .2	2
258.75-281.25 (W)	14.3 +- 1.0	2
281.25-303.75 (NNW)	14.1 +- .5	3
303.75-326.25 (NW)	16.7 +- 1.3	2
326.25-348.75 (NNW)	15.9 +- .3	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	14.3 +- 1.0	11
2-5	15.3 +- 1.0	21
>5	15.7 +- 1.6	- 6
UPWIND CONTROL DATA	14.6 +- .4	3

NRC TLD DOSES FOR QUAD-CITIES AREA
(mR per 90 days)



RANCHO SECO

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860429 135 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.	
			+-	+-
001	288	16.	21.5	6.1
002	239	12.	23.5	6.3
003	213	16.	24.0	6.4
004	149	9.9	22.2	6.2
005	108	8.2	26.7	6.6
006	86	10.	19.7	6.0
007	83	9.7	21.4	6.1
008	37	7.1	19.9	6.0
009	65	8.0	21.0	6.1
010	43	8.7	21.2	6.1
011	92	6.2	20.8	6.0
012	131	1.1	19.0	6.0
013	358	0.1	21.0	6.1
014	323	0.1	21.0	6.1
015	151	0.0	20.0	6.1
016	219	0.0	20.0	6.1
017	245	1.1	20.0	6.1
018	254	2.1	19.0	5.9
019	323	2.1	21.0	6.1
020	369	5.3	20.0	6.1
021	279	5.3	20.7	6.1
022	244	6.4	23.0	6.2
023	217	4.6	20.4	6.0
024	356	11.	21.5	6.1
025	318	17.	21.0	6.1
026	311	22.	21.4	6.1
027	306	22.	21.0	6.1
028	306	22.	20.3	6.0
029	306	27.	24.1	6.3
030	306	27.	24.1	6.3
TRANSIT DOSE =		4.6 +- .4 ; 5.3		


RANCHO SECO
FOR THE PERIOD 851216-860429

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.8 +- .2	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	15.7 +- .9	2
56.25-78.75 (ENE)	16.2 +- 0.8	1
78.75-101.25 (E)	15.5 +- .8	3
101.25-123.75 (ESE)	21.8 +- 0.8	1
123.75-146.25 (SE)	14.9 +- 0.8	1
146.25-168.75 (SSW)	16.6 +- .9	2
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	19.9 +- 0.0	1
213.75-236.25 (SW)	15.8 +- .3	2
236.25-258.75 (WSW)	16.7 +- 2.0	4
258.75-281.25 (W)	15.9 +- 0.0	1
281.25-303.75 (WNW)	16.7 +- 0.0	1
303.75-326.25 (NW)	17.4 +- 1.5	6
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.0 +- .6	9
2-5	14.9 +- .9	2
>5	17.5 +- 1.9	16
UPWIND CONTROL DATA	16.0 +- .5	3

NRC TLD DOSES FOR RANCHO SECO AREA
(mR per 90 days)



RIVER BEND
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860328 103 DAYS
 FIELD TIME 78 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	348	1.3	NO NET DATA
002	42	1.1	NO NET DATA
003	61	1.1	NO NET DATA
004	90	0.6	NO NET DATA
005	107	0.6	NO NET DATA
006	136	0.6	NO NET DATA
007	166	1.0	NO NET DATA
008	182	0.5	NO NET DATA
009	195	0.5	NO NET DATA
010	226	0.4	NO NET DATA
011	254	0.4	NO NET DATA
012	276	0.5	NO NET DATA
013	295	0.5	NO NET DATA
014	326	0.5	NO NET DATA
015	332	0.5	NO NET DATA
016	312	0.5	NO NET DATA
017	362	0.5	NO NET DATA
018	278	0.5	NO NET DATA
019	242	0.5	NO NET DATA
020	195	0.5	NO NET DATA
021	215	0.5	NO NET DATA
022	233	0.5	NO NET DATA
023	246	0.5	NO NET DATA
024	234	0.5	NO NET DATA
025	185	0.5	NO NET DATA
026	322	0.5	NO NET DATA
027	346	0.5	NO NET DATA
028	354	0.5	NO NET DATA
029	368	0.5	NO NET DATA
030	221	0.5	NO NET DATA
031	40	0.5	NO NET DATA
032	52	0.5	NO NET DATA
033	55	0.5	NO NET DATA
034	326	0.5	NO NET DATA
035	332	0.5	NO NET DATA
036	111	0.5	NO NET DATA
037	131	0.5	NO NET DATA
038	155	0.5	NO NET DATA
039	120	0.6	NO NET DATA
040	121	1.1	NO NET DATA
041	180	1.1	NO NET DATA
042	150	2.0	NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)


RIVER BEND
FOR THE PERIOD 851216-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.5 +- 1.0	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	8
33.75-56.25 (NE)	17.8 +- 1.6	3
56.25-78.75 (ENE)	18.1 +- .3	2
78.75-101.25 (E)	17.3 +- .7	2
101.25-123.75 (ESE)	17.7 +- 1.5	4
123.75-146.25 (SE)	18.9 +- .7	2
146.25-168.75 (SSE)	17.3 +- 2.1	2
168.75-191.25 (S)	19.7 +- 2.0	3
191.25-212.75 (SSW)	18.0 +- 1.3	2
213.75-236.25 (SW)	17.1 +- 1.7	5
236.25-258.75 (WSW)	19.2 +- 1.5	3
258.75-281.25 (W)	17.3 +- .5	2
281.25-303.75 (WNW)	17.7 +- 2.3	2
303.75-326.25 (NW)	18.9 +- .5	4
326.25-348.75 (NNW)	18.8 +- .5	5

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.4 +- 1.3	15
2-5	18.6 +- 1.5	8
>5	17.9 +- 1.4	- 20
UPWIND CONTROL DATA	16.6 +- 0.0	1

NRC TLD DOSES FOR RIVER BEND AREA
(mR per 90 days)



ROBINSON
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860423 128 DAYS
 FIELD TIME 88 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	191	0.2	6.7
002	151	1.9	6.6
003	134	2.9	5.5
004	119	1.9	5.3
005	89	2.1	6.1
006	65	1.0	6.6
007	46	1.0	5.9
008	27	0.0	5.3
010	22	0.0	5.3
011	0	0.0	5.3
012	51	0.0	5.3
013	67	0.0	5.3
014	87	0.0	5.3
015	109	0.0	5.3
016	118	0.0	5.3
017	115	0.0	5.3
018	199	0.0	5.3
020	208	0.0	5.3
021	226	0.0	5.3
022	178	0.0	5.3
023	167	0.0	5.3
024	181	0.0	5.3
025	194	0.0	5.3
026	229	0.0	5.3
027	245	0.0	5.3
028	311	0.0	5.3
029	314	0.0	5.3
030	333	0.0	5.3
031	333	0.0	5.3
032	333	0.0	5.3
033	333	0.0	5.3
034	333	0.0	5.3
035	333	0.0	5.3
036	333	0.0	5.3
037	333	0.0	5.3
038	333	0.0	5.3
039	333	0.0	5.3
040	291	17	5.9
041			
TRANSIT DOSE =		3.9 +- .3 ; 4.9	


ROBINSON
FOR THE PERIOD 851217-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	15.8 +- 1.0	2
11.25-33.75 (NNE)	19.6 +- .6	2
33.75-56.25 (NE)	19.7 +- .8	2
56.25-78.75 (ENE)	18.3 +- .3	2
78.75-101.25 (E)	17.9 +- 2.7	2
101.25-123.75 (ESE)	16.0 +- .6	4
123.75-146.25 (SE)	20.3 +- .1	2
146.25-168.75 (SSE)	21.7 +- 5.2	2
168.75-191.25 (S)	15.6 +- 1.8	2
191.25-213.75 (SSW)	18.7 +- 1.5	2
213.75-236.25 (SW)	19.7 +- 1.6	2
236.25-258.75 (WSW)	17.0 +- 1.3	2
258.75-281.25 (W)	17.4 +- 3.3	3
281.25-303.75 (WNW)	17.5 +- 5.2	2
303.75-326.25 (NW)	18.2 +- .1	2
326.25-348.75 (NNW)	17.7 +- .2	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	17.9 +- 3.1	13
2-5	18.0 +- 1.9	18
>5	18.7 +- 2.4	4
UPWIND CONTROL DATA	15.7 +- 1.1	3

NRC TLD DOSES FOR ROBINSON AREA
(mR per 90 days)



ST.LUCIE
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851218-860415 119 DAYS
FIELD TIME 80 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	20	14.8 +- .4	11.0 mR
002	45	15.0 +- .4	12.0 mR
003	67	MISSING OR	10.0 mR
004	92	DAMAGED	11.0 mR
005	115	14.1 +- .4	10.0 mR
006	143	14.6 +- .4	8.0 mR
007	150	12.3 +- .4	8.0 mR
008	154	11.0 +- .4	11.0 mR
010	158	14.3 +- .4	9.0 mR
011	159	13.0 +- .4	11.0 mR
012	160	14.1 +- .4	9.0 mR
013	160	14.0 +- .4	11.0 mR
014	160	12.0 +- .4	11.0 mR
015	160	14.4 +- .4	10.0 mR
016	160	16.0 +- .4	14.0 mR
017	160	13.4 +- .4	10.0 mR
018	160	12.0 +- .4	10.0 mR
019	160	12.0 +- .4	10.0 mR
020	160	13.4 +- .4	11.0 mR
021	160	12.0 +- .4	10.0 mR
022	160	12.0 +- .4	10.0 mR
023	160	13.4 +- .4	10.0 mR
024	160	14.0 +- .4	11.0 mR
025	160	12.0 +- .4	10.0 mR
026	160	13.4 +- .4	10.0 mR
027	160	14.0 +- .4	11.0 mR
028	160	12.0 +- .4	10.0 mR
029	160	13.4 +- .4	10.0 mR
030	160	14.0 +- .4	11.0 mR
031	160	13.4 +- .4	10.0 mR
032	160	14.0 +- .4	11.0 mR
033	160	12.0 +- .4	10.0 mR
034	160	13.4 +- .4	10.0 mR
035	160	14.0 +- .4	11.0 mR
036	160	13.4 +- .4	10.0 mR
037	160	14.0 +- .4	11.0 mR
038	160	12.0 +- .4	10.0 mR
TRANSIT DOSE	=	4.4 +- .3	5.8 mR


ST.LUCIE
FOR THE PERIOD 851218-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-311.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	11.8 +- 0.0	1
33.75-56.25 (NE)	12.8 +- 0.0	1
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	10.8 +- 0.0	1
101.25-123.75 (ESE)	11.5 +- 0.0	1
123.75-146.25 (SE)	8.9 +- 0.0	1
146.25-168.75 (SSE)	9.7 +- 1.4	3
168.75-191.25 (S)	11.2 +- 2.0	4
191.25-213.75 (SSW)	9.7 +- .7	3
213.75-236.25 (SW)	11.8 +- 2.1	3
236.25-258.75 (WSW)	9.6 +- .6	3
258.75-281.25 (W)	10.7 +- 1.6	2
281.25-303.75 (WNW)	10.7 +- .6	3
303.75-326.25 (NW)	11.0 +- .7	3
326.25-348.75 (NNW)	10.7 +- .7	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	10.8 +- 1.4	9
2-5	10.3 +- .9	11
>5	10.9 +- 1.6	12
UPWIND CONTROL DATA	10.8 +- 1.0	3

NRC TLD DOSES FOR ST. LUCIE AREA
(mR per 90 days)



SALEM

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851230-860413 105 DAYS
 FIELD TIME 96 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	87 3.3	14.9 +- .4	4.6
002	79 3.4	14.2 +- .4	4.5
003	72 3.6	MISSING OR DAMAGED DOSIMETER	
004	58 4.0	16.7 +- .5	4.7
005	54 4.0	15.6 +- .4	4.6
006	68 4.0	13.8 +- .4	4.5
007	49 5.2	15.4 +- .5	4.7
008	116 12.0	15.0 +- .5	4.6
010	60 5.0	15.5 +- .5	4.7
011	15 8.1	14.8 +- .4	4.6
012	24 8.6	14.9 +- .4	4.7
013	49 8.6	14.1 +- .4	4.6
014	98 8.7	13.5 +- .4	4.5
015	105 8.4	13.4 +- .4	4.5
TRANSIT DOSE =		1.1 +- .3 ; 4.3	

COMMENTS:

THIS STATION TLD EXCHANGE IS DIVIDED BETWEEN THE STATES OF
 N.J. AND DEL. STATION 1-16 (N.J.), STATION 17-50 (DEL.)


SALEM
FOR THE PERIOD 851230-860413

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.5 +- 0.0	1
11.25-33.75 (NNE)	12.8 +- .1	2
33.75-56.25 (NE)	12.8 +- .6	3
56.25-78.75 (ENE)	13.3 +- 1.9	2
78.75-101.25 (E)	12.3 +- .7	3
101.25-123.75 (ESE)	12.7 +- 1.6	2
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	NO DATA+-NO DATA	0
2-5	13.2 +- 1.0	4
>5	12.6 +- .8	- 9
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR SALEM AREA
(mR per 90 days)



SALEM

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851230-860413 105 DAYS
 FIELD TIME 96 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS			NET EXPOSURE RATE		
			+- Rdm	Total	mR/Std.Qtr.	+- Rdm	Total	mR/Std.Qtr.
017	331	4.1	13.8	+- .4	2.1	12.9	+- .4	3.8
018	320	3.3	11.7	+- .4	1.0	11.6	+- .4	3.7
019	299	3.4	12.6	+- .4	1.9	11.8	+- .4	3.8
020	330	3.8	16.1	+- .5	2.4	15.1	+- .5	4.0
021	276	3.5	14.6	+- .4	2.3	13.6	+- .4	3.9
022	266	4.1	15.6	+- .5	2.8	14.0	+- .5	3.8
023	257	4.4	13.1	+- .4	2.3	12.6	+- .4	3.8
024	248	4.4	15.2	+- .5	2.3	14.3	+- .5	4.0
025	217	4.9	14.0	+- .4	2.1	13.1	+- .4	3.9
026	264	3.3	13.1	+- .4	2.3	12.2	+- .4	3.8
027	188	4.3	15.0	+- .5	2.3	14.1	+- .5	3.9
028	319	2.8	15.4	+- .5	2.3	14.4	+- .5	4.0
029	265	6.7	12.0	+- .4	1.9	12.6	+- .4	3.8
030	353	12.1	12.9	+- .4	1.9	12.8	+- .4	3.8
031	0	1.0	14.2	+- .4	2.1	13.3	+- .4	3.9
032	338	0.1	12.5	+- .4	1.9	11.7	+- .4	3.8
033	265	9.8	15.1	+- .5	2.3	14.2	+- .5	3.9
034	270	14.1	14.2	+- .4	2.1	13.3	+- .4	3.9

TRANSIT DOSE = 0.0 +- .2 ; 3.5

COMMENTS:

THIS STATION TLD EXCHANGE IS DIVIDED BETWEEN THE STATES OF
 N.J. AND DEL. STATION 1-16 (N.J.), STATION 17-50 (DEL.)


SALEM
FOR THE PERIOD 851230-860413

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	NO DATA+-NO DATA	0
168.75-191.25 (S)	14.1 +- 0.0	1
191.25-213.75 (SSW)	12.2 +- 0.0	1
213.75-236.25 (SW)	13.1 +- 0.0	1
236.25-258.75 (WSW)	13.3 +- 1.4	2
258.75-281.25 (W)	13.5 +- 1.0	5
281.25-303.75 (WNW)	11.8 +- 0.0	1
303.75-326.25 (NW)	11.0 +- 0.0	1
326.25-348.75 (NNW)	13.2 +- 1.7	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	NO DATA+-NO DATA	0
2-5	13.0 +- 1.2	10
>5	13.2 +- 1.4	5
UPWIND CONTROL DATA	13.3 +- 1.2	3

NRC TLD DOSES FOR SALEM AREA
(mR per 90 days)



SAN ONOFRE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860429 135 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	346	29.4 +- .9	23.7 +- 1.0 7.0
002	346	29.0 +- .9	23.3 +- 1.0 7.0
003	346	28.8 +- .9	22.4 +- 1.0 6.9
004	327	23.4 +- .9	17.0 +- 1.0 6.9
005	308	23.2 +- .9	19.5 +- 1.0 6.9
006	307	23.3 +- .9	17.4 +- 1.0 6.9
007	318	23.3 +- .9	17.3 +- 1.0 6.9
008	322	24.9 +- .9	19.1 +- 1.0 6.9
009	311	23.7 +- .9	18.1 +- 1.0 6.9
010	331	23.8 +- .9	22.0 +- 1.0 6.9
011	306	23.8 +- .9	18.0 +- 1.0 6.9
012	285	26.2 +- .9	20.0 +- 1.0 6.7
013	328	23.1 +- .9	17.0 +- 1.0 6.5
014	333	25.4 +- .9	19.0 +- 1.0 6.7
015	30	MISSING OR DAMAGED DOSIMETER	6.7
016	8	1.0 +- .9	6.7
017	39/	1.0 +- .9	6.3
018	55	1.0 +- .9	6.3
019	77	1.0 +- .9	6.3
020	87	1.0 +- .9	6.3
021	246	4.1 +- .4	5.0
022	307	4.1 +- .4	5.0
023	245	4.7 +- .4	5.0
024	307	3.5 +- .4	4.4
025	126	3.4 +- .4	4.4
026	81	3.4 +- .4	4.4
027	136	2.1 +- .1	4.4
028	99	2.1 +- .1	4.4
029	135	1.1 +- .0	4.4
030	126	1.1 +- .0	4.4
031	126	2.2 +- .0	4.4
032	140	2.2 +- .0	4.4
033	126	2.4 +- .0	4.4
TRANSIT DOSE =	5.4 +- .4	5.5	5.4


SAN ONOFRE
FOR THE PERIOD 851216-860429

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	19.5 +- 5.5	2
11.25-33.75 (NNE)	20.3 +- 2.2	3
33.75-56.25 (NE)	17.9 +- 0.0	1
56.25-78.75 (ENE)	21.0 +- 0.0	1
78.75-101.25 (E)	18.7 +- 1.9	3
101.25-123.75 (ESE)	14.8 +- 0.0	1
123.75-146.25 (SE)	16.5 +- 3.0	6
146.25-168.75 (SSE)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	19.4 +- 1.7	2
303.75-326.25 (NW)	18.5 +- 1.0	7
326.25-348.75 (NNW)	20.0 +- 3.1	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.9 +- 2.7	7
2-5	19.3 +- 2.9	11
>5	17.9 +- 1.6	- 10
UPWIND CONTROL DATA	23.2 +- .7	3

NRC TLD DOSES FOR SAN ONOFRE AREA
(mR per 90 days)



SEABROOK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860401 105 DAYS
 FIELD TIME 84 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	157	0.7	NO NET DATA
002	179	0.7	NO NET DATA
003	199	0.7	NO NET DATA
004	223	0.9	NO NET DATA
005	244	1.2	NO NET DATA
006	293	1.2	NO NET DATA
007	275	0.8	NO NET DATA
008	317	2.1	NO NET DATA
009	331	1.1	NO NET DATA
010	358	1.1	NO NET DATA
011	26	2.2	NO NET DATA
012	58	2.2	NO NET DATA
013	88	1.1	NO NET DATA
014	43	4.1	NO NET DATA
015	26	4.1	NO NET DATA
016	322	1.2	NO NET DATA
017	292	3.3	NO NET DATA
018	263	4.4	NO NET DATA
019	253	4.4	NO NET DATA
020	232	4.4	NO NET DATA
021	213	6.6	NO NET DATA
022	189	6.6	NO NET DATA
023	166	4.1	NO NET DATA
024	177	4.1	NO NET DATA
025	159	4.3	NO NET DATA
026	138	2.4	NO NET DATA
027	117	4.4	NO NET DATA
030	66	2.1	NO NET DATA
031	336	5.4	NO NET DATA
032	237	10.0	NO NET DATA
033	237	10.0	NO NET DATA
034	237	10.0	NO NET DATA
035	237	19.1	2.7 NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)


SEABROOK
FOR THE PERIOD 851218-860401

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	14.6 +- .2	2
11.25-33.75 (NNE)	14.5 +- .2	2
33.75-56.25 (NE)	14.3 +- .1	2
56.25-78.75 (ENE)	14.7 +- 0.0	1
78.75-101.25 (E)	14.3 +- 0.0	1
101.25-123.75 (ESE)	13.5 +- 0.0	1
123.75-146.25 (SE)	14.7 +- 0.0	1
146.25-168.75 (SSE)	14.1 +- .6	3
168.75-191.25 (S)	14.6 +- .9	3
191.25-213.75 (SSW)	14.4 +- 1.6	2
213.75-236.25 (SW)	14.7 +- .1	2
236.25-258.75 (WSW)	15.1 +- 1.1	3
258.75-281.25 (W)	14.1 +- .5	2
281.25-303.75 (WNW)	14.6 +- .2	2
303.75-326.25 (NW)	14.8 +- 1.1	2
326.25-348.75 (NNW)	14.9 +- .2	2

DISTANCE(mi) FROM THE REACTOR	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.3 +- .5	10
2-5	14.4 +- .6	13
>5	15.0 +- .7	- 8
UPWIND CONTROL DATA	14.4 +- .6	3

NRC TLD DOSES FOR SEABROOK AREA
(mR per 90 days)



SEQUOYAH
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860415 120 DAYS
 FIELD TIME 87 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	218	12.0	6.1
002	206	13.0	5.9
003	203	13.0	6.2
004	199	13.0	6.0
005	181	11.0	6.4
006	153	10.0	5.9
007	139	10.0	6.0
008	115	10.0	5.9
009	84	10.0	6.0
010	66	10.0	6.0
011	45	10.0	6.1
012	14	10.0	6.3
013	2.0	MISSING	OR DAMAGED DOSIMETER
014	19	10.0	6.0
015	48	10.0	5.9
016	65	10.0	6.0
017	90	10.0	6.1
018	111	10.0	6.0
019	135	10.0	6.0
020	158	10.0	5.9
021	184	10.0	6.2
022	233	11.0	6.0
023	219	11.0	6.0
024	241	11.0	6.0
025	235	11.0	5.9
026	248	11.0	6.2
027	6	11.0	6.0
028	291	11.0	6.0
029	309	11.0	5.4
030	338	11.0	6.1
031	339	11.0	6.1
032	335	11.0	5.9
033	334	11.0	5.9
034	317	11.0	6.1
035	277	11.0	6.1
036	283	11.0	5.9
037	273	11.0	6.0
038	302	11.0	6.1
039	298	11.0	6.1
040	209	11.0	6.0
041	318	6.1	6.0
TRANSIT DOSE = 4.4 +- .3 ; 5.0		15.4 +- .7	15.4 +- .7


SEQUOYAH
FOR THE PERIOD 851217-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	16.8 +- 2.3	2
33.75-56.25 (NE)	14.4 +- 2.6	2
56.25-78.75 (ENE)	14.9 +- .4	2
78.75-101.25 (E)	15.2 +- 1.6	2
101.25-123.75 (ESE)	15.0 +- .4	2
123.75-146.25 (SE)	14.4 +- .3	2
146.25-168.75 (SSW)	14.0 +- 1.4	2
168.75-191.25 (S)	18.8 +- 1.9	2
191.25-213.75 (SW)	15.8 +- 2.3	3
213.75-236.25 (SW)	15.9 +- 2.0	4
236.25-258.75 (WSW)	16.8 +- 1.6	2
258.75-281.25 (W)	14.9 +- 1.1	3
281.25-303.75 (WNW)	14.6 +- .8	2
303.75-326.25 (NW)	17.7 +- 3.3	2
326.25-348.75 (NNW)	15.7 +- 1.8	3

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.2 +- 2.0	16
2-5	15.2 +- 1.9	14
>5	15.3 +- 1.0	5
UPWIND CONTROL DATA	15.5 +- .4	3

NRC TLD DOSES FOR SEQUOYAH AREA
(mR per 90 days)



SHOREHAM

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851218-860417 121 DAYS
FIELD TIME 93 DAYS

NPC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	265	10	15.5
002	268	4.4	15.0
003	256	3.2	15.0
004	268	2.1	15.0
005	243	1.	15.0
007	136	1.	15.0
008	116	0.	15.0
009	91	0.	15.0
010	73	0.	15.0
011	62.	0.	15.0
012	75	1.6	15.0
013	80	2.1	15.0
014	119	4.2	15.0
015	118	10.1	15.0
016	138	14.1	15.0
017	162	12.	15.0
018	174	11.	15.0
019	189	MISSING	15.0
021	163	16.	15.0
022	149	19.0	15.0
023	177	19.0	15.0
024	196	19.0	15.0
025	217	19.0	15.0
026	215	19.0	15.0
027	205	19.0	15.0
028	233	19.0	15.0
029	224	19.0	15.0
031	202	19.0	15.0
032	216	19.0	15.0
033	216	19.0	15.0
034	27	19.0	15.0
035	50	19.0	15.0
036	133	19.0	15.0
TRANSIT DOSE =	2.0 +- .3	18.1 ; 4.5	15.0


SHOREHAM
FOR THE PERIOD 851218-860417

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	15.7 +- 0.0	1
33.75-56.25 (NE)	16.8 +- 0.0	1
56.25-78.75 (ENE)	13.3 +- .0	3
78.75-101.25 (E)	14.1 +- .6	2
101.25-123.75 (ESE)	16.1 +- 1.7	3
123.75-146.25 (SE)	15.0 +- .6	3
146.25-168.75 (SSE)	14.4 +- 1.4	3
168.75-191.25 (S)	15.0 +- 1.0	2
191.25-213.75 (SSW)	14.3 +- .9	3
213.75-236.25 (SW)	13.5 +- .8	4
236.25-258.75 (WSW)	14.2 +- .9	2
258.75-281.25 (W)	14.4 +- .8	3
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.9 +- 1.3	13
2-5	14.3 +- 1.0	9
>5	14.2 +- 1.3	8
UPWIND CONTROL DATA	14.4 +- .2	3

NRC TLD DOSES FOR SHOREHAM AREA
 (mR per 90 days)



SUMMER
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851217-860423 128 DAYS
FIELD TIME 85 DAYS

NRC STATION	LOCATION		GROSS EXPOSURE(mR)	NET EXPOSURE RATE
	AZIMUTH/DIST (deg.)	(mi.)		
001	199	3.7	+1.1	+1.0
002	111	3.0	+1.1	+1.0
003	349	4.1	+1.1	+1.0
004	192	5.2	+1.1	+1.0
005	72	5.4	+1.1	+1.0
006	46	3.1	+1.1	+1.0
007	31	1.3	+1.1	+1.0
008	7	3.9	+1.1	+1.0
010	349	3.3	+1.1	+1.0
011	328	6.4	+1.1	+1.0
012	333	9.8	+1.1	+1.0
013	333	11.4	+1.1	+1.0
014	333	13.2	+1.1	+1.0
015	333	15.3	+1.1	+1.0
016	333	17.3	+1.1	+1.0
017	333	18.5	+1.1	+1.0
018	333	21.6	+1.1	+1.0
019	333	23.6	+1.1	+1.0
020	333	25.6	+1.1	+1.0
021	333	27.6	+1.1	+1.0
022	333	29.6	+1.1	+1.0
023	333	31.6	+1.1	+1.0
024	333	33.6	+1.1	+1.0
025	333	35.6	+1.1	+1.0
026	333	37.6	+1.1	+1.0
027	333	39.6	+1.1	+1.0
028	333	41.6	+1.1	+1.0
029	333	43.6	+1.1	+1.0
030	333	44.4	+1.1	+1.0
031	192	1.3	+1.1	+1.0
032	184	1.3	+1.1	+1.0
033	183	1.3	+1.1	+1.0
034	182	1.3	+1.1	+1.0
035	140	0.3	+1.1	+1.0
036	138	0.3	+1.1	+1.0
037	136	0.3	+1.1	+1.0
038	134	0.3	+1.1	+1.0
039	132	0.3	+1.1	+1.0
TRANZIT	DOSIMETER	0.0	0.0	0.0


SUMMER
FOR THE PERIOD 851217-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	26.0 +- 4.3	2
11.25-33.75 (NNE)	28.6 +- 4.0	3
33.75-56.25 (NE)	27.3 +- 2.5	2
56.25-78.75 (ENE)	25.7 +- .1	2
78.75-101.25 (E)	25.0 +- 0.0	1
101.25-123.75 (ESE)	23.8 +- 1.2	2
123.75-146.25 (SE)	19.3 +- 5.1	2
146.25-168.75 (SSE)	18.3 +- 2.7	3
168.75-191.25 (S)	19.0 +- .8	2
191.25-213.75 (SSW)	21.5 +- 2.5	4
213.75-236.25 (SW)	17.9 +- 1.0	2
236.25-258.75 (WSW)	20.6 +- 1.6	3
258.75-281.25 (W)	22.8 +- 1.8	2
281.25-303.75 (WNW)	29.4 +- 0.0	1
303.75-326.25 (NW)	28.8 +- 2.2	2
326.25-348.75 (NNW)	27.8 +- 1.6	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	24.7 +- 1.3	4
2-5	23.5 +- 5.0	24
>5	22.2 +- 3.1	- 7
UPWIND CONTROL DATA	14.8 +- .2	- 3

NRC TLD DOSES FOR SUMMER AREA
(mR per 90 days)



SURRY
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860407 111 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	11	19.1	4.9
002	129	17.1	4.4
003	162	17.1	4.4
004	162	17.1	4.4
005	156	17.1	4.4
006	109	17.1	4.4
007	282	1.1	0.1
008	103	1.1	0.1
009	243	0.0	0.0
010	569	0.0	0.0
011	364	0.0	0.0
012	334	0.0	0.0
013	10	0.0	0.0
014	21	0.0	0.0
015	203	0.0	0.0
016	224	0.0	0.0
017	212	0.0	0.0
018	249	0.0	0.0
019	222	0.0	0.0
020	123	0.0	0.0
021	182	0.0	0.0
022	99	0.0	0.0
023	69	0.0	0.0
024	23	0.0	0.0
025	4	0.0	0.0
026	34	0.0	0.0
027	34	0.0	0.0
028	34	0.0	0.0
029	34	0.0	0.0
030	34	0.0	0.0
031	34	0.0	0.0
032	34	0.0	0.0
033	34	0.0	0.0
034	34	0.0	0.0
035	34	0.0	0.0
036	34	0.0	0.0
037	34	0.0	0.0
038	34	0.0	0.0
039	34	0.0	0.0
040	144	0.0	0.0
TRANSIT DOSE =	1.3	+-	1.3

SURRY
FOR THE PERIOD 851218-860407


TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	15.2 +- 2.2	5
11.25-33.75 (NNE)	16.8 +- 1.6	2
33.75-56.25 (NE)	18.5 +- 0.0	1
56.25-78.75 (ENE)	20.2 +- 0.0	1
78.75-101.25 (E)	16.4 +- 0.0	1
101.25-123.75 (ESE)	20.2 +- 3.6	2
123.75-146.25 (SE)	15.8 +- 1.5	2
146.25-168.75 (SSE)	15.6 +- 2.3	4
168.75-191.25 (S)	15.2 +- 1.5	2
191.25-213.75 (SSW)	15.0 +- 1.6	3
213.75-236.25 (SW)	13.6 +- 0.0	1
236.25-258.75 (WSW)	16.0 +- 3.8	2
258.75-281.25 (W)	17.8 +- 3.1	3
281.25-303.75 (WNW)	9.6 +- 0.0	1
303.75-326.25 (NW)	18.1 +- 3.2	3
326.25-348.75 (NNW)	16.6 +- 2.9	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.3 +- 2.2	9
2-5	14.7 +- 2.6	11
>5	16.4 +- 2.4	- 16
UPWIND CONTROL DATA	14.3 +- .7	3

NRC TLD DOSES FOR SURRY AREA

(mR per 90 days)




SUSQUEHANNA
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851219-860402 105 DAYS
 FIELD TIME 79 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	19	1.4	5.0
002	0	1.4	4.9
003	333	1.7	3.3
004	318	1.7	3.1
005	287	1.7	2.9
006	278	1.7	2.8
007	239	1.2	2.3
008	217	1.1	2.1
009	208	1.1	2.0
010	175	1.1	1.9
011	243	1.1	1.8
012	252	1.1	1.7
013	274	1.1	1.6
014	286	1.1	1.5
015	334	1.1	1.4
016	32	1.1	1.3
017	45	1.1	1.2
018	65	1.1	1.1
021	44	1.1	1.0
023	47	1.1	0.9
025	65	1.1	0.8
028	87	1.1	0.7
031	108	1.1	0.6
032	137	1.1	0.5
033	152	1.1	0.4
034	168	1.1	0.3
035	182	1.1	0.2
036	148	1.1	0.1
037	162	1.1	0.0
038	176	1.1	-0.1
039	192	1.1	-0.2
040	231	1.1	-0.3
041	134	1.1	-0.4
042	114	1.1	-0.5
043	156	1.2	-0.6
TRANSIT DOSE =	1.3	+- .2	+- .3

NRC TLD DOSES FOR SURRY AREA

(mR per 90 days)



SUSQUEHANNA
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851219-860402 105 DAYS
 FIELD TIME 79 DAYS

NRC STATION	LOCATION	GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	19	1.4	5.0
002	0	1.4	4.9
003	333	1.7	4.1
004	318	1.7	3.3
005	287	1.7	1.9
006	270	1.3	1.1
007	239	1.0	1.2
008	217	1.4	1.1
009	208	1.2	1.1
010	175	1.1	1.1
011	243	1.1	1.1
012	252	1.4	1.1
013	274	1.4	1.1
014	286	1.4	1.1
015	334	1.4	1.1
016	312	1.4	1.1
017	32	1.4	1.1
018	45	1.4	1.1
019	55	1.4	1.1
020	44	1.2	1.2
021	47	1.2	1.1
022	65	1.2	1.1
023	87	1.4	1.1
024	108	1.4	1.1
025	137	1.4	1.1
026	152	1.3	1.2
027	108	1.3	1.1
028	102	1.3	1.1
029	148	1.4	1.1
030	162	1.4	1.1
031	176	1.4	1.1
032	192	1.4	1.1
033	231	1.2	1.1
034	134	1.3	1.1
035	114	1.3	1.1
036	150	1.3	1.1
TRANSIT DOSE =	1.3	+- .2	1.1


SUSQUEHANNA
FOR THE PERIOD 851219-860402

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.5 +- .7	2
11.25-33.75 (NNE)	17.8 +- 1.3	2
33.75-56.25 (NE)	17.5 +- 1.4	3
56.25-78.75 (ENE)	16.8 +- 1.5	2
78.75-101.25 (E)	18.0 +- 0.8	1
101.25-123.75 (ESE)	17.9 +- 1.0	3
123.75-146.25 (SE)	17.9 +- .4	2
146.25-168.75 (SSE)	19.5 +- .9	2
168.75-191.25 (S)	16.2 +- 1.7	2
191.25-213.75 (SSW)	18.6 +- 1.4	2
213.75-236.25 (SW)	18.5 +- 1.5	2
236.25-258.75 (WSW)	16.8 +- .6	3
258.75-281.25 (W)	18.1 +- 1.6	2
281.25-303.75 (WNW)	18.3 +- .2	2
303.75-326.25 (NW)	15.9 +- .5	2
326.25-348.75 (NNW)	16.3 +- 1.0	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.0 +- 1.3	16
2-5	18.2 +- 1.1	16
>5	17.3 +- .3	- 2
UPWIND CONTROL DATA	17.3 +- 1.2	- 3

NRC TLD DOSES FOR SUSQUEHANNA AREA
(mR per 90 days)



THREE MILE ISLAND
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851219-860402 105 DAYS
 FIELD TIME 88 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std. Str.
001	95	1.1	+ + Rdm;Tot.	+ + Rdm;Tot.
002	101	1.0	+ +	+ +
003	109	1.0	+ +	+ +
004	163	1.0	+ +	+ +
005	161	1.0	+ +	+ +
006	158	1.0	+ +	+ +
007	136	1.0	+ +	+ +
008	033	1.0	+ +	+ +
009	68	1.0	+ +	+ +
010	1	1.0	+ +	+ +
011	245	1.0	+ +	+ +
012	46	1.0	+ +	+ +
013	19	1.0	+ +	+ +
014	358	1.0	+ +	+ +
015	8	1.0	+ +	+ +
016	349	1.0	+ +	+ +
017	343	1.0	+ +	+ +
021	318	1.0	+ +	+ +
022	348	1.0	+ +	+ +
023	17	1.0	+ +	+ +
024	64	1.0	+ +	+ +
025	44	1.0	+ +	+ +
026	335	1.0	+ +	+ +
027	293	1.0	+ +	+ +
028	317	1.0	+ +	+ +
029	285	1.0	+ +	+ +
030	297	1.0	+ +	+ +
031	301	1.0	+ +	+ +
032	267	1.0	+ +	+ +
033	299	1.0	+ +	+ +
034	265	1.0	+ +	+ +
035	295	1.0	+ +	+ +
036	222	1.0	+ +	+ +
037	222	1.0	+ +	+ +
038	200	1.0	+ +	+ +
039	200	1.0	+ +	+ +
040	194	1.0	+ +	+ +
041	194	1.0	+ +	+ +
042	195	1.0	+ +	+ +
043	263	1.0	+ +	+ +
044	238	1.0	+ +	+ +
045	177	1.0	+ +	+ +
046	177	1.0	+ +	+ +
047	182	1.0	+ +	+ +
048	145	1.0	+ +	+ +
049	145	1.0	+ +	+ +
050	145	1.0	+ +	+ +
TRANSPORT DOSE =	.3	+.2	.3 .7	4.5


THREE MILE ISLAND
FOR THE PERIOD 851219-860402

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.6 +- 2.1	5
11.25-33.75 (NNE)	15.8 +- .3	3
33.75-56.25 (NE)	16.3 +- 1.2	2
56.25-78.75 (ENE)	14.7 +- 1.7	2
78.75-101.25 (E)	16.8 +- 1.7	3
101.25-123.75 (ESE)	15.4 +- 0.8	1
123.75-146.25 (SE)	16.5 +- 3.0	3
146.25-168.75 (SSE)	15.7 +- 1.2	3
168.75-191.25 (S)	17.1 +- 2.6	4
191.25-213.75 (SSW)	13.9 +- 1.5	2
213.75-236.25 (SW)	16.3 +- 0.0	1
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	16.6 +- 1.8	4
281.25-303.75 (WNW)	15.5 +- 2.4	2
303.75-326.25 (NW)	14.3 +- 1.2	2
326.25-348.75 (NNW)	14.6 +- 2.9	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.3 +- 1.3	9
2-5	15.6 +- 1.4	18
>5	17.0 +- 2.4	- 12
UPWIND CONTROL DATA	14.4 +- 1.9	- 3

NRC TLD DOSES FOR TMI AREA
(mR per 90 days)



TROJAN
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860417 123 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)	+/- Rdm;Tot.	NET EXPOSURE RATE mR/Std. Str.
001	340	0.0	15.7	+-	12.9
002	334	1.0	16.1	+-	15.3
003	340	1.7	15.4	+-	12.7
004	328	3.9	17.1	+-	14.3
005	308	4.0	16.9	+-	15.1
006	312	4.0	16.7	+-	13.9
007	267	3.0	16.7	+-	16.0
008	274	3.0	16.7	+-	15.4
009	279	1.1	16.0	+-	15.0
010	263	2.1	16.0	+-	14.2
011	245	1.1	16.0	+-	13.2
012	223	1.1	16.0	+-	12.3
013	196	1.1	16.0	+-	11.4
014	188	1.1	16.0	+-	10.5
015	165	1.1	16.0	+-	9.6
016	212	1.1	16.0	+-	8.7
017	236	1.1	16.0	+-	7.8
018	162	1.1	16.0	+-	6.9
019	172	3.4	17.0	+-	6.0
020	334	4.1	17.0	+-	5.1
021	345	4.1	17.0	+-	4.2
022	356	4.1	17.0	+-	3.3
023	000	4.1	17.0	+-	2.4
024	272	4.1	17.0	+-	1.5
025	372	4.1	17.0	+-	0.6
026	000	4.1	17.0	+-	0.0
027	119	9.9	17.0	+-	1.1
028	106	9.6	17.0	+-	0.3
029	103	9.3	17.0	+-	0.1
030	114	9.9	17.0	+-	1.1
031	145	2.2	17.0	+-	1.1
032	270	4.2	17.0	+-	0.5
033	270	17.0	19.9	+-	0.4
034	270	17.0	20.1	+-	0.4
035	270	17.0	19.9	+-	0.4
036	270	17.0	19.9	+-	0.4
037	270	17.0	19.9	+-	0.4
038	270	17.0	19.9	+-	0.4
TRANSIT DOSE =			2.5	+- .3 ; 4.6	


TROJAN
FOR THE PERIOD 851216-860417

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.1 +- .2	2
11.25-33.75 (NNE)	13.5 +- .8	2
33.75-56.25 (NE)	15.5 +- .6	2
56.25-78.75 (ENE)	15.0 +- 1.0	2
78.75-101.25 (E)	15.3 +- 2.0	2
101.25-123.75 (ESE)	16.9 +- 2.1	2
123.75-146.25 (SE)	13.3 +- .2	2
146.25-168.75 (SSE)	15.4 +- 1.1	2
168.75-191.25 (S)	15.4 +- 1.7	2
191.25-213.75 (SSW)	16.7 +- .2	2
213.75-236.25 (SW)	15.9 +- .3	2
236.25-258.75 (WSW)	17.3 +- 0.0	1
258.75-281.25 (W)	15.5 +- 1.2	4
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	15.3 +- .4	2
326.25-348.75 (NNW)	14.5 +- 1.7	6

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.9 +- 1.6	12
2-5	15.1 +- 1.2	18
>5	15.8 +- 2.2	- 5
UPWIND CONTROL DATA	17.6 +- .9	- 3

NRC TLD DOSES FOR TROJAN AREA
(mR per 90 days)



TURKEY POINT
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860415 119 DAYS
 FIELD TIME 84 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE	
			+/- Rdm;Tot.	+/- Rdm;Tot.	mR/Std.Qtr.	+/- Rdm;Tot.
001	318	1.3	13.5	+- .4	2.0	9.0 ; 7.7
002	292	2.4	14.1	+- .4	2.1	9.0 ; 7.7
003	340	1.9	12.8	+- .4	1.9	9.1 ; 7.9
004	354	2.8	13.2	+- .4	2.0	9.1 ; 7.9
005	314	3.0	13.4	+- .4	2.0	9.7 ; 8.4
006	331	4.2	12.7	+- .4	1.9	9.0 ; 7.7
007	291	4.4	14.2	+- .4	2.1	10.5 ; 9.2
008	263	5.1	MISSING OR DAMAGED DOSIMETER			
009	242	5.4	13.1	+- .4	2.0	9.4 ; 8.1
010	234	6.0	15.0	+- .4	2.3	11.9 ; 10.6
011	228	6.6	13.6	+- .4	2.3	11.7 ; 10.4
012	213	6.9	14.6	+- .4	2.2	11.0 ; 9.7
013	199	10.1	13.1	+- .4	2.0	9.4 ; 8.1
014	198	10.1	MISSING OR DAMAGED DOSIMETER			
015	198	10.1	15.6	+- .5	2.3	12.0 ; 10.7
016	171	10.0	14.5	+- .4	2.3	11.9 ; 10.6
017	165	10.0	14.2	+- .4	2.2	10.9 ; 9.6
018	203	16.6	13.0	+- .4	2.1	10.3 ; 9.0
019	203	16.6	14.0	+- .4	2.1	10.3 ; 9.0
020	225	16.6	12.8	+- .4	2.1	9.6 ; 8.3
021	225	16.6	14.1	+- .4	2.2	10.5 ; 9.2
022	225	16.6	12.7	+- .4	2.1	11.1 ; 9.8
023	225	16.6	15.4	+- .5	2.3	11.9 ; 10.6
024	225	16.6	MISSING OR DAMAGED DOSIMETER			
025	225	16.6	14.0	+- .4	2.2	13.2 ; 11.9
026	311	16.4	15.6	+- .5	2.2	11.2 ; 9.9
027	327	16.4	15.0	+- .4	2.3	12.0 ; 10.7
028	339	16.9	14.0	+- .4	2.2	11.2 ; 9.9
029	358	16.9	MISSING OR DAMAGED DOSIMETER			
030	359	16.9	14.6	+- .4	2.2	11.0 ; 9.7
031	12	22.1	MISSING OR DAMAGED DOSIMETER			
032	18	22.4	15.1	+- .4	2.3	11.6 ; 10.3
033	28	22.4	MISSING OR DAMAGED DOSIMETER			
034	15	22.8	15.0	+- .5	2.3	11.4 ; 10.1
035	228	22.8	13.8	+- .4	2.0	9.3 ; 8.0
036			14.0	+- .4	2.2	10.9 ; 9.6
037						
TRANSIT DOSE = 4.3			+- .3	; 4.9		


TURKEY POINT
FOR THE PERIOD 851218-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	10.3 +- 1.1	2
11.25-33.75 (NNE)	10.8 +- 1.3	3
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSE)	10.9 +- 0.0	1
168.75-191.25 (S)	12.0 +- .1	2
191.25-213.75 (SSW)	10.2 +- 1.2	2
213.75-236.25 (SW)	11.5 +- .5	3
236.25-258.75 (WSW)	9.9 +- .8	2
258.75-281.25 (W)	10.1 +- 1.5	2
281.25-303.75 (WNW)	11.5 +- 1.3	4
303.75-326.25 (NW)	10.2 +- .8	3
326.25-348.75 (NNW)	10.3 +- 1.5	4

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	9.7 +- .7	5
2-5	9.7 +- .8	3
>5	11.1 +- 1.0	- 20
UPWIND CONTROL DATA	10.7 +- .6	3

NRC TLD DOSES FOR TURKEY POINT AREA
(mR per 90 days)



VERMONT YANKEE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851218-860429 133 DAYS
 FIELD TIME 109 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	142	1.	4.6
002	158	1.	4.8
003	184	1.3	4.7
004	201	1.4	4.7
005	228	1.3	4.7
006	157	1.3	4.7
007	189	1.3	4.7
008	201	1.3	4.7
009	230	1.3	4.7
010	232	1.3	4.7
011	272	1.3	4.7
012	292	1.3	4.7
013	314	1.3	4.7
014	316	1.3	4.7
015	319	1.3	4.7
016	331	1.3	4.7
017	339	1.3	4.7
018	339	1.3	4.7
019	339	1.3	4.7
020	339	1.3	4.7
021	339	1.3	4.7
022	334	1.3	4.7
023	334	1.3	4.7
024	338	1.3	4.7
025	338	1.3	4.7
026	338	1.3	4.7
027	344	1.3	4.7
028	344	1.3	4.7
029	344	1.3	4.7
030	111	1.	4.7
031	111	1.	4.7
032	134	1.	4.7
033	151	1.	4.7
034	111	1.	4.7
035	92	1.	4.7
036	222	1.	4.7
037	8	1.	4.7
038	111	1.	4.7
039	111	1.	4.7
040	111	1.	4.7
TRANSIT DOSE	++	++	4.7

VERMONT YANKEE
FOR THE PERIOD 851218-860429

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	15.4 +- .2	2
11.25-33.75 (NNE)	16.1 +- 2.4	2
33.75-56.25 (NE)	19.1 +- 0.0	1
56.25-78.75 (ENE)	17.8 +- 0.0	1
78.75-101.25 (E)	16.3 +- .3	2
101.25-123.75 (ESE)	16.5 +- 1.0	2
123.75-146.25 (SE)	14.7 +- .7	2
146.25-168.75 (SSW)	14.9 +- .9	3
168.75-191.25 (S)	15.1 +- .1	2
191.25-213.75 (SSW)	15.2 +- .3	3
213.75-236.25 (SW)	16.4 +- 1.2	3
236.25-258.75 (WSW)	15.0 +- 0.0	1
258.75-281.25 (W)	14.6 +- 1.4	2
281.25-303.75 (WNW)	15.7 +- .6	5
303.75-326.25 (NW)	15.3 +- 1.1	2
326.25-348.75 (NNW)	15.5 +- .5	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.4 +- .9	12
2-5	15.8 +- 1.1	16
>5	15.8 +- 1.6	- 7
UPWIND CONTROL DATA	16.5 +- 1.1	- 3

VOGTLE
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 851217-860423 128 DAYS
FIELD TIME 92 DAYS

VOGTLE
FOR THE PERIOD 851217-860423

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.6 +- 0.0	1
11.25-33.75 (NNE)	14.7 +- .3	2
33.75-56.25 (NE)	18.4 +- 2.1	2
56.25-78.75 (ENE)	15.7 +- .3	2
78.75-101.25 (E)	15.6 +- 0.0	1
101.25-123.75 (ESE)	15.2 +- 2.3	2
123.75-146.25 (SE)	17.0 +- 1.0	3
146.25-168.75 (SSW)	16.3 +- 1.8	4
168.75-191.25 (S)	16.3 +- 1.3	2
191.25-213.75 (SSW)	14.4 +- 1.8	2
213.75-236.25 (SW)	16.9 +- 2.9	2
236.25-258.75 (WSW)	15.5 +- .0	2
258.75-281.25 (W)	15.7 +- .8	2
281.25-303.75 (WNW)	15.6 +- 0.0	1
303.75-326.25 (NW)	15.2 +- .6	2
326.25-348.75 (NNW)	16.0 +- .3	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.2 +- 1.5	10
2-5	15.8 +- 1.5	16
>5	16.5 +- 1.5	- 6
UPWIND CONTROL DATA	17.0 +- 1.9	- 3

WASHINGTON NUCLEAR 2
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860415 121 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	174	12.1	6.4
002	163	11.8	6.4
003	161	11.8	6.3
004	152	11.8	6.4
005	195	12.2	6.4
006	226	12.2	6.4
007	92	12.2	6.4
008	155	12.2	6.4
010	136	12.2	6.4
011	70	12.2	6.4
012	25	12.2	6.4
013	315	12.2	6.4
014	299	12.2	6.4
015	276	12.2	6.4
016	246	12.2	6.4
017	205	12.2	6.4
018	193	12.2	6.4
020	173	12.2	6.4
021	150	12.2	6.4
022	114	12.2	6.4
023	120	12.2	6.4
024	134	12.2	6.4
025	110	12.2	6.4
026	86	12.2	6.4
027	53	12.2	6.4
028	44	12.2	6.4
029	33	12.2	6.4
030	21	12.2	6.4
031	MISSING	12.2	6.4
TRANSIT DOSE =	5.4	.4	6.7
		+- .4	6.3
		OR DAMAGED DOSEMETERS	
		3.9	
		12.9	
		15.7	
		19.9	
		18.0	
		17.0	
		16.0	
		15.0	
		14.0	
		13.0	
		12.0	
		11.0	
		10.0	
		9.0	
		8.0	
		7.0	
		6.0	
		5.0	
		4.0	
		3.0	
		2.0	
		1.0	
		0.0	


WASHINGTON NUCLEAR 2
FOR THE PERIOD 851216-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	19.9 +- 0.0	1
11.25-33.75 (NNE)	17.0 +- 0.0	1
33.75-56.25 (NE)	17.4 +- 1.3	2
56.25-78.75 (ENE)	17.2 +- 1.8	2
78.75-101.25 (E)	17.2 +- .1	2
101.25-123.75 (ESE)	17.7 +- 1.6	3
123.75-146.25 (SE)	17.4 +- 1.0	2
146.25-168.75 (SSE)	15.8 +- .8	5
168.75-191.25 (S)	17.3 +- 0.0	1
191.25-213.75 (SSW)	16.3 +- 1.4	2
213.75-236.25 (SW)	16.4 +- 0.0	1
236.25-258.75 (WSW)	16.3 +- .9	2
258.75-281.25 (W)	17.2 +- 0.0	1
281.25-303.75 (WNW)	19.1 +- 1.3	2
303.75-326.25 (NW)	16.9 +- 0.0	1
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.9 +- 1.3	10
2-5	17.4 +- 1.3	8
>5	17.1 +- 1.4	- 10
UPWIND CONTROL DATA	16.4 +- 1.0	- 2

NRC TLD DOSES FOR WASHINGTON AREA
(mR per 90 days)



WATERFORD
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860328 103 DAYS
 FIELD TIME 81 DAYS

NRC STATION	LOCATION	GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std.Otr.
	AZIMUTH/DIST (deg.) (mi.)	+ - Rdm;Tot.	+ - Rdm;Tot.
001	101	0.4	1.0000000000000000
002	116	1.1	1.0000000000000000
003	132	1.3	1.0000000000000000
004	160	1.3	1.0000000000000000
005	183	1.4	1.0000000000000000
006	200	1.4	1.0000000000000000
007	214	1.3	1.0000000000000000
008	224	1.3	1.0000000000000000
009	232	1.3	1.0000000000000000
010	240	1.3	1.0000000000000000
011	244	1.4	1.0000000000000000
012	248	1.4	1.0000000000000000
013	252	1.4	1.0000000000000000
014	257	1.4	1.0000000000000000
015	261	1.4	1.0000000000000000
016	265	1.4	1.0000000000000000
017	269	1.4	1.0000000000000000
018	273	1.4	1.0000000000000000
019	277	1.4	1.0000000000000000
020	281	1.4	1.0000000000000000
021	285	1.4	1.0000000000000000
022	289	1.4	1.0000000000000000
023	293	1.4	1.0000000000000000
024	297	1.4	1.0000000000000000
025	301	1.4	1.0000000000000000
026	305	1.4	1.0000000000000000
027	309	1.4	1.0000000000000000
028	313	1.4	1.0000000000000000
029	317	1.4	1.0000000000000000
030	321	1.4	1.0000000000000000
031	325	1.4	1.0000000000000000
032	329	1.4	1.0000000000000000
033	333	1.4	1.0000000000000000
034	337	1.4	1.0000000000000000
035	341	1.4	1.0000000000000000
036	345	1.4	1.0000000000000000
TRANSIT DOSE	E = 1.7	+-	1.0000000000000000


WATERFORD
FOR THE PERIOD 851216-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.4 +- .6	3
11.25-33.75 (NNE)	14.6 +- 2.5	2
33.75-56.25 (NE)	15.2 +- 0.0	1
56.25-78.75 (ENE)	17.4 +- .6	2
78.75-101.25 (E)	15.1 +- 1.4	3
101.25-123.75 (ESE)	13.5 +- .9	3
123.75-146.25 (SE)	14.5 +- .9	3
146.25-168.75 (SSW)	14.3 +- 1.1	2
168.75-191.25 (S)	15.1 +- 1.2	2
191.25-213.75 (SSW)	15.0 +- 0.0	1
213.75-236.25 (SW)	13.5 +- 0.0	1
236.25-258.75 (WSW)	15.1 +- 0.0	1
258.75-281.25 (W)	15.4 +- .4	2
281.25-303.75 (WNW)	13.2 +- 0.0	1
303.75-326.25 (NW)	14.5 +- 1.0	2
326.25-348.75 (NNW)	14.5 +- 1.9	3

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.7 +- 1.4	16
2-5	14.5 +- 1.4	13
>5	14.7 +- .8	- 3
UPWIND CONTROL DATA	14.9 +- 1.5	- 3

NRC TLD DOSES FOR WATERFORD AREA
(mR per 90 days)



WATTS BAR
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851217-860415 120 DAYS
 FIELD TIME 87 DAYS

NRC STATION	LOCATION		GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std.Qtr.
	AZIMUTH/DIST (deg.)	(mi.)		
001	337	0.9	+ 1	3.4
002	314	2.1	+ 1	6.6
003	297	1.9	+ 1	6.6
004	272	1.9	+ 1	6.6
005	251	1.1	+ 1	6.6
006	235	1.1	+ 1	6.6
007	220	1.1	+ 1	6.6
008	206	1.1	+ 1	6.6
009	244	1.1	+ 1	6.6
010	229	1.1	+ 1	6.6
011	214	1.1	+ 1	6.6
012	200	1.1	+ 1	6.6
013	186	1.1	+ 1	6.6
014	171	1.1	+ 1	6.6
015	156	1.1	+ 1	6.6
016	141	1.1	+ 1	6.6
017	126	1.1	+ 1	6.6
018	111	1.1	+ 1	6.6
019	96	1.1	+ 1	6.6
020	81	1.1	+ 1	6.6
021	66	1.1	+ 1	6.6
022	51	1.1	+ 1	6.6
023	36	1.1	+ 1	6.6
024	21	1.1	+ 1	6.6
025	7	1.1	+ 1	6.6
026	114	1.1	+ 1	6.6
027	141	1.1	+ 1	6.6
028	168	1.1	+ 1	6.6
029	184	1.1	+ 1	6.6
030	176	1.1	+ 1	6.6
031	161	1.1	+ 1	6.6
032	144	1.1	+ 1	6.6
033	97	1.1	+ 1	6.6
034	76	1.1	+ 1	6.6
035	32	1.1	+ 1	6.6
036	44	1.1	+ 1	6.6
037	44	1.1	+ 1	6.6
038	44	1.1	+ 1	6.6
039	44	1.1	+ 1	6.6
040	44	1.1	+ 1	6.6
041	44	1.1	+ 1	6.6
042	44	1.1	+ 1	6.6
043	44	1.1	+ 1	6.6
044	44	1.1	+ 1	6.6
045	44	1.1	+ 1	6.6
046	44	1.1	+ 1	6.6
047	44	1.1	+ 1	6.6
048	44	1.1	+ 1	6.6
049	44	1.1	+ 1	6.6
050	44	1.1	+ 1	6.6
051	44	1.1	+ 1	6.6
052	44	1.1	+ 1	6.6
053	44	1.1	+ 1	6.6
054	44	1.1	+ 1	6.6
055	44	1.1	+ 1	6.6
056	44	1.1	+ 1	6.6
057	44	1.1	+ 1	6.6
058	44	1.1	+ 1	6.6
059	44	1.1	+ 1	6.6
060	44	1.1	+ 1	6.6
061	44	1.1	+ 1	6.6
062	44	1.1	+ 1	6.6
063	44	1.1	+ 1	6.6
064	44	1.1	+ 1	6.6
065	44	1.1	+ 1	6.6
066	44	1.1	+ 1	6.6
067	44	1.1	+ 1	6.6
068	44	1.1	+ 1	6.6
069	44	1.1	+ 1	6.6
070	44	1.1	+ 1	6.6
071	44	1.1	+ 1	6.6
072	44	1.1	+ 1	6.6
073	44	1.1	+ 1	6.6
074	44	1.1	+ 1	6.6
075	44	1.1	+ 1	6.6
076	44	1.1	+ 1	6.6
077	44	1.1	+ 1	6.6
078	44	1.1	+ 1	6.6
079	44	1.1	+ 1	6.6
080	44	1.1	+ 1	6.6
081	44	1.1	+ 1	6.6
082	44	1.1	+ 1	6.6
083	44	1.1	+ 1	6.6
084	44	1.1	+ 1	6.6
085	44	1.1	+ 1	6.6
086	44	1.1	+ 1	6.6
087	44	1.1	+ 1	6.6
088	44	1.1	+ 1	6.6
089	44	1.1	+ 1	6.6
090	44	1.1	+ 1	6.6
091	44	1.1	+ 1	6.6
092	44	1.1	+ 1	6.6
093	44	1.1	+ 1	6.6
094	44	1.1	+ 1	6.6
095	44	1.1	+ 1	6.6
096	44	1.1	+ 1	6.6
097	44	1.1	+ 1	6.6
098	44	1.1	+ 1	6.6
099	44	1.1	+ 1	6.6
100	44	1.1	+ 1	6.6
101	44	1.1	+ 1	6.6
102	44	1.1	+ 1	6.6
103	44	1.1	+ 1	6.6
104	44	1.1	+ 1	6.6
105	44	1.1	+ 1	6.6
106	44	1.1	+ 1	6.6
107	44	1.1	+ 1	6.6
108	44	1.1	+ 1	6.6
109	44	1.1	+ 1	6.6
110	44	1.1	+ 1	6.6
111	44	1.1	+ 1	6.6
112	44	1.1	+ 1	6.6
113	44	1.1	+ 1	6.6
114	44	1.1	+ 1	6.6
115	44	1.1	+ 1	6.6
116	44	1.1	+ 1	6.6
117	44	1.1	+ 1	6.6
118	44	1.1	+ 1	6.6
119	44	1.1	+ 1	6.6
120	44	1.1	+ 1	6.6
121	44	1.1	+ 1	6.6
122	44	1.1	+ 1	6.6
123	44	1.1	+ 1	6.6
124	44	1.1	+ 1	6.6
125	44	1.1	+ 1	6.6
126	44	1.1	+ 1	6.6
127	44	1.1	+ 1	6.6
128	44	1.1	+ 1	6.6
129	44	1.1	+ 1	6.6
130	44	1.1	+ 1	6.6
131	44	1.1	+ 1	6.6
132	44	1.1	+ 1	6.6
133	44	1.1	+ 1	6.6
134	44	1.1	+ 1	6.6
135	44	1.1	+ 1	6.6
136	44	1.1	+ 1	6.6
137	44	1.1	+ 1	6.6
138	44	1.1	+ 1	6.6
139	44	1.1	+ 1	6.6
140	44	1.1	+ 1	6.6
141	44	1.1	+ 1	6.6
142	44	1.1	+ 1	6.6
143	44	1.1	+ 1	6.6
144	44	1.1	+ 1	6.6
145	44	1.1	+ 1	6.6
146	44	1.1	+ 1	6.6
147	44	1.1	+ 1	6.6
148	44	1.1	+ 1	6.6
149	44	1.1	+ 1	6.6
150	44	1.1	+ 1	6.6
151	44	1.1	+ 1	6.6
152	44	1.1	+ 1	6.6
153	44	1.1	+ 1	6.6
154	44	1.1	+ 1	6.6
155	44	1.1	+ 1	6.6
156	44	1.1	+ 1	6.6
157	44	1.1	+ 1	6.6
158	44	1.1	+ 1	6.6
159	44	1.1	+ 1	6.6
160	44	1.1	+ 1	6.6
161	44	1.1	+ 1	6.6
162	44	1.1	+ 1	6.6
163	44	1.1	+ 1	6.6
164	44	1.1	+ 1	6.6
165	44	1.1	+ 1	6.6
166	44	1.1	+ 1	6.6
167	44	1.1	+ 1	6.6
168	44	1.1	+ 1	6.6
169	44	1.1	+ 1	6.6
170	44	1.1	+ 1	6.6
171	44	1.1	+ 1	6.6
172	44	1.1	+ 1	6.6
173	44	1.1	+ 1	6.6
174	44	1.1	+ 1	6.6
175	44	1.1	+ 1	6.6
176	44	1.1	+ 1	6.6
177	44	1.1	+ 1	6.6
178	44	1.1	+ 1	6.6
179	44	1.1	+ 1	6.6
180	44	1.1	+ 1	6.6
181	44	1.1	+ 1	6.6
182	44	1.1	+ 1	6.6
183	44	1.1	+ 1	6.6
184	44	1.1	+ 1	6.6
185	44	1.1	+ 1	6.6
186	44	1.1	+ 1	6.6
187	44	1.1	+ 1	6.6
188	44	1.1	+ 1	6.6
189	44	1.1	+ 1	6.6
190	44	1.1	+ 1	6.6
191	44	1.1	+ 1	6.6
192	44	1.1	+ 1	6.6
193	44	1.1	+ 1	6.6
194	44	1.1	+ 1	6.6
195	44	1.1	+ 1	6.6
196	44	1.1	+ 1	6.6
197	44	1.1	+ 1	6.6
198	44	1.1	+ 1	6.6
199	44	1.1	+ 1	6.6
200	44	1.1	+ 1	6.6
201	44	1.1	+ 1	6.6
202	44	1.1	+ 1	6.6
203	44	1.1	+ 1	6.6
204	44	1.1	+ 1	6.6
205	44	1.1	+ 1	6.6
206	44	1.1	+ 1	6.6
207	44	1.1	+ 1	6.6
208	44	1.1	+ 1	6.6
209	44	1.1	+ 1	6.6
210	44	1.1	+ 1	6.6
211	44	1.1	+ 1	6.6
212	44	1.1	+ 1	6.6
213	44	1.1	+ 1	6.6
214	44	1.1	+ 1	6.6
215	44	1.1	+ 1	6.6
216	44	1.1	+ 1	6.6
217	44	1.1	+ 1	6.6
218	44	1.1	+ 1	6.6
219	44	1.1	+ 1	6.6
220	44	1.1	+ 1	6.6
221	44	1.1	+ 1	6.6
222	44	1.1	+ 1	6.6
223	44	1.1	+ 1	6.6
224	44	1.1	+ 1	6.6
225	44	1.1	+ 1	6.6
226	44	1.1	+ 1	6.6
227	44	1.1	+ 1	6.6
228	44	1.1	+ 1	6.6
229	44	1.1	+ 1	6.6
230	44	1.1	+ 1	6.6
231	44	1.1	+ 1	6.6
232	44	1.1	+ 1	6.6
233	44	1.1	+ 1	6.6
234	44	1.1	+ 1	6.6
235	44	1.1	+ 1	6.6
236	44	1.1	+ 1	6.6
237	44	1.1	+ 1	6.6
238	44	1.1	+ 1	6.6
239	44	1.1	+ 1	6.6
240	44	1.1	+ 1	6.6
241	44	1.1	+ 1	6.6
242	44	1.1	+ 1	6.6
243	44	1.1	+ 1	6.6
244	44	1.1	+ 1	6.6
245	44	1.1	+ 1	6.6
246	44	1.1	+ 1	6.6
247	44	1.1	+ 1	6.6
248	44	1.1	+ 1	6.6
249	44	1.1	+ 1	6.6
250	44	1.1	+ 1	6.6
251	44	1.1	+ 1	6.6
252	44	1.1	+ 1	6.6
253	44	1.1	+ 1	6.6
254	44			


WATTS BAR
FOR THE PERIOD 851217-860415

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	19.8 +- 2.0	2
11.25-33.75 (NNE)	15.4 +- .9	2
33.75-56.25 (NE)	15.3 +- 1.7	2
56.25-78.75 (ENE)	16.0 +- 3.0	2
78.75-101.25 (E)	17.8 +- 3.5	2
101.25-123.75 (ESE)	15.2 +- .1	2
123.75-146.25 (SE)	18.4 +- 2.7	2
146.25-168.75 (SSW)	17.9 +- 3.3	2
168.75-191.25 (S)	16.1 +- 1.0	3
191.25-213.75 (SWW)	18.1 +- .6	2
213.75-236.25 (SW)	19.6 +- 2.3	2
236.25-258.75 (WSW)	17.2 +- 2.0	2
258.75-281.25 (W)	17.3 +- 0.0	2
281.25-303.75 (WNW)	16.3 +- 2.6	2
303.75-326.25 (NW)	16.8 +- 3.0	2
326.25-348.75 (NNW)	16.1 +- 1.6	3

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	18.5 +- 2.0	14
2-5	16.1 +- 1.5	18
>5	15.6 +- .9	- 2
UPWIND CONTROL DATA	17.3 +- 1.4	- 3

NRC TLD DOSES FOR WATTS BAR AREA
(mR per 90 days)



WOLF CR.
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851216-860407 113 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	DOSIMETER OR DAMAGED +-	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	310	2	+	5.4
002	330	1	+	3
003	360	1	+	6
004	330	1	+	7
005	330	1	+	7
006	031	1	+	7
007	47	1	+	7
008	70	1	+	7
009	90	1	+	7
010	111	1	+	7
011	137	1	+	7
012	157	1	+	7
013	184	1	+	7
014	213	1	+	7
015	247	1	+	7
016	277	1	+	7
017	303	1	+	7
018	330	1	+	7
019	360	1	+	7
020	390	1	+	7
021	420	1	+	7
022	450	1	+	7
023	480	1	+	7
024	510	1	+	7
025	540	1	+	7
026	570	1	+	7
027	600	1	+	7
028	630	1	+	7
029	660	1	+	7
030	690	1	+	7
031	720	1	+	7
032	750	1	+	7
033	780	1	+	7
034	810	1	+	7
035	840	1	+	7
036	870	1	+	7
037	900	1	+	7
038	930	1	+	7
039	960	1	+	7
040	990	1	+	7
041	1020	1	+	7
042	1050	1	+	7
043	1080	1	+	7
044	1110	1	+	7
045	1140	1	+	7
046	1170	1	+	7
047	1200	1	+	7
TRANSIT DOSE =	2.6	+- .3		


WOLF CR.
FOR THE PERIOD 851216-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.1 +- 1.0	3
11.25-33.75 (NNE)	17.7 +- .2	3
33.75-56.25 (NE)	16.2 +- .5	2
56.25-78.75 (ENE)	16.7 +- .1	2
78.75-101.25 (E)	18.1 +- .2	2
101.25-123.75 (ESE)	16.8 +- 1.0	3
123.75-146.25 (SE)	16.8 +- 1.5	3
146.25-168.75 (SSE)	17.3 +- 1.3	3
168.75-191.25 (S)	18.2 +- .2	2
191.25-213.75 (SSW)	17.2 +- .3	2
213.75-236.25 (SW)	16.0 +- 1.6	3
236.25-258.75 (WSW)	17.0 +- .4	3
258.75-281.25 (W)	16.8 +- 1.9	5
281.25-303.75 (WNW)	16.2 +- 1.5	3
303.75-326.25 (NW)	16.9 +- .5	3
326.25-348.75 (NNW)	17.7 +- 1.4	4

DISTANCE (m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.0 +- .8	7
2-5	17.2 +- 1.1	24
>5	16.7 +- 1.3	- 15
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR WOLF CREEK AREA
(mR per 90 days)



YANKEE ROWE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 951218-860407 111 DAYS
 FIELD TIME 64 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	0	14.4 +- 0.0	10.3 +- 0.2
002	265	14.4 +- 0.0	10.3 +- 0.2
003	137	14.4 +- 0.0	10.1 +- 0.1
005	05	14.4 +- 0.0	10.0 +- 0.1
006	118	14.4 +- 0.0	10.0 +- 0.1
007	137	14.4 +- 0.0	10.0 +- 0.1
008	153	14.4 +- 0.0	10.0 +- 0.1
009	176	14.4 +- 0.0	10.0 +- 0.1
011	203	14.4 +- 0.0	10.4 +- 0.2
011	219	14.4 +- 0.0	10.3 +- 0.3
011	239	14.4 +- 0.0	10.4 +- 0.2
011	272	14.4 +- 0.0	10.1 +- 0.1
011	292	14.4 +- 0.0	10.1 +- 0.1
011	315	14.4 +- 0.0	10.1 +- 0.1
011	344	14.4 +- 0.0	10.1 +- 0.1
011	363	14.4 +- 0.0	10.2 +- 0.2
021	21	14.4 +- 0.0	10.2 +- 0.2
022	23	14.4 +- 0.0	10.2 +- 0.2
023	24	14.4 +- 0.0	10.2 +- 0.2
024	25	14.4 +- 0.0	10.2 +- 0.2
025	26	14.4 +- 0.0	10.1 +- 0.1
047	261	14.4 +- 0.0	10.3 +- 0.3
048		14.4 +- 0.0	10.4 +- 0.4
TRANSIT DOSE =		11.3	+/-


YANKEE ROWE
FOR THE PERIOD 851218-860407

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	11.8 +- 1.3	2
11.25-33.75 (NNE)	10.2 +- 0.0	1
33.75-56.25 (NE)	12.6 +- 1.6	3
56.25-78.75 (ENE)	11.3 +- 0.0	1
78.75-101.25 (E)	10.2 +- .5	2
101.25-123.75 (ESE)	11.6 +- .2	2
123.75-146.25 (SE)	12.4 +- 1.2	3
146.25-168.75 (SSE)	12.4 +- 1.7	2
168.75-191.25 (S)	11.7 +- .0	2
191.25-213.75 (SSW)	12.0 +- 0.0	1
213.75-236.25 (SW)	14.2 +- 1.1	2
236.25-258.75 (WSW)	14.5 +- 0.0	1
258.75-281.25 (W)	11.7 +- 1.4	3
281.25-303.75 (WNW)	14.2 +- 0.0	1
303.75-326.25 (NW)	12.9 +- 0.0	1
326.25-348.75 (NNW)	13.3 +- .1	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	13.0 +- 1.1	10
2-5	11.5 +- 1.3	8
>5	12.2 +- 1.5	11
UPWIND CONTROL DATA	13.9 +- .7	2

NRC TLD DOSES FOR YANKEE ROWE FIREA
(mR per 90 days)



ZION

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 851205-860328 114 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	298	0.0	15.8 +- 1.4	NO NET DATA
002	192	1.0	12.7 +- 1.4	NO NET DATA
003	187	1.0	14.0 +- 1.4	NO NET DATA
004	227	2.0	12.6 +- 1.4	NO NET DATA
005	257	1.0	12.7 +- 1.4	NO NET DATA
006	264	1.0	16.6 +- 1.4	NO NET DATA
007	287	1.0	16.7 +- 1.4	NO NET DATA
008	328	1.0	14.7 +- 1.4	NO NET DATA
009	343	2.0	14.9 +- 1.4	NO NET DATA
010	356	4.0	14.1 +- 1.4	NO NET DATA
011	337	4.0	16.1 +- 1.4	NO NET DATA
012	316	4.0	12.4 +- 1.4	NO NET DATA
013	293	3.0	19.1 +- 1.4	NO NET DATA
014	280	4.0	10.0 +- 1.4	NO NET DATA
015	239	3.0	16.6 +- 1.4	NO NET DATA
016	227	3.0	15.6 +- 1.4	NO NET DATA
017	216	4.0	14.0 +- 1.4	NO NET DATA
018	206	2.0	15.4 +- 1.4	NO NET DATA
019	342	2.0	18.4 +- 1.4	NO NET DATA
020	197	15.0	18.4 +- 1.4	NO NET DATA
021	352	7.0	12.3 +- 1.4	NO NET DATA
022	348	8.0	MISSING OR DAMAGED DOSIMETER	
023	336	8.0	16.6 +- 1.4	NO NET DATA
024	314	8.0	16.6 +- 1.4	NO NET DATA
025	226	15.0	15.6 +- 1.4	NO NET DATA
026	195	15.0	15.6 +- 1.4	NO NET DATA
028	197	15.0	18.1 +- 1.4	NO NET DATA
030	320	9.0	12.0 +- 1.4	NO NET DATA
031	229	8.0	16.3 +- 1.4	NO NET DATA
032	193	14.0	18.6 +- 1.4	NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)

ZION
FOR THE PERIOD 851205-860328

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-311.25 (N)	13.0 +- 1.2	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSE)	NO DATA+-NO DATA	0
168.75-191.25 (S)	13.8 +- 0.0	1
191.25-213.75 (SSW)	14.4 +- 1.3	4
213.75-236.25 (SW)	16.3 +- .2	4
236.25-258.75 (WSW)	16.8 +- .2	2
258.75-281.25 (W)	17.3 +- 1.1	2
281.25-303.75 (WNW)	17.0 +- 1.7	3
303.75-326.25 (NW)	16.3 +- 1.2	4
326.25-348.75 (NNW)	15.5 +- .9	4

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.2 +- 1.6	7
2-5	16.1 +- 1.5	12
>5	15.7 +- 1.7	7
UPWIND CONTROL DATA	18.1 +- .2	3