123 Main Street White Plains, New York 10601 914 681 1950 914 287,3309 (Fax)



James Knubel Senior Vice President and Chief Nuclear Officer

February 6, 1998 JPN-98-004

U. S. Nuclear Regulatory Commission Attn: Document Control Desk Mail Station P1-137 Washington, DC 20555

SUBJECT:

James A. FitzPatrick Nuclear Power Plant

Docket No. 50-333

Proposed Change to the Technical Specifications Regarding the Reactor Protection System (RPS) Normal Supply Electrical Protection Assembly (EPA) Undervoltage Trip Setpoint (JFTS-97-003)

Dear Sir:

This application for an amendment to the James A. FitzPatrick Technical Specifications revises the Reactor Protection System (RPS) Normal Supply Electrical Protection Assembly (EPA) Undervoltage Trip setpoint as a result of a reanalysis based on the most limiting minimum voltage requirements of the applied loads. The Authority is also in the process of completing an analysis of the EPA undervoltage trip setpoints for the Alternate Supply.

The signed original of the Application for Amendment to the Operating License is enclosed for filing. Attachment I is the proposed Technical Specification pages. Attachment II is the Safety Evaluation for the proposed changes. Attachment III is a markup of the affected Technical Specification pages.

There are no commitments contained in this submittal.

A copy of this application and the associated attachments is being provided to the designated New York State official in accordance with 10 CFR 50.91.

If you have any questions, please contact Ms. C. D. Faison.

Very truly yours,

J. Knubel

Senior Vice President and

Chief Nuclear Officer

att: As stated oc: next page



4001/1

Regional Administrator
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Office of the Resident Inspector
U. S. Nuclear Regulatory Commission
P.O. Box 136
Lycoming, NY 13093

Mr. Daniel Dorman, Project Manager Project Directorate I-1 Division of Reactor Projects-I/II U. S. Nuclear Regulatory Commission Mail Stop 14 B2 Washington, DC 20555

Mr. F. William Valentino, President New York State Energy, Research, and Development Authority Corporate Plaza West 286 Washington Avenue Extension Albany, NY 12203-6399

ď