



CORE LABORATORIES

LABORATORY TESTS RESULTS

02/08/96

JOB NUMBER: 951926

CUSTOMER: KERR MCGEE CORPORATION

ATTN: JEFF OSTMEYER

CLIENT I.D.: ANNUAL ENVIRONMENTAL CMW 20.2
DATE SAMPLED: 08/23/95
TIME SAMPLED: :
WORK DESCRIPTION: CU2-26-025

LABORATORY I.D.: 951926-0001
DATE RECEIVED: 08/24/95
TIME RECEIVED: 10:08
REMARKS: WATER

TEST DESCRIPTION	FINAL RESULT	DETECTION LIMIT	UNITS OF MEASURE	TEST METHOD	DATE	TECHNICIAN
Gross Alpha, total	70.3		pCi/l	EPA 900.0	08/30/95	NRF
Gross Alpha, total, error, +/-	36.4		pCi/l		08/30/95	NRF
Gross Alpha, total, LLD	37.7		pCi/l		08/30/95	NRF
Gross Beta, total	55.6		pCi/l	EPA 900.0	08/30/95	NRF
Gross Beta, total, error, +/-	33.8		pCi/l		08/30/95	NRF
Gross Beta, total, LLD	52.1		pCi/l		08/30/95	NRF
Thorium 232, total	1.48		pCi/l		09/25/95	DW
Thorium 232, total, error, +/-	0.6		pCi/l		09/25/95	DW
Thorium 232, total, LLD	0.3		pCi/l		09/25/95	DW
Uranium 234, total (ISO U)	0.8		pCi/l	CA-GLR-R405	09/26/95	DW
Uranium 234, total, error, +/-	0.3		pCi/l		09/26/95	DW
Uranium 234, total, LLD	0.3		pCi/l		09/26/95	DW
Uranium 235, total (ISO U)	0.0		pCi/l	CA-GLR-R405	09/26/95	DW
Uranium 235, total, error, +/-	0.1		pCi/l		09/26/95	DW
Uranium 235, total, LLD	0.3		pCi/l		09/26/95	DW
Uranium 238, total (ISO U)	0.3		pCi/l	CA-GLR-R405	09/26/95	DW
Uranium 238, total, error, +/-	0.3		pCi/l		09/26/95	DW
Uranium 238, total, LLD	0.2		pCi/l		09/26/95	DW
Thorium 228, total	1.7		pCi/l		09/26/95	DW
Thorium 228, total, error, +/-	0.7		pCi/l		09/26/95	DW
Thorium 228, total, LLD	0.7		pCi/l		09/26/95	DW

9903080322 981106
PDR ADOCK 07003073
B PDR

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES

QUALITY CONTROL REPORT
02/08/96

JOB NUMBER: 951926

CUSTOMER: KERR MCGEE CORPORATION

ATTN: JEFF OSTMEYER

ANALYSIS				DUPLICATES		REFERENCE STANDARDS		MATRIX SPIKES		
ANALYSIS TYPE	ANALYSIS SUB-TYPE	ANALYSIS I.D.	ANALYZED VALUE (A)	DUPLICATE VALUE (B)	RPD or (A-B)	TRUE VALUE	PERCENT RECOVERY	ORIGINAL VALUE	SPIKE ADDED	PERCENT RECOVERY
PARAMETER: Gross Alpha, total				DATE/TIME ANALYZED: 08/30/95 14:05				QC BATCH NUMBER: 170093		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE : EPA 900.0				TECHNICIAN: NRF		
BLANK	MB	MB2AB0829	ND			25.5	88			
STANDARD	LCS	LC1A0829	22.4							
SPIKE	MS	951963-1	124					10.0	128	89
DUPLICATE	MD	951963-1	10.0	14.6	37					
PARAMETER: Gross Beta, total				DATE/TIME ANALYZED: 08/30/95 14:14				QC BATCH NUMBER: 170097		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE : EPA 900.0				TECHNICIAN: NRF		
BLANK	MB	MB2AB0829	0.4			22.0	109			
STANDARD	LCS	LC1B0829	23.9							
SPIKE	MS	951963-1	144					5.0	110	126
DUPLICATE	MD	951963-1	5.0	8.8	55					
PARAMETER: Thorium 232, total				DATE/TIME ANALYZED: 09/25/95 16:49				QC BATCH NUMBER: 171053		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE :				TECHNICIAN: DW		
BLANK	MB	MB5T0906	0.47							
BLANK	MB	MB6T0906	0.95							
STANDARD	LCS	ST3T0906	7.59			7.0	108			
STANDARD	LCS	LC3T0906	7.1			7.0	101			
SPIKE	MS	951921-1	16.3					0.92	14.0	110
DUPLICATE	MD	951922-1	0.61	0.89	37					
PARAMETER: Thorium 228, total				DATE/TIME ANALYZED: 09/26/95 08:19				QC BATCH NUMBER: 171058		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE :				TECHNICIAN: DW		
BLANK	MB	MB5T0906	0.18							
BLANK	MB	MB6T0906	0.01							
STANDARD	LCS	ST3T0906	7.0			7.0	100			
STANDARD	LCS	LC3T0906	7.01			7.0	100			
SPIKE	MS	951921-1	18.0					0.35	14.0	126
DUPLICATE	MD	951922-1	0.74	0.86	15					
PARAMETER: Uranium 234, total (ISO U)				DATE/TIME ANALYZED: 09/26/95 10:46				QC BATCH NUMBER: 171081		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE : CA-GLR-R405				TECHNICIAN: DW		
BLANK	MB	MB1U0906	0.2							
BLANK	MB	MB2U0906	0.3							
STANDARD	LCS	ST1U0906	6.6			6.6	100			
STANDARD	LCS	LC1U0906	6.5			6.6	98			
DUPLICATE	MD	952012-2	107	110	3					
PARAMETER: Uranium 235, total (ISO U)				DATE/TIME ANALYZED: 09/26/95 11:13				QC BATCH NUMBER: 171088		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE : CA-GLR-R405				TECHNICIAN: DW		
BLANK	MB	MB1U0906	0.0							

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES

QUALITY CONTROL REPORT 02/08/96

JOB NUMBER: 951926

CUSTOMER: KERR MCGEE CORPORATION

ATTN: JEFF OSTMEYER

ANALYSIS				DUPLICATES		REFERENCE STANDARDS		MATRIX SPIKES		
ANALYSIS TYPE	ANALYSIS SUB-TYPE	ANALYSIS I.D.	ANALYZED VALUE (A)	DUPLICATE VALUE (B)	RPD or (A-B)	TRUE VALUE	PERCENT RECOVERY	ORIGINAL VALUE	SPIKE ADDED	PERCENT RECOVERY
PARAMETER: Uranium 235, total (ISO U)				DATE/TIME ANALYZED: 09/26/95 11:13				QC BATCH NUMBER: 171088		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE : CA-GLR-R405				TECHNICIAN: DW		
BLANK	MB	MB2U0906	0.0							
DUPLICATE	MD	952012-2	4.5	5.0	11					
PARAMETER: Uranium 238, total (ISO U)				DATE/TIME ANALYZED: 09/26/95 11:19				QC BATCH NUMBER: 171092		
REPORTING LIMIT/DF: UNITS: pCi/l				METHOD REFERENCE : CA-GLR-R405				TECHNICIAN: DW		
BLANK	MB	MB1U0906	0.1							
BLANK	MB	MB2U0906	0.1							
STANDARD	LCS	ST1U0906	6.2			6.0	103			
STANDARD	LCS	LC1U0906	6.7			6.0	112			
DUPLICATE	MD	952012-2	48.2	48.2	0					

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES

QUALITY CONTROL FOOTER

METHOD REFERENCES

- (1) EPA 600/4-79-020, Methods for Chemical Analysis of Water and Wastes, March 1983
- (2) EPA SW-846, Test Methods for Evaluating Solid Waste, Third Edition, November 1990 and July 1992 update
- (3) Standard Methods for the Examination of Water and Wastewater, 17th, 1989
- (4) EPA 600/4-80-032, Prescribed Procedures for Measurement of Radioactivity in Drinking Water, August 1980
- (5) Federal Register, Friday, October 26, 1984 (40 CFR Part 136)
- (6) EPA 600/8-78-017, Microbiological Methods for Monitoring the Environment, December 1978

COMMENTS

- (1) The data in the Laboratory Test Results Report may differ from the data in the QC Report due to calculations for sample preparation and/or dilutions.
- (2) The "Time Analyzed" in the QC Report may not reflect the actual time of each analysis. The "Date Analyzed" is the actual date of analysis.
- (3) Soil and sludge samples are reported on a wet basis or on an "as received" basis unless otherwise indicated.
- (4) The data in this report are within the limits of uncertainty specified in the referenced method unless otherwise indicated.
- (5) Analyses performed by a subcontract laboratory are indicated with an asterisk and associated code in the "Technician" data field.

Subcontract Laboratories

Code

Core Laboratories - Anaheim, CA	* AN
Core Laboratories - Aurora, CO	* AU
Core Laboratories - Casper, WY	* CA
Core Laboratories - Corpus Christi, TX	* CC
Core Laboratories - Houston, TX	* HP
Core Laboratories - Lake Charles, LA	* LC
Core Laboratories - Long Beach, CA	* LB
Other Subcontract Laboratories	* XX

DEFINITIONS

- (1) NC = Not Calculable due to values lower than the reporting limit.
- (2) ND = Not Detected above the reporting limit.

QC SAMPLE IDENTIFICATIONS

BLANKS

MB = Method Blank (also referred to as a preparation blank)
RB = Reagent Blank
IB = Instrument Blank
ICB = Initial Calibration Blank
CCB = Continuing Calibration Blank
HCB = Holding Blank (also referred to as a storage blank)

SPIKES

MS = Matrix Spike
MSD = Matrix Spike Duplicate
PDS = Post Digestion Spike
BS = Blank Spike (also referred to as a method spike)
SS = Surrogate Spike

DUPLICATES

MSD = Matrix Spike Duplicate
MD = Method Duplicate

REFERENCE STANDARDS

CS = Calibration Standard
RS = Reference Standard (also referred to as an external reference standard)
ICV = Initial Calibration Verification
CCV = Continuing Calibration Verification
LCS = Laboratory Control Sample

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES

CORE LABORATORIES
ANALYTICAL REPORT

Job Number: 951926
Prepared For:

KERR MCGEE CORPORATION
JEFF OSTMEYER
P.O. BOX 89
CUSHING, OK 74023

Date: 09/27/95

REVIEWED BY: Patricia
DATE: 3-4-96

Rondalynn Mull
Signature

10-28-95
Date:

Name: Rondalynn Mull

Core Laboratories, Inc.
420 West First Street
Casper, WY 82601

Title: LABORATORY SUPERVISOR

RECEIVED

OCT 02 1995

Safety & Environ Cushing

COPY

328
The analyses, opinions or interpretations contained in this report are based upon observations and material supplied by the client for whose exclusive and confidential use this report has been made. The interpretations or opinions expressed represent the best judgment of Core Laboratories. Core Laboratories, however, assumes no responsibility and makes no warranty or representations, express or implied, as to the productivity, proper operation, or profitability of any process, plant or other material, property, well or kind in connection with which such report is used or relied upon for any reason whatsoever. This report shall not be reproduced except in its entirety without the written approval of Core Laboratories.



CORE LABORATORIES

FINAL REPORT DISTRIBUTION 09/27/95

JOB NUMBER: 951926

COMPANY NAME	COMPANY MAILING ADDRESS	COMPANY CITY	STATE	COMPANY ZIP CODE
KERR MCGEE CORPORATION JEFF OSTMEYER	P.O. BOX 89	CUSHING	OK	74023



CORE LABORATORIES

LABORATORY TESTS RESULTS 09/27/95

JOB NUMBER: 951926

CUSTOMER: KERR MCGEE CORPORATION

ATTN: JEFF OSTMEYER

CLIENT I.D.: ANNUAL ENVIRONMENTAL CMW 20.2

DATE SAMPLED: 08/23/95

TIME SAMPLED: :

WORK DESCRIPTION: CU2-26-025

LABORATORY I.D.: 951926-0001

DATE RECEIVED: 08/24/95

TIME RECEIVED: 10:08

REMARKS: WATER

TEST DESCRIPTION	FINAL RESULT	DETECTION LIMIT	UNITS OF MEASURE	TEST METHOD	DATE	TECHNICIAN
Gross Alpha, total	70.3		pCi/l	EPA 900.0	08/30/95	NRF
Gross Alpha, total, error, +/-	36.4		pCi/l		08/30/95	NRF
Gross Alpha, total, LLD	37.7		pCi/l		08/30/95	NRF
Gross Beta, total	55.6		pCi/l	EPA 900.0	08/30/95	NRF
Gross Beta, total, error, +/-	33.8		pCi/l		08/30/95	NRF
Gross Beta, total, LLD	52.1		pCi/l		08/30/95	NRF
Thorium 232, total	1.48		pCi/l		09/25/95	DW
Thorium 232, total, error, +/-	0.6		pCi/l		09/25/95	DW
Thorium 232, total, LLD	0.3		pCi/l		09/25/95	DW
Uranium 234, total (ISO U)	0.9		pCi/l	CA-GLR-R405	09/26/95	DW
Uranium 234, total, error, +/-	0.4		pCi/l		09/26/95	DW
Uranium 234, total, LLD	0.4		pCi/l		09/26/95	DW
Uranium 235, total (ISO U)	0.0		pCi/l	CA-GLR-R405	09/26/95	DW
Uranium 235, total, error, +/-	0.0		pCi/l		09/26/95	DW
Uranium 235, total, LLD	0.3		pCi/l		09/26/95	DW
Uranium 238, total (ISO U)	0.4		pCi/l	CA-GLR-R405	09/26/95	DW
Uranium 238, total, error, +/-	0.3		pCi/l		09/26/95	DW
Uranium 238, total, LLD	0.2		pCi/l		09/26/95	DW
Thorium 228, total	1.7		pCi/l		09/26/95	DW
Thorium 228, total, error, +/-	0.7		pCi/l		09/26/95	DW
Thorium 228, total, LLD	0.7		pCi/l		09/26/95	DW

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES

QUALITY CONTROL REPORT 09/27/95

JOB NUMBER: 951926 CUSTOMER: KERR MCGEE CORPORATION ATTN: JEFF OSTMEYER

ANALYSIS				DUPLICATES		REFERENCE STANDARDS		MATRIX SPIKES		
ANALYSIS TYPE	ANALYSIS SUB-TYPE	ANALYSIS I.D.	ANALYZED VALUE (A)	DUPLICATE VALUE (B)	RPD or (A-B)	TRUE VALUE	PERCENT RECOVERY	ORIGINAL VALUE	SPIKE ADDED	PERCENT RECOVERY

PARAMETER: Gross Alpha, total DATE/TIME ANALYZED: 08/30/95 14:05 QC BATCH NUMBER: 170093
REPORTING LIMIT/DF: UNITS: pCi/l METHOD REFERENCE : EPA 900.0 TECHNICIAN: NRF

BLANK	MB	MB2AB0829	ND							
STANDARD	LCS	LC1A0829	22.4			25.5	88			
SPIKE	MS	951963-1	124					10.0	128	89
DUPLICATE	MD	951963-1	10.0	14.6	37					

PARAMETER: Gross Beta, total DATE/TIME ANALYZED: 08/30/95 14:14 QC BATCH NUMBER: 170097
REPORTING LIMIT/DF: UNITS: pCi/l METHOD REFERENCE : EPA 900.0 TECHNICIAN: NRF

BLANK	MB	MB2AB0829	0.4							
STANDARD	LCS	LC1B0829	23.9			22.0	109			
SPIKE	MS	951963-1	144					5.0	110	126
DUPLICATE	MD	951963-1	5.0	8.8	55					

PARAMETER: Thorium 232, total DATE/TIME ANALYZED: 09/25/95 16:49 QC BATCH NUMBER: 171053
REPORTING LIMIT/DF: UNITS: pCi/l METHOD REFERENCE : TECHNICIAN: DW

BLANK	MB	MB5T0906	0.47							
BLANK	MB	MB6T0906	0.95							
STANDARD	LCS	ST3T0906	7.59			7.0	108			
STANDARD	LCS	LC3T0906	7.1			7.0	101			
SPIKE	MS	951921-1	16.3					0.92	14.0	110
DUPLICATE	MD	951922-1	0.61	0.89	37					

PARAMETER: Thorium 228, total DATE/TIME ANALYZED: 09/26/95 08:19 QC BATCH NUMBER: 171058
REPORTING LIMIT/DF: UNITS: pCi/l METHOD REFERENCE : TECHNICIAN: DW

BLANK	MB	MB5T0906	0.18							
BLANK	MB	MB6T0906	0.01							
STANDARD	LCS	ST3T0906	7.0			7.0	100			
STANDARD	LCS	LC3T0906	7.01			7.0	100			
SPIKE	MS	951921-1	18.0					0.35	14.0	126
DUPLICATE	MD	951922-1	0.74	0.86	15					

PARAMETER: Uranium 234, total (ISO U) DATE/TIME ANALYZED: 09/26/95 10:46 QC BATCH NUMBER: 171081
REPORTING LIMIT/DF: UNITS: pCi/l METHOD REFERENCE : CA-GLR-R405 TECHNICIAN: DW

BLANK	MB	MB1U0906	0.2							
BLANK	MB	MB2U0906	0.4							
STANDARD	LCS	ST1U0906	7.8			7.8	100			
STANDARD	LCS	LC1U0906	7.7			7.8	99			
DUPLICATE	MD	952012-2	127	131	3					

PARAMETER: Uranium 235, total (ISO U) DATE/TIME ANALYZED: 09/26/95 11:13 QC BATCH NUMBER: 171088
REPORTING LIMIT/DF: UNITS: pCi/l METHOD REFERENCE : CA-GLR-R405 TECHNICIAN: DW

BLANK	MB	MB1U0906	0.0							
-------	----	----------	-----	--	--	--	--	--	--	--

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES

QUALITY CONTROL REPORT 09/27/95

JOB NUMBER: 951926

CUSTOMER: KERR McGEE CORPORATION

ATTN: JEFF OSTMEYER

ANALYSIS

DUPLICATES

REFERENCE STANDARDS

MATRIX SPIKES

ANALYSIS TYPE	ANALYSIS SUB-TYPE	ANALYSIS I.D.	ANALYZED VALUE (A)	DUPLICATE VALUE (B)	RPD or (A-B)	TRUE VALUE	PERCENT RECOVERY	ORIGINAL VALUE	SPIKE ADDED	PERCENT RECOVERY
------------------	----------------------	------------------	-----------------------	------------------------	-------------------	---------------	---------------------	-------------------	----------------	---------------------

PARAMETER: Uranium 235, total (ISO U)
REPORTING LIMIT/DF: UNITS: pCi/lDATE/TIME ANALYZED: 09/26/95 11:13
METHOD REFERENCE : CA-GLR-R405QC BATCH NUMBER: 171088
TECHNICIAN: DW

BLANK DUPLICATE	MB MD	MB2U0906 952012-2	0.0 5.4	6.0	11					
--------------------	----------	----------------------	------------	-----	----	--	--	--	--	--

PARAMETER: Uranium 238, total (ISO U)
REPORTING LIMIT/DF: UNITS: pCi/lDATE/TIME ANALYZED: 09/26/95 11:19
METHOD REFERENCE : CA-GLR-R405QC BATCH NUMBER: 171092
TECHNICIAN: DW

BLANK	MB	MB1U0906	0.1							
BLANK	MB	MB2U0906	0.1							
STANDARD	LCS	ST1U0906	7.4			7.2	103			
STANDARD	LCS	LC1U0906	8.0			7.2	111			
DUPLICATE	MD	952012-2	57.4	57.4	0					

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES

QUALITY CONTROL FOOTER

METHOD REFERENCES

- (1) EPA 600/4-79-020, Methods for Chemical Analysis of Water and Wastes, March 1983
- (2) EPA SW-846, Test Methods for Evaluating Solid Waste, Third Edition, November 1990 and July 1992 update
- (3) Standard Methods for the Examination of Water and Wastewater, 17th, 1989
- (4) EPA 600/4-80-032, Prescribed Procedures for Measurement of Radioactivity in Drinking Water, August 1980
- (5) Federal Register, Friday, October 26, 1984 (40 CFR Part 136)
- (6) EPA 600/R-78-017, Microbiological Methods for Monitoring the Environment, December 1978

COMMENTS

- (1) The data in the Laboratory Test Results Report may differ from the data in the QC Report due to calculations for sample preparation and/or dilutions.
- (2) The "Time Analyzed" in the QC Report may not reflect the actual time of each analysis. The "Date Analyzed" is the actual date of analysis.
- (3) Soil and sludge samples are reported on a wet basis or on an "as received" basis unless otherwise indicated.
- (4) The data in this report are within the limits of uncertainty specified in the referenced method unless otherwise indicated.
- (5) Analyses performed by a subcontract laboratory are indicated with an asterisk and associated code in the "Technician" data field.

Subcontract Laboratories

Code

Core Laboratories - Anaheim, CA	* AN
Core Laboratories - Aurora, CO	* AU
Core Laboratories - Casper, WY	* CA
Core Laboratories - Corpus Christi, TX	* CC
Core Laboratories - Houston, TX	* HP
Core Laboratories - Lake Charles, LA	* LC
Core Laboratories - Long Beach, CA	* LB
Other Subcontract Laboratories	* XX

DEFINITIONS

- (1) NC = Not Calculable due to values lower than the reporting limit.
- (2) ND = Not Detected above the reporting limit.

QC SAMPLE IDENTIFICATIONS

BLANKS

- MB = Method Blank (also referred to as a preparation blank)
RB = Reagent Blank
IB = Instrument Blank
ICB = Initial Calibration Blank
CCB = Continuing Calibration Blank
HB = Holding Blank (also referred to as a storage blank)

SPIKES

- MS = Matrix Spike
MSD = Matrix Spike Duplicate
PDS = Post Digestion Spike
BS = Blank Spike (also referred to as a method spike)
SS = Surrogate Spike

DUPLICATES

- MSD = Matrix Spike Duplicate
MD = Method Duplicate

REFERENCE STANDARDS

- CS = Calibration Standard
RS = Reference Standard (also referred to as an external reference standard)
ICV = Initial Calibration Verification
CCV = Continuing Calibration Verification
LCS = Laboratory Control Sample

420 West First Street
Casper, WY 82601
(307) 235-5741



CORE LABORATORIES, INC.

5295 Hollister Road
Houston, Texas 77040
(713) 460-9600

Page: 1

Sample Receipt Acknowledgment

Date 03/25/95

R
e
p KERR-McGEE CORPORATION
o P.O. BOX 89
r CUSHING, OK 74023
t JEFF OSTMEYER

I
n
v S A M E
o
i
c
e

T
o

T
o

Core Laboratories Job Number	Customer Project ID	Estimated Completion Date
951926	ANNUAL ENVIRONMENTAL CMW 20.2	05/21/95
Sample #	Customer ID	Remarks
0001	CU2-26-025	WATER
RECEIVED SEP 05 1995 Safety & Environ Cushing		

If you have any questions please call Core Laboratories, Casper, WY (307) 235-5741

THIS IS NOT AN INVOICE

Order subject to our sales agreement, if any.
Otherwise subject to our current terms of sale as shown on reverse side.
Please contact laboratory immediately, if any discrepancies are observed.

White - Customer

Blue - Lab File

L O G - I N J O B R E P O R T
06/23/95

JOB NUMBER: R51936 CUSTOMER: (X00007) KEAR-VOGEE CORPORATION CONTACT: JEFF OSTREYER PHONE: 1

SAMPLE NUMBER: 0001

DATE RECEIVED: 08/24/95 TIME RECEIVED: 10:06 SAMPLE DATE: 06/23/95 SAMPLE TIME: DUE DATE: 09/21/95
PROJECT ID: ANNUAL ENVIRONMENTAL CMW 20.2 SAMPLE ID: CU2-26-025 REM: WATER
LAB NOTES: 1194L CUBE SHORT ID: EIN NUMBER: L

CODE	TEST DESCRIPTION	TEST LIMITS	UNITS OF MEASURE	TEST METHOD	COMMENTS
RC00	UNAT CHECK FOR ISO U				
R513	Gross Alpha, total		pCi/l	EPA 900.0	
R514	Gross Alpha, total, error, +/-		pCi/l		
R515	Gross Alpha, total, LLD		pCi/l		
R516	Gross Beta, total		pCi/l	EPA 900.0	
R517	Gross Beta, total, error, +/-		pCi/l		
R518	Gross Beta, total, LLD		pCi/l		
R555	Thorium 232, total		pCi/l		
R556	Thorium 232, total, error, +/-		pCi/l		
R557	Thorium 232, total, LLD		pCi/l		
R561	Uranium 234, total (ISO U)		pCi/l	CA-GLR-R405	
R562	Uranium 234, total, error, +/-		pCi/l		
R563	Uranium 234, total, LLD		pCi/l		
R564	Uranium 235, total (ISO U)		pCi/l	CA-GLR-R405	
R565	Uranium 235, total, error, +/-		pCi/l		
R566	Uranium 235, total, LLD		pCi/l		
R567	Uranium 238, total (ISO U)		pCi/l	CA-GLR-R405	
R568	Uranium 238, total, error, +/-		pCi/l		
R569	Uranium 238, total, LLD		pCi/l		
R570	Thorium 228, total		pCi/l		
R571	Thorium 228, total, error, +/-		pCi/l		
R572	Thorium 228, total, LLD		pCi/l		

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST KA 7113

SHIP TO:	COMPANY NAME	FROM	COMPANY ADDRESS
	Core Lab		420 West First Street, Casper, WY 82601

KERR-MCGEE CORPORATION
 2 MILES NORTH OF HWY. JCT 18 & 33
 1/2 MILE EAST
 CUSHING, OKLA 74023

PHONE: 1-918-225-7753
 FAX: 1-918-225-7749
 SHIPPING NUMBER 950823332

LATEST THAT THE PROPER FIELD SAMPLING PROCEDURES WERE USED DURING THE COLLECTION OF THESE SAMPLES.

SAMPLER NAME (PRINT) Jeff Lux
 SAMPLE LOCATION JEFF LUX PLUMLEE

PROJECT MANAGER

SAMPLER NAME (PRINT) Jeff Lux
 SAMPLE LOCATION JEFF LUX PLUMLEE

SAMPLE NUMBER	LAB USE ONLY	# CONTAINERS	MATRIX					METHOD PRESERVED				SAMPLING														
			WATER	SOIL	AIR	SLUDGE	OTHER	HN03	H2S04	ICE	NONE	DATE	TIME													
C62-26-025		1	1					1					8-23-95	N/A												