



Federal Emergency Management Agency

Washington, D.C. 20472

JUN 11 1986

50-275

MEMORANDUM FOR: Edward L. Jordan
Director, Division of Emergency Preparedness
and Engineering Response
Office of Inspection and Enforcement
U.S. Nuclear Regulatory Commission

FROM: *Richard W. Krimm*
Richard W. Krimm
Assistant Associate Director
Office of Natural and Technological Hazards
Programs

SUBJECT: Exercise Report for the October 30, 1985, Exercise
of the Offsite Radiological Emergency Preparedness
Plans for the Diablo Canyon Nuclear Power Plant

Attached is one copy of the Exercise Report for the October 30, 1985, full participation joint exercise of the offsite radiological emergency preparedness plans for the Diablo Canyon Nuclear Power Plant. The plant is located near the mouth of Diablo Creek approximately 12 miles southwest of the City of San Luis Obispo, California.

The exercise report, dated December 30, 1985, was prepared by Region IX of the Federal Emergency Management Agency (FEMA) and includes the comments resulting from the Regional Assistance Committee review.

The State of California, and San Luis Obispo and Santa Barbara Counties, which are located in the plume emergency planning zone (EPZ), participated in the exercise. In accord with the exercise plan, the State of California participation was minimal, while the participation by the counties was extensive.

There were no deficiencies or areas requiring corrective actions observed at the exercise. There were several areas recommended for improvement which are discussed in the report. The areas recommended for improvement did not detract from the overall capability demonstrated by the State of California, and San Luis Obispo and Santa Barbara Counties to protect the health and safety of the public in the event of a radiological emergency. Based on the results of the October 30, 1985, exercise, FEMA considers that offsite radiological emergency preparedness is adequate to provide reasonable assurance that appropriate measures can be taken offsite to protect the health and safety of the public living in the vicinity of the site in the event of a radiological emergency.

FEMA Region IX has furnished a copy of the exercise report to the State of California.

If you have any questions, please contact Mr. Robert S. Wilkerson, Chief, Technological Hazards Division, at 646-2860.

Attachment
As Stated
8607230096 860611
PDR ADOCK 05000275
F PDR

11

AE 35