

NRC TLD Direct Radiation Monitoring Network

Progress Report
April-June 1986

U.S. Nuclear Regulatory Commission

NRC Region I

J. Jang, K. Rabatin, L. Cohen



8610210401 861031
PDR NUREG
0837 R PDR

Available from

Superintendent of Documents
U.S. Government Printing Office
Post Office Box 37082
Washington, D.C. 20013-7082

A year's subscription consists of 4 issues for
this publication.

Single copies of this publication
are available from National Technical
Information Service, Springfield, VA 22161

NRC TLD Direct Radiation Monitoring Network

Progress Report
April-June 1986

Manuscript Completed: September 1986
Date Published: October 1986

J. Jang, K. Rabatin, L. Cohen*

*Headquarters, USNRC

Region I
U.S. Nuclear Regulatory Commission
King of Prussia, PA 19406



Preface

The U. S. Nuclear Regulatory Commission (NRC) Direct Radiation Monitoring Network is operated by the NRC in cooperation with participating states to provide continuous measurement of the ambient radiation levels around licensed NRC facilities, primarily power reactors. Ambient radiation levels result from naturally occurring radionuclides present in the soil, cosmic radiation constantly bombarding the earth from outer space, and the contribution, if any, from the monitored facilities and other man-made sources. The Network is intended to measure radiation levels during routine facility operations and to establish background radiation levels used to assess the radiological impact of an unusual condition, such as an accident. This report presents the radiation levels measured around all facilities in the Network for the second quarter of 1985. A complete listing of the site facilities monitored is included. In some instances, two power reactor facilities are monitored by the same set of dosimeters (e.g., Kewaunee and Point Beach).

All radiation measurements are made using small, passive detectors called thermoluminescent dosimeters (TLDs), which provide a quantitative measurement of the radiation levels in the area in which they are placed. Each site is monitored by arranging approximately 40 to 50 TLD stations in two concentric rings extending to about five miles from the facility. All TLD stations are outside the site boundary of the facility. A complete description of the program can be found in NUREG-0837, Volume 2, Number 4 and NUREG-0837, Volume 3, Number 4. The National Bureau of Standards (NBS) has been performing an independent study of the following characteristics of the NRC dosimetry system; energy response, angular dependence, temperature and humidity sensitivity, fading, light dependence, self-irradiation, and reproducibility. NBS has also tested the response of the NRC's dosimetry system against the requirements of ANSI N545-1975 and NRC Regulatory Guide 4.13. Details of this testing can be found in NUREG/CR-2560, NUREG/CR-3120, and NUREG/CR-3775.

The radiation levels are presented as gross and net exposures. The gross exposure includes naturally occurring background radiation, radiation levels resulting from a facility's operation, and the exposure received during transport and storage of the TLD. Net exposures are obtained by subtracting an estimate of the exposure received by the dosimeter during transit from the gross exposures. All exposures are normalized to a 90-day quarter (standard quarter) and reported in units of milliroentgens (mR). Station numbers for which no data are reported included stations which have been deleted, stations for which the TLD was lost during the quarter, or stations for which the TLD was damaged. When control dosimeter data are unavailable, no net exposures are calculated.

Three sets of data are presented for each site. The first set includes the TLD station number, its direction and distance from the site, the integrated gross exposure for the period, and the net exposure normalized to a 90-day quarter (standard quarter). All measurements are listed with their respective random and total uncertainties.

The uncertainties are listed in the following format:

$$X \pm S_x; U_x$$

where X = value of the result

S_x = random uncertainty expressed as one standard deviation

U_x = combined total uncertainty

The second set of data summarizes the average net exposure measured in each of the 16 standard windrose sectors around the facility, normalized to a standard quarter. The third set of data summarizes the average net exposure measured at three ranges of distances from the facility, normalized to a standard quarter. When average net exposures cannot be reported because of the unavailability of the site's control dosimeters, the average gross exposures, normalized to a standard quarter, are reported in these two sets of data. The "std.dev." refers to the standard deviation of the measurements made in each sector and range, respectively.

Maps indicating the measured doses around a site are presented in this report. Due to the constraints of digitizing the entire monitoring area onto the limited space on the map, some TLD data are not included.

This report is one of a continuing series of technical reports covering the results and experiences of the operation of the NRC TLD Direct Radiation Monitoring Network. Suggestions on methods to improve the presentation or analysis of the data contained in this NUREG are appreciated and should be submitted to NRC Region I, 631 Park Avenue, King of Prussia, Pennsylvania 19406, ATTN: Radiation Dosimetry Specialist.

ATTACHMENT 1Sites Monitored During the First Quarter 1986

- | | |
|---------------------------------|--------------------------|
| 1. Arkansas Nuclear One | 37. Millstone |
| 2. Beaver Valley | 38. Monticello |
| 3. Big Rock Point | 39. North Anna |
| 4. Braidwood | 40. Oconee |
| 5. Browns Ferry | 41. Oyster Creek |
| 6. Brunswick | 42. Palisades |
| 7. Byron | 43. Palo Verde |
| 8. Callaway | 44. Peach Bottom |
| 9. Calvert Cliffs | 45. Perry |
| 10. Catawba | 46. Pilgrim |
| 11. Clinton | 47. Prairie Island |
| 12. Comanche Peak | 48. Quad Cities |
| 13. D. C. Cook | 49. Rancho Seco |
| 14. Cooper | 50. River Bend |
| 15. Crystal River | 51. Robinson |
| 16. Davis-Besse | 52. St. Lucie |
| 17. Diablo Canyon | 53. Salem/Hope Creek |
| 18. Dresden | 54. San Onofre |
| 19. Duane Arnold | 55. Seabrook |
| 20. Farley | 56. Sequoyah |
| 21. Fermi | 57. Shoreham |
| 22. FitzPatrick/Nine Mile Point | 58. Summer |
| 23. Fort Calhoun | 59. Surry |
| 24. Fort St. Vrain | 60. Susquehanna |
| 25. Ginna | 61. Three Mile Island |
| 26. Grand Gulf | 62. Trojan |
| 27. Haddam Neck | 63. Turkey Point |
| 28. Harris | 64. Vermont Yankee |
| 29. Hatch | 65. Vogtle |
| 30. Indian Point | 66. Washington Nuclear 2 |
| 31. Kewaunee/Point Beach | 67. Waterford |
| 32. Laczrosse | 68. Watts Barr |
| 33. LaSalle | 69. Wolf Creek |
| 34. Limerick | 70. Yankee Rowe |
| 35. Maine Yankee | 71. Zion |
| 36. McGuire | |

ARKANSAS
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 860306-860718 135 DAYS
FIELD TIME 87 DAYS


ARKANSAS
FOR THE PERIOD 860306-860718

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.6 +- 1.2	6
11.25-33.75 (NNE)	16.5 +- .3	2
33.75-56.25 (NE)	16.5 +- 1.0	2
56.25-78.75 (ENE)	17.3 +- .3	2
78.75-101.25 (E)	17.3 +- .4	2
101.25-123.75 (ESE)	17.4 +- .8	5
123.75-146.25 (SE)	16.2 +- .8	2
146.25-168.75 (SSE)	17.8 +- .1	2
168.75-191.25 (S)	16.8 +- .7	2
191.25-213.75 (SSW)	15.3 +- 1.3	2
213.75-236.25 (SW)	16.6 +- 2.9	2
236.25-258.75 (WSW)	16.5 +- .1	2
258.75-281.25 (W)	18.7 +- 1.3	2
281.25-303.75 (WNW)	16.5 +- 1.2	2
303.75-326.25 (NW)	17.0 +- .4	3
326.25-348.75 (NNW)	16.6 +- 1.1	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.4 +- 1.0	11
2-5	16.6 +- .8	17
>5	16.8 +- 1.3	12
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR ARKANSAS AREA
(mR per 90 days)



7

BEVER VALLEY
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 860318-860703 108 DAYS
FIELD TIME 83 DAYS

NPC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std. Dtr. +- Rdm;Tot.
001	344	16.1	17.6 +- .7 ; 5.5
002	006	13.1	18.1 +- .7 ; 5.6
004	311	13.4	18.1 +- .7 ; 5.6
005	055	13.4	18.1 +- .7 ; 5.6
006	059	13.4	18.1 +- .7 ; 5.6
007	357	13.4	18.1 +- .7 ; 5.6
008	110	13.4	18.1 +- .7 ; 5.6
009	110	13.4	18.1 +- .7 ; 5.6
010	110	13.4	18.1 +- .7 ; 5.6
011	111	13.4	18.1 +- .7 ; 5.6
012	163	13.4	18.1 +- .7 ; 5.6
013	170	13.4	18.1 +- .7 ; 5.6
014	170	13.4	18.1 +- .7 ; 5.6
015	208	13.4	18.1 +- .7 ; 5.6
016	264	13.4	18.1 +- .7 ; 5.6
017	227	13.4	18.1 +- .7 ; 5.6
018	232	13.4	18.1 +- .7 ; 5.6
019	232	13.4	18.1 +- .7 ; 5.6
020	264	13.4	18.1 +- .7 ; 5.6
021	264	13.4	18.1 +- .7 ; 5.6
022	264	13.4	18.1 +- .7 ; 5.6
023	264	13.4	18.1 +- .7 ; 5.6
024	264	13.4	18.1 +- .7 ; 5.6
025	264	13.4	18.1 +- .7 ; 5.6
026	264	13.4	18.1 +- .7 ; 5.6
027	264	13.4	18.1 +- .7 ; 5.6
028	264	13.4	18.1 +- .7 ; 5.6
029	264	13.4	18.1 +- .7 ; 5.6
030	264	13.4	18.1 +- .7 ; 5.6
031	264	13.4	18.1 +- .7 ; 5.6
032	264	13.4	18.1 +- .7 ; 5.6
033	264	13.4	18.1 +- .7 ; 5.6
034	264	13.4	18.1 +- .7 ; 5.6
035	264	13.4	18.1 +- .7 ; 5.6
036	264	13.4	18.1 +- .7 ; 5.6
037	264	13.4	18.1 +- .7 ; 5.6
038	264	13.4	18.1 +- .7 ; 5.6
039	264	13.4	18.1 +- .7 ; 5.6
040	344	13.4	18.1 +- .7 ; 5.6
041	344	13.4	18.1 +- .7 ; 5.6
TRANSIT DOSE =	2.6	4.3	17.4 +- .7


BEAVER VALLEY
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	19.3 +- .8	4
11.25-33.75 (NNE)	20.7 +- 2.6	2
33.75-56.25 (NE)	17.9 +- 1.9	2
56.25-78.75 (ENE)	19.6 +- .5	2
78.75-101.25 (E)	19.5 +- .5	2
101.25-123.75 (ESE)	19.4 +- 1.2	2
123.75-146.25 (SE)	20.4 +- 0.8	1
146.25-168.75 (SSE)	21.4 +- 0.8	1
168.75-191.25 (S)	19.5 +- 1.2	4
191.25-213.75 (SSW)	19.5 +- .4	2
213.75-236.25 (SW)	19.2 +- .4	2
236.25-258.75 (WSW)	20.3 +- 0.8	1
258.75-281.25 (W)	18.9 +- 1.3	3
281.25-303.75 (WNW)	18.8 +- 2.7	2
303.75-326.25 (NW)	20.1 +- 1.5	2
326.25-348.75 (NNW)	18.8 +- .8	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	20.0 +- .8	8
2-5	19.5 +- 1.4	20
>5	18.6 +- .8	6
UPWIND CONTROL DATA	17.4 +- .2	3

NRC TLD DOSES FOR BEAVER VALLEY AREA
(mR per 90 days)



BIG ROCK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860715 132 DAYS
 FIELD TIME 87 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm,Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm,Tot.
001	200	4.9	0.1
002	220	3.2	0.1
003	204	4.4	0.0
004	176	3.2	0.0
005	161	4.4	0.0
006	133	4.3	0.0
007	116	4.3	0.0
008	111	4.3	0.0
009	98	4.3	0.0
010	88	12.1	0.0
011	83	1.6	0.1
012	83	1.6	0.1
013	83	1.6	0.1
014	77	3.4	0.1
015	96	4.0	0.1
016	118	1.1	0.0
017	134	1.1	0.0
018	122	1.1	0.0
019	194	1.1	0.0
020	179	1.1	0.0
021	153	1.1	0.1
TRANSIT DOSE = 10.1 +-		7.1	1.


BIG ROCK
FOR THE PERIOD 860306-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +/- Std.Dev.	* IN GROUP
348.75-311.25 (N)	NO DATA+NO DATA	0
11.25-33.75 (NNE)	NO DATA+NO DATA	0
33.75-56.25 (NE)	NO DATA+NO DATA	0
56.25-78.75 (ENE)	12.1 +/- 0.8	1
78.75-101.25 (E)	12.1 +/- 1.1	3
101.25-123.75 (ESE)	14.6 +/- 1.4	3
123.75-146.25 (SE)	13.6 +/- 1.6	2
146.25-168.75 (SSE)	12.1 +/- .8	2
168.75-191.25 (S)	11.8 +/- 1.4	2
191.25-213.75 (SSW)	12.9 +/- 2.1	3
213.75-236.25 (SW)	11.1 +/- 1.1	2
236.25-258.75 (WSW)	NO DATA+NO DATA	0
258.75-281.25 (W)	NO DATA+NO DATA	0
281.25-303.75 (WNW)	NO DATA+NO DATA	0
303.75-326.25 (NW)	NO DATA+NO DATA	0
326.25-348.75 (NNW)	NO DATA+NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +/- Std.Dev.	* IN GROUP
0-2	12.8 +/- 1.5	7
2-5	12.8 +/- 1.7	10
>5	10.8 +/- 0.8	1
UPWIND CONTROL DATA	14.0 +/- 4.7	3

NRC TLD DOSES FOR BIG ROCK POINT AREA
(mR per 90 days)



BRAIDWOOD

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860703 119 DAYS
 FIELD TIME 96 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	351	8	NO NET DATA
002	19	1.3	NO NET DATA
003	45	2	NO NET DATA
004	95	2.1	NO NET DATA
005	87	1.8	NO NET DATA
006	114	1.9	NO NET DATA
007	133	1.9	NO NET DATA
008	151	1.9	NO NET DATA
009	170	1.9	NO NET DATA
010	197	1.9	NO NET DATA
011	222	1.9	NO NET DATA
012	242	1.9	NO NET DATA
013	270	1.9	NO NET DATA
014	310	1.9	NO NET DATA
015	315	1.9	NO NET DATA
016	316	1.9	NO NET DATA
017	317	1.9	NO NET DATA
018	318	1.9	NO NET DATA
019	342	1.9	NO NET DATA
020	366	1.9	NO NET DATA
021	400	1.9	NO NET DATA
022	45	1.9	NO NET DATA
023	670	1.9	NO NET DATA
024	866	1.9	NO NET DATA
025	113	1.9	NO NET DATA
026	142	1.9	NO NET DATA
027	160	1.9	NO NET DATA
028	180	1.9	NO NET DATA
029	191	1.9	NO NET DATA
030	230	1.9	NO NET DATA
031	333	1.9	NO NET DATA
032	000	1.9	NO NET DATA
033	021	1.9	NO NET DATA
034	190	1.9	NO NET DATA
035	224	1.9	NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)

BRAIDWOOD
FOR THE PERIOD 860307-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	19.2 +- .7	3
11.25-33.75 (NNE)	20.1 +- 1.8	3
33.75-56.25 (NE)	17.9 +- 2.2	2
56.25-78.75 (ENE)	19.6 +- .8	3
78.75-101.25 (E)	19.6 +- 3.7	4
101.25-123.75 (ESE)	20.2 +- .2	2
123.75-146.25 (SE)	20.4 +- .8	2
146.25-168.75 (SSE)	18.9 +- .4	2
168.75-191.25 (S)	23.9 +- 1.3	4
191.25-213.75 (SSW)	19.7 +- 0.0	1
213.75-236.25 (SW)	20.4 +- 3.2	2
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	19.1 +- .9	3
281.25-303.75 (WNW)	21.6 +- 0.0	1
303.75-326.25 (NW)	20.3 +- 1.3	2
326.25-348.75 (NNW)	17.5 +- 4.3	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.5 +- 1.7	11
2-5	20.2 +- 2.3	13
>5	21.1 +- 2.1	12
UPWIND CONTROL DATA	18.0 +- .7	2

MAP FOR BRAIDWOOD

Map will be provided for this site in the future.

BROWNS FERRY
TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 860317-860718 124 DAYS
FIELD TIME 94 DAYS


BROWNS FERRY
FOR THE PERIOD 860317-860718

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.4 +- 2.2	2
11.25-33.75 (NNE)	14.5 +- .1	2
33.75-56.25 (NE)	13.1 +- .9	4
56.25-78.75 (ENE)	13.8 +- 1.3	3
78.75-101.25 (E)	13.5 +- .2	3
101.25-123.75 (ESE)	14.8 +- .8	2
123.75-146.25 (SE)	11.6 +- .1	2
146.25-168.75 (SSE)	11.8 +- 1.0	3
168.75-191.25 (S)	12.2 +- 0.0	1
191.25-213.75 (SSW)	13.8 +- .7	2
213.75-236.25 (SW)	14.5 +- 3.2	2
236.25-258.75 (WSW)	14.1 +- 1.4	2
258.75-281.25 (W)	13.0 +- .1	2
281.25-303.75 (WNW)	12.8 +- .1	2
303.75-326.25 (NW)	13.7 +- 0.0	1
326.25-348.75 (NNW)	13.7 +- 1.0	3

DISTANCE(m) FROM THE REACTOR	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.2 +- 1.3	9
2-5	13.3 +- 1.3	13
>5	12.9 +- 1.0	14
UPWIND CONTROL DATA	12.9 +- .3	2

NRC TLD DOSES FOR BROWNS FERRY AREA
(mR per 90 days)



BRUNSWICK

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 860317-860715 121 DAYS
FIELD TIME 96 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	260	2.2	13.3 +- +	4.7
002	245	4.4	13.3 +- +	4.7
003	231	4.4	13.3 +- +	4.7
004	216	4.4	13.3 +- +	4.7
005	186	3.3	16.0 +- +	4.7
006	270	4.4	13.3 +- +	4.7
007	272	4.4	13.3 +- +	4.7
008	73	1.1	1.1 +- +	4.7
009	97	1.1	1.1 +- +	4.7
010	120	1.1	1.1 +- +	4.7
011	131	1.1	1.1 +- +	4.7
012	156	1.1	1.1 +- +	4.7
013	188	1.1	1.1 +- +	4.7
014	194	4.4	14.0 +- +	4.7
015	201	3.3	14.0 +- +	4.7
016	218	3.3	14.0 +- +	4.7
017	232	3.3	14.0 +- +	4.7
018	232	1.1	1.1 +- +	4.7
019	249	1.1	1.1 +- +	4.7
020	249	0.0	1.1 +- +	4.7
021	250	0.0	1.1 +- +	4.7
022	250	0.0	1.1 +- +	4.7
023	250	0.0	1.1 +- +	4.7
024	250	0.0	1.1 +- +	4.7
025	250	0.0	1.1 +- +	4.7
026	250	0.0	1.1 +- +	4.7
027	250	0.0	1.1 +- +	4.7
028	250	0.0	1.1 +- +	4.7
029	250	0.0	1.1 +- +	4.7
030	250	0.0	1.1 +- +	4.7
031	250	0.0	1.1 +- +	4.7
032	250	0.0	1.1 +- +	4.7
033	250	0.0	1.1 +- +	4.7
034	250	0.0	1.1 +- +	4.7
035	250	0.0	1.1 +- +	4.7
036	250	0.0	1.1 +- +	4.7
037	250	0.0	1.1 +- +	4.7
038	250	0.0	1.1 +- +	4.7
039	271	0.7	16.7 +- .5 ; 4.6	4.9
040	271	0.7	16.7 +- .5 ; 2.5	4.9
TRANSIT DOSE =			13.6 +- .5 ;	4.9


BRUNSWICK
FOR THE PERIOD 860317-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	11.1 +- 0.0	2
11.25-33.75 (NNE)	11.5 +- .8	4
33.75-56.25 (NE)	12.9 +- .5	2
56.25-78.75 (ENE)	12.3 +- .4	4
78.75-101.25 (E)	12.1 +- .9	2
101.25-123.75 (ESE)	12.6 +- 0.0	1
123.75-146.25 (SE)	12.7 +- 0.0	1
146.25-168.75 (SSW)	13.1 +- 0.0	1
168.75-191.25 (S)	12.6 +- .8	2
191.25-213.75 (SSW)	11.5 +- .8	3
213.75-236.25 (SW)	11.5 +- 1.0	2
236.25-258.75 (WSW)	11.2 +- 1.4	2
258.75-281.25 (W)	11.2 +- 1.4	5
281.25-303.75 (WNW)	NO DATA-NO DATA	0
303.75-326.25 (NW)	11.5 +- .6	2
326.25-348.75 (NNW)	11.9 +- .2	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	12.3 +- .7	14
2-5	11.3 +- .9	12
>5	12.0 +- .8	9
UPWIND CONTROL DATA	13.2 +- .1	2

NRC TLD DOSES FOR BRUNSWICK AREA
(mR per 90 days)



BYRON

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860321-860703 105 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE		
			+- Rdm;Tot.	+- Rdm;Tot.	mR/Std.Qtr.	+- Rdm;Tot.	
001	10	1.1	22.1	+- .7	20.2	+- .7	5.3
002	23	1.0	20.0	+- .6	19.0	+- .6	5.1
003	46	1.0	19.4	+- .6	17.6	+- .6	5.0
004	68	1.0	24.0	+- .7	22.9	+- .8	5.5
005	86	1.4	MISSING OR DAMAGED DOSIMETER				
006	112	1.3	22.0	+- .7	20.9	+- .7	5.3
007	133	1.4	23.5	+- .7	21.6	+- .7	5.4
008	175	2.2	20.4	+- .7	18.6	+- .7	5.1
009	156	0.0	18.4	+- .7	16.7	+- .7	5.0
010	183	0.0	23.7	+- .7	21.8	+- .7	5.4
011	210	0.0	21.6	+- .7	19.0	+- .7	5.2
012	236	0.0	25.4	+- .7	23.5	+- .7	5.6
013	247	0.0	20.0	+- .7	18.2	+- .7	5.1
014	262	0.0	23.1	+- .7	21.3	+- .7	5.4
015	298	0.0	23.2	+- .7	21.4	+- .7	5.4
016	326	1.0	19.0	+- .7	17.2	+- .6	5.0
017	333	1.6	MISSING OR DAMAGED DOSIMETER				
018	23	4.0	17.8	+- .7	16.1	+- .6	4.9
019	17	4.1	17.4	+- .7	15.6	+- .6	4.9
020	5	4.0	19.9	+- .7	18.1	+- .6	4.4
021	340	4.0	23.4	+- .7	21.5	+- .6	4.4
022	322	4.0	23.2	+- .7	21.4	+- .6	4.4
023	304	4.0	18.0	+- .7	16.4	+- .6	4.4
024	278	4.0	18.0	+- .7	16.0	+- .6	4.4
025	244	4.0	16.3	+- .7	14.0	+- .6	4.0
026	224	4.0	18.3	+- .7	16.0	+- .6	4.0
027	213	4.0	19.4	+- .7	17.0	+- .6	4.0
028	209	4.0	16.5	+- .7	14.0	+- .6	4.0
029	215	14.0	20.0	+- .7	18.0	+- .6	5.1
030	215	13.0	20.0	+- .7	18.0	+- .6	5.1
031	204	4.6	15.0	+- .7	13.0	+- .6	4.7
032	178	4.4	18.0	+- .7	16.0	+- .6	4.9
033	155	3.0	20.0	+- .7	18.2	+- .6	5.1
034	138	4.0	20.2	+- .7	18.4	+- .6	5.1
035	118	4.0	MISSING DOSIMETER				
036	81	4.0	19.7	+- .7	17.9	+- .6	5.1
037	78	4.0	21.4	+- .7	19.5	+- .6	5.2
038	45	15.0	17.0	+- .7	15.9	+- .6	4.9
039	40	15.0	21.0	+- .7	19.7	+- .6	5.2
040	45	3.0	17.1	+- .7	15.4	+- .6	5.4
041	320	3.0	20.8	+- .7	21.9	+- .6	5.4
TRANSIT DOSE =			1.4	+- .3	4.2		

BYRON
FOR THE PERIOD 860321-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	19.2 +- 1.5	2
11.25-33.75 (NNE)	16.9 +- 1.8	3
33.75-56.25 (NE)	17.1 +- 1.9	4
56.25-78.75 (ENE)	21.2 +- 2.4	2
78.75-101.25 (E)	17.9 +- 0.0	1
101.25-123.75 (ESE)	20.9 +- 0.0	1
123.75-146.25 (SE)	20.0 +- 2.3	2
146.25-168.75 (SSE)	17.4 +- 1.1	2
168.75-191.25 (S)	19.0 +- 2.7	3
191.25-213.75 (SSW)	17.1 +- 3.0	3
213.75-236.25 (SW)	20.0 +- 4.9	2
236.25-258.75 (WSW)	16.5 +- 2.4	2
258.75-281.25 (W)	18.9 +- 3.4	2
281.25-303.75 (WNW)	21.4 +- 0.0	1
303.75-326.25 (NW)	19.2 +- 2.8	4
326.25-348.75 (NNW)	21.5 +- 0.0	1

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	20.1 +- 2.1	14
2-5	17.6 +- 2.4	16
>5	17.7 +- 1.9	5
UPWIND CONTROL DATA	17.3 +- 2.0	3

MAP FOR BYRON

Map will be provided for this site in the future.

CALLAWAY

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860708 124 DAYS
 FIELD TIME 89 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std. Str. +- Rdm;Tot.
001	247	2.1	19.2
002	259	1.4	18.3
003	282	1.3	19.3
004	304	1.3	19.3
005	330	1.7	19.3
006	1	1.7	19.3
007	23	2.7	17.6
008	77	1.4	19.3
009	85	1.1	19.3
010	93	1.1	19.3
011	121	1.7	17.6
012	140	2.2	19.3
013	158	2.2	19.3
014	183	2.3	19.3
015	188	2.4	19.3
016	202	2.4	19.3
017	237	2.1	19.3
018	312	2.7	19.3
019	292	1.0	19.3
020	268	0.9	19.3
021	247	0.9	19.3
022	225	0.9	19.3
023	220	0.9	19.3
024	205	0.9	19.3
025	152	0.9	19.3
026	134	0.9	19.3
027	115	0.9	19.3
028	95	0.9	19.3
029	67	0.9	19.3
030	48	0.9	19.3
031	14	0.9	19.3
032	2	0.9	19.3
033	335	0.9	19.3
034	288	0.9	19.3
035	310	0.9	19.3
036	264	0.9	19.3
037	237	0.9	19.3
038	270	0.9	19.3
039	270	0.9	19.3
040	203	0.9	19.3
TRANSIT DOSE = 5.4		+- .4	+- .8


CALLAWAY
FOR THE PERIOD 860307-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-311.25 (N)	18.4 +- 1.1	2
11.25-33.75 (NNE)	18.2 +- 1.3	2
33.75-56.25 (NE)	16.9 +- 0.0	1
56.25-78.75 (ENE)	20.0 +- .9	2
78.75-101.25 (E)	18.9 +- 1.2	3
101.25-123.75 (ESE)	18.3 +- 2.7	2
123.75-146.25 (SE)	17.7 +- .4	2
146.25-168.75 (SSE)	19.0 +- .4	2
168.75-191.25 (S)	19.5 +- .3	2
191.25-213.75 (SSW)	17.7 +- 1.1	2
213.75-236.25 (SW)	19.7 +- 1.1	2
236.25-258.75 (WSW)	18.5 +- 1.7	4
258.75-281.25 (W)	16.9 +- 2.0	3
281.25-303.75 (WNW)	18.9 +- 1.2	3
303.75-326.25 (NW)	19.8 +- 2.4	3
326.25-348.75 (NNW)	16.1 +- 0.0	1

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	18.1 +- 1.1	13
2-5	18.5 +- 2.0	13
>5	19.1 +- 1.6	10
UPWIND CONTROL DATA	16.0 +- 1.7	3

NRC TLD DOSES FOR CALLAWAY AREA
(mR per 90 days)



CALVERT CLIFFS
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860411-860715 96 DAYS
 FIELD TIME 94 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	275	1.5	14.7 +- .4	2.2
003	284	1.7	14.0 +- .4	2.1
004	323	2.4	12.7 +- .4	1.9
005	297	3.1	15.2 +- .4	2.3
006	324	4.7	15.1 +- .4	2.3
007	324	5.5	11.1 +- .4	1.7
008	256	6.1	12.6 +- .4	1.9
009	273	4.1	15.3 +- .4	2.3
010	253	3.7	15.1 +- .4	2.3
011	238	4	17.1 +- .4	2.6
012	243	1.3	14.8 +- .4	2.1
013	222	1.5	17.1 +- .4	2.6
014	208	1.0	11.3 +- .4	1.7
015	176	2.4	17.5 +- .4	2.7
016	168	1.5	15.5 +- .4	2.3
019	159	3.8	13.3 +- .4	2.0
020	139	4.7	13.8 +- .4	2.1
021	201	4	12.4 +- .4	1.9
022	187	4.7	12.5 +- .4	1.9
023	201	8.7	13.5 +- .4	2.0
024	190	7.9	11.9 +- .4	1.8
025	325	6.7	13.0 +- .4	2.0
026	314	11.	11.9 +- .4	1.8
027	314	11.	12.3 +- .4	1.8
028	315	10.	15.4 +- .4	2.3
029	186	12.	14.8 +- .4	2.2

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)


CALVERT CLIFFS
FOR THE PERIOD 860411-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-311.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	13.2 +- 0.0	1
146.25-168.75 (SSW)	13.8 +- 1.5	2
168.75-191.25 (S)	13.6 +- 2.5	4
191.25-213.75 (SSW)	11.8 +- 1.1	3
213.75-236.25 (SW)	16.3 +- .0	2
236.25-258.75 (WSW)	13.3 +- 1.2	3
258.75-281.25 (W)	14.4 +- .4	2
281.25-303.75 (WNW)	13.9 +- .8	2
303.75-326.25 (NW)	12.5 +- 1.6	4
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	13.8 +- 1.9	6
>5	13.9 +- 1.7	11
UPWIND CONTROL DATA	12.3 +- 1.2	6
	12.6 +- 1.8	3

NRC TLD DOSES FOR CALVERT CLIFFS AREA
(mR per 90 days)



CATAWBA

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860725 131 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.			
		+-	Rdm	Tot.	+-	Rdm	Tot.	
001	134	0.1	24.1	+- .7	3.6	19.0	+- .9	7.0
002	162	0.4	19.0	+- .6	2.9	13.6	+- .7	6.6
003	132	0.8	22.4	+- .7	3.4	17.2	+- .8	6.9
004	111	1.3	19.7	+- .6	3.0	14.4	+- .8	6.7
005	045	0.7	19.5	+- .6	2.9	14.1	+- .7	6.7
006	298	1.3	20.6	+- .6	3.1	15.3	+- .8	6.7
007	004	0.6	18.9	+- .6	2.8	13.5	+- .7	6.6
008	332	1.8	24.6	+- .7	3.7	19.5	+- .9	7.1
009	318	1.6	16.2	+- .5	2.4	10.6	+- .7	6.4
010	176	1.0	MISSING OR DAMAGED DOSIMETER					
011	203	1.5	20.4	+- .6	3.1	15.1	+- .8	6.7
012	225	1.5	21.8	+- .7	3.3	16.5	+- .8	6.8
013	258	1.9	17.5	+- .5	2.6	12.0	+- .7	6.5
014	270	1.4	MISSING OR DAMAGED DOSIMETER					
015	331	2.0	17.5	+- .5	2.6	12.0	+- .7	6.5
016	311	2.9	MISSING OR DAMAGED DOSIMETER					
017	296	2.5	MISSING OR DAMAGED DOSIMETER					
018	324	4.0	17.1	+- .5	2.6	11.6	+- .7	6.5
019	352	4.0	MISSING OR DAMAGED DOSIMETER					
020	022	4.0	19.7	+- .6	2.9	14.3	+- .8	6.7
021	290	3.9	19.1	+- .6	2.9	13.7	+- .9	6.6
022	266	4.0	24.0	+- .6	3.6	18.9	+- .9	7.0
023	251	4.0	16.1	+- .5	2.4	10.5	+- .7	6.4
024	229	3.9	16.6	+- .5	2.5	11.0	+- .7	6.5
025	202	4.4	22.4	+- .6	3.4	17.2	+- .8	6.9
026	051	4.3	21.6	+- .6	3.2	16.4	+- .8	6.8
027	064	7.0	15.4	+- .5	2.3	9.8	+- .6	6.4
028	061	4.0	18.4	+- .5	2.3	13.0	+- .7	6.6
029	049	1.0	23.3	+- .5	3.0	18.1	+- .7	6.8
030	064	1.0	19.6	+- .5	2.9	14.3	+- .7	6.7
031	087	1.6	17.9	+- .5	2.7	12.5	+- .7	6.5
032	121	2.0	20.4	+- .5	3.1	15.0	+- .7	6.5
033	114	7.0	17.6	+- .5	2.6	12.1	+- .7	6.5
034	093	4.0	19.6	+- .5	2.9	14.3	+- .7	6.7
035	132	4.0	24.6	+- .5	3.7	19.5	+- .7	7.1
036	163	8.0	16.5	+- .5	2.6	11.8	+- .7	6.5
037	173	4.0	18.1	+- .5	2.7	12.7	+- .7	6.6
038	157	4.0	24.0	+- .5	3.0	18.9	+- .9	7.0
039	248	10.	18.8	+- .5	2.8	13.4	+- .7	6.6
040	229	12.	20.1	+- .5	3.1	14.7	+- .8	6.7
041	218	13.	20.5	+- .5	3.1	15.2	+- .8	6.7
042	213	16.	20.9	+- .5	3.1	15.6	+- .8	6.8

TRANSIT DOSE = 6.1 +- .4 ; 5.6


CATAWBA
FOR THE PERIOD 860317-860725

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.5 +- 0.0	1
11.25-33.75 (NNE)	14.3 +- 0.0	1
33.75-56.25 (NE)	16.2 +- 2.0	3
56.25-78.75 (ENE)	12.3 +- 2.3	3
78.75-101.25 (E)	13.4 +- 1.3	2
101.25-123.75 (ESE)	13.8 +- 1.6	3
123.75-146.25 (SE)	18.6 +- 1.2	3
146.25-168.75 (SSW)	14.5 +- 4.0	3
168.75-191.25 (S)	12.7 +- 0.0	1
191.25-213.75 (SSW)	16.2 +- 1.5	2
213.75-236.25 (SW)	13.8 +- 3.9	2
236.25-258.75 (WSW)	11.9 +- 1.4	3
258.75-281.25 (W)	18.9 +- 0.0	1
281.25-303.75 (WNW)	14.5 +- 1.1	2
303.75-326.25 (NW)	11.1 +- .7	2
326.25-348.75 (NNW)	15.8 +- 5.3	2

DISTANCE (m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	15.0 +- 2.6	15
2-5	14.6 +- 3.0	15
>5	11.6 +- 1.5	4
UPWIND CONTROL DATA	15.2 +- .5	3

NRC TLD DOSES FOR CATAWBA AREA
(mR per 90 days)



CLINTON
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860703 119 DAYS
 FIELD TIME 97 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	352	0.6	22.1 +- .7 ; 5.2
002	7	0.7	18.6 +- 4.9
003	26	0.8	20.3 +- 5.0
004	165	0.5	19.3 +- 4.9
005	187	0.5	19.3 +- 4.9
006	223	0.6	19.5 +- 4.9
007	238	0.8	19.0 +- 4.9
008	62	1.9	18.8 +- 4.9
009	78	1.8	MISSING OR DAMAGED DOSIMETER
010	79	2.6	19.0 +- 4.9
011	104	2.3	18.3 +- 4.8
012	115	3.8	16.7 +- 4.8
013	127	3.2	18.2 +- 4.8
014	160	2.1	18.4 +- 4.8
015	188	3.0	18.0 +- 4.8
016	203	3.2	17.6 +- 4.8
017	235	3.2	16.2 +- 4.6
018	255	3.0	19.3 +- 4.8
019	275	3.9	18.3 +- 4.8
020	302	3.9	17.7 +- 4.7
021	305	3.9	17.0 +- 4.7
022	332	3.9	18.7 +- 4.8
023	358	4.0	19.3 +- 4.8
024	20	4.0	18.0 +- 4.8
025	46	4.0	19.9 +- 4.9
026	62	4.0	17.1 +- 4.7
027	90	4.1	17.7 +- 4.8
028	115	4.1	18.0 +- 4.8
029	128	4.1	18.0 +- 4.8
030	153	4.1	18.0 +- 4.8
031	173	4.1	18.0 +- 4.8
032	205	4.1	18.0 +- 4.8
033	236	4.1	18.0 +- 4.8
034	252	4.1	18.0 +- 4.8
035	263	4.1	18.0 +- 4.8
036	272	4.1	18.0 +- 4.8
037	288	4.1	17.6 +- 4.7
038	297	4.1	17.1 +- 4.7
039	315	4.1	18.0 +- 4.8
040	342	4.8	19.1 +- 4.9
041	65	10.	18.0 +- 4.8
042	148	14.	17.6 +- 4.7
043	148	14.	18.8 +- 4.9
044	206	15.	MISSING OR DAMAGED DOSIMETER

TRANSIT DOSE = .6 +- .3 ; 4.2

CLINTON
FOR THE PERIOD 860307-860703


35

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-31.25 (N)	20.0 +- 1.9	3
11.25-33.75 (NNE)	19.4 +- 1.2	2
33.75-56.25 (NE)	18.9 +- 0.0	1
56.25-78.75 (ENE)	18.3 +- 1.0	3
78.75-101.25 (E)	18.3 +- .8	2
101.25-123.75 (ESE)	17.9 +- 1.1	3
123.75-146.25 (SE)	18.1 +- .1	2
146.25-168.75 (SSE)	18.7 +- .5	3
168.75-191.25 (S)	18.9 +- .4	3
191.25-213.75 (SSW)	18.2 +- .8	2
213.75-236.25 (SW)	18.0 +- 1.7	3
236.25-258.75 (WSW)	19.1 +- .5	3
258.75-281.25 (W)	17.8 +- 1.7	3
281.25-303.75 (NNW)	17.5 +- .3	3
303.75-326.25 (NW)	17.9 +- 1.3	2
326.25-348.75 (NNW)	18.9 +- .3	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	19.1 +- 1.3	11
2-5	18.3 +- .9	18
>5	18.1 +- 1.0	11
UPWIND CONTROL DATA	18.1 +- .9	2

NRC TLD DOSES FOR CLINTON AREA
(mR per 90 days)



COMANCHE PK.

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860722 139 DAYS
 FIELD TIME 104 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	306	1.4	13.1 +-
002	285	1.5	15.0 +-
003	268	1.1	13.5 +-
004	253	.9	14.1 +-
005	218	1.0	14.4 +-
006	200	1	12.1 +-
007	188	1.4	12.8 +-
008	163	1.6	14.4 +-
009	140	1.3	14.1 +-
010	118	1.5	12.5 +-
011	93	1.9	15.3 +-
012	73	2.4	12.0 +-
013	245	1.7	11.5 +-
014	156	4.3	13.5 +-
015	186	7	13.5 +-
016	183	4.1	14.7 +-
017	205	4.3	11.7 +-
018	225	3.4	14.8 +-
019	245	3.2	13.4 +-
020	264	3.5	13.1 +-
021	258	3.2	12.7 +-
022	284	3.1	14.4 +-
023	313	3.0	13.2 +-
024	332	3.9	13.5 +-
025	9	4.6	13.1 +-
026	26	4.1	12.7 +-
027	47	4.1	13.1 +-
028	6	1.0	13.2 +-
029	16	1.9	12.7 +-
030	102	3	15.0 +-
031	108	3.9	14.8 +-
032	135	4.6	14.0 +-
033	152	6.3	12.7 +-
034	47	6.2	12.8 +-
035	85	4.7	13.9 +-
036	115	5.0	13.9 +-
037	355	9.4	13.9 +-
038	337	9.2	13.6 +-
039	318	9.9	13.4 +-
040	302	8.1	12.2 +-
041	248	9.9	14.9 +-
042	90	10.6	12.1 +-
043	18	10.5	13.0 +-
044	263	1.7	13.6 +-
045	218	12.	14.6 +-
046	140	12.	14.6 +-
047	301	21.	13.9 +-
TRANSIT DOSE =		4.5 +- .4 ; 5.6	5.7


COMANCHE PK.
FOR THE PERIOD 860306-860722

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.5 +- .4	3
11.25-33.75 (NNE)	13.4 +- .6	3
33.75-56.25 (NE)	12.7 +- .6	2
56.25-78.75 (ENE)	15.3 +- 0.0	1
78.75-101.25 (E)	13.8 +- 1.6	3
101.25-123.75 (ESE)	13.8 +- 1.2	3
123.75-146.25 (SE)	14.4 +- .4	3
146.25-168.75 (SSW)	13.0 +- 1.4	3
168.75-191.25 (S)	13.2 +- .5	2
191.25-213.75 (SSW)	13.4 +- 1.9	2
213.75-236.25 (SW)	13.5 +- 1.6	3
236.25-258.75 (WSW)	14.0 +- 1.0	5
258.75-281.25 (W)	13.6 +- .2	3
281.25-303.75 (WNW)	13.5 +- 1.3	4
303.75-326.25 (NW)	12.3 +- 2.6	3
326.25-348.75 (NNW)	13.4 +- .2	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	13.5 +- 1.0	16
2-5	13.6 +- 1.2	14
>5	13.5 +- 1.4	15
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR COMANCHE PEAK AREA
(mR per 90 days)



COOPER

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860722 139 DAYS
 FIELD TIME 93 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE		
			+- Rdm;Tot.	+- Rdm;Tot.	mR/Std.Qtr.	+- Rdm;Tot.	
001	363	2.4	26.0	+- .8	19.3	+- .9	6.8
002	6	2.5	24.9	+- .7	18.3	+- .8	6.7
003	18	2.2	25.4	+- .7	18.7	+- .9	6.6
004	16	3.2	25.9	+- .7	19.2	+- .9	6.6
005	47	1.9	26.0	+- .8	19.3	+- .9	6.6
006	48	3.6	25.7	+- .7	19.0	+- .8	6.6
007	75	2.7	30.9	+- .7	24.1	+- .8	7.2
008	55	2.2	25.2	+- .7	18.6	+- .7	6.6
009	80	2.9	26.4	+- .7	18.7	+- .7	6.6
010	98	2.7	25.7	+- .7	20.2	+- .8	7.2
011	118	3.3	26.4	+- .7	19.5	+- .7	6.6
012	109	4.0	25.2	+- .7	20.6	+- .8	7.2
013	141	3.6	27.7	+- .7	17.1	+- .7	6.6
014	126	4.3	26.7	+- .7	19.1	+- .7	6.6
015	159	4.0	26.9	+- .7	20.6	+- .8	7.2
016	167	4.8	26.9	+- .7	19.6	+- .7	6.6
017	205	3.7	26.9	+- .7	20.3	+- .8	7.2
018	186	3.3	26.9	+- .7	19.3	+- .7	6.6
019	213	3.7	26.9	+- .7	21.4	+- .7	7.2
020	195	3.4	26.9	+- .7	20.3	+- .7	6.6
021	222	4.0	26.9	+- .7	18.3	+- .7	6.6
022	215	3.6	26.9	+- .7	21.1	+- .7	7.2
023	256	4.3	26.9	+- .7	20.4	+- .7	6.6
024	238	3.7	26.9	+- .7	20.9	+- .7	6.6
025	276	4.0	26.9	+- .7	18.1	+- .7	6.6
026	260	3.7	26.9	+- .7	21.0	+- .7	7.2
027	301	4.0	26.9	+- .7	20.9	+- .7	6.6
028	286	3.7	26.9	+- .7	19.1	+- .7	6.6
029	324	4.0	26.9	+- .7	19.2	+- .7	6.6
030	333	3.7	26.9	+- .7	19.1	+- .7	6.6
031	343	4.0	26.9	+- .7	19.3	+- .7	6.6
032	333	3.7	26.9	+- .7	DOSIMETER		
033	215	4.0	26.9	+- .7	MISSING OR DAMAGED DOSIMETER		
034	173	4.0	18.0	+- .7	17.9	+- .7	6.7
035	333	3.7	23.0	+- .7	18.0	+- .7	6.7
036	216	4.0	19.0	+- .7	21.0	+- .7	7.1
037	64	7.0	22.0	+- .7	24.6	+- .7	7.1
038	329	9.0	21.0	+- .7	17.9	+- .7	6.7
039	276	10.0	22.0	+- .7	22.3	+- .7	6.7
040	300	12.0	29.1	+- .7	18.0	+- .7	6.7
042	93	12.0	24.9	+- .7	20.0	+- .7	6.9
043	270	1.6	27.0	+- .7	MISSING OR DAMAGED DOSIMETER		
049	245	1.6	MISSING OR DAMAGED DOSIMETER				
TRANSIT DOSE =			6.0	+- .4			
					5.9		


COOPER
FOR THE PERIOD 860306-860722

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.8 +- .8	2
11.25-33.75 (NNE)	19.0 +- .3	2
33.75-56.25 (NE)	19.0 +- .4	3
56.25-78.75 (ENE)	23.0 +- 1.5	2
78.75-101.25 (E)	18.9 +- .8	3
101.25-123.75 (ESE)	20.5 +- .5	2
123.75-146.25 (SE)	18.3 +- 1.7	2
146.25-168.75 (SSE)	19.5 +- .7	2
168.75-191.25 (S)	20.0 +- 0.0	1
191.25-213.75 (SSW)	19.8 +- .6	3
213.75-236.25 (SW)	19.6 +- 1.4	3
236.25-258.75 (WSW)	20.5 +- .9	2
258.75-281.25 (W)	20.0 +- 1.4	4
281.25-303.75 (WNW)	20.7 +- 1.7	3
303.75-326.25 (NW)	19.1 +- 0.0	1
326.25-348.75 (NNW)	20.6 +- 2.6	4

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	19.6 +- .8	6
2-5	19.8 +- 1.3	27
>5	20.6 +- 2.6	6
UPWIND CONTROL DATA	18.4 +- .7	2

NRC TLD DOSES FOR COOPER AREA
(mR per 90 days)



CRYSTAL RIVER

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

FOR THE PERIOD 860306-860715 132 DAYS

FIELD TIME 78 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE	
			mR/Std.Otr. +- Rdm;Tot.	mR/Std.Otr. +- Rdm;Tot.
006	61	4.2	28.8 +- .9	4.3
007	50	3.0	28.8 +- .9	4.3
008	20	3.2	29.6 +- .9	4.4
009	6	3.4	MISSING OR DAMAGED DOSIMETER	
010	348	5.8	29.2 +- .9	4.4
011	334	4.1	30.7 +- .9	4.6
012	318	4.1	29.8 +- .9	4.5
013	79	3.0	30.3 +- .9	4.6
014	95	4.1	29.6 +- .9	4.4
015	89	1.0	31.4 +- .9	4.7
016	113	5.5	MISSING OR DAMAGED DOSIMETER	
017	133	8.1	28.5 +- .9	4.3
018	74	7.1	27.4 +- .8	4.1
019	127	7.5	28.3 +- .8	4.2
020	150	12	27.6 +- .8	4.1
021	159	13	30.5 +- .8	4.5
022	150	13	30.8 +- .8	4.6
023	150	21	27.4 +- .8	4.1
024	150	21	28.3 +- .8	4.2
025	56	6.1	30.3 +- .8	4.3
026	357	5.2	29.9 +- .8	4.4
027	90	13	29.5 +- .8	4.5
028	140	4.8	30.5 +- .8	4.6
TRANSIT DOSE =		16.0 +- .7	8.9	


CRYSTAL RIVER
FOR THE PERIOD 860306-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.0 +- 0.0	1
11.25-33.75 (NNE)	15.2 +- 0.0	1
33.75-56.25 (NE)	15.6 +- 1.3	2
56.25-78.75 (ENE)	13.9 +- 1.2	2
78.75-101.25 (E)	16.3 +- 1.0	4
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	15.1 +- 1.4	3
146.25-168.75 (SSW)	15.0 +- 2.4	2
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	15.9 +- 0.0	1
326.25-348.75 (NNW)	16.2 +- 1.0	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.8 +- 0.0	1
2-5	15.8 +- .8	0
>5	15.0 +- 1.3	9
UPWIND CONTROL DATA	14.5 +- 1.5	3

NRC TLD DOSES FOR CRYSTAL RIVER AREA
(mR per 90 days)



DAVIS BESSE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860722 139 DAYS
 FIELD TIME 108 DAYS

NRC STATION	LOCATION (Deg.)	TIME/DIST (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Otr.				
			+/-	Rdm	Tot.					
001	50	0.6	16.8	+-	15.5	2.5	11.7	+-	.5	4.9
002	86	0.9	18.1	+-	15.5	2.7	12.7	+-	.5	5.0
003	116	1.4	17.9	+-	15.5	2.7	12.6	+-	.5	5.0
004	172	0.8	MISSING OR DAMAGED DOSIMETER							
005	200	1.5	24.6	+-	21.7	3.7	18.2	+-	.7	5.4
006	226	1.8	21.6	+-	19.6	2.2	15.7	+-	.6	5.2
007	249	1.5	23.5	+-	21.7	3.5	17.3	+-	.7	5.3
008	267	1.0	23.9	+-	21.7	3.6	17.6	+-	.7	5.4
009	285	1.0	24.4	+-	21.7	3.7	18.0	+-	.7	5.2
010	306	1.0	21.7	+-	19.7	3.3	15.8	+-	.6	5.1
011	344	0.9	19.6	+-	17.5	2.9	14.0	+-	.7	5.1
012	142	4.5	23.3	+-	21.7	3.6	17.1	+-	.7	5.5
013	158	4.0	26.3	+-	24.0	3.3	19.6	+-	.7	5.5
014	188	3.0	22.1	+-	20.7	3.4	16.1	+-	.7	5.2
015	207	4.0	23.4	+-	21.7	3.5	17.1	+-	.7	5.4
016	225	4.5	22.9	+-	21.7	3.4	16.7	+-	.7	5.5
017	254	2.7	26.0	+-	24.0	3.9	19.3	+-	.6	5.4
018	269	3.0	22.6	+-	20.7	3.4	16.5	+-	.6	5.0
019	295	5.3	24.5	+-	21.7	3.7	18.1	+-	.6	5.4
020	25	0.5	18.3	+-	15.5	2.7	12.9	+-	.6	5.4
021	132	9.5	23.9	+-	21.7	3.6	17.6	+-	.6	5.3
022	210	6.5	22.9	+-	21.7	3.4	16.7	+-	.6	5.3
TRANSIT DOSE = 2.8			+/- .4	; 5.4						


DAVIS BESSE
FOR THE PERIOD 860306-860722

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	12.9 +- 0.0	1
33.75-56.25 (NE)	11.7 +- 0.0	1
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	12.7 +- 0.0	1
101.25-123.75 (ESE)	12.6 +- 0.0	1
123.75-146.25 (SE)	17.1 +- 0.0	1
146.25-168.75 (SSE)	19.6 +- 0.0	1
168.75-191.25 (S)	16.1 +- 0.0	1
191.25-213.75 (SSW)	17.7 +- .7	2
213.75-236.25 (SW)	16.2 +- .7	2
236.25-258.75 (WSW)	18.3 +- 1.4	2
258.75-281.25 (W)	17.1 +- .8	2
281.25-303.75 (WNW)	18.0 +- .0	2
303.75-326.25 (NW)	15.8 +- 0.0	1
326.25-348.75 (NNW)	14.0 +- 0.0	1

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	15.1 +- 2.4	11
2-5	17.5 +- 1.4	7
>5	18.1 +- 0.0	1
UPWIND CONTROL DATA	17.1 +- .6	2

NRC TLD DOSES FOR DAVIS-BESSE AREA
(mR per 90 days)



D.C.COOK

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860715 132 DAYS
 FIELD TIME 81 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr.	NET EXPOSURE RATE mR/Std.Qtr.
			+- Rdm;Tot.	+- Rdm;Tot.		
001	54	1.7	20.7	+- .6	3.1	7.5
002	67	1.3	26.6	+- .6	4.0	8.6
003	89	1.1	20.2	+- .6	3.0	7.5
004	58	0.7	19.4	+- .6	2.9	7.4
005	19	2.3	20.3	+- .6	3.0	7.5
006	111	1.1	19.4	+- .6	2.9	7.4
007	135	1.1	19.2	+- .6	2.9	7.4
008	158	1.4	24.6	+- .6	3.2	7.6
009	171	1.9	19.0	+- .6	2.9	7.4
010	199	1.5	19.0	+- .6	2.9	7.4
011	195	3.9	19.0	+- .6	2.9	7.4
012	206	6.6	20.2	+- .6	3.0	7.5
013	179	3.9	23.8	+- .7	3.3	7.2
014	151	4.4	22.1	+- .7	3.3	7.6
015	130	4.6	23.5	+- .7	3.5	7.7
016	110	3.7	MISSING OR DAMAGED DOSIMETER			
017	88	3.6	21.2	+- .6	3.2	7.5
018	67	3.8	MISSING OR DAMAGED DOSIMETER			
019	24	3.9	19.9	+- .6	3.3	7.4
020	43	3.3	24.9	+- .7	3.7	7.8
021	26	3.9	23.7	+- .7	3.5	7.7
022	121	18.	20.0	+- .6	3.0	7.4
023	121	18.	19.5	+- .6	2.9	7.4
024	121	18.	22.3	+- .7	3.3	7.6
TRANSIT DOSE =			7.8	+- .4	6.0	


D.C.COOK
FOR THE PERIOD 860306-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	15.0 +- 2.3	3
33.75-56.25 (NE)	16.6 +- 3.3	2
56.25-78.75 (ENE)	16.9 +- 5.7	2
78.75-101.25 (E)	14.4 +- .8	2
101.25-123.75 (ESE)	12.9 +- 0.0	1
123.75-146.25 (SE)	15.1 +- 3.4	2
146.25-168.75 (SSW)	17.3 +- 2.0	2
168.75-191.25 (S)	15.5 +- 3.1	2
191.25-213.75 (SSW)	13.3 +- .4	3
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.7 +- 3.0	9
2-5	15.7 +- 2.2	8
>5	15.7 +- 2.7	2
UPWIND CONTROL DATA	14.2 +- 1.7	3

NRC TLD DOSES FOR D.C. COOK AREA
(mR per 90 days)



DIABLO CANYON

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860709 126 DAYS
 FIELD TIME 82 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std. 0hr.			
		+/- Rdm	+/- Tot.	+/- Rdm	+/- Tot.	+/- Rdm	+/- Tot.	
001	125	1.0	25.8	.8	3.9	21.4	1.0	7.4
002	119	4.2	24.0	.7	3.6	19.4	.9	7.2
003	107	6.9	22.0	.7	3.3	17.2	.8	7.0
004	109	11.	21.5	.7	3.2	16.7	.8	7.0
005	113	14.	22.3	.7	3.3	17.5	.8	7.1
006	68	9.6	21.3	.6	3.2	16.4	.8	7.0
007	359	11.	20.0	.7	3.0	15.9	.8	6.9
008	359	6.6	18.9	.7	2.8	13.8	.8	6.8
009	339	4.7	17.7	.7	2.6	12.5	.7	6.7
010	328	3.9	18.4	.7	2.8	13.3	.7	6.8
011	332	1.3	18.9	.7	2.8	13.8	.8	6.8
012	37	21.	22.7	.7	3.4	18.0	.9	7.1
013	37	21.	23.8	.7	3.6	19.2	.9	7.2
014	37	21.	23.4	.7	3.5	18.7	.9	7.2
TRANSIT DOSE =		6.3	+/- .4	; 5.5				


DIABLO CANYON
FOR THE PERIOD 860306-860709

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	14.4 +- .8	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	16.4 +- 0.0	1
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	17.7 +- 1.2	4
123.75-146.25 (SE)	21.4 +- 0.0	1
146.25-168.75 (SSW)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	13.2 +- .7	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.6 +- 5.4	2
2-5	15.1 +- 3.8	3
>5	16.1 +- 1.4	6
UPWIND CONTROL DATA	18.6 +- .6	3

NRC TLD DOSES FOR DIABLO CANYON AREA
(mR per 90 days)



DRESDEN

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860703 119 DAYS
 FIELD TIME 96 DAYS

NRC STATION	LOCATION	GROSS		NET EXPOSURE RATE	
		AZIMUTH/DIST (deg.)	(mi.)	EXPOSURE(mR) +- Rdm;Tot.	mR/Std.Otr. +- Rdm;Tot.
001	70	4.2	18.8	16.3	4.9
002	92	3.9	20.2	17.5	5.0
003	119	3.2	20.8	18.1	5.1
004	134	1.3	15.3	12.9	4.7
005	115	1.5	16.7	14.2	4.8
006	180	1.9	18.0	16.2	4.9
007	179	0.5	19.4	16.8	5.0
008	166	0.5	16.9	14.4	4.7
009	205	0.5	20.1	17.5	5.0
010	224	0.7	27.9	24.7	5.2
011	250	0.9	16.9	14.4	4.9
012	263	1.6	19.4	16.8	5.0
013	180	4.0	16.0	13.6	4.7
014	158	4.0	18.6	16.1	4.9
015	137	4.2	18.2	15.7	4.9
016	134	0.4	MISSING OR DAMAGED DOSIMETER		
017	189	7.4	19.0	16.4	4.9
018	203	4.1	17.4	14.9	4.8
019	231	3.0	20.5	17.9	5.1
020	244	6.4	19.5	16.9	5.0
021	258	0.6	MISSING OR DAMAGED DOSIMETER		
022	269	4.4	16.8	14.4	4.8
023	295	3.3	19.5	16.9	5.0
024	311	3.9	18.1	15.6	4.9
025	340	4.7	22.2	19.4	5.2
026	7	4.4	18.1	15.6	4.3
027	1	2.0	23.1	20.2	5.3
028	327	1.7	23.3	20.4	5.3
029	318	1.4	19.9	17.3	5.0
030	301	1.9	MISSING OR DAMAGED DOSIMETER		
031	30	1.5	21.2	18.5	5.1
032	48	1.9	22.4	19.6	5.2
033	76	1.4	21.0	19.1	5.0
034	90	1.4	19.0	17.1	5.0
035	26	4.5	19.4	16.0	4.9
036	42	3.5	18.5	15.9	5.0
037	52	12.	19.6	17.0	5.1
038	274	24.	21.0	18.3	5.1
039	274	24.	21.6	18.8	5.1
040	275	24.	21.6	18.8	5.1
TRANSIT DOSE =		1.5	+- .3 ; 4.4		

DRESDEN
FOR THE PERIOD 860307-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	17.9 +- 3.3	2
11.25-33.75 (NNE)	17.2 +- 1.2	2
33.75-56.25 (NE)	17.5 +- 1.9	3
56.25-78.75 (ENE)	17.2 +- 2.0	2
78.75-101.25 (E)	17.3 +- .3	2
101.25-123.75 (ESE)	16.2 +- 2.7	2
123.75-146.25 (SE)	14.3 +- 2.0	2
146.25-168.75 (SSW)	15.2 +- 1.2	2
168.75-191.25 (S)	15.8 +- 1.5	4
191.25-213.75 (SSW)	16.2 +- 1.8	2
213.75-236.25 (SW)	21.3 +- 4.9	2
236.25-258.75 (WSW)	15.7 +- 1.8	2
258.75-281.25 (W)	15.6 +- 1.7	2
281.25-303.75 (WNW)	16.9 +- 0.0	1
303.75-326.25 (NW)	16.4 +- 1.2	2
326.25-348.75 (NNW)	19.9 +- .7	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	17.5 +- 2.9	16
2-5	16.3 +- 1.5	15
>5	16.8 +- .3	3
UPWIND CONTROL DATA	18.6 +- .3	3

MAP FOR DRESDEN

Map will be provided for this site in the future.

DURNE ARNOLD

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860708 124 DAYS
 FIELD TIME 98 DAYS

NRC STATION	LOCATION		GROSS EXPOSURE(mR)		NET EXPOSURE RATE	
	AZIMUTH/DIST (deg.)	(mi.)	+/- Rdm;Tot.	+/- Rdm;Tot.	mR/Std.Qtr.	+/- Rdm;Tot.
001	163	9.7	19.6	+/- .6	16.6	+/- .6
002	170	6	21.6	+/- .6	18.4	+/- .6
003	180	2	18.7	+/- .6	15.0	+/- .6
004	216	2	21.6	+/- .6	18.5	+/- .6
005	201	1.2	17.9	+/- .6	15.8	+/- .6
006	213	1.0	20.0	+/- .6	17.0	+/- .6
007	248	1.0	21.8	+/- .7	18.6	+/- .7
008	279	1.0	22.7	+/- .7	19.4	+/- .7
009	298	1.0	23.9	+/- .7	20.5	+/- .7
010	320	1.0	23.7	+/- .7	20.3	+/- .7
011	343	1.0	22.6	+/- .7	19.4	+/- .7
012	359	1.0	21.2	+/- .7	18.1	+/- .7
013	237	1.0	20.8	+/- .7	17.7	+/- .7
014	259	1.0	21.4	+/- .7	18.2	+/- .7
015	272	1.0	18.3	+/- .7	15.4	+/- .7
016	285	1.0	20.1	+/- .7	17.0	+/- .7
017	308	1.0	22.4	+/- .7	19.1	+/- .7
018	340	1.0	19.7	+/- .7	16.7	+/- .7
019	291	1.0	21.2	+/- .7	16.0	+/- .7
020	291	1.0	19.6	+/- .7	16.6	+/- .7
021	291	1.0	18.7	+/- .7	15.7	+/- .7
022	358	1.0	21.0	+/- .7	19.3	+/- .7
023	7	1.0	18.6	+/- .7	17.0	+/- .7
024	28	1.0	20.0	+/- .7	16.0	+/- .7
025	39	1.0	19.0	+/- .7	15.0	+/- .7
026	64	1.0	19.2	+/- .7	15.4	+/- .7
027	50	1.0	18.0	+/- .7	15.5	+/- .7
028	72	1.0	20.0	+/- .7	16.0	+/- .7
029	91	1.0	19.0	+/- .7	15.0	+/- .7
030	93	1.0	22.0	+/- .7	16.0	+/- .7
031	113	1.0	19.4	+/- .7	15.9	+/- .7
032	141	1.0	20.4	+/- .7	16.4	+/- .7
033	153	1.0	MISSING	OR DAMAGED	17.4	+/- .7
034	177	1.0	18.3	+/- .7	15.4	+/- .7
035	153	4	20.0	+/- .7	17.0	+/- .7
036	135	4	21.9	+/- .7	18.0	+/- .7
037	111	5	22.0	+/- .7	18.0	+/- .7
038	123	5	19.0	+/- .7	16.1	+/- .7
039	132	6	20.1	+/- .6	17.1	+/- .6
040	139	7				
TRANSIT DOSE =		1.5	+/- .3	; 4.5		

DUANE ARNOLD
FOR THE PERIOD 860307-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +/- Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.5 +/- 1.4	3
11.25-33.75 (NNE)	19.3 +/- 0.0	1
33.75-56.25 (NE)	17.2 +/- .9	2
56.25-78.75 (ENE)	18.3 +/- .8	2
78.75-101.25 (E)	17.7 +/- 2.6	2
101.25-123.75 (ESE)	18.8 +/- .1	3
123.75-146.25 (SE)	16.6 +/- .5	4
146.25-168.75 (SSE)	16.4 +/- 1.0	3
168.75-191.25 (S)	17.1 +/- 1.9	2
191.25-213.75 (SSW)	16.0 +/- 1.4	2
213.75-236.25 (SW)	18.5 +/- 0.0	1
236.25-258.75 (WSW)	18.2 +/- .6	2
258.75-281.25 (W)	17.7 +/- 2.1	3
281.25-303.75 (NNW)	18.8 +/- 2.5	2
303.75-326.25 (NW)	19.7 +/- .8	2
326.25-348.75 (NNW)	18.0 +/- 1.9	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +/- Std.Dev.	* IN GROUP
0-2	18.5 +/- 1.4	13
2-5	17.2 +/- 1.5	17
>5	17.1 +/- 1.2	6
UPWIND CONTROL DATA	17.2 +/- .8	3

NRC TLD DOSES FOR DURNE ARNOLD AREA
(mR per 90 days)



FARLEY

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860718 124 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +/- Rdm; Tot.	NET EXPOSURE RATE mR/Std. Otr. +/- Rdm; Tot.
001	268	15.	NO NET DATA
002	252	7.8	NO NET DATA
003	217	6.1	NO NET DATA
004	155	5.7	NO NET DATA
005	170	5.1	NO NET DATA
006	197	4.4	NO NET DATA
007	191	2.4	NO NET DATA
008	200	1.1	NO NET DATA
009	229	1.9	NO NET DATA
010	254	1.4	NO NET DATA
011	300	1.1	NO NET DATA
012	319	1.1	NO NET DATA
013	338	1.1	NO NET DATA
014	256	1.1	NO NET DATA
015	16	1.1	NO NET DATA
016	264	1.1	NO NET DATA
017	253	1.1	NO NET DATA
018	233	1.1	NO NET DATA
019	267	1.1	NO NET DATA
020	295	1.1	NO NET DATA
021	315	1.1	NO NET DATA
022	332	1.1	NO NET DATA
023	32	1.1	NO NET DATA
024	64	1.1	NO NET DATA
025	08	1.1	NO NET DATA
026	124	1.1	NO NET DATA
027	153	1.1	NO NET DATA
028	142	1.1	NO NET DATA
029	138	1.1	NO NET DATA
030	118	1.1	NO NET DATA
031	78	1.1	NO NET DATA
032	58	1.1	NO NET DATA
033	34	1.1	NO NET DATA
034	19	1.1	NO NET DATA
035	284	1.1	NO NET DATA
036	289	1.1	NO NET DATA
037	293	1.1	NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)

FARLEY
FOR THE PERIOD 860317-860718


TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	14.7 +- 1.0	3
33.75-56.25 (NE)	13.8 +- 2.9	2
56.25-78.75 (ENE)	12.1 +- 1.0	3
78.75-101.25 (E)	13.0 +- 0.0	1
101.25-123.75 (ESE)	12.0 +- 0.0	1
123.75-146.25 (SE)	11.8 +- 1.5	3
146.25-168.75 (SSE)	13.8 +- 1.7	2
168.75-191.25 (S)	13.5 +- 1.7	2
191.25-213.75 (SSW)	12.4 +- .8	2
213.75-236.25 (SW)	12.1 +- .7	3
236.25-258.75 (WSW)	12.6 +- .9	5
258.75-281.25 (W)	12.6 +- 1.2	3
281.25-303.75 (WNW)	14.0 +- 1.1	2
303.75-326.25 (NW)	12.8 +- .4	2
326.25-348.75 (NNW)	12.0 +- .0	2

DISTANCE(mi) FROM THE REACTOR	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	12.9 +- 1.3	9
2-5	12.8 +- 1.4	18
>5	12.9 +- 1.1	9
UPWIND CONTROL DATA	13.5 +- 1.0	3

NRC TLD DOSES FOR FARLEY AREA

(mR per 90 days)



FERMI
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860715 131 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	38	2.1	21.1 +- .6	7.2
002	22	2.3	20	12.0
003	350	1.0	20	20.1
004	345	1.9	22	14.0
005	346	1.4	24	15.8
006	310	1.3	25	16.3
007	298	1.4	23	16.1
008	277	1.3	24	17
009	238	1.4	24	13
010	225	1.0	24	15
011	193	1.6	24	16
012	183	1.0	24	14
013	175	1.0	24	13
014	260	2.5	23	15
015	245	2.5	24	16
016	206	2.5	23	11
017	225	2.5	23	12
018	250	2.5	23	13
019	277	2.5	23	15
020	297	2.5	23	16
021	320	2.5	24	14
022	340	2.5	24	15
023	358	2.5	24	16
024	23	2.5	24	18
025	25	2.5	24	12
026	0	2.5	24	14
027	342	2.5	24	14
028	320	2.5	24	17
029	290	2.5	24	19
030	270	2.5	24	14
031	245	2.5	24	14
032	220	2.5	24	14
033	270	2.5	24	13.4
034	270	2.5	24	14.4
035	290	2.5	24	14.4
036	350	2.5	24	16.0
037	330	2.5	24	14.4
038	310	2.5	24	14.4
039	23	2.5	24	10.0
040	0	2.5	24	12
041	348	2.5	24	10.0
TRANSIT DOSE =		0.0	+- .5	1


FERMI
FOR THE PERIOD 860307-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.4 +- 2.3	5
11.25-33.75 (NNE)	15.3 +- 3.4	4
33.75-56.25 (NE)	12.6 +- 0.8	1
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	NO DATA+-NO DATA	0
168.75-191.25 (S)	15.7 +- .6	2
191.25-213.75 (SSW)	16.1 +- 0.8	1
213.75-236.25 (SW)	14.6 +- 3.1	4
236.25-258.75 (WSW)	15.0 +- 2.2	4
258.75-281.25 (W)	16.3 +- 2.6	4
281.25-303.75 (WNW)	16.0 +- 1.3	3
303.75-326.25 (NW)	15.0 +- 1.1	4
326.25-348.75 (NNW)	14.5 +- 1.2	6

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.0 +- 1.8	15
2-5	15.4 +- 2.4	8
>5	14.9 +- 2.4	15
UPWIND CONTROL DATA	14.2 +- .7	3

NRC TLD DOSES FOR FERMI AREA
(mR per 90 days)



FITZPATRICK/NINE MI.

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860715 120 DAYS
 FIELD TIME 99 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	230 6.9	17.4 +- .5	14.5 +- .5 ; 4.9
002	184 14	19.1 +- .5	16.1 +- .5 ; 4.9
003	122 8.4	17.6 +- .5	14.7 +- .5 ; 4.8
004	76 11.	MISSING OR DAMAGED DOSIMETER	
005	91 6.0	18.0 +- .5	15.1 +- .5 ; 4.9
006	112 4.3	17.7 +- .5	14.8 +- .5 ; 4.8
007	138 4.3	18.0 +- .5	15.1 +- .5 ; 4.8
008	152 3.6	17.5 +- .5	14.7 +- .5 ; 4.8
009	183 3.9	17.0 +- .5	14.2 +- .5 ; 4.7
010	205 4.5	17.2 +- .5	14.4 +- .5 ; 4.7
011	220 4.4	17.3 +- .5	14.5 +- .5 ; 4.7
012	230 6.1	17.4 +- .5	14.6 +- .5 ; 4.8
013	245 1.9	17.5 +- .5	14.7 +- .5 ; 4.8
014	223 1.8	18.0 +- .5	15.1 +- .5 ; 4.8
015	204 2	17.0 +- .5	14.9 +- .5 ; 4.8
016	181 1.8	17.7 +- .5	14.8 +- .5 ; 4.8
017	157 1.9	17.3 +- .5	14.4 +- .5 ; 4.7
018	137 1.6	17.7 +- .5	14.9 +- .5 ; 4.8
019	115 1.2	17.4 +- .5	14.5 +- .5 ; 4.8
020	92 1.1	18.0 +- .5	15.1 +- .5 ; 4.8
021	229 20.	17.7 +- .5	14.8 +- .5 ; 4.8
022	229 20.	16.7 +- .5	13.9 +- .5 ; 4.7
023	229 20.	17.4 +- .5	14.5 +- .5 ; 4.8
024	196 8	18.5 +- .5	15.6 +- .6 ; 4.8
025	168 7.2	17.1 +- .5	14.3 +- .6 ; 4.7
026	152 .6	18.2 +- .5	15.3 +- .6 ; 4.8
TRANSIT DOSE =		1.4 +- .3 ; 4.5	


FITZPATRICK/NINE MI.
FOR THE PERIOD 860318-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	15.1 +- 0.0	2
101.25-123.75 (ESE)	14.7 +- .2	3
123.75-146.25 (SE)	15.0 +- .2	2
146.25-168.75 (SSE)	14.7 +- .4	4
168.75-191.25 (S)	15.0 +- 1.0	3
191.25-213.75 (SSW)	15.0 +- .6	3
213.75-236.25 (SW)	14.7 +- .3	4
236.25-258.75 (WSW)	14.7 +- 0.0	1
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.8 +- .3	9
2-5	14.6 +- .3	6
>5	15.0 +- .7	7
UPWIND CONTROL DATA	14.4 +- .5	3

NRC TLD DOSES FOR NINE MILE PT/J.FITZPATRICK AREA
 (mR per 90 days)



FT.CALHOUN
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860722 139 DAYS
 FIELD TIME 93 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr.		
			+- Rdm;Tot.	+- Rdm;Tot.	+- Rdm;Tot.	+- Rdm;Tot.	
001	358	2.0	25.5	+- .8	18.9	+- .8	6.7
002	351	4.6	25.3	+- .8	18.7	+- .8	6.7
003	30	2.5	24.0	+- .8	17.4	+- .8	6.6
004	27	4.6	25.8	+- .8	19.2	+- .8	6.8
005	53	1.9	24.1	+- .8	17.5	+- .8	6.6
006	37	3.9	25.7	+- .8	19.1	+- .8	6.7
007	76	2.9	25.4	+- .8	18.8	+- .8	6.7
008	59	2.9	24.0	+- .8	18.2	+- .8	6.7
009	100	2.9	24.1	+- .8	17.5	+- .8	6.6
010	88	2.9	26.4	+- .8	19.8	+- .8	6.8
011	122	2.9	24.6	+- .8	18.8	+- .8	6.7
012	105	2.9	24.9	+- .8	18.4	+- .8	6.7
013	145	1.9	25.6	+- .8	19.8	+- .8	6.8
014	128	5.9	25.9	+- .8	19.3	+- .8	6.7
015	157	1.9	25.7	+- .8	19.1	+- .8	6.7
016	150	4.9	25.4	+- .8	18.8	+- .8	6.7
017	173	2.9	28.1	+- .8	18.6	+- .8	6.7
018	173	2.9	26.6	+- .8	20.0	+- .8	6.9
019	212	2.9	28.1	+- .8	21.4	+- .8	7.0
020	204	2.9	26.2	+- .8	19.6	+- .8	6.8
021	233	2.9	28.3	+- .8	21.6	+- .8	7.0
022	224		MISSING OR DAMAGED DOSIMETER				
023	239		25.7	+- .8	19.1	+- .8	6.7
024	243		25.3	+- .8	18.7	+- .8	6.7
025	269		28.1	+- .8	21.5	+- .8	6.9
026	262		27.5	+- .8	20.8	+- .8	6.7
027	288		24.4	+- .8	17.9	+- .8	6.7
028	292		25.2	+- .8	18.7	+- .8	6.8
029	311		26.1	+- .8	19.5	+- .8	6.8
030	310		27.1	+- .8	20.4	+- .8	6.9
031	340		23.9	+- .8	17.3	+- .8	6.6
032	338		26.8	+- .8	19.4	+- .8	6.8
033	182		27.1	+- .8	20.4	+- .8	6.9
035	127		24.1	+- .8	17.6	+- .8	6.6
039	150		23.8	+- .8	17.0	+- .8	6.5
040	73		26.1	+- .8	19.0	+- .8	6.6
043	29		23.9	+- .8	17.4	+- .8	6.5
044	65		23.1	+- .8	16.6	+- .8	6.5
045	182		26.5	+- .8	20.0	+- .8	6.7
047	298		25.3	+- .8	18.7	+- .8	6.8
048	13		26.7	+- .8	19.6	+- .8	6.8
049	207		27.7	+- .8	21.1	+- .8	6.9
TRANSIT DOSE =			5.9	+- .4	5.8		


FT. CALHOUN
FOR THE PERIOD 860306-860722

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.8 +- .1	2
11.25-33.75 (NNE)	18.0 +- 1.0	3
33.75-56.25 (NE)	18.3 +- 1.1	2
56.25-78.75 (ENE)	18.3 +- 1.3	4
78.75-101.25 (E)	18.7 +- 1.6	2
101.25-123.75 (ESE)	18.2 +- .2	2
123.75-146.25 (SE)	18.6 +- .9	3
146.25-168.75 (SSW)	18.4 +- 1.0	3
168.75-191.25 (S)	19.7 +- .8	4
191.25-213.75 (SSW)	20.5 +- 1.3	2
213.75-236.25 (SW)	21.6 +- 0.0	1
236.25-258.75 (WSW)	18.9 +- .2	2
258.75-281.25 (W)	21.1 +- .4	2
281.25-303.75 (WNW)	18.4 +- .5	3
303.75-326.25 (NW)	20.0 +- .7	2
326.25-348.75 (NNW)	18.4 +- 1.4	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	19.3 +- 1.2	8
2-5	18.6 +- 1.3	19
>5	19.3 +- 1.0	12
UPWIND CONTROL DATA	20.3 +- 1.0	2

NRC TLD DOSES FOR FORT CALHOUN AREA
(mR per 90 days)



FT. ST. VRAIN
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860715 132 DAYS
 FIELD TIME 94 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE (mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std. Dtr. +- Rdm;Tot.
001	0	38.4 +- 1.2	8.7
002	2	36.5 +- 1.1	8.5
003	29	36.5 +- 1.2	8.8
004	17	36.3 +- 1.1	8.7
005	54	36.4 +- 1.2	8.5
006	48	36.4 +- 1.2	8.7
007	76	36.3 +- 1.2	8.7
008	58	36.3 +- 1.2	8.6
009	100	37.3 +- 1.1	8.6
010	87	MISSING OR DAMAGED DOSIMETER	
011	118	39.8 +- 1.2	8.8
012	104	41.9 +- 1.2	9.0
013	143	38.5 +- 1.2	8.7
014	128	38.5 +- 1.2	8.7
015	168	36.0 +- 1.1	8.4
016	148	36.1 +- 1.1	8.4
017	182	MISSING OR DAMAGED DOSIMETER	
018	175	37.5 +- 1.1	8.6
019	210	38.1 +- 1.1	8.6
020	200	38.3 +- 1.1	8.6
021	234	MISSING OR DAMAGED DOSIMETER	
022	216	MISSING OR DAMAGED DOSIMETER	
023	254	36.1 +- 1.1	8.4
024	244	36.0 +- 1.1	8.5
025	278	36.7 +- 1.1	8.4
026	263	36.8 +- 1.1	8.4
027	297	36.7 +- 1.1	8.4
028	284	36.7 +- 1.1	8.5
029	317	36.1 +- 1.1	8.4
030	305	35.4 +- 1.1	8.4
031	338	37.1 +- 1.1	8.5
032	330	34.5 +- 1.0	8.3
033	267	36.6 +- 1.1	8.7
034	138	35.4 +- 1.1	8.5
035	270	37.5 +- 1.1	8.6
036	345	MISSING OR DAMAGED DOSIMETER	
037	10	36.4 +- 1.1	8.5
040	63	36.0 +- 1.1	8.5
041	165	40.0 +- 1.2	9.0
042	248	41.6 +- 1.1	9.0
045	198	MISSING OR DAMAGED DOSIMETER	
046	39	37.1 +- 1.1	8.5
047	357	35.5 +- 1.1	8.4
048	171	36.7 +- 1.1	8.5
049	360	41.4 +- 1.2	9.0

TRANSIT DOSE = 9.0 +- .5 ; 7.0


FT. ST. VRAIN
FOR THE PERIOD 860306-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	26.8 +- 1.1	3
11.25-33.75 (NNE)	28.2 +- .6	2
33.75-56.25 (NE)	27.0 +- 1.0	3
56.25-78.75 (ENE)	27.6 +- 1.3	3
78.75-101.25 (E)	27.0 +- 0.0	1
101.25-123.75 (ESE)	30.5 +- 1.4	2
123.75-146.25 (SE)	27.6 +- 1.2	3
146.25-168.75 (SSW)	27.1 +- 2.9	3
168.75-191.25 (S)	27.2 +- 0.0	1
191.25-213.75 (SSW)	27.9 +- .2	2
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	27.9 +- 2.9	3
258.75-281.25 (W)	26.9 +- 1.2	4
281.25-303.75 (WNW)	26.1 +- .4	2
303.75-326.25 (NW)	25.5 +- .5	2
326.25-348.75 (NNW)	25.6 +- 1.8	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	27.3 +- 1.1	10
2-5	27.0 +- 1.0	17
>5	27.7 +- 2.0	9
UPWIND CONTROL DATA	27.6 +- 3.0	3

NRC TLD DOSES FOR FT. ST. VRAIN AREA
(mR per 90 days)



GUNZER

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 860318-860715 120 DAYS
FIELD TIME 99 DAYS


GINNA
FOR THE PERIOD 860318-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	14.1 +- .8	3
101.25-123.75 (ESE)	14.5 +- 1.6	4
123.75-146.25 (SE)	13.9 +- 1.3	2
146.25-168.75 (SSW)	14.0 +- 1.6	3
168.75-191.25 (S)	14.6 +- .6	3
191.25-213.75 (SSW)	15.5 +- 2.4	3
213.75-236.25 (SW)	14.7 +- .9	3
236.25-258.75 (WSW)	14.1 +- .4	2
258.75-281.25 (W)	15.3 +- 1.4	2
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.8 +- .6	10
2-5	14.4 +- 1.3	9
>5	14.3 +- 2.0	6
UPWIND CONTROL DATA	15.2 +- .8	3

NRC TLD DOSES FOR GINNA AREA
(mR per 90 days)



* Plant

GRAND GULF

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860710 116 DAYS
 FIELD TIME 98 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE	
			+/- Rdm;Tot.	+/- Rdm;Tot.	mR/Std.0tr.	+/- Rdm;Tot.
001	337	2.	19.5	+/- .6	17.2	+/- .6 ; 4.8
002	351	1.6	15.5	+/- .6	13.0	+/- .5 ; 4.5
003	20	1.6	19.3	+/- .6	17.0	+/- .6 ; 4.8
004	51	2.0	17.5	+/- .6	15.0	+/- .6 ; 4.7
005	68	2.7	18.6	+/- .6	16.0	+/- .6 ; 4.8
006	47	4.1	19.6	+/- .6	17.0	+/- .6 ; 4.8
007	68	4.9	20.0	+/- .6	17.0	+/- .6 ; 4.8
008	91	3.2	21.1	+/- .6	18.0	+/- .6 ; 4.9
009	81	1.8	18.8	+/- .6	16.0	+/- .6 ; 4.7
010	109	0.6	20.8	+/- .6	18.4	+/- .6 ; 4.9
011	139	0.9	20.1	+/- .6	17.7	+/- .6 ; 4.8
012	185	1.6	19.2	+/- .6	16.0	+/- .6 ; 4.8
013	207	1.9	19.0	+/- .6	17.4	+/- .6 ; 4.8
014	247	1.5	18.9	+/- .6	16.0	+/- .6 ; 4.7
015	130	4.2	21.2	+/- .6	18.7	+/- .6 ; 4.9
016	122	4.0	19.6	+/- .6	17.2	+/- .6 ; 4.8
017	135	5.0	18.5	+/- .6	16.2	+/- .6 ; 4.7
018	147	4.0	17.6	+/- .6	15.4	+/- .6 ; 4.6
019	224	6.0	21.6	+/- .6	19.0	+/- .6 ; 5.0
020	172	3.6	18.4	+/- .6	16.1	+/- .6 ; 4.7
021	291	12.	18.7	+/- .6	16.4	+/- .6 ; 4.7
022	332	8.0	21.7	+/- .6	19.2	+/- .6 ; 5.0
023	310	7.9	18.5	+/- .6	16.2	+/- .6 ; 4.7
024	281	7.0	18.7	+/- .6	16.4	+/- .6 ; 4.7
025	291	4.0	19.8	+/- .6	17.4	+/- .6 ; 4.8
026	248	9.0	17.9	+/- .6	16.4	+/- .6 ; 4.7
027	239	13.	18.2	+/- .6	17.4	+/- .6 ; 4.7
029	090	0.9	19.4	+/- .6	15.7	+/- .6 ; 4.7
030	67	51	MISSING OR DAMAGED DOSIMETER	2.9	15.9	+/- .6 ; 4.8
031	67	51	MISSING OR DAMAGED DOSIMETER	2.9	17.0	+/- .6 ; 4.8
032	67	51	MISSING OR DAMAGED DOSIMETER	2.7	17.0	+/- .6 ; 4.8
033	206	4.8	19.7	+/- .6 ; 2.9	17.3	+/- .6 ; 4.8
TRANSIT DOSE = .8 +-.3 ; 4.3						


GRAND GULF
FOR THE PERIOD 860317-860710

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	13.5 +- 0.0	1
11.25-33.75 (NNE)	17.0 +- 0.0	1
33.75-56.25 (NE)	16.3 +- 1.3	2
56.25-78.75 (ENE)	17.0 +- .9	2
78.75-101.25 (E)	17.4 +- 1.1	3
101.25-123.75 (ESE)	17.8 +- .8	2
123.75-146.25 (SE)	17.5 +- 1.2	3
146.25-168.75 (SSW)	15.4 +- 0.0	1
168.75-191.25 (S)	16.5 +- .5	2
191.25-213.75 (SSW)	17.3 +- .1	2
213.75-236.25 (SW)	19.0 +- 0.0	1
236.25-258.75 (WSW)	16.1 +- .5	3
258.75-281.25 (W)	16.4 +- 0.0	1
281.25-303.75 (WNW)	16.9 +- .2	2
303.75-326.25 (NW)	16.2 +- 0.0	1
326.25-348.75 (NNW)	18.2 +- 1.4	2

DISTANCE (m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.8 +- 1.3	10
2-5	17.0 +- 1.1	11
>5	16.9 +- 1.4	8
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR GRAND GULF AREA
(mR per 90 days)



HADDAM NECK

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860703 108 DAYS
 FIELD TIME 87 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.	
002	17	2.6	18.0	4.9
003	45	1.9	19.4	5.0
004	67	2.3	17.6	4.9
005	93	1.6	16.6	4.7
006	115	2.3	16.6	4.0
007	143	1.9	17.5	4.7
008	165	.9	16.6	4.0
009	174	1.3	17.6	4.7
010	195	.7	16.6	4.7
012	241	.8	16.9	4.7
013	263	.0	16.7	4.7
014	290	1.9	17.5	4.0
015	311	1.1	16.1	4.7
016	341	1.1	17.3	4.0
017	360	2.2	19.2	5.0
018	222	2.5	15.5	4.7
019	269	3.3	16.1	4.7
020	66	3.3	16.7	4.7
021	91	2.3	17.8	4.8
022	112	2.3	17.9	4.7
023	137	2.2	15.8	4.7
024	155	2.5	17.1	4.7
025	175	2.5	15.0	4.7
026	196	1.7	16.6	4.7
027	225	1.1	17.0	4.7
028	250	1.5	16.8	4.9
029	340	2.0	18.2	4.7
030	286	3.3	16.5	4.7
031	322	2.2	16.3	5.0
032	327	2.9	19.2	4.7
033	359	6.4	16.5	4.7
035	54	10.0	17.4	4.8
036	72	10.0	19.4	5.0
037	149	10.0	16.8	4.7
038	158	10.0	15.5	4.4
039	267	9.1	17.2	4.4
040	303	9.6	18.3	4.4
041	313	13.0	16.7	4.4
042	320	13.0	18.5	4.4
043	324	10.0	16.5	4.4
044	328	15.0	17.9	4.4
045	343	10.0	18.2	4.4
046	144	5.0	18.2	4.4
049	340	20.0	18.1	4.9
TRANSIT DOSE =		.8 +- .2 ; 3.8		


HADDAM NECK
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.7 +- 2.0	2
11.25-33.75 (NNE)	17.8 +- 0.0	1
33.75-56.25 (NE)	18.3 +- 1.5	2
56.25-78.75 (ENE)	17.7 +- 1.4	3
78.75-101.25 (E)	17.0 +- .8	2
101.25-123.75 (ESE)	17.0 +- .9	2
123.75-146.25 (SE)	17.0 +- 1.3	3
146.25-168.75 (SSW)	16.1 +- .7	4
168.75-191.25 (S)	16.5 +- 1.4	2
191.25-213.75 (SSW)	16.1 +- .4	2
213.75-236.25 (SW)	16.4 +- 1.7	2
236.25-258.75 (WSW)	16.2 +- .6	2
258.75-281.25 (W)	16.4 +- .6	3
281.25-303.75 (NNW)	17.2 +- .9	3
303.75-326.25 (NW)	16.6 +- 1.0	5
326.25-348.75 (NNW)	18.1 +- .8	5

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.0 +- .9	12
2-5	16.9 +- 1.2	16
>5	17.1 +- 1.2	15
UPWIND CONTROL DSTR	17.9 +- 0.0	1

NRC TLD DOSES FOR HADDAM NECK AREA
(mR per 90 days)



HARRIS

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860715 121 DAYS
 FIELD TIME 94 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	36	2.6	5.1
002	25	3.2	4.9
003	27	1.1	5.1
004	36	0.8	5.3
005	68	0.0	4.9
006	98	0.0	4.8
007	232	0.0	4.9
008	190	0.0	4.8
009	158	0.0	4.7
010	42	4.2	5.4
011	40	8.6	5.0
012	298	13.1	4.8
013	298	12.1	4.9
014	298	11.0	4.8
015	332	4.5	4.8
016	291	MISSING	5.0
017	270	16.4	4.9
018	240	13.0	5.0
019	227	14.4	4.7
020	208	16.0	4.9
021	190	16.0	4.9
022	151	16.0	4.9
023	132	16.1	4.9
024	112	16.0	4.9
025	92	16.0	4.9
026	115	15.2	4.8
027	135	15.2	4.7
028	164	15.2	4.7
029	49	15.2	4.8
030	275	11.1	4.9
031	292	11.1	4.9
032	314	1.4	5.2
033	329	1.4	5.1
034	358	4.4	4.8
035	338	4.4	4.9
036	16	4.4	5.3
037	68	4.4	4.7
038	88	6.9	4.9
039	80	6.9	4.9
040	118	1.1	5.2
041	260	1.1	4.9
042	333	1.1	4.9
043	50	24.2	5.4
044		23.2	
		4.5	
TRANSIT DOSE =	1.8	+-.3	


HARRIS
FOR THE PERIOD 860317-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-311.25 (N)	16.2 +- 1.1	2
11.25-33.75 (NNE)	16.3 +- 2.2	3
33.75-56.25 (NE)	16.6 +- 2.9	6
56.25-78.75 (ENE)	12.2 +- .8	2
78.75-101.25 (E)	13.9 +- .9	4
101.25-123.75 (ESE)	15.5 +- 2.6	3
123.75-146.25 (SE)	12.5 +- 1.7	2
146.25-168.75 (SSE)	14.1 +- .5	3
168.75-191.25 (S)	12.7 +- 1.3	2
191.25-213.75 (SSW)	12.0 +- 0.0	1
213.75-236.25 (SW)	12.3 +- 1.6	2
236.25-258.75 (WSW)	15.8 +- 0.0	1
258.75-281.25 (W)	14.3 +- .3	3
281.25-303.75 (WNW)	18.4 +- 0.0	1
303.75-326.25 (NW)	16.0 +- 0.0	1
326.25-348.75 (NNW)	16.3 +- 2.4	4

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	14.9 +- 2.1	13
2-5	14.5 +- 2.5	20
>5	15.8 +- 2.4	7
UPWIND CONTROL DATA	13.2 +- .7	3

NRC TLD DOSES FOR SHEARON-HARRIS AREA
(mR per 90 days)



HATCH

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860806 143 DAYS
 FIELD TIME 98 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	342	23	21.1 +- .6	17.8 +- .6 5.1
002	359	7.7	19.9 +- .6	16.7 +- .6 5.0
003	354	4.5	MISSING OR DAMAGED DOSIMETER	5.0
004	336	2.9	19.4 +- .6	16.2 +- .6 5.1
005	309	4.5	19.6 +- .6	16.6 +- .6 5.1
006	297	5.6	21.1 +- .6	18.0 +- .6 5.0
007	24	2.0	20.1 +- .6	17.3 +- .6 5.1
008	49	2.0	19.3 +- .6	16.2 +- .6 5.0
009	49/	10.	19.3 +- .6	14.8 +- .6 4.9
010	28	4.0	17.8 +- .6	17.6 +- .6 5.1
011	67	5.6	20.9 +- .6	20.9 +- .6 5.4
012	50	5.1	24.4 +- .6	17.2 +- .6 5.1
013	353	2.0	19.0 +- .6	15.2 +- .6 4.9
014	341	1.6	21.0 +- .6	15.0 +- .6 4.9
015	14	10	18.2 +- .6	15.4 +- .6 4.9
016	232	0.9	18.0 +- .6	16.6 +- .6 4.9
017	205	1.6	19.0 +- .6	14.4 +- .6 4.9
018	192	4.2	17.4 +- .6	13.0 +- .6 4.9
019	184	4.2	16.7 +- .6	15.0 +- .6 4.9
020	165	4.6	18.7 +- .6	15.3 +- .6 4.9
021	135	4.4	18.4 +- .6	15.3 +- .6 4.9
022	120	4.1	21.7 +- .6	16.4 +- .6 5.2
023	107	3.7	19.0 +- .6	16.3 +- .6 5.0
024	12	14	17.0 +- .6	14.3 +- .6 4.8
025	114	12.	18.0 +- .6	15.0 +- .6 5.1
026	142	1.0	20.6 +- .6	17.3 +- .6 5.1
027	157	1.0	20.1 +- .6	16.0 +- .6 5.1
028	171	1.0	21.0 +- .6	17.7 +- .6 5.0
029	253	1.0	19.0 +- .6	16.6 +- .6 5.0
030	270	1.0	23.1 +- .6	19.0 +- .6 5.1
031	292	1.1	20.0 +- .6	17.0 +- .6 5.1
032	268	4.2	19.5 +- .6	16.0 +- .6 5.0
033	248	4.3	18.4 +- .6	14.4 +- .6 4.9
034	216	4.1	17.9 +- .6	14.4 +- .6 4.9
035	23	12.	17.0 +- .6	15.0 +- .6 5.1
036	182	10.	18.5 +- .6	17.0 +- .6 5.0
037	177	10.	18.5 +- .6	15.0 +- .6 5.1
038	323	12.	20.0 +- .6	16.0 +- .6 5.0
039	321	13.	20.0 +- .6	16.0 +- .6 5.0
040	323	12.	21.6 +- .6	18.2 +- .6 5.2

TRANSIT DOSE = 1.7 +- .3 ; 4.6


HATCH
FOR THE PERIOD 860317-860806

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-311.25 (N)	16.3 +- .6	2
11.25-33.75 (NNE)	15.3 +- 1.1	5
33.75-56.25 (NE)	17.9 +- 2.6	3
56.25-78.75 (ENE)	17.6 +- 0.0	1
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	16.8 +- 1.3	3
123.75-146.25 (SE)	16.3 +- 1.4	2
146.25-168.75 (SSE)	16.2 +- .9	2
168.75-191.25 (S)	15.4 +- 1.7	4
191.25-213.75 (SSW)	15.5 +- 1.5	2
213.75-236.25 (SW)	14.8 +- .6	2
236.25-258.75 (WSW)	16.0 +- .8	2
258.75-281.25 (W)	18.0 +- 2.4	2
281.25-303.75 (WNW)	17.8 +- .4	2
303.75-326.25 (NW)	16.6 +- 0.0	1
326.25-348.75 (NNW)	17.2 +- .9	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.1 +- 1.2	10
2-5	16.0 +- 1.3	15
>5	16.4 +- 1.9	11
UPWIND CONTROL DATA	17.5 +- .7	3

NRC TLD DOSES FOR HATCH AREA
(mR per 90 days)



INDIAN POINT
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860715 120 DAYS
 FIELD TIME 78 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr.		
			+/- Rdm	+/- Tot.	+/- Rdm	+/- Tot.	
001	52	1.4	16.3	+/- .5	15.0	+/- .7	5.7
002	53	1	17.9	+/-	16.8	+/- .7	5.8
003	61	1.5	17.5	+/-	16.4	+/- .7	5.8
004	89	1.2	17.3	+/-	16.1	+/- .7	5.8
005	107	.9	17.6	+/-	16.4	+/- .7	5.8
006	90	.5	18.0	+/-	17.0	+/- .7	5.9
007	133	.0	17.6	+/-	16.4	+/- .7	5.8
008	158	.0	18.4	+/-	17.4	+/- .7	5.9
009	188	1.2	19.9	+/-	17.9	+/- .7	5.9
010	206	.9	17.8	+/-	16.7	+/- .6	5.8
011	170	1.1	15.5	+/-	14.1	+/- .7	5.7
012	155	2.3	16.5	+/-	15.2	+/- .7	5.8
013	136	3.2	17.1	+/-	15.7	+/- .7	5.8
014	107	3.1	16.9	+/-	15.6	+/- .7	5.8
015	94	3.8	16.8	+/-	17.1	+/- .7	5.9
016	142	5.7	18.2	+/-	17.4	+/- .7	5.9
018	147	9.1	18.4	+/-	16.8	+/- .7	5.8
019	137	12.	17.9	+/-	15.7	+/- .7	5.8
020	129	12.	17.8	+/-	15.2	+/- .7	5.8
022	74	7.5	18.2	+/-	17.1	+/- .7	5.9
023	55	92	18.5	+/-	17.5	+/- .7	5.9
024	55	92	19.4	+/-	18.6	+/- .8	6.0
025	65	4.1	16.8	+/-	15.5	+/- .7	5.7
026	48	4	20.4	+/-	19.7	+/- .8	6.1
027	25	5.3	MISSING	OR DAMAGED DOSIMETER	18.1	+/- .7	6.0
028	24	2.9	19.8	+/-	17.1	+/- .7	5.9
029	22	2.1	18.2	+/-	16.4	+/- .7	5.8
030	8	1.9	17.6	+/-	16.1	+/- .7	5.8
031	356	55	17.3	+/-	17.4	+/- .7	5.9
032	330	3.7	18.4	+/-	19.4	+/- .8	6.1
033	338	4.7	20.1	+/-	18.0	+/- .7	5.9
034	354	7	18.9	+/-	19.4	+/- .7	6.1
035	297	4.4	20.2	+/-	19.4	+/- .8	6.1
036	309	3.6	19.3	+/-	18.8	+/- .7	6.0
037	350	1.1	MISSING	OR DAMAGED DOSIMETER	19.8	+/- .7	6.0
038	337	.9	19.8	+/-	19.8	+/- .8	6.0
039	315	1	18.5	+/-	17.8	+/- .7	5.9
040	294	1.1	17.7	+/-	16.6	+/- .7	5.8
041	274	1.1	17.4	+/-	16.2	+/- .7	5.8
042	248	1.5	20.3	+/-	19.6	+/- .8	6.1
044	5	92	18.7	+/-	17.8	+/- .7	5.9
045	227	2.4	19.9	+/-	19.1	+/- .8	6.0
046	209	3.2	MISSING	OR DAMAGED DOSIMETER	19.0	+/- .7	5.9
047	218	5.3	17.2	+/-	16.0	+/- .7	5.8
048	201	4.6	18.1	+/-	17.1	+/- .7	5.9
049	187	5.2	18.6	+/-	17.6	+/- .7	5.9
050	171	7.1	16.5	+/- .5	15.2	+/- .7	5.7

TRANSIT DOSE = 3.3 +-.3 ; 4.3


INDIAN POINT
FOR THE PERIOD 860318-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	# IN GROUP
348.75-11.25 (N)	17.1 +- .9	4
11.25-33.75 (NNE)	17.6 +- .7	2
33.75-56.25 (NE)	17.1 +- 2.4	3
56.25-78.75 (ENE)	16.3 +- .8	3
78.75-101.25 (E)	16.2 +- .7	3
101.25-123.75 (ESE)	16.1 +- .5	2
123.75-146.25 (SE)	16.4 +- .6	5
146.25-168.75 (SSE)	16.7 +- 1.3	3
168.75-191.25 (S)	16.2 +- 1.9	4
191.25-213.75 (SSW)	16.9 +- .2	2
213.75-236.25 (SW)	17.6 +- 2.2	2
236.25-258.75 (WSW)	19.6 +- 0.0	1
258.75-281.25 (W)	16.2 +- 0.0	1
281.25-303.75 (WNW)	18.0 +- 2.0	2
303.75-326.25 (NW)	18.0 +- .7	2
326.25-348.75 (NNW)	18.6 +- 1.0	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	# IN GROUP
0-2	16.8 +- 1.3	17
2-5	17.3 +- 1.6	15
>5	16.9 +- .9	10
UPWIND CONTROL DATA	18.0 +- .8	2

NRC TLD DOSES FOR INDIAN POINT AREA
(mR per 90 days)



KEWAUNEE/PT. BEACH

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860718 134 DAYS
 FIELD TIME 111 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.0tr. +- Rdm;Tot.	
		+- Rdm	Tot.	+- Rdm	Tot.
001	189	8.1	18.3	10.8	5.5
002	195	7.0	27.1	17.9	5.6
003	163	4.9	18.8	11.2	5.7
004	183	3.3	22.4	14.2	5.8
005	210	3.2	18.1	10.7	5.8
006	223	3.7	23.0	14.6	5.9
007	242	5.7	19.9	12.1	5.9
008	202	1.8	24.4	15.8	6.0
009	180	1.8	22.3	14.8	6.0
010	158	1.9	18.3	10.8	5.5
011	235	1.2	23.9	15.4	5.7
012	258	1.4	21.7	13.6	5.7
013	273	1.4	22.1	13.9	5.7
014	290	0.9	22.3	14.8	5.7
015	333	0.8	22.2	14.8	5.7
016	342	1.9	21.3	13.3	5.7
017	317	2.0	18.6	11.1	5.9
018	310	3.4	25.2	16.4	6.0
019	293	4.0	19.7	12.8	5.6
020	273	4.0	19.8	12.5	5.6
021	300	5.6	20.4	12.5	5.6
022	316	5.9	21.0	13.8	5.8
023	345	2.7	23.3	14.9	6.0
024	219	1.3	20.2	12.4	5.8
025	247	1.4	24.1	15.5	5.8
026	263	1.3	23.8	14.6	5.8
027	290	1.4	23.7	15.2	5.8
028	320	1.3	22.7	14.4	5.6
029	342	1.1	MISSING OR DAMAGED DOSIMETER	14.2	5.7
030	329	0.6	22.5	14.2	5.7
031	13	1.0	20.6	12.3	5.7
032	353	2.1	22.6	14.3	5.7
033	361	3.9	23.1	14.7	5.7
034	299	0.4	22.6	14.3	5.7
035	323	3.0	20.2	12.3	5.7
036	336	3.3	22.2	14.8	5.7
037	6	3.1	20.4	12.0	5.7
038	14	3.7	21.2	13.9	5.7
039	13	2.6	18.3	10.0	5.5
040	247	4.3	MISSING OR DAMAGED DOSIMETER	10.3	5.5
041	8	23.	17.7	10.3	5.5
042	0	23.	19.5	11.8	5.6
043	8	23.	17.3	10.0	5.6
TRANSIT DOSE =		4.9	+- .4	; 6.2	

KEWAUHNEE/PT. BEACH
FOR THE PERIOD 860307-860718

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	13.4 +- 1.3	2
11.25-33.75 (NNE)	12.1 +- 1.2	3
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	11.0 +- .3	2
168.75-191.25 (S)	13.0 +- 1.9	3
191.25-213.75 (SSW)	14.8 +- 3.7	3
213.75-236.25 (SW)	14.1 +- 1.6	3
236.25-258.75 (WSW)	13.7 +- 1.7	3
258.75-281.25 (W)	13.5 +- 1.3	3
281.25-303.75 (WNW)	13.8 +- 1.3	6
303.75-326.25 (NW)	13.4 +- 2.0	5
326.25-348.75 (NNW)	14.1 +- .6	5

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	13.8 +- 1.5	17
2-5	13.4 +- 1.6	14
>5	13.1 +- 2.5	7
UPWIND CONTROL DATA	10.7 +- .9	3

MAP FOR KEWAUNEE/PT. BEACH

Map will be provided for this site in the future.

LACROSSE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860715 131 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std. Qtr. +- Rdm;Tot.	
		+- Rdm;Tot.	+- Rdm;Tot.	+- Rdm;Tot.	+- Rdm;Tot.
001	57	20.	19.6 +- .6	13.8 +- .7	6.2
002	57	20.	19.7 +- .6	13.9 +- .7	6.2
003	37	20.	20.2 +- .6	14.4 +- .7	6.2
004	343	3.8	19.1 +- .6	13.3 +- .7	6.2
005	313	3.8	21.9 +- .7	16.0 +- .7	6.4
006	291	3.8	23.0 +- .7	17.2 +- .8	6.4
007	261	4.8	21.9 +- .7	16.0 +- .7	6.4
008	249	3.2	23.4 +- .7	17.5 +- .8	6.5
009	214	5.8	22.3 +- .7	16.5 +- .8	6.4
010	171	9.8	18.1 +- .7	12.3 +- .7	6.1
011	176	5.1	19.3 +- .7	13.5 +- .7	6.2
012	165	4.9	21.1 +- .7	15.3 +- .7	6.3
013	138	3.5	23.2 +- .7	17.4 +- .8	6.5
014	114	4.2	18.8 +- .7	13.1 +- .7	6.1
015	97	3.9	18.9 +- .7	13.1 +- .7	6.2
016	94	3.8	20.6 +- .7	14.8 +- .7	6.3
017	105	2.8	21.7 +- .7	15.8 +- .7	6.3
018	52	1.5	19.1 +- .7	13.3 +- .7	6.2
019	16	1.5	19.2 +- .7	13.4 +- .7	6.2
020	1	1.8	18.3 +- .7	12.4 +- .7	6.1
021	358	0.5	21.9 +- .7	15.8 +- .7	6.3
022	180	0.6	20.9 +- .7	15.1 +- .7	6.3
023	134	1.2	20.9 +- .7	15.1 +- .7	6.3
024	58	0.6	21.5 +- .7	15.7 +- .7	6.3
025	59	3.1	23.4 +- .7	17.6 +- .8	6.5
026	16	1.8	19.9 +- .7	14.1 +- .7	6.2
027	26	5.1	20.4 +- .7	14.6 +- .7	6.3
028	25	7.8	18.3 +- .7	12.6 +- .7	6.1
029	4	4.8	20.7 +- .6	14.9 +- .7	6.3
TRANSIT DOSE =		5.5 +- .4	; 5.6		


LACROSSE
FOR THE PERIOD 860307-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	14.4 +- 1.6	3
11.25-33.75 (NNE)	13.7 +- .9	4
33.75-56.25 (NE)	13.3 +- 0.0	1
56.25-78.75 (ENE)	16.6 +- 1.3	2
78.75-101.25 (E)	14.0 +- 1.1	2
101.25-123.75 (ESE)	14.4 +- 2.0	2
123.75-146.25 (SE)	16.2 +- 1.6	2
146.25-168.75 (SSW)	15.3 +- 0.0	1
168.75-191.25 (S)	13.7 +- 1.4	3
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	16.5 +- 0.0	1
236.25-258.75 (WSW)	17.5 +- 0.0	1
258.75-281.25 (W)	16.0 +- 0.0	1
281.25-303.75 (WNW)	17.2 +- 0.0	1
303.75-326.25 (NW)	16.0 +- 0.0	1
326.25-348.75 (NNW)	13.3 +- 0.0	1

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	14.5 +- 1.3	9
2-5	15.6 +- 1.7	13
>5	13.3 +- 1.0	4
UPWIND CONTROL DATA	14.0 +- .3	3

NRC TLD DOSES FOR LaCROSSE AREA
(mR per 90 days)



LA SALLE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860703 119 DAYS
 FIELD TIME 96 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	302	10.	19.3 +- .6	4.6
002	335	4.8	21.7 +- .6	4.8
003	343	5.0	17.4 +- .6	4.5
004	38	5.5	22.7 +- .6	4.4
005	39	4.3	16.8 +- .6	4.4
006	27	3.8	19.5 +- .6	4.7
007	355	4.1	20.7 +- .6	4.8
008	304	4.6	21.6 +- .6	4.6
009	292	3.9	18.7 +- .6	4.6
010	276	3.7	22.4 +- .6	4.6
011	248	4.0	19.3 +- .6	4.6
012	222	12.	19.3 +- .6	4.7
013	212	18.	19.7 +- .6	4.7
014	212	18.	20.4 +- .6	4.7
015	212	18.	19.3 +- .6	4.6
016	215	4.4	21.8 +- .6	4.6
017	204	4.6	20.4 +- .6	4.6
018	173	4.6	18.1 +- .6	4.6
019	174	6.4	18.1 +- .6	4.6
020	158	4.9	19.3 +- .6	4.6
021	125	4.2	21.2 +- .6	4.7
022	114	3.0	20.4 +- .6	4.7
023	97	4.7	20.4 +- .6	4.7
024	72	4.7	21.9 +- .6	4.9
025	41	2.1	20.2 +- .6	4.7
026	13	1.1	20.9 +- .6	4.7
027	358	1.1	20.9 +- .6	4.7
028	336	2.2	20.9 +- .6	4.7
029	318	2.2	20.9 +- .6	4.7
030	301	2.2	23.3 +- .6	5.0
031	271	1.1	19.4 +- .6	4.6
032	251	1.1	21.8 +- .6	4.8
033	227	1.4	22.2 +- .6	4.9
034	204	1.5	20.1 +- .6	4.7
035	171	1.5	MISSING OR DAMAGED DOSIMETER	4.9
036	153	1.1	22.1 +- .7	4.8
037	139	2.1	21.8 +- .7	4.6
038	111	1.5	18.0 +- .7	4.6
039	271	0.6	22.2 +- .7	4.9
TRANSIT DOSE = .1 +- .2 ; 4.0				


LA SALLE
FOR THE PERIOD 860307-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-31.25 (N)	19.4 +- .1	2
11.25-33.75 (NNE)	18.4 +- .3	2
33.75-56.25 (NE)	18.3 +- 3.2	3
56.25-78.75 (ENE)	20.5 +- 0.0	1
78.75-101.25 (E)	19.0 +- 0.0	1
101.25-123.75 (ESE)	18.2 +- 1.0	2
123.75-146.25 (SE)	19.7 +- .1	2
146.25-168.75 (SSW)	19.3 +- 1.9	2
168.75-191.25 (S)	16.9 +- 0.0	2
191.25-213.75 (SSW)	18.9 +- .2	2
213.75-236.25 (SW)	19.7 +- 1.4	3
236.25-258.75 (WSW)	18.8 +- 1.1	2
258.75-281.25 (W)	19.9 +- 1.6	3
281.25-303.75 (WNW)	19.1 +- 2.3	3
303.75-326.25 (NW)	19.5 +- 1.0	2
326.25-348.75 (NNW)	18.5 +- 2.1	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	19.4 +- 1.2	11
2-5	19.0 +- 1.5	19
>5	18.1 +- 1.9	5
UPWIND CONTROL DATA	18.5 +- .5	3

NRC TLD DOSES FOR LASALLE AREA
(mR PER 90 DAYS)



LIMERICK

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860703 108 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std. Dtr. +- Rdm;Tot.	
		+- Rdm	;- Tot.	+- Rdm	;- Tot.
001	12	9.	22.5	21.8	5.0
003	88	3.7	20.1	19.5	4.8
004	52	3.2	20.1	19.4	4.8
005	23	3.5	20.7	20.1	4.9
006	8	4.6	21.1	20.4	4.9
007	340	7.1	19.7	19.1	4.8
008	330	3.6	20.3	19.6	4.8
009	313	3.3	18.3	17.7	4.6
010	291	4.0	20.5	19.8	4.8
011	303	2.9	24.9	24.2	5.3
012	314	1.6	18.4	17.8	4.7
013	352	1.7	21.3	20.6	4.9
014	339	1.3	16.9	16.3	4.5
015	47	1.0	20.4	19.7	4.8
016	71	2.7	20.8	20.1	4.9
017	17	2.4	18.8	18.1	4.7
018	286	5.5	19.3	18.7	4.7
019	276	5.9	18.2	17.6	4.6
020	245	1.9	18.8	18.1	4.7
021	224	1	18.9	18.3	4.7
022	202	1.6	18.7	18.1	4.7
023	172	1.6	17.2	16.6	4.6
024	150	1.7	18.9	18.2	4.7
025	132	1.2	20.4	19.0	4.8
026	120	1.2	20.2	19.6	4.8
027	160	1	19.6	19.0	4.8
028	91	1	18.8	18.2	4.7
029	67	.7	19.0	18.4	4.7
030	146	3.4	22.6	21.9	5.0
031	158	2.8	20.2	19.6	4.8
032	152	7.4	18.0	17.4	4.6
033	184	4.3	16.6	16.0	4.4
034	201	3.9	18.6	18.0	4.7
035	225	5.1	18.9	18.3	4.7
036	245	4.2	17.8	17.2	4.6
037	266	3.9	15.4	14.9	4.4
038	290	15	20.6	19.9	4.8
039	290	15	20.8	20.1	4.9
040	290	15	21.0	20.3	4.9
041	128	3	16.3	15.7	4.5
042	111	4.4	18.5	17.9	4.7
TRANSIT DOSE =		.2	+. .2	; 3.9	


LIMERICK
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	20.5 +- .2	2
11.25-33.75 (NNE)	20.0 +- 1.8	3
33.75-56.25 (NE)	19.6 +- .2	2
56.25-78.75 (ENE)	19.2 +- 1.2	2
78.75-101.25 (E)	18.8 +- .9	2
101.25-123.75 (ESE)	18.7 +- 1.2	2
123.75-146.25 (SE)	19.1 +- 3.2	3
146.25-168.75 (SSE)	18.6 +- .9	4
168.75-191.25 (S)	16.3 +- .4	2
191.25-213.75 (SSW)	18.0 +- .1	2
213.75-236.25 (SW)	18.3 +- 0.0	2
236.25-258.75 (WSW)	17.7 +- .7	2
258.75-281.25 (W)	16.2 +- 1.9	2
281.25-303.75 (WNW)	20.9 +- 2.9	3
303.75-326.25 (NW)	17.7 +- .0	2
326.25-348.75 (NNW)	18.3 +- 1.8	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.4 +- 1.1	17
2-5	18.9 +- 2.3	17
>5	19.1 +- 1.9	4
UPWIND CONTROL DATA	20.1 +- .2	3

NRC TLD DOSES FOR LIMERICK AREA
(mR per 90 days)



MAINE YANKEE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860708 114 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.			
			+-	Rdm	Tot.	+-	Rdm	Tot.	
001	340	1.	20.1	+-	.6	3.0	18.1	+- .7	5.2
002	6	1.4	19.7	+-	.6	2.9	17.7	+- .6	5.2
003	23	1.5	19.6	+-	.6	2.9	17.7	+- .6	5.2
004	44	1.8	19.5	+-	.6	2.9	17.6	+- .6	5.2
005	116	.5	19.4	+-	.6	2.9	17.4	+- .6	5.1
006	168	1	19.4	+-	.6	2.9	17.5	+- .6	5.2
007	185	1.6	18.8	+-	.6	2.7	16.8	+- .6	5.0
008	195	2.3	19.5	+-	.6	2.9	17.6	+- .6	5.2
009	209	3.8	18.2	+-	.6	2.7	16.3	+- .6	5.1
010	310	1.7	19.1	+-	.6	2.9	17.2	+- .6	5.1
011	290	1.8	22.1	+-	.6	3.3	20.1	+- .7	5.4
012	275	1.7	19.5	+-	.6	2.9	17.5	+- .6	5.2
013	256	1.9	19.7	+-	.6	2.9	17.7	+- .6	5.2
014	232	2.5	21.1	+-	.7	3.2	19.1	+- .7	5.3
015	227	5.3	20.3	+-	.7	3.3	18.4	+- .7	5.2
016	246	4.4	21.8	+-	.7	3.3	19.8	+- .7	5.4
017	250	6.6	25.3	+-	.8	3.8	23.3	+- .8	5.7
018	268	4.7	MISSING OR DAMAGED DOSIMETER						
019	283	4.4	19.8	+-	.6	3.0	17.8	+- .6	5.2
020	305	4.7	19.1	+-	.6	2.9	17.1	+- .6	5.1
021	300	2.9	19.8	+-	.6	3.0	17.8	+- .6	5.2
022	332	2.7	22.4	+-	.6	3.4	20.4	+- .7	5.4
023	20	3.9	21.5	+-	.6	3.2	19.5	+- .7	5.3
024	23	3	21.1	+-	.6	3.2	19.1	+- .7	5.3
025	42	4.7	20.3	+-	.6	3.0	18.3	+- .7	5.2
026	68	15	18.9	+-	.6	2.9	16.9	+- .6	5.1
027	62	16	18.7	+-	.6	2.8	16.8	+- .6	5.1
028	63	16	18.9	+-	.6	2.8	16.9	+- .6	5.1
029	64	2.1	21.2	+-	.6	3.2	19.7	+- .7	5.3
030	84	1.5	19.8	+-	.6	3.0	17.9	+- .6	5.2
031	115	1.6	18.6	+-	.6	2.8	16.6	+- .6	5.1
032	135	2	18.5	+-	.6	2.8	16.5	+- .6	5.1
033	66	3.5	19.3	+-	.6	2.9	17.3	+- .6	5.1
034	97	4.9	20.4	+-	.6	3.1	18.4	+- .7	5.2
035	123	4.8	20.6	+-	.6	3.0	18.0	+- .7	5.2
036	140	4.9	MISSING OR DAMAGED DOSIMETER						
037	151	6	MISSING OR DAMAGED DOSIMETER						
038	152	4.2	21.1	+-	.6	3.2	19.1	+- .7	5.3
039	172	4.9	20.2	+-	.6	3.0	18.2	+- .7	5.2
040	156	7.4	20.1	+-	.6	3.0	18.1	+- .7	5.2

TRANSIT DOSE = 1.7 +- .3 ; 4.3


MAINE YANKEE
FOR THE PERIOD 860317-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-311.25 (N)	17.7 +- 0.0	1
11.25-33.75 (NNE)	18.8 +- 1.0	3
33.75-56.25 (NE)	17.9 +- .5	2
56.25-78.75 (ENE)	18.5 +- 1.7	2
78.75-101.25 (E)	18.1 +- .4	2
101.25-123.75 (ESE)	17.3 +- .7	3
123.75-146.25 (SE)	16.5 +- 0.0	1
146.25-168.75 (SSW)	18.2 +- .8	3
168.75-191.25 (S)	17.1 +- 1.5	2
191.25-213.75 (SSW)	16.9 +- .9	2
213.75-236.25 (SW)	18.7 +- .5	2
236.25-258.75 (WSW)	20.3 +- 2.8	3
258.75-281.25 (W)	17.5 +- 0.0	1
281.25-303.75 (WNW)	18.6 +- 1.3	3
303.75-326.25 (NW)	17.1 +- .0	2
326.25-348.75 (NNW)	19.2 +- 1.6	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.5 +- .9	14
2-5	18.4 +- 1.1	17
>5	19.9 +- 2.9	3
UPWIND CONTROL DATA	16.9 +- .1	3

NRC TLD DOSES FOR MAINE YANKEE AREA
(mR per 90 days)



MC GUIRE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860715 121 DAYS
 FIELD TIME 93 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.	
		+- Rdm	Tot.	+- Rdm	Tot.
001	97	0.5	19.8	+- .6	.6
002	323	1.6	20.0	+- .6	.6
003	336	1.7	22.7	+- .7	.7
004	303	2.9	19.6	+- .6	.6
005	321	3.9	18.9	+- .6	.6
006	334	3.7	20.3	+- .7	.7
007	352	3.5	18.1	+- .6	.6
008	287	2.8	23.3	+- .7	.7
009	273	1.9	19.1	+- .6	.6
010	244	1.7	19.0	+- .6	.6
011	225	2.1	18.2	+- .6	.6
012	212	3.6	MISSING OR DAMAGED DOSIMETER		
013	232	4.4	27.3	+- .8	.8
014	253	3.7	21.3	+- .8	.8
015	261	4.6	17.9	+- .8	.8
016	288	4.3	25.5	+- .8	.8
017	288	17	25.7	+- .8	.8
018	287	2.8	25.3	+- .8	.8
019	286	17	25.6	+- .8	.8
020	233	18	26.9	+- .8	.8
021	204	10	19.4	+- .6	.6
022	239	9.5	21.1	+- .6	.6
023	115	4.9	MISSING OR DAMAGED DOSIMETER		
024	132	4.9	17.2	+- .6	.6
025	156	4.6	15.4	+- .6	.6
026	175	3.2	18.0	+- .6	.6
027	198	4.3	25.4	+- .6	.6
028	169	13	18.4	+- .6	.6
029	155	13	17.9	+- .6	.6
030	146	14	17.7	+- .6	.6
031	143	1.9	18.2	+- .6	.6
032	155	1.8	18.9	+- .6	.6
033	178	1.6	18.6	+- .6	.6
034	108	2.1	19.0	+- .6	.6
035	93	2.2	18.2	+- .6	.6
036	68	2.5	18.7	+- .6	.6
037	82	4.7	17.7	+- .6	.6
038	64	4.9	19.7	+- .6	.6
039	42	5.8	21.3	+- .6	.6
040	26	4.3	19.2	+- .6	.6
041	42	2.8	17.0	+- .6	.6
042	21	1.6	18.8	+- .6	.6
043	8	2.6	21.5	+- .6	.6
044	37	13	26.9	+- .6	.6
045	78	19	MISSING OR DAMAGED DOSIMETER		
046	94	19	MISSING OR DAMAGED DOSIMETER		

TRANSIT DOSE = 2.7 +- .3 ; 4.7

MOGUIRE
FOR THE PERIOD 860317-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.5 +- 2.3	2
11.25-33.75 (NNE)	15.7 +- .2	2
33.75-56.25 (NE)	18.3 +- 4.8	3
56.25-78.75 (ENE)	15.8 +- .7	2
78.75-101.25 (E)	15.3 +- 1.1	3
101.25-123.75 (ESE)	15.7 +- 8.0	1
123.75-146.25 (SE)	14.5 +- .5	3
146.25-168.75 (SSW)	14.2 +- 1.7	3
168.75-191.25 (S)	15.1 +- .3	3
191.25-213.75 (SSW)	19.0 +- 4.1	2
213.75-236.25 (SW)	20.7 +- 5.0	3
236.25-258.75 (WSW)	17.1 +- 1.2	3
258.75-281.25 (W)	15.2 +- .8	2
281.25-303.75 (WNW)	19.4 +- 2.9	3
303.75-326.25 (NW)	16.1 +- .8	2
326.25-348.75 (NNW)	18.2 +- 1.6	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.2 +- 1.7	12
2-5	16.7 +- 2.9	20
>5	17.8 +- 3.9	?
UPWIND CONTROL DATA	22.0 +- .2	3

MAP FOR McGUIRE

Map will be provided for this site in the future.

MILLSTONE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860703 108 DAYS
 FIELD TIME 87 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST. (mi.)	GROSS EXPOSURE(mR) +- Rdmt;Tot.	NET EXPOSURE RATE MR/Std.Otr. +- Rdmt;Tot.
001	0	1	20.0 + - 1.6	5.1
002	24	1.3	16.1 + - 1.7	4.7
003	47	1.5	20.1 + - 1.7	5.1
004	60	1.7	17.6 + - 1.7	5.0
005	85	1.1	19.0 + - 1.7	5.0
006	110	1.1	19.0 + - 1.7	5.0
007	67	1.1	19.0 + - 1.7	5.0
008	49	1.1	19.0 + - 1.7	5.0
009	84	1.1	19.0 + - 1.7	5.0
011	232	1.1	19.0 + - 1.7	5.0
012	256	1.1	19.0 + - 1.7	5.0
013	274	1.1	19.0 + - 1.7	5.0
014	295	1.1	19.0 + - 1.7	5.0
015	315	1.1	19.0 + - 1.7	5.0
016	339	1.1	19.0 + - 1.7	5.0
017	353	1.1	19.0 + - 1.7	5.0
018	24	1.1	19.0 + - 1.7	5.0
019	33	1.1	19.0 + - 1.7	5.0
020	82	1.1	19.0 + - 1.7	5.0
022	59	1.1	19.0 + - 1.7	5.0
028	257	1.1	19.0 + - 1.7	5.0
029	273	1.1	19.0 + - 1.7	5.0
030	295	1.1	19.0 + - 1.7	5.0
031	317	1.1	19.0 + - 1.7	5.0
032	327	1.1	19.0 + - 1.7	5.0
033	41	1.1	19.0 + - 1.7	5.0
034	54	1.1	19.0 + - 1.7	5.0
037	354	1.1	19.0 + - 1.7	5.0
039	1	1.1	19.0 + - 1.7	5.0
040	278	1.1	19.0 + - 1.7	5.0
041	34	1.0	16.0 + - 1.6	4.5
042	84	1.0	16.0 + - 1.6	4.5
045	41	0.6	18.2 + - 1.6	4.9
048	4	0.6	MISSING + - 0.7	4.0
049	4	0.6	MISSING + - 0.7	4.0
TRANSIT DOSE = .9 + - .2 ; 3.9				
			OR OR OR OR OR OR OR	
			DAMAGED	
			DAMAGED	
			DAMAGED	
			DOSIMETER	
			DOSIMETER	


MILLSTONE
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.8 +- 1.0	4
11.25-33.75 (NNE)	17.2 +- 1.9	3
33.75-56.25 (NE)	20.2 +- 2.4	6
56.25-78.75 (ENE)	18.3 +- 1.0	3
78.75-101.25 (E)	18.0 +- .4	4
101.25-123.75 (ESE)	19.0 +- 0.0	1
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSE)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	17.2 +- 0.0	1
236.25-258.75 (WSW)	19.8 +- .5	2
258.75-281.25 (W)	18.3 +- 1.7	3
281.25-303.75 (WNW)	20.5 +- .6	2
303.75-326.25 (NW)	16.0 +- 1.3	2
326.25-348.75 (NNW)	19.2 +- 1.3	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	18.2 +- 1.7	10
2-5	18.9 +- 1.3	13
>5	19.2 +- 2.2	10
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR MILLSTONE AREA
(mR per 90 days)



MONTICELLO

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860708 124 DAYS
 FIELD TIME 94 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.			
		+- Rdm	+- Tot.	+- Rdm	+- Tot.	+- Rdm	+- Tot.	
001	133	3.6	19.9	+- .6	3.0	17.0	+- .6	5.2
002	163	4.6	21.0	+- .6	3.1	18.1	+- .7	5.3
003	183	4.1	20.8	+- .6	3.1	17.9	+- .7	5.3
004	206	4.3	21.0	+- .6	3.2	18.1	+- .7	5.3
005	230	4.2	23.3	+- .7	3.5	20.3	+- .7	5.5
006	253	4.6	20.2	+- .6	3.8	17.4	+- .6	5.2
007	269	4.4	19.1	+- .6	3.2	16.3	+- .6	5.1
008	286	4.8	21.5	+- .6	3.2	16.6	+- .6	5.3
009	274	1.9	20.3	+- .6	3.0	17.5	+- .6	5.2
010	244	1.3	17.2	+- .6	2.9	14.4	+- .6	5.0
011	226	0.9	19.5	+- .6	2.2	16.7	+- .7	5.2
012	181	1.8	20.9	+- .6	3.1	18.0	+- .6	5.3
013	137	1.7	20.9	+- .6	3.1	18.0	+- .7	5.3
014	155	1.0	20.2	+- .6	3.0	17.4	+- .6	5.2
015	208	0.6	20.1	+- .6	3.0	17.3	+- .6	5.2
016	284	2.0	19.7	+- .6	3.0	16.9	+- .6	5.2
017	113	1.6	19.5	+- .6	2.9	16.7	+- .6	5.2
018	85	1.1	19.8	+- .6	3.0	17.0	+- .6	5.2
019	63	1.2	18.7	+- .6	2.8	15.9	+- .6	5.1
020	37	1.7	19.3	+- .6	2.9	16.5	+- .6	5.2
021	23	0.8	19.9	+- .6	3.0	17.1	+- .6	5.2
022	354	0.7	19.8	+- .6	3.0	16.9	+- .6	5.2
023	338	0.8	21.1	+- .6	3.2	18.2	+- .6	5.3
024	307	1.0	19.6	+- .6	3.0	16.7	+- .6	5.2
025	339	4.1	19.2	+- .6	3.0	16.4	+- .6	5.2
026	320	4.6	20.4	+- .6	3.1	17.6	+- .7	5.2
027	354	4.5	20.1	+- .6	3.0	17.3	+- .6	5.2
028	17	3.7	18.3	+- .6	2.7	15.5	+- .6	5.1
029	50	4.8	19.2	+- .6	2.9	16.4	+- .6	5.2
030	77	3.9	18.6	+- .6	2.8	15.8	+- .6	5.1
031	115	3.3	19.2	+- .6	2.9	16.4	+- .6	5.1
032	90	4.6	MISSING OR DAMAGED DOSIMETER					
033	323	16'	20.3	+- .6	3.0	17.4	+- .6	5.2
034	323	16'	19.6	+- .6	2.9	16.7	+- .6	5.2
035	323	16'	19.7	+- .6	3.0	16.9	+- .6	5.2

TRANSIT DOSE = 2.1 +- .3 ; 4.5

MONTICELLO
FOR THE PERIOD 860307-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	# IN GROUP
348.75-11.25 (N)	17.1 +- .2	2
11.25-33.75 (NNE)	16.3 +- 1.1	2
33.75-56.25 (NE)	16.5 +- .1	2
56.25-78.75 (ENE)	15.9 +- .0	2
78.75-101.25 (E)	17.0 +- 0.0	1
101.25-123.75 (ESE)	16.5 +- .2	2
123.75-146.25 (SE)	17.5 +- .7	2
146.25-168.75 (SSW)	17.7 +- .5	2
168.75-191.25 (S)	18.0 +- .0	2
191.25-213.75 (SSW)	17.7 +- .6	2
213.75-236.25 (SW)	18.5 +- 2.6	2
236.25-258.75 (WSW)	15.9 +- 2.1	2
258.75-281.25 (W)	16.9 +- .8	2
281.25-303.75 (NNW)	17.7 +- 1.2	2
303.75-326.25 (NW)	17.2 +- .6	2
326.25-348.75 (NNW)	17.3 +- 1.3	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	# IN GROUP
0-2	16.9 +- .9	16
2-5	17.3 +- 1.2	15
>5	NO DATA+-NO DATA	0
UPWIND CONTROL DATA	17.0 +- .4	3

MAP FOR MONTICELLO

Map will be provided for this site in the future.

NORTH ANNA
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860708 114 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.		
		+- Rdml	Tot.		+- Rdm	Tot.	
001	243	1.8	21.9	+- .7	3.3	21.2	+- .7 ; 5.0
002	263	1.6	18.2	+- .5	2.7	17.5	+- .6 ; 4.7
003	296	1	19.0	+- .5	2.9	18.4	+- .6 ; 4.8
004	311	1.3	23.2	+- .7	3.5	22.5	+- .7 ; 5.2
005	329	1.3	20.0	+- .7	3.0	19.4	+- .6 ; 4.9
006	231	3.9	20.3	+- .7	3.0	19.6	+- .6 ; 4.9
007	224	1.7	21.1	+- .7	3.2	20.5	+- .7 ; 5.0
008	210	1.6	18.9	+- .7	2.8	18.2	+- .6 ; 4.8
009	181	1.4	17.3	+- .7	2.6	16.7	+- .6 ; 4.6
010	155	1.	25.1	+- .7	3.8	24.4	+- .8 ; 5.4
011	136	1.6	19.0	+- .7	3.0	19.1	+- .6 ; 4.8
012	163	3.5	20.5	+- .7	3.1	19.9	+- .7 ; 4.9
013	190	3.3	17.9	+- .7	2.7	17.3	+- .6 ; 4.7
014	205	4.9	17.7	+- .7	2.6	17.0	+- .6 ; 4.7
015	140	4.2	20.1	+- .7	3.0	19.4	+- .6 ; 4.9
016	113	4.9	24.8	+- .7	3.7	24.1	+- .8 ; 5.3
017	93	3.3	16.0	+- .7	2.5	16.2	+- .5 ; 4.6
018	64	4.1	20.0	+- .7	3.1	19.9	+- .7 ; 4.9
019	78	2.7	29.8	+- .7	4.5	29.1	+- .9 ; 5.9
020	97	1.9	MISSING OR DAMAGED DOSIMETER				
021	105	1.7	18.3	+- .7	2.7	17.7	+- .6 ; 4.7
022	60	2.4	17.9	+- .7	2.7	17.3	+- .6 ; 4.7
023	37	1.4	20.7	+- .7	3.1	20.0	+- .7 ; 4.9
024	16	1.6	24.8	+- .7	3.7	24.1	+- .8 ; 5.3
025	48	3.5	MISSING OR DAMAGED DOSIMETER				
026	17	3.7	20.6	+- .7	3.1	19.9	+- .7 ; 4.9
027	3	4.8	18.2	+- .7	2.7	17.6	+- .6 ; 4.7
028	348	4	18.1	+- .7	2.7	17.5	+- .6 ; 4.7
029	2	1.9	17.4	+- .7	2.6	16.8	+- .6 ; 4.6
030	284	5	18.6	+- .7	2.8	17.9	+- .6 ; 4.7
031	310	4.7	21.3	+- .7	3.2	20.7	+- .7 ; 5.0
032	273	4.9	15.1	+- .7	2.3	14.5	+- .6 ; 4.5
033	257	5.1	19.3	+- .7	2.9	18.7	+- .6 ; 4.8
034	242	7.1	20.6	+- .7	3.1	19.9	+- .7 ; 4.9
035	255	11.	20.1	+- .7	3.0	19.5	+- .6 ; 4.9
036	248	15.	18.9	+- .7	2.3	18.3	+- .6 ; 4.8
037	247	17.	18.2	+- .7	2.7	17.6	+- .6 ; 4.7
038	244	19.	MISSING OR DAMAGED DOSIMETER				

TRANSIT DOSE = .4 +- .2 ; 3.9


NORTH ANNA
FOR THE PERIOD 860317-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	17.2 +- .6	2
11.25-33.75 (NNE)	22.0 +- 3.0	2
33.75-56.25 (NE)	20.0 +- 0.0	1
56.25-78.75 (ENE)	22.1 +- 6.2	3
78.75-101.25 (E)	16.2 +- 0.0	1
101.25-123.75 (ESE)	20.9 +- 4.5	2
123.75-146.25 (SE)	19.3 +- .2	2
146.25-168.75 (SSW)	22.1 +- 3.2	2
168.75-191.25 (S)	17.0 +- .5	2
191.25-213.75 (SSW)	17.6 +- .8	2
213.75-236.25 (SW)	20.0 +- .6	2
236.25-258.75 (WSW)	19.8 +- 1.1	4
258.75-281.25 (W)	16.0 +- 2.1	2
281.25-303.75 (WNW)	18.2 +- .3	2
303.75-326.25 (NW)	21.6 +- 1.3	2
326.25-348.75 (NNW)	18.4 +- 1.3	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	19.8 +- 2.5	14
2-5	19.2 +- 3.4	16
>5	19.4 +- .6	3
UPWIND CONTROL DATA	17.9 +- .5	2

NRC TLD DOSES FOR NORTH ANNA AREA
(mR per 90 days)



OCONEE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860725 131 DAYS
 FIELD TIME 78 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.			NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.		
		24.7	+- .7	3.7	27.2	+- .9	6.0
001	158	7.5	24.7	+- .7	27.2	+- .9	6.0
002	133	4.9	27.1	+- .7	29.9	+- 1.0	6.3
003	119	4.3	24.4	+- .7	26.8	+- .9	5.9
004	84	4.7	24.8	+- .7	27.2	+- .9	6.0
005	65	4.6	25.0	+- .7	27.5	+- .9	6.0
006	52	1.0	26.6	+- .7	29.3	+- 1.0	6.3
007	22	3.5	24.8	+- .7	27.3	+- .9	5.9
008	33	1.4	24.3	+- .7	26.7	+- .9	5.9
009	52	1.0	19.6	+- .7	21.3	+- .9	5.4
010	66	1.2	14.5	+- .7	15.3	+- .8	4.8
011	107	1.0	19.7	+- .7	21.3	+- .9	5.4
012	87	1.0	21.4	+- .7	23.3	+- .9	5.5
013	142	0.7	23.6	+- .7	25.9	+- .9	6.0
014	166	0.7	23.6	+- .7	25.9	+- .9	6.0
015	226	1.7	21.5	+- .7	23.5	+- .9	5.5
016	207	1.4	21.3	+- .7	23.3	+- .9	5.5
017	182	2.2	18.3	+- .7	19.7	+- .7	5.5
018	186	3.8	18.7	+- .7	20.2	+- .7	5.5
019	155	4.1	21.8	+- .7	23.8	+- .8	5.5
020	203	0.4	19.4	+- .7	21.1	+- .7	5.5
021	210	4.6	18.5	+- .7	20.0	+- .7	5.5
022	227	4.0	MISSING OR DAMAGED DOSIMETER		DAMAGED DOSIMETER		5.4
023	249	3.5	20.2	+- .7	22.0	+- .7	5.5
024	268	3.5	21.8	+- .7	23.8	+- .8	5.6
025	257	1.9	18.8	+- .7	20.3	+- .7	5.3
026	293	MISSING OR DAMAGED DOSIMETER			DAMAGED DOSIMETER		5.3
027	311	1.0	17.9	+- .7	19.3	+- .7	5.2
028	288	1.0	18.0	+- .7	19.4	+- .7	5.2
029	275	1.0	18.2	+- .7	19.6	+- .7	5.1
030	321	1.0	20.6	+- .7	22.4	+- .8	5.1
031	344	2.0	17.2	+- .7	18.5	+- .7	5.1
032	336	2.0	28.4	+- .7	31.4	+- 1.0	6.4
033	358	4.5	22.4	+- .7	24.5	+- 1.0	5.7
034	256	9.4	28.1	+- .8	31.0	+- 1.0	6.4
035	149	21.	MISSING OR DAMAGED DOSIMETER				
036	126	8.2	22.1	+- .7	24.1	+- .8	5.6
037	96	9.7	22.8	+- .7	25.0	+- .9	5.7
038	32	16.	MISSING OR DAMAGED DOSIMETER				
039	31	16.	MISSING OR DAMAGED DOSIMETER				
040	29	16.	MISSING OR DAMAGED DOSIMETER				

TRANSIT DOSE = 1.2 +- .2 ; 3.6


OCONEE
FOR THE PERIOD 860317-860725

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
348.75-11.25 (N)	24.5 +- 0.0	1
11.25-33.75 (NNE)	27.0 +- .4	2
33.75-56.25 (NE)	25.3 +- 5.7	2
56.25-78.75 (ENE)	21.4 +- 8.6	2
78.75-101.25 (E)	25.2 +- 2.0	3
101.25-123.75 (ESE)	24.1 +- 3.9	2
123.75-146.25 (SE)	26.6 +- 3.0	3
146.25-168.75 (SSE)	25.6 +- 1.7	3
168.75-191.25 (S)	20.0 +- .3	2
191.25-213.75 (SSW)	21.4 +- 1.6	3
213.75-236.25 (SW)	23.5 +- 0.0	1
236.25-258.75 (WSW)	24.4 +- 5.0	3
258.75-281.25 (W)	21.7 +- 2.9	2
281.25-303.75 (WNW)	19.4 +- 0.0	1
303.75-326.25 (NW)	20.9 +- 2.2	2
326.25-348.75 (NNW)	25.0 +- 9.1	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	* IN GROUP
0-2	22.4 +- 3.6	15
2-5	24.5 +- 3.9	14
>5	25.7 +- 3.7	5
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR OCONEE AREA
(mR per 90 days)



OYSTER CREEK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860715 120 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std. Dtr. +- Rdm;Tot.
		+- Rdm	Tot.	
001	141 .5	14.0	+- .4	10.9 +- .6
002	120 .9	13.8	+- .4	10.7 +- .5
003	105 1.1	15.6	+- .5	12.6 +- .4
004	127 1.1	14.2	+- .4	11.1 +- .3
005	137 1.1	14.3	+- .4	11.2 +- .3
006	158 1.2	14.0	+- .4	11.9 +- .3
007	176 1.2	13.2	+- .4	10.0 +- .3
008	179 1.2	13.9	+- .4	10.8 +- .3
009	159 1.2	13.1	+- .4	9.9 +- .3
010	187 1.2	15.2	+- .5	12.1 +- .3
011	173 1.2	14.7	+- .4	11.7 +- .3
012	196 1.2	15.9	+- .5	10.8 +- .3
013	198 1.2	15.5	+- .4	12.7 +- .3
014	185 1.2	16.0	+- .5	13.6 +- .3
015	171 1.2	13.0	+- .4	10.1 +- .3
016	154 1.2	14.0	+- .4	11.8 +- .3
017	126 1.2	14.0	+- .4	10.9 +- .3
018	220 1.2	12.1	+- .3	10.2 +- .3
019	231 1.2	13.3	+- .4	11.2 +- .3
020	211 1.2	14.0	+- .4	11.0 +- .3
022	258 1.2	13.0	+- .3	10.0 +- .3
023	271 1.2	13.0	+- .3	10.0 +- .3
024	297 1.2	15.3	+- .4	12.3 +- .3
025	318 1.2	14.5	+- .4	11.0 +- .3
026	341 1.2	13.0	+- .3	10.0 +- .3
027	336 1.2	14.0	+- .4	11.7 +- .3
028	358 1.2	13.0	+- .3	10.0 +- .3
029	4 1.2	13.0	+- .3	10.0 +- .3
030	19 1.2	14.0	+- .4	11.6 +- .3
031	69 1.2	13.0	+- .3	10.0 +- .3
032	78 1.2	13.0	+- .3	10.0 +- .3
033	85 1.2	13.0	+- .3	10.0 +- .3
034	38 1.2	13.0	+- .3	10.0 +- .3
035	24 1.2	13.0	+- .3	10.0 +- .3
036	58 1.2	13.0	+- .3	10.0 +- .3
037	46 1.2	13.0	+- .3	10.0 +- .3
038	27 1.2	13.0	+- .3	10.0 +- .3
039	12 1.2	13.0	+- .3	10.0 +- .3
040	33 1.2	13.0	+- .3	10.0 +- .3
041	46 1.2	13.0	+- .3	10.0 +- .3
042	73 1.2	13.0	+- .3	10.0 +- .3
043	79 1.2	14.0	+- .4	11.4 +- .3
044	278 1.2	16.0	+- .4	13.4 +- .3
045	278 1.2	15.0	+- .4	12.0 +- .3
046	278 1.2	16.0	+- .4	13.0 +- .3
047	278 1.2	15.0	+- .4	12.0 +- .3
TRANSIT DOSE =		3.7	+- .3	4.7


OYSTER CREEK
FOR THE PERIOD 860318-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	10.5 +- .6	4
11.25-33.75 (NNE)	11.9 +- 1.1	4
33.75-56.25 (NE)	11.5 +- 1.4	5
56.25-78.75 (ENE)	10.4 +- .4	3
78.75-101.25 (E)	11.1 +- .7	2
101.25-123.75 (ESE)	11.6 +- 1.4	2
123.75-146.25 (SE)	11.0 +- .1	4
146.25-168.75 (SSW)	11.2 +- 1.1	3
168.75-191.25 (S)	11.4 +- 1.4	6
191.25-213.75 (SWW)	11.2 +- 1.4	3
213.75-236.25 (SW)	10.0 +- 1.6	2
236.25-258.75 (WSW)	10.5 +- 0.0	1
258.75-281.25 (W)	10.8 +- 0.0	1
281.25-303.75 (WNW)	12.3 +- 0.0	1
303.75-326.25 (NW)	11.0 +- 0.0	1
326.25-348.75 (NNW)	12.3 +- .9	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	11.2 +- .9	12
2-5	10.8 +- 1.1	13
>5	11.6 +- 1.1	14
UPWIND CONTROL DATA	12.9 +- .1	2

NRC TLD DOSES FOR OYSTER CREEK AREA
 (mR per 90 days)



PALISADES
 TLD DIRECT RAIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860715 132 DAYS
 FIELD TIME 83 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.	
		+- Rdm	Tot.	+- Rdm	Tot.
001	195	4.9	20.7	13.3	7.6
002	173	4.6	20.5	13.1	7.6
003	156	3.9	22.2	14.9	7.7
004	132	4.6	21.6	14.3	7.7
005	118	3.3	22.0	14.7	7.7
006	152	1.8	21.1	13.8	7.6
007	196	2.2	20.9	13.6	7.6
008	178	1.6	20.0	12.5	7.6
009	200	0.9	21.5	14.1	7.7
010	124	1.8	24.4	17.3	7.9
011	107	1.6	22.0	14.7	7.7
012	98	1.5	21.1	13.7	7.6
013	65	1.7	22.5	15.3	7.8
014	51	1.9	21.3	14.0	7.7
015	74	3.7	21.2	13.9	7.7
016	90	2.6	MISSING OR DAMAGED DOSIMETER		
017	98/	10.	21.4	14.1	7.7
018	47	4.5	23.5	16.3	7.8
019	23	1.5	19.3	11.9	7.5
020	32	4.0	23.0	15.0	7.8
021	29	7.0	22.2	15.0	7.7
022	99/	15.	22.1	14.9	7.7
023	98/	18.	23.0	15.0	7.8
024	98/	18.	22.1	14.9	7.7
TRANSIT DOSE =		8.4	+-.5	; 6.3	


PALISADES
FOR THE PERIOD 860306-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	14.2 +- 2.1	3
33.75-56.25 (NE)	15.2 +- 1.6	2
56.25-78.75 (ENE)	14.6 +- 1.0	2
78.75-101.25 (E)	13.9 +- .3	2
101.25-123.75 (ESE)	14.7 +- .0	2
123.75-146.25 (SE)	15.8 +- 2.1	2
146.25-168.75 (SSW)	14.3 +- .8	2
168.75-191.25 (S)	12.8 +- .4	2
191.25-213.75 (SW)	13.7 +- .4	3
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	14.1 +- 1.6	9
2-5	14.4 +- 1.1	9
>5	14.5 +- .6	2
UPWIND CONTROL DATA	15.2 +- .6	3

NRC TLD DOSES FOR PALISADES AREA
(mR per 90 days)



PALO VERDE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860722 139 DAYS
 FIELD TIME 98 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.	
		+- Rdm	;- Tot.	+- Rdm	;- Tot.
001	74 23.	24.6	+- .7	3.7	19.5 +- .7 ; 5.8
002	92 21.	MISSING OR DAMAGED DOSIMETER			
003	89 15.	25.8	+- .8	3.9	20.6 +- .8 ; 5.9
004	103 11.	26.0	+- .8	3.9	20.7 +- .8 ; 5.9
005	148 7.4	27.4	+- .8	4.1	22.8 +- .8 ; 5.8
006	142 3.1	25.6	+- .8	3.8	20.4 +- .8 ; 5.9
007	162 2.6	25.1	+- .8	3.8	20.8 +- .8 ; 5.9
008	168 2.6	25.4	+- .8	3.8	20.2 +- .8 ; 5.9
009	193 2.6	26.7	+- .8	4.0	21.4 +- .8 ; 6.0
010	215 3.1	27.8	+- .8	4.2	22.4 +- .8 ; 6.1
011	200 1.7	26.6	+- .8	4.0	21.3 +- .8 ; 6.0
012	214 1.6	26.4	+- .8	4.0	21.2 +- .8 ; 6.0
013	242 0.7	28.5	+- .9	4.3	23.0 +- .8 ; 6.1
014	263 0.6	26.3	+- .9	3.9	21.8 +- .8 ; 5.9
015	295 0.6	26.8	+- .9	3.9	20.8 +- .8 ; 5.9
016	325 1.6	26.7	+- .9	4.0	21.4 +- .8 ; 6.0
017	347 1.6	28.4	+- .9	4.3	23.0 +- .8 ; 6.1
018	0 2.4	28.7	+- .9	4.3	23.2 +- .9 ; 6.2
019	18 1.5	26.1	+- .9	3.9	20.8 +- .8 ; 5.9
020	37 2.0	26.1	+- .9	3.9	20.8 +- .8 ; 5.9
021	58 2.3	28.1	+- .9	4.2	22.7 +- .8 ; 6.1
022	75 2.0	29.2	+- .9	4.4	23.7 +- .9 ; 6.2
023	93 4.4	26.8	+- .9	3.9	20.7 +- .8 ; 5.9
024	101 3.3	26.2	+- .9	3.9	20.9 +- .8 ; 5.9
025	346 2.9	27.0	+- .9	4.2	22.4 +- .8 ; 6.1
026	334 4.3	29.2	+- .9	4.4	23.7 +- .9 ; 6.2
027	333 7.9	29.7	+- .9	4.4	24.1 +- .9 ; 6.2
028	0 7.0	28.9	+- .9	4.3	23.4 +- .9 ; 6.2
029	9 4.2	30.3	+- .9	4.5	24.7 +- .9 ; 6.3
030	27 3.6	28.2	+- .9	4.2	22.8 +- .9 ; 6.1
031	49 3.5	29.5	+- .9	4.4	24.0 +- .9 ; 6.2
032	120 3.3	29.4	+- .9	4.4	23.9 +- .9 ; 6.2
TRANSIT DOSE =		3.4	+- .3	5.1	

PALO VERDE
FOR THE PERIOD 860306-860722

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	23.8 +- .8	3
11.25-33.75 (NNE)	21.8 +- 1.4	2
33.75-56.25 (NE)	22.4 +- 2.2	2
56.25-78.75 (ENE)	23.2 +- .7	2
78.75-101.25 (E)	20.8 +- .1	2
101.25-123.75 (ESE)	22.3 +- 2.2	2
123.75-146.25 (SE)	21.2 +- 1.2	2
146.25-168.75 (SSW)	20.1 +- .2	2
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	21.3 +- .1	2
213.75-236.25 (SW)	21.8 +- .9	2
236.25-258.75 (WSW)	23.0 +- 0.0	1
258.75-281.25 (W)	21.0 +- 0.0	1
281.25-303.75 (WNW)	20.8 +- 0.0	1
303.75-326.25 (NW)	21.4 +- 0.0	1
326.25-348.75 (NNW)	23.3 +- .8	4

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	21.5 +- .9	9
2-5	22.3 +- 1.5	16
>5	22.6 +- 1.5	4
UPWIND CONTROL DATA	20.0 +- .7	2

MAP FOR PARLO VERDE

Map will be provided for this site in the future.

PEACH BOTTOM

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860703 108 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.0tr. +- Rdm;Tot.	
			MISSING OR DAMAGED DOSIMETER	
001	329	10.	17.1	4.8
002	31	10.	18.7	4.9
003	22	4.7	18.0	4.9
004	4	5	18.4	4.9
005	345	4.1	19.5	5.0
006	9	2.2	19.2	5.0
007	22	2.2	19.6	5.0
008	55	2.2	18.1	4.9
009	45	1.7	19.0	4.9
010	63	2.2	19.8	5.0
011	97	2.2	19.0	5.0
012	107	2.3	15.8	4.6
013	72	5	17.0	4.8
014	86	4.5	19.0	5.0
015	110	4.5	20.2	5.1
016	130	4.5	14.3	4.6
017	158	9	15.9	4.7
018	163	4.5	16.8	4.8
019	184	3.4	18.9	4.9
020	203	4.5	19.2	5.0
021	197	2.2	20.4	5.1
022	183	1.1	19.2	5.0
023	190	1.1	21.2	5.2
024	222	1.1	19.7	5.0
025	243	1.1	20.4	5.1
026	260	1.1	19.1	5.0
027	288	1.1	21.6	5.0
028	323	1.1	21.2	4.8
029	286	1.1	22.3	5.1
030	264	1.1	19.7	5.2
031	262	1.1	21.4	5.2
032	248	1.1	19.8	5.0
033	235	1.1	14.1	4.6
034	319	1.1	21.9	5.2
035	151	.7	18.9	4.9
036	148	1.6	14.5	4.6
037	148	1.6	15.7	4.7
038	148	1.6	15.0	4.6

TRANSIT DOSE = 1.1 +- .3 ; 4.1

PEACH BOTTOM
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.4 +- 1.0	2
11.25-33.75 (NNE)	17.0 +- 1.1	3
33.75-56.25 (NE)	17.5 +- 1.1	2
56.25-78.75 (ENE)	17.0 +- .8	2
78.75-101.25 (E)	18.4 +- 0.8	2
101.25-123.75 (ESE)	16.3 +- 3.7	2
123.75-146.25 (SE)	13.0 +- 0.8	1
146.25-169.75 (SSW)	15.9 +- 1.5	3
169.75-191.25 (S)	18.8 +- 1.8	3
191.25-213.75 (SSW)	18.5 +- .8	2
213.75-236.25 (SW)	16.5 +- 5.1	2
236.25-258.75 (WSW)	18.4 +- .1	2
258.75-281.25 (W)	20.0 +- .9	3
281.25-303.75 (NNW)	18.8 +- 1.5	2
303.75-326.25 (NW)	17.7 +- 3.4	2
326.25-348.75 (NNW)	17.1 +- 0.8	1

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.1 +- 1.5	11
2-5	17.6 +- 2.0	19
>5	15.8 +- 3.1	4
UPWIND CONTROL DATA	13.8 +- .6	3

MAP FOR PEACH BOTTOM

Map will be provided for this site in the future.

PERRY

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860722 139 DAYS
 FIELD TIME 106 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE	
		+- Rdm;Tot.			mR/Std.Qtr.	+- Rdm;Tot.
001	72	5.0	21.5	+- .6 ; 3.2	16.1	+- .6 ; 5.2
003	88	5.5	MISSING OR DAMAGED DOSIMETER			
004	112	6.0	22.7	+- .7 ; 3.4	17.1	+- .6 ; 5.3
005	130	4.0	22.4	+- .7 ; 3.4	16.8	+- .6 ; 5.2
006	155	5.0	25.5	+- .8 ; 3.8	19.5	+- .7 ; 5.5
007	178	5.2	23.5	+- .7 ; 3.5	17.8	+- .7 ; 5.3
008	205	4.6	26.1	+- .8 ; 3.9	20.0	+- .7 ; 5.5
009	220	5.2	MISSING OR DAMAGED DOSIMETER			
010	225	7.4	25.2	+- .8 ; 3.8	19.2	+- .7 ; 5.4
011	240	5.8	25.0	+- .7 ; 3.7	19.1	+- .7 ; 5.4
012	225	19.	23.4	+- .7 ; 3.5	17.7	+- .7 ; 5.3
013	225	19.	21.1	+- .6 ; 3.2	15.8	+- .6 ; 5.2
014	212	12.	27.6	+- .8 ; 4.1	21.3	+- .8 ; 5.6
015	240	1.4	21.6	+- .6 ; 3.2	16.2	+- .6 ; 5.2
016	225	0.8	24.0	+- .6 ; 3.6	18.3	+- .6 ; 5.4
017	205	0.7	18.7	+- .6 ; 3.3	13.8	+- .6 ; 5.0
018	180	0.8	20.5	+- .6 ; 3.1	15.3	+- .6 ; 5.1
019	152	1.0	22.1	+- .7 ; 3.3	16.6	+- .6 ; 5.2
020	123	1.0	19.6	+- .6 ; 3.9	14.5	+- .6 ; 5.1
021	105	1.4	19.8	+- .6 ; 3.0	14.6	+- .6 ; 5.1
022	85	1.2	25.0	+- .8 ; 3.8	19.1	+- .7 ; 5.4
023	65	1.4	20.2	+- .6 ; 3.0	15.0	+- .6 ; 5.1
024	40	0.6	MISSING OR DAMAGED DOSIMETER			
025	40	0.6	26.4	+- .8 ; 4.0	20.3	+- .7 ; 5.5
026	182	2.0	26.5	+- .8 ; 4.0	20.3	+- .7 ; 5.5
027	175	2.0	20.4	+- .6 ; 3.1	15.2	+- .6 ; 5.1
TRANSIT DOSE =		2.5	+- .3 ; 5.2			


PERRY
FOR THE PERIOD 860306-860722

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	# IN GROUP
348.75-31.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	20.3 +- 0.0	1
56.25-78.75 (ENE)	15.5 +- .8	2
78.75-101.25 (E)	19.1 +- 0.0	1
101.25-123.75 (ESE)	15.4 +- 1.5	3
123.75-146.25 (SE)	16.8 +- 0.0	1
146.25-168.75 (SSW)	18.1 +- 2.0	2
168.75-191.25 (S)	17.1 +- 2.5	4
191.25-213.75 (SSW)	16.9 +- 4.4	2
213.75-236.25 (SW)	18.7 +- .7	2
236.25-258.75 (WSW)	17.6 +- 2.0	2
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +- Std.Dev.	# IN GROUP
0-2	16.4 +- 2.2	10
2-5	18.0 +- 2.2	6
>5	18.3 +- 1.0	4
UPWIND CONTROL DATA	18.3 +- 2.8	3

NRC TLD DOSES FOR PERRY AREA
(mR per 90 days)



PILGRIM
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860715 121 DAYS
 FIELD TIME 93 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std. Err. +- Rdm;Tot.		
		+- Rdm	Tot.		+- Rdm	Tot.	
001	288 .1	27.7	+- .8	4.1	26.8	+- .8	5.2
002	310 .2	23.0	+- .7	3.5	22.3	+- .7	4.7
005	289 .7	23.6	+- .7	3.5	22.0	+- .7	4.7
006	261 1.7	20.2	+- .6	3.0	19.0	+- .6	4.4
007	270 .5	25.2	+- .6	3.0	24.2	+- .6	4.9
008	247 .3	23.3	+- .7	3.0	22.0	+- .7	4.7
009	224 .3	20.0	+- .6	3.0	19.0	+- .6	4.4
010	205 .3	21.0	+- .7	3.1	20.0	+- .7	4.5
011	184 0.3	23.1	+- .7	3.5	22.0	+- .7	4.7
012	159 .4	22.9	+- .7	3.4	22.0	+- .6	4.7
013	146 .7	19.2	+- .6	2.9	18.0	+- .6	4.3
014	155 1	22.3	+- .7	3.3	21.5	+- .7	4.6
016	136 1.3	20.1	+- .6	3.0	19.4	+- .6	4.4
018	212 .8	19.9	+- .6	3.0	19.3	+- .6	4.4
019	232 1	20.3	+- .6	3.0	19.5	+- .6	4.4
021	256 1.6	20.9	+- .6	3.1	20.2	+- .6	4.5
022	130 2.5	20.4	+- .6	3.1	19.7	+- .6	4.4
023	146 3.4	21.2	+- .7	3.2	20.5	+- .7	4.5
025	168 1.5	22.0	+- .7	3.3	21.2	+- .7	4.6
026	180 1.3	17.7	+- .6	2.7	17.1	+- .5	4.2
027	231 1.0	19.5	+- .6	2.9	18.0	+- .6	4.3
030	153 2.2	MISSING OR DAMAGED DOSIMETER					
031	179 2.5	MISSING OR DAMAGED DOSIMETER					
032	217 2.5	19.1	+- .6	2.9	18.5	+- .6	4.3
033	234 2.5	22.4	+- .7	3.4	21.7	+- .7	4.6
037	264 4.2	19.5	+- .6	2.9	18.9	+- .6	4.3
038	152 3.5	19.4	+- .6	2.9	18.7	+- .6	4.3
039	155 5.3	MISSING OR DAMAGED DOSIMETER					
040	272 4.6	22.2	+- .7	3.3	21.4	+- .7	4.6
042	281 4.6	20.2	+- .6	3.0	19.5	+- .6	4.4
043	291 5.0	22.9	+- .7	3.4	22.1	+- .7	4.7
045	197 6.6	MISSING OR DAMAGED DOSIMETER					
047	301 26.	21.5	+- .6	3.2	20.8	+- .6	4.5
048	301 26.	23.9	+- .7	3.6	23.1	+- .7	4.0
049	301 26.	21.6	+- .6	3.2	20.9	+- .6	4.5

TRANSIT DOSE = 0.0 +- .2 ; 3.4

COMMENTS:

STATION 1 IS ON LICENSEE PROPERTY (PILGRIM OVERLOOK AREA).
 ACCESS IS CONTROLLED


PILGRIM
FOR THE PERIOD 860317-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	19.5 +- .8	4
146.25-168.75 (SSE)	20.9 +- 1.5	4
168.75-191.25 (S)	19.7 +- 3.7	2
191.25-213.75 (SSW)	19.8 +- .7	2
213.75-236.25 (SW)	19.6 +- 1.2	5
236.25-258.75 (WSW)	21.3 +- 1.6	2
258.75-281.25 (W)	20.7 +- 2.2	5
281.25-303.75 (WNW)	23.9 +- 2.5	3
303.75-326.25 (NW)	22.3 +- 0.0	1
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	20.9 +- 2.3	19
2-5	19.9 +- 1.2	8
>5	22.1 +- 0.0	1
UPWIND CONTROL DATA	21.6 +- 1.3	3

NRC TLD DOSES FOR PILGRIM AREA
(mR per 90 days)



PRAIRIE ISLAND
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860715 131 DAYS
 FIELD TIME 100 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.0tr. +- Rdm;Tot.
001	312	17.	22.4 +- .8 5.7
002	310	15.	18.9 +- .7 5.4
003	310	15.	18.7 +- .7 5.4
004	308	5.5	20.5 +- .7 5.6
005	297	4.1	19.2 +- .7 5.4
006	287	1.3	15.8 +- .7 5.1
007	313	0.9	14.6 +- .7 5.0
008	244	0.5	14.9 +- .7 5.1
009	194	0.6	15.2 +- .7 5.1
010	155	0.6	14.8 +- .7 5.1
011	129	1.6	19.6 +- .7 5.5
012	153	1.4	18.0 +- .7 5.1
013	217	0.6	14.6 +- .7 5.1
014	178	0.8	15.6 +- .7 5.1
015	272	1.9	13.9 +- .7 5.0
016	262	4.6	16.5 +- .7 5.2
017	250	4.3	19.8 +- .7 5.5
018	225	4.1	14.4 +- .7 5.0
019	233	6.7	14.7 +- .7 5.1
020	206	4.9	17.1 +- .7 5.6
021	187	4.7	21.8 +- .7 5.2
022	160	4.4	17.0 +- .7 5.5
023	140	4.7	19.8 +- .7 5.5
024	131	6.6	19.4 +- .7 5.4
025	117	4.9	18.3 +- .7 5.1
026	88	1.9	14.0 +- .7 5.1
027	69	1.8	19.4 +- .7 5.4
028	47	1.6	18.3 +- .7 5.4
029	19	1.5	15.1 +- .7 5.1
030	356	1.9	14.0 +- .7 5.0
031	346	2.4	17.0 +- .7 5.3
032	340	3.8	17.4 +- .7 5.3
033	8	4.6	16.9 +- .7 5.2
034	17	4.7	17.2 +- .7 5.1
035	45	11.	15.3 +- .7 5.1
036	48	4.7	17.1 +- .7 5.3
037	61	4.2	18.7 +- .7 5.4
038	86	4.9	20.4 +- .7 5.5
039	107	9.1	19.4 +- .7 5.1
040	111	3.7	15.7 +- .7 5.1
TRANSIT DOSE = 2.4 +- .3 ; 4.9			


PRAIRIE ISLAND
FOR THE PERIOD 860307-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	15.6 +- 1.6	2
11.25-33.75 (NNE)	16.2 +- 1.5	2
33.75-56.25 (NE)	16.9 +- 1.5	3
56.25-78.75 (ENE)	19.0 +- .4	2
78.75-101.25 (E)	17.6 +- 4.0	2
101.25-123.75 (ESE)	17.8 +- 1.9	3
123.75-146.25 (SE)	19.6 +- .2	3
146.25-168.75 (SSW)	16.6 +- 1.6	3
168.75-191.25 (S)	18.3 +- 3.8	2
191.25-213.75 (SSW)	16.1 +- 1.3	2
213.75-236.25 (SW)	14.6 +- .1	3
236.25-258.75 (WSW)	17.3 +- 3.4	2
258.75-281.25 (W)	15.2 +- 1.9	2
281.25-303.75 (WNW)	17.5 +- 2.5	2
303.75-326.25 (NW)	17.2 +- 4.6	2
326.25-348.75 (NNW)	17.6 +- .3	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.9 +- 1.9	15
2-5	17.9 +- 1.7	17
>5	17.8 +- 2.7	5
UPWIND CONTROL DATA	20.0 +- 2.1	3

NRC TLD DOSES FOR PRAIRIE ISLAND AREA
(mR per 90 days)



QUAD CITIES

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860703 119 DAYS
 FIELD TIME 96 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	7	17.2 +- 1.7	16.1 +- 1.1
002	17	20.4 +- 1.2	19.1 +- 1.1
003	45	15.6 +- 1.7	14.6 +- 1.6
004	65	16.6 +- 1.1	15.6 +- 1.6
005	90	16.2 +- 0.8	15.2 +- 0.8
006	136	17.1 +- 1.1	16.0 +- 1.0
007	175	18.2 +- 1.8	17.1 +- 1.1
008	157	18.2 +- 2.0	17.1 +- 1.1
009	186	MISSING OR DAMAGED DOSIMETER	17.1 +- 1.1
010	188	23.3 +- 2.7	21.8 +- 1.8
011	156	18.3 +- 4.2	17.2 +- 1.2
012	142	18.3 +- 4.2	15.1 +- 1.1
013	121	16.7 +- 3.3	18.0 +- 1.0
014	114	16.1 +- 3.0	15.1 +- 1.1
015	86	19.0 +- 2.0	18.0 +- 1.0
016	62	20.2 +- 4.4	18.0 +- 1.0
017	48	17.1 +- 6.1	16.0 +- 1.0
018	39	16.9 +- 6.0	15.0 +- 1.0
019	36	16.9 +- 4.7	15.0 +- 1.0
020	16	18.9 +- 4.3	17.7 +- 1.7
021	358	21.7 +- 4.2	20.3 +- 1.3
022	336	19.0 +- 4.1	18.3 +- 1.3
023	337	18.0 +- 5.2	17.3 +- 1.3
024	317	19.2 +- 4.4	18.0 +- 1.3
025	295	16.9 +- 4.1	15.8 +- 1.3
026	282	15.8 +- 4.3	14.1 +- 1.1
027	265	18.7 +- 4.3	17.5 +- 1.5
028	253	17.2 +- 4.3	16.1 +- 1.3
029	356	17.4 +- 4.2	14.9 +- 1.3
030	335	15.9 +- 4.1	13.9 +- 1.3
031	317	18.1 +- 2.2	17.0 +- 1.1
032	295	14.8 +- 2.2	13.9 +- 1.1
033	266	18.3 +- 2.2	17.1 +- 1.1
034	248	18.1 +- 2.2	16.9 +- 1.1
035	229	16.8 +- 2.4	15.7 +- 1.1
036	204	20.0 +- 3.4	18.0 +- 1.1
037	194	16.3 +- 3.3	15.2 +- 1.1
038	224	18.2 +- 4.6	17.0 +- 1.1
039	301	15.0	MISSING OR DAMAGED DOSIMETER
040	301	15.0	MISSING OR DAMAGED DOSIMETER
041	301	15.0	14.1 +- .5 ; 4.2
TRANSIT DOSE = 0.0 +- .2 ; 3.9		.5 ; 2.3	.5 ; 4.2

QUAD CITIES
FOR THE PERIOD 860307-860703


TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.6 +- 2.4	3
11.25-33.75 (NNE)	18.4 +- 1.0	2
33.75-56.25 (NE)	15.3 +- .7	4
56.25-78.75 (ENE)	17.3 +- 2.4	2
78.75-101.25 (E)	16.9 +- 2.4	2
101.25-123.75 (ESE)	15.4 +- .4	2
123.75-146.25 (SE)	16.5 +- .8	2
146.25-168.75 (SSW)	17.1 +- .1	2
168.75-191.25 (S)	19.5 +- 3.4	2
191.25-213.75 (SSW)	17.0 +- 2.5	2
213.75-236.25 (SW)	16.4 +- .9	2
236.25-258.75 (WSW)	16.5 +- .6	2
258.75-281.25 (W)	17.3 +- .3	2
281.25-303.75 (WNW)	14.6 +- 1.1	3
303.75-326.25 (NW)	17.5 +- .7	2
326.25-348.75 (NNW)	16.9 +- 1.9	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.2 +- 1.3	11
2-5	17.1 +- 1.5	20
>5	16.7 +- 2.7	6
UPWIND CONTROL DATA	14.1 +- 8.8	1

NRC TLD DOSES FOR QUAD-CITIES AREA

(mR per 90 days)



RANCHO SECO

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860806 154 DAYS
 FIELD TIME 87 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE	
		+/- Rdm;Tot.	+/- Rdm;Tot.	+/- Rdm;Tot.	mR/Std.Qtr.	mR/Std.Qtr.
001	288	16.	MISSING OR DAMAGED DOSIMETER			
002	239	12.	23.3 +/- .7	3.5	16.7 +/- .8	2.3
003	213	16.	24.4 +/- .7	3.7	17.8 +/- .9	2.3
004	149	9.9	22.8 +/- .7	3.3	15.3 +/- .8	2.3
005	108	8.2	28.5 +/- .9	4.3	22.1 +/- 1.0	2.3
006	86	10.	21.0 +/- .9	3.1	14.3 +/- .9	2.3
007	83	9.7	20.6 +/- .9	3.1	13.9 +/- .9	2.3
008	37	7.1	21.3 +/- .9	3.2	14.6 +/- .9	2.3
009	65	6.8	22.4 +/- .7	3.4	15.7 +/- .9	2.3
010	43	6.7	23.7 +/- .7	3.5	17.0 +/- .9	2.3
011	92	6.2	22.5 +/- .7	3.4	15.8 +/- .9	2.3
012	131	1.6	20.0 +/- .7	3.1	14.0 +/- .9	2.3
013	358	6.6	24.0 +/- .7	3.7	18.2 +/- .9	2.3
014	323	6.3	21.5 +/- .7	3.2	14.8 +/- .9	2.3
015	151	6.7	21.9 +/- .7	3.3	15.2 +/- .9	2.3
016	219	6.9	22.3 +/- .7	3.3	15.6 +/- .9	2.3
017	245	1.5	21.8 +/- .7	3.3	15.1 +/- .9	2.3
018	254	2.3	21.9 +/- .7	3.3	15.1 +/- .9	2.3
019	323	2.6	22.7 +/- .7	3.4	16.1 +/- .9	2.3
020	309	6.3	20.0 +/- .7	3.1	14.0 +/- .9	2.3
021	279	5.7	21.9 +/- .7	3.3	15.2 +/- .9	2.3
022	244	6.4	23.0 +/- .7	3.6	17.2 +/- .9	2.3
023	217	4.6	20.7 +/- .7	3.1	14.0 +/- .9	2.3
024	350	11.	22.1 +/- .7	3.3	15.4 +/- .9	2.3
025	318	17.	23.6 +/- .7	3.5	16.9 +/- .9	2.3
026	311	22.	23.9 +/- .7	3.6	17.3 +/- .9	2.3
027	305	27.	21.4 +/- .6	3.2	14.7 +/- .8	2.1
028	306	27.	21.9 +/- .7	3.3	15.2 +/- .8	2.1
029	306	27.	MISSING OR DAMAGED DOSIMETER			
030	306	27.	MISSING OR DAMAGED DOSIMETER			

TRANSIT DOSE = 7.2 +/- .4 ; 6.0


RANCHO SECO
FOR THE PERIOD 860306-860806

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-311.25 (N)	16.8 +- 2.0	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	15.8 +- 1.7	2
56.25-78.75 (ENE)	15.7 +- 0.0	1
78.75-101.25 (E)	14.6 +- 1.0	3
101.25-123.75 (ESE)	22.1 +- 0.0	1
123.75-146.25 (SE)	14.0 +- 0.0	1
146.25-168.75 (SSE)	15.3 +- .1	2
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	17.8 +- 0.0	1
213.75-236.25 (SW)	14.8 +- 1.1	2
236.25-258.75 (WSW)	16.0 +- 1.1	4
258.75-281.25 (W)	15.2 +- 0.0	1
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	15.5 +- 1.3	4
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	15.7 +- 1.2	9
2-5	14.5 +- .8	2
>5	16.1 +- 2.2	13
UPWIND CONTROL DATA	15.8 +- 1.4	3

NRC TLD DOSES FOR RANCHO SECO AREA
(mR per 90 days)



RIVER BEND
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860703 120 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	348	1.3	16.5 +-.2
002	42	1.1	15.0 +-.3
003	61	1.1	15.0 +-.3
004	90	0.8	15.0 +-.3
005	107	0.6	16.4 +-.2
006	136	0.8	16.4 +-.2
007	166	1.0	15.6 +-.1
008	182	0.9	15.6 +-.1
009	195	0.6	15.6 +-.1
010	225	0.7	15.7 +-.2
011	254	0.4	15.3 +-.1
012	276	0.6	16.8 +-.2
013	295	0.9	17.0 +-.3
014	320	0.9	16.8 +-.2
015	332	2.1	17.5 +-.3
016	312	2.2	17.5 +-.3
017	302	3.1	14.4 +-.1
018	278	3.0	14.4 +-.1
019	242	2.8	16.9 +-.2
020	195	5.4	16.8 +-.2
021	215	3.6	17.1 +-.2
022	233	2.1	12.7 +-.1
023	246	2.9	16.6 +-.2
024	234	2.3	12.9 +-.2
025	185	2.6	15.5 +-.3
026	322	7.7	15.9 +-.3
027	328	10.	16.4 +-.2
028	340	7.2	15.9 +-.2
029	354	9.0	15.9 +-.2
030	360	5.1	16.2 +-.2
031	221	6.9	16.6 +-.2
032	40	9.7	16.6 +-.2
033	52	8.7	15.3 +-.1
034	65	8.4	15.3 +-.1
035	87	6.6	14.1 +-.1
036	326	6.0	16.2 +-.2
037	329	22.	16.3 +-.2
038	111	33.	17.4 +-.2
039	131	5.5	16.3 +-.2
040	155	6.2	16.7 +-.2
041	120	9.0	16.7 +-.2
042	121	11.	14.1 +-.1
043	180	1.1	17.0 +-.3
044	150	28.	14.0 +-.1
TRANSIT DOSE =		2.2 +- .3 ; 4.5	5.0

MISSING OR DAMAGED DOSIMETER


RIVER BEND
FOR THE PERIOD 860306-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.1 +- .2	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	15.4 +- .9	3
56.25-78.75 (ENE)	16.4 +- 2.0	2
78.75-101.25 (E)	14.9 +- .5	2
101.25-123.75 (ESE)	16.3 +- 1.5	4
123.75-146.25 (SE)	16.4 +- .1	2
146.25-168.75 (SSE)	15.8 +- 1.3	2
168.75-191.25 (S)	16.8 +- 1.2	3
191.25-213.75 (SSW)	16.2 +- .9	2
213.75-236.25 (SW)	14.9 +- 2.2	5
236.25-258.75 (WSW)	16.8 +- 1.9	3
258.75-281.25 (W)	15.2 +- 1.1	2
281.25-303.75 (WNW)	15.8 +- 2.0	2
303.75-326.25 (NW)	16.4 +- .6	4
326.25-348.75 (NNW)	16.2 +- .6	4

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.1 +- .8	15
2-5	16.6 +- 1.6	8
>5	15.7 +- 1.4	19
UPWIND CONTROL DATA	14.0 +- 0.0	1

NRC TLD DOSES FOR RIVER BEND AREA
(mR per 90 days)



ROBINSON

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860725 131 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.	
		+- Rdm	+- Tot.	+- Rdm	+- Tot.
001	191	0.2	15.9 +- .5	2.4	14.6 +- .6
002	151	1.9	22.7 +- .7	3.4	21.7 +- .8
003	134	2.0	19.4 +- .7	2.9	18.3 +- .7
004	119	1.9	15.1 +- .7	2.3	13.7 +- .6
005	89	2.1	18.7 +- .7	2.8	17.5 +- .7
006	65	1.0	17.1 +- .6	2.6	15.8 +- .6
007	46	1.0	17.9 +- .6	2.7	16.7 +- .6
008	27	1.9	18.8 +- .7	2.8	17.6 +- .7
009	22	3.5	MISSING OR DAMAGED DOSIMETER		
010	0	5.0	18.7 +- .6	2.8	17.5 +- .7
011	51	4.8	19.7 +- .6	3.0	18.6 +- .7
012	67	4.1	16.1 +- .6	2.4	14.8 +- .6
013	87	4.5	16.0 +- .6	2.5	15.5 +- .6
014	109	5.0	16.3 +- .6	2.4	14.9 +- .6
015	118	4.0	20.1 +- .6	3.0	19.0 +- .6
016	138	5.3	18.2 +- .6	2.7	16.9 +- .6
017	115	17.	16.5 +- .6	2.5	15.2 +- .6
018	199	13'	17.4 +- .6	2.6	16.1 +- .6
019	208	4.8	26.0 +- .6	3.9	25.3 +- .9
020	225	4.0	21.4 +- .6	3.2	20.4 +- .7
021	178	4.6	13.8 +- .6	2.1	12.3 +- .5
022	167	3.7	17.9 +- .6	2.7	16.6 +- .6
023	181	2.3	15.9 +- .6	2.4	14.6 +- .6
024	194	2.0	20.2 +- .6	3.0	19.1 +- .7
025	228	2.1	19.2 +- .6	2.9	18.0 +- .7
026	245	1.5	16.5 +- .6	2.5	15.2 +- .6
027	273	1.8	15.4 +- .6	2.3	14.0 +- .6
028	287	2.0	14.6 +- .6	2.2	13.2 +- .5
029	311	1.6	18.2 +- .6	2.7	16.9 +- .6
030	334	1.9	18.6 +- .6	2.8	17.4 +- .7
031	353	1.0	16.2 +- .6	2.4	14.8 +- .6
032	333	4.0	17.1 +- .6	2.6	15.8 +- .6
033	318	4.7	19.0 +- .6	2.8	17.8 +- .7
034	310	6.9	MISSING OR DAMAGED DOSIMETER		
035	295	4.0	21.4 +- .6	3.2	20.4 +- .7
036	269	4.0	21.2 +- .6	3.2	20.2 +- .7
037	252	4.6	17.5 +- .6	2.6	16.3 +- .6
038	274	11'	MISSING OR DAMAGED DOSIMETER		
039	286	15.	15.5 +- .6	2.3	14.1 +- .6
040	289	16'	15.2 +- .6	2.3	13.8 +- .6
041	291	17'	17.1 +- .6	2.6	15.8 +- .6

TRANSIT DOSE = 2.2 +- .3 ; 4.2


ROBINSON
FOR THE PERIOD 860317-860725

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.2 +- 1.9	2
11.25-33.75 (NNE)	17.6 +- 0.0	1
33.75-56.25 (NE)	17.6 +- 1.3	2
56.25-78.75 (ENE)	15.3 +- .7	2
78.75-101.25 (E)	16.5 +- 1.4	2
101.25-123.75 (ESE)	15.7 +- 2.3	4
123.75-146.25 (SE)	17.6 +- .9	2
146.25-168.75 (SSW)	19.2 +- 3.6	2
168.75-191.25 (S)	13.8 +- 1.3	3
191.25-213.75 (SSW)	20.2 +- 4.6	3
213.75-236.25 (SW)	19.2 +- 1.7	2
236.25-258.75 (WSW)	15.7 +- .7	2
258.75-281.25 (W)	17.1 +- 4.4	2
281.25-303.75 (WNW)	16.8 +- 5.1	2
303.75-326.25 (NW)	17.4 +- .6	2
326.25-348.75 (NNW)	16.6 +- 1.1	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	16.3 +- 2.4	14
2-5	17.5 +- 2.9	18
>5	16.1 +- .9	3
UPWIND CONTROL DATA	14.6 +- 1.1	3

NRC TLD DOSES FOR ROBINSON AREA
(mR per 90 days)



ST. LUCIE
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860715 132 DAYS
 FIELD TIME 97 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- RdM;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- RdM;Tot.
001	20	0.3	16.8 +;	13.1 +-
002	45	0.2	17.6 +;	13.1 +;
003	67	0.2	18.4 +;	14.2 +;
004	92	0.3	16.5 +;	12.0 +;
005	115	0.4	15.4 +;	11.4 +;
006	143	1.1	15.9 +;	11.4 +;
007	150	2.0	15.3 +;	11.4 +;
008	154	4.7	15.3 +;	11.4 +;
009	152	23	15.6 +;	11.4 +;
010	152	23	15.6 +;	11.4 +;
011	152	23	15.6 +;	11.4 +;
012	168	14	15.6 +;	11.4 +;
013	185	10	15.6 +;	11.4 +;
014	183	11	15.6 +;	11.4 +;
015	179	8.9	15.6 +;	11.4 +;
016	196	7.9	15.6 +;	11.4 +;
017	229	7.9	15.6 +;	11.4 +;
018	256	7.9	15.6 +;	11.4 +;
019	247	7.9	15.6 +;	11.4 +;
020	229	7.9	15.6 +;	11.4 +;
021	208	7.9	15.6 +;	11.4 +;
022	187	7.9	15.6 +;	11.4 +;
023	203	7.9	15.6 +;	11.4 +;
024	245	7.9	15.6 +;	11.4 +;
025	280	7.9	15.6 +;	11.4 +;
026	299	7.9	15.6 +;	11.4 +;
027	305	7.9	15.6 +;	11.4 +;
028	276	7.9	15.6 +;	11.4 +;
029	293	7.9	15.6 +;	11.4 +;
030	316	7.9	15.6 +;	11.4 +;
031	306	11	15.6 +;	11.4 +;
032	322	11	15.6 +;	11.4 +;
033	339	11	15.6 +;	11.4 +;
034	342	11	15.6 +;	11.4 +;
035	346	11	15.6 +;	11.4 +;
036	346	6	15.6 +;	11.4 +;
037	353	6	15.6 +;	11.4 +;
038	226	6	15.6 +;	11.4 +;
TRANSIT DOSE =	2.6	+- .3	MISSING OR DAMAGED DOSIMETER	5.6


ST.LUCIE
FOR THE PERIOD 860306-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	12.0 +- 0.0	1
11.25-33.75 (NNE)	13.1 +- 0.0	1
33.75-56.25 (NE)	13.8 +- 0.0	1
56.25-78.75 (ENE)	14.6 +- 0.0	1
78.75-101.25 (E)	12.8 +- 0.0	1
101.25-123.75 (ESE)	11.9 +- 0.0	1
123.75-146.25 (SE)	11.4 +- 0.0	1
146.25-168.75 (SSW)	12.3 +- .8	3
168.75-191.25 (S)	13.3 +- 1.4	4
191.25-213.75 (SSW)	12.1 +- .2	2
213.75-236.25 (SW)	12.0 +- .4	3
236.25-258.75 (WSW)	11.4 +- .2	3
258.75-281.25 (W)	11.4 +- 1.4	2
281.25-303.75 (WNW)	12.5 +- .5	3
303.75-326.25 (NW)	12.1 +- 1.3	3
326.25-348.75 (NNW)	12.2 +- 1.2	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	12.6 +- 1.0	11
2-5	11.7 +- .8	10
>5	12.7 +- 1.1	12
UPWIND CONTROL DATA	12.6 +- .6	3

NRC TLD DOSES FOR ST. LUCIE AREA
(mR per 90 days)



SALEM

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860715 120 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.		5.7 5.7 5.6 5.7 5.6 5.6 5.7 5.7 5.6 5.7 5.6 5.7 5.6 5.6 5.6 5.6
			13.8	.6	
001	87	3.3	16.9	+- .6	
002	79	3.4	16.5	+- .6	
003	72	3.6	17.9	+- .7	
004	58	4.2	19.6	+- .7	
005	54	4.9	16.6	+- .6	
006	68	6.6	15.9	+- .6	
007	40	5.7	15.9	+- .6	
008	116	12.	17.2	+- .6	
010	8	5.8	16.5	+- .6	
011	15	8.1	15.9	+- .6	
012	24	8.6	16.2	+- .6	
013	49	8.6	15.4	+- .6	
014	90	6.7	15.7	+- .6	
015	105	6.4	14.9	+- .6	
017	331	4.2	MISSING OR DAMAGED DOSIMETER		
TRANSIT DOSE = 3.8 +- .3 ; 4.8					

COMMENTS:

THIS STATION TLD EXCHANGE IS DIVIDED BETWEEN THE STATES OF
 N.J. AND DEL. STATION 1-16 (N.J.), STATION 17-50 (DEL.)

SALEM
FOR THE PERIOD 860318-860715


TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	13.4 +- 0.0	1
11.25-33.75 (NNE)	13.1 +- .6	2
33.75-56.25 (NE)	12.8 +- .6	3
56.25-78.75 (ENE)	14.2 +- 2.0	3
78.75-101.25 (E)	13.2 +- .7	3
101.25-123.75 (ESE)	12.9 +- 1.7	2
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSE)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	NO DATA+-NO DATA	0
2-5	14.4 +- 1.4	5
>5	12.8 +- .7	9
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR SALEM AREA

(mR per 90 days)



SALEM

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860715 120 DAYS
 FIELD TIME 85 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS	NET EXPOSURE RATE
		EXPOSURE(mR) +- Rdm;Tot.	mR/Std.Qtr. +- Rdm;Tot.
017	331 4.2	MISSING OR DAMAGED DOSIMETER	
018	320 3.8	15.3 +-	2.3 NO NET DATA
019	299 3.4	17.6 +-	2.6 NO NET DATA
020	330 9.5	20.2 +-	3.9 NO NET DATA
021	276 3.6	19.9 +-	3.8 NO NET DATA
022	266 4.7	18.5 +-	2.9 NO NET DATA
023	257 4.4	18.4 +-	2.9 NO NET DATA
024	240 4.4	19.7 +-	2.9 NO NET DATA
025	217 4.9	19.8 +-	3.9 NO NET DATA
026	204 3.9	17.1 +-	2.6 NO NET DATA
027	188 4.2	23.7 +-	3.7 NO NET DATA
028	319 20	21.1 +-	3.2 NO NET DATA
029	265 6.7	15.4 +-	2.3 NO NET DATA
030	353 12	14.3 +-	2.1 NO NET DATA
031	0 18	17.4 +-	2.6 NO NET DATA
032	338 8.1	15.7 +-	2.4 NO NET DATA
033	265 9.8	18.4 +-	2.9 NO NET DATA
034	270 14	17.4 +-	2.6 NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)

COMMENTS:

THIS STATION TLD EXCHANGE IS DIVIDED BETWEEN THE STATES OF
 N.J. AND DEL. STATION 1-16 (N.J.), STATION 17-50 (DEL.)


SALEM
FOR THE PERIOD 860318-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-311.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSE)	NO DATA+-NO DATA	0
168.75-191.25 (S)	17.8 +- 0.0	1
191.25-213.75 (SSW)	12.8 +- 0.0	1
213.75-236.25 (SW)	14.9 +- 0.0	1
236.25-258.75 (WSW)	14.3 +- .2	2
258.75-281.25 (W)	13.4 +- 1.3	5
281.25-303.75 (WNW)	13.2 +- 0.0	1
303.75-326.25 (NW)	11.5 +- 0.0	1
326.25-348.75 (NNW)	13.4 +- 2.4	2

DISTANCE(mi) FROM THE REACTOR	NET AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	NO DATA+-NO DATA	0
2-5	14.2 +- 1.8	9
>5	13.1 +- 1.5	5
UPWIND CONTROL DATA	13.2 +- 2.6	3

NRC TLD DOSES FOR SALEM AREA
(mR per 90 days)



SAN ONOFRE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860806 154 DAYS
 FIELD TIME 97 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.			
		+- Rdm	;	Tot.	+- Rdm	;	Tot.	
001	346	35.	30.7	+- .9	4.6	22.2	+- .9	7.2
002	346	35.	31.0	+- .9	4.6	22.5	+- 1.0	7.2
003	346	35.	30.9	+- .9	4.6	22.4	+- 1.0	7.2
004	327	11.	24.1	+- .7	3.6	16.1	+- .8	6.7
005	308	14.	27.2	+- .8	4.1	19.0	+- .9	6.9
006	307	10.	24.5	+- .7	3.7	16.4	+- .8	6.7
007	318	6.3	MISSING OR DAMAGED DOSIMETER					
008	322	5.1	25.6	+- .8	3.8	17.5	+- .8	6.8
009	311	3.3	23.8	+- .7	3.6	15.8	+- .8	6.7
010	331	3.3	28.7	+- .9	4.3	20.4	+- .9	7.1
011	300	2.6	MISSING OR DAMAGED DOSIMETER					
012	285	0.5	30.1	+- .9	4.5	21.7	+- .9	7.2
013	320	2.4	25.0	+- .7	3.7	16.9	+- .8	6.8
014	320	1.7	26.3	+- .8	3.9	18.1	+- .8	6.9
015	333	1.2	27.1	+- .8	4.1	18.8	+- .9	6.9
016	30	1.9	28.3	+- .8	4.2	20.0	+- .9	7.0
017	8	1.3	24.0	+- .7	3.6	16.0	+- .8	6.7
018	39	2.7	MISSING OR DAMAGED DOSIMETER					
019	55	2.9	26.4	+- .8	4.0	18.2	+- .8	6.9
020	77	4.1	29.1	+- .9	4.4	20.7	+- .9	7.1
021	87	4.7	27.4	+- .8	4.1	19.1	+- .9	6.9
022	25	3.4	29.9	+- .9	4.5	21.4	+- .9	7.1
023	357	3.5	28.1	+- .8	4.2	19.8	+- .9	7.0
024	25	0.4	24.1	+- .7	3.6	16.1	+- .8	6.7
025	81	0.4	23.8	+- .7	3.6	15.0	+- .8	6.7
026	126	2.1	22.7	+- .7	3.4	14.8	+- .8	6.6
027	130	8.6	25.6	+- .8	3.8	17.4	+- .8	6.9
028	99	8.9	24.6	+- .7	3.7	16.6	+- .8	6.7
029	135	11.	24.1	+- .7	3.6	16.1	+- .8	6.7
030	126	2.0	21.1	+- .6	3.2	13.3	+- .7	6.5
031	128	3.7	20.5	+- .6	3.1	12.7	+- .7	6.5
032	140	22.	26.4	+- .8	4.0	18.2	+- .8	6.9
033	120	26.	22.4	+- .7	3.4	14.5	+- .7	6.6

TRANSIT DOSE = 6.7 +- .4 ; 6.3


SAN ONOFRE
FOR THE PERIOD 860306-860306

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-31.25 (N)	17.9 +- 2.7	2
11.25-33.75 (NNE)	19.2 +- 2.8	3
33.75-56.25 (NE)	18.2 +- 0.0	1
56.25-78.75 (ENE)	20.7 +- 0.0	1
78.75-101.25 (E)	17.2 +- 1.7	3
101.25-123.75 (ESE)	14.5 +- 0.0	1
123.75-146.25 (SE)	15.4 +- 2.2	6
146.25-168.75 (SSW)	NO DATA+-NO DATA	0
168.75-191.25 (S)	NO DATA+-NO DATA	0
191.25-213.75 (SSW)	NO DATA+-NO DATA	0
213.75-236.25 (SW)	NO DATA+-NO DATA	0
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	NO DATA+-NO DATA	0
281.25-303.75 (NNW)	21.7 +- 0.0	1
303.75-326.25 (NW)	17.3 +- 1.1	6
326.25-348.75 (NNW)	18.4 +- 2.2	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	17.5 +- 2.7	8
2-5	18.0 +- 2.9	10
>5	16.9 +- 1.3	9
UPWIND CONTROL DATA	22.3 +- .1	3

NRC TLD DOSES FOR SAN ONOFRE AREA
(mR per 90 days)



SEABROOK
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860703 108 DAYS
 FIELD TIME 88 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Otr. +- RdM;Tot.
			+- RdM;Tot.	+- RdM;Tot.	
001	157	0.7	18.3	+-	4.0
002	179	.7	17.9	+-	4.0
003	199	0.7	17.0	+-	4.0
004	223	.9	18.0	+-	4.0
005	244	1.2	18.1	+-	4.0
006	293	1.0	18.4	+-	5.0
007	275	1.0	18.1	+-	4.0
008	317	1.0	19.9	+-	4.0
009	331	1.0	18.3	+-	4.0
010	358	1.0	18.6	+-	4.0
011	20	1.0	17.7	+-	4.0
012	50	1.0	18.2	+-	4.0
013	82	1.0	18.1	+-	4.0
014	43	1.0	19.7	+-	5.0
015	0	1.0	18.4	+-	4.0
016	20	1.0	19.5	+-	5.0
017	322	1.0	18.1	+-	4.0
018	292	1.0	18.0	+-	4.0
019	269	1.0	18.0	+-	4.0
020	253	1.0	18.0	+-	4.0
021	232	1.0	19.0	+-	5.0
022	213	1.0	19.0	+-	5.0
023	189	1.0	19.3	+-	5.0
024	166	1.0	17.3	+-	4.0
025	177	4.1	18.7	+-	4.0
026	159	4.0	18.1	+-	4.0
027	138	2.4	19.0	+-	4.0
028	117	4.4	16.6	+-	4.0
030	66	2.1	19.1	+-	4.0
031	336	5.4	19.0	+-	5.0
032	237	19.	20.7	+-	4.0
033	237	19.	19.0	+-	4.0
034	237	19.	18.9	+-	4.0
035	237	19.	24.7	+-	5.4

TRANSIT DOSE = .6 +- .2 ; 3.8


SEABROOK
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.2 +- .1	2
11.25-33.75 (NNE)	18.5 +- .7	2
33.75-56.25 (NE)	17.9 +- .4	2
56.25-78.75 (ENE)	18.9 +- 0.0	1
78.75-101.25 (E)	18.4 +- 0.0	1
101.25-123.75 (ESE)	16.4 +- 0.0	1
123.75-146.25 (SE)	18.8 +- 0.0	1
146.25-168.75 (SSE)	17.7 +- .5	3
168.75-191.25 (S)	18.8 +- 1.3	3
191.25-213.75 (SSW)	18.8 +- 1.7	2
213.75-236.25 (SW)	19.0 +- .7	2
236.25-258.75 (WSW)	21.0 +- 3.4	3
258.75-281.25 (W)	18.0 +- .1	2
281.25-303.75 (WNW)	18.3 +- .2	2
303.75-326.25 (NW)	19.8 +- 1.3	2
326.25-348.75 (NNW)	19.3 +- .8	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.2 +- .7	10
2-5	18.4 +- .9	13
>5	19.8 +- 2.3	8
UPWIND CONTROL DATA	19.4 +- 1.0	3

NRC TLD DOSES FOR SEABROOK F.R.R.A.
(mR per 90 days)



SEQUOYAH

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860708 114 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std. Dtr. +- Rdm;Tot.
001	218	12.	18.2 +-	4.9
002	206	13.	15.2 +-	4.7
003	203	3.9	20.6 +-	5.1
004	199	2.0	17.8 +-	4.4
005	181	1.4	20.1 +-	4.5
006	153	1.1	16.0 +-	4.4
007	139	1.1	15.0 +-	4.4
008	115	1.1	16.0 +-	4.4
009	84	1.1	14.4 +-	4.4
010	66	1.1	17.3 +-	4.4
011	45	1.1	17.8 +-	4.4
012	14	2.2	19.4 +-	5.5
013	2.0	1.1	19.0 +-	5.1
014	19	1.1	16.0 +-	4.4
015	48	1.1	15.0 +-	4.4
016	65	1.1	16.0 +-	4.4
017	90	1.1	18.0 +-	4.9
018	111	1.1	17.0 +-	4.4
019	135	3.4	16.0 +-	4.4
020	158	3.4	14.0 +-	4.2
021	184	4.6	21.0 +-	5.2
022	233	11.1	15.7 +-	4.0
023	219	4.9	MISSING OR DAMAGED	
024	241	4.3	17.0 +-	4.4
025	235	2.1	13.0 +-	3.3
026	248	1.1	15.0 +-	4.0
027	266	1.1	16.0 +-	4.4
028	291	1.1	18.0 +-	4.8
029	309	1.1	16.0 +-	4.4
030	330	1.1	17.0 +-	4.4
031	339	1.1	15.0 +-	4.0
032	355	4.4	16.0 +-	4.4
033	334	3.4	15.0 +-	4.0
034	317	5.6	17.0 +-	4.4
035	277	4.4	15.0 +-	4.0
036	283	1.0	16.0 +-	4.4
037	273	1.0	14.0 +-	3.8
038	302	1.0	17.0 +-	4.4
039	299	1.0	15.0 +-	4.0
040	289	1.1	16.0 +-	4.4
041	318	6.6	14.2 +-	3.8
TRANSIT DOSE =		1.4	+- .3 ; 4.2	


SEQUOYAH
FOR THE PERIOD 860317-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	15.7 +- 3.1	2
11.25-33.75 (NNE)	16.4 +- 1.9	2
33.75-56.25 (NE)	14.6 +- 1.2	2
56.25-78.75 (ENE)	15.5 +- .4	2
78.75-101.25 (E)	14.9 +- 2.9	2
101.25-123.75 (ESE)	15.3 +- .5	2
123.75-146.25 (SE)	14.4 +- 1.0	2
146.25-168.75 (SSW)	14.1 +- 1.2	2
168.75-191.25 (S)	19.1 +- .8	2
191.25-213.75 (SSW)	16.0 +- 2.7	3
213.75-236.25 (SW)	14.3 +- 2.2	3
236.25-258.75 (WSW)	15.3 +- 1.3	2
258.75-281.25 (W)	14.9 +- 1.0	3
281.25-303.75 (WNW)	14.3 +- .9	2
303.75-326.25 (NW)	14.7 +- .5	3
326.25-348.75 (NNW)	15.7 +- 1.1	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	15.2 +- 1.6	16
2-5	15.5 +- 2.0	16
>5	15.1 +- 1.2	5
UPWIND CONTROL DATA	14.1 +- 1.2	3

NRC TLD DOSES FOR SEQUOYAH AREA
(mR per 90 days)



SHOREHAM

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860715 120 DAYS
 FIELD TIME 79 DAYS

NRC STATION	LOCATION	AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE		
			+- Rdm;Tot.	+- Rdm;Tot.	mR/Std.Otr.	+- Rdm;Tot.	
001	262	10	15.1	+- .5	12.9	+- .6	5.7
002	268	4.4	17.2	+- .5	15.3	+- .7	5.9
003	256	3.2	MISSING OR DAMAGED DOSIMETER				
004	268	2.1	16.4	+- .5	14.3	+- .7	5.8
005	243	1.7	17.3	+- .5	15.4	+- .7	5.9
007	136	1.5	19.5	+- .5	17.9	+- .8	6.1
008	116	0.9	18.5	+- .5	16.7	+- .7	6.0
009	91	0.8	15.0	+- .5	13.7	+- .7	5.8
010	73	0.7	16.3	+- .5	14.3	+- .7	5.8
011	62	0.7	15.7	+- .5	13.5	+- .7	5.8
012	75	1.6	16.1	+- .5	14.8	+- .7	5.8
013	88	2.1	16.0	+- .5	14.4	+- .7	5.8
014	119	4.6	16.0	+- .5	13.6	+- .7	5.8
015	110	10.	16.0	+- .5	14.6	+- .7	5.9
016	138	14.	16.4	+- .5	13.2	+- .7	5.8
017	162	12.	16.1	+- .5	14.9	+- .7	5.8
018	174	11.	15.5	+- .5	13.7	+- .7	5.8
019	189	5.1	16.0	+- .5	13.9	+- .7	5.8
021	163	2.5	15.5	+- .5	13.0	+- .7	5.8
022	149	1.5	15.5	+- .5	13.0	+- .7	5.8
023	177	1.3	15.2	+- .5	15.6	+- .7	5.9
024	196	1.2	16.0	+- .5	14.8	+- .7	5.9
025	217	1.5	15.8	+- .5	13.6	+- .7	5.8
026	215	4.6	15.8	+- .5	12.7	+- .7	5.7
027	205	4.2	16.3	+- .5	14.3	+- .7	5.8
028	233	11	15.1	+- .5	12.8	+- .7	5.7
029	224	13.	16.5	+- .5	14.1	+- .7	5.8
030	202	14.	16.5	+- .5	14.1	+- .7	5.8
031	210	15.	16.5	+- .5	13.8	+- .7	5.7
032	210	15.	15.2	+- .5	14.1	+- .7	5.8
033	210	15.	15.7	+- .5	13.5	+- .7	5.8
034	27	12	16.6	+- .5	14.6	+- .7	5.9
035	50	.3	17.0	+- .5	15.1	+- .7	5.9
036	133	3.9	16.6	+- .5	14.6	+- .7	5.9
TRANSIT DOSE =			3.8	+- .3	4.5		

SHOREHAM
FOR THE PERIOD 860318-860715


TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	NO DATA+-NO DATA	0
11.25-33.75 (NNE)	14.6 +- 0.0	1
33.75-56.25 (NE)	15.1 +- 0.0	1
56.25-78.75 (ENE)	13.9 +- .4	3
78.75-101.25 (E)	14.1 +- .5	2
101.25-123.75 (ESE)	15.0 +- 1.6	3
123.75-146.25 (SE)	15.3 +- 2.4	3
146.25-168.75 (SSW)	13.7 +- .3	3
168.75-191.25 (S)	14.4 +- 1.0	3
191.25-213.75 (SSW)	14.4 +- .4	3
213.75-236.25 (SW)	13.3 +- .7	4
236.25-258.75 (WSW)	15.4 +- 0.0	1
258.75-281.25 (W)	14.2 +- 1.2	3
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	NO DATA+-NO DATA	0
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	14.8 +- 1.3	13
2-5	14.1 +- .8	8
>5	13.7 +- .6	9
UPWIND CONTROL DATA	13.5 +- .6	3

NRC TLD DOSES FOR SHOREHAM AREA

(mR per 90 days)



SUMMER

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860725 131 DAYS
 FIELD TIME 106 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.	
		+- Rdm;Tot.			+- Rdm;Tot.	
001	199	3.7	29.3	+- .9	4.4	22.7
002	111	1.0	25.4	+- .8	3.8	19.4
003	340	4.1	MISSING OR DAMAGED DOSIMETER			
004	192	9.3	27.2	+- .8	4.1	20.9
005	72	1.0	32.3	+- 1.0	4.8	25.3
006	54	1.1	29.3	+- .9	4.4	22.7
007	46	3.0	37.3	+- 1.1	5.6	29.5
008	31	3.0	33.0	+- 1.0	5.1	26.5
009	13	3.0	34.0	+- 1.1	5.3	27.9
010	7	4.0	34.0	+- 1.0	5.2	27.3
011	349	4.0	29.2	+- .9	4.4	20.6
012	323	4.0	34.6	+- 1.0	5.1	22.6
013	333	4.0	MISSING OR DAMAGED DOSIMETER			26.7
014	255	4.0	32.8	+- 1.0	4.9	25.7
015	300	4.0	31.4	+- .9	4.1	20.9
016	64	4.1	31.4	+- .9	4.7	24.4
017	98	4.1	26.6	+- .9	4.4	22.8
018	114	4.1	18.1	+- .9	4.8	20.4
019	132	4.1	21.6	+- .9	3.2	13.2
020	152	4.1	24.9	+- .9	3.7	16.2
021	133	4.4	26.6	+- .9	4.0	20.4
022	157	4.4	26.6	+- .9	4.0	20.5
023	173	4.4	22.0	+- .9	3.3	16.7
024	185	4.4	20.0	+- .9	3.1	15.5
025	210	4.4	31.3	+- .9	4.7	24.4
026	217	4.4	MISSING OR DAMAGED DOSIMETER			
027	231	4.4	24.0	+- .7	3.6	18.2
028	267	4.4	29.5	+- .9	4.4	22.8
029	276	4.4	25.0	+- .9	4.3	20.4
030	293	4.4	31.3	+- .9	4.7	24.4
031	244	9.3	MISSING OR DAMAGED DOSIMETER			
032	247	9.3	24.0	+- .7	3.6	18.2
033	218	9.3	29.5	+- .9	4.4	22.8
034	192	14.0	25.0	+- .9	3.9	19.7
035	184	14.0	26.0	+- .9	4.3	20.6
036	183	15.0	21.0	+- .7	3.2	16.1
037	182	15.0	21.0	+- .7	3.4	16.9
038	148	21.0	26.1	+- .7	3.9	16.3
039	147	21.0	32.1	+- 1.0	4.0	19.9
040	135	21.0	MISSING OR DAMAGED DOSIMETER			25.1
TRANSIT DOSE =		2.0	+- .3	; 5.2		


SUMMER
FOR THE PERIOD 860317-860725

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	23.7 +- 5.2	2
11.25-33.75 (NNE)	26.5 +- 1.4	3
33.75-56.25 (NE)	26.1 +- 4.8	2
56.25-78.75 (ENE)	23.1 +- 3.1	2
78.75-101.25 (E)	24.4 +- 0.0	1
101.25-123.75 (ESE)	21.1 +- 2.4	2
123.75-146.25 (SE)	18.3 +- 3.0	2
146.25-168.75 (SSW)	17.4 +- 3.7	3
168.75-191.25 (S)	20.4 +- .0	2
191.25-213.75 (SSW)	21.2 +- 1.0	4
213.75-236.25 (SW)	17.3 +- 2.1	3
236.25-258.75 (WSW)	20.5 +- 3.3	2
258.75-281.25 (W)	23.2 +- 1.7	2
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	24.1 +- 2.2	2
326.25-348.75 (NNW)	26.7 +- 0.0	1

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	21.9 +- 2.6	4
2-5	21.7 +- 4.3	22
>5	22.1 +- 2.5	7
UPWIND CONTROL DATA	16.5 +- .4	3

NRC TLD DOSES FOR SUMMER AREA
(mR per 90 days)



SURRY

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 860317-860708 114 DAYS
FIELD TIME 92 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	11	19.7	15.4 +- 4.4
002	129	17.	17.4 +- 4.6
003	162	17.	14.9 +- 4.4
004	162	17.	12.6 +- 4.2
005	156	5.1	17.5 +- 4.6
006	189	4.1	14.5 +- 4.3
007	202	2.2	14.2 +- 4.4
008	183	1.0	16.6 +- 4.8
009	243	0.8	19.9 +- 5.2
010	269	0.7	23.0 +- 5.3
011	304	0.2	24.2 +- 5.5
012	334	1.0	16.2 +- 4.4
013	10	0.2	16.1 +- 4.4
014	21	2.0	14.7 +- 4.4
015	203	4.3	15.1 +- 4.6
016	224	3.1	16.0 +- 4.3
017	212	0.1	13.6 +- 4.4
018	248	0.0	15.0 +- 4.4
019	259	0.0	11.1 +- 4.1
020	285	0.0	18.0 +- 4.7
021	270	0.0	22.0 +- 5.0
022	123	0.0	22.9 +- 5.1
023	102	0.0	18.8 +- 4.7
024	106	0.0	17.0 +- 4.6
025	90	0.0	21.0 +- 5.0
026	69	0.0	18.0 +- 4.7
027	23	0.0	18.0 +- 4.7
028	49	0.0	18.0 +- 4.7
029	7.0	0.0	15.0 +- 4.4
030	359	0.0	12.0 +- 4.4
031	1.0	0.0	15.0 +- 4.4
032	332	0.0	15.0 +- 4.4
033	314	0.0	17.0 +- 4.4
034	308	0.0	15.0 +- 4.4
035	348	0.0	14.9 +- 4.4
036	34	0.0	15.1 +- 4.4
037	340	0.0	14.1 +- 4.3
038	339	0.0	14.9 +- 4.4
039	153	1.9	18.3 +- 4.7
040	144	2.1	15.0 +- 4.5
TRANSIT DOSE = .2 +- .2 ; 3.9			


SURRY
FOR THE PERIOD 860317-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	15.8 +- 2.0	5
11.25-33.75 (NNE)	17.3 +- 1.8	2
33.75-56.25 (NE)	18.5 +- 0.0	1
56.25-78.75 (ENE)	21.5 +- 0.0	1
78.75-101.25 (E)	17.0 +- 0.0	1
101.25-123.75 (ESE)	21.0 +- 2.6	3
123.75-146.25 (SE)	16.6 +- 1.1	2
146.25-168.75 (SSW)	15.8 +- 2.6	4
168.75-191.25 (S)	15.3 +- 1.9	2
191.25-213.75 (SW)	15.6 +- 1.1	3
213.75-236.25 (SW)	14.7 +- 0.0	1
236.25-258.75 (WSW)	16.7 +- 4.5	2
258.75-281.25 (W)	18.9 +- 4.5	3
281.25-303.75 (WNW)	11.1 +- 0.0	1
303.75-326.25 (NW)	19.1 +- 4.8	3
326.25-348.75 (NNW)	18.3 +- 5.1	3

DISTANCE(m+) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	19.6 +- 3.6	9
2-5	15.3 +- 2.3	11
>5	17.1 +- 2.9	17
UPWIND CONTROL DATA	14.7 +- .6	3

NRC TLD DOSES FOR SURRY AREA
(mR per 90 days)



SUSQUEHANNA

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860703 108 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr.	
		+/- Rdm	Tot.	+/- Rdm	+/- Tot.
001	19	1.4	19.4	19.1	4.7
002	0	1.4	19.9	19.5	4.8
003	333	1.7	19.3	19.0	4.7
004	318	1.7	17.6	17.3	4.6
005	287	1.7	19.5	19.1	4.8
006	270	1.3	19.2	18.9	4.7
007	239	1.8	16.8	16.5	4.5
008	217	2	21.3	20.9	4.9
009	200	1.4	MISSING OR DAMAGED DOSIMETER		
010	175	1.2	17.4	17.0	4.6
011	243	5.1	18.6	18.3	4.6
012	252	4.7	18.2	17.8	4.8
013	274	3.4	20	20.1	4.9
014	286	3.6	20.7	20.3	4.8
015	2	3.8	20.1	19.7	4.8
016	334	4.1	20.4	20.0	4.8
017	312	4.4	18.7	18.4	4.7
018	32	4.9	19.4	19.1	4.9
019	45	9.9	20.9	20.5	4.7
020	65	4.0	21.0	21.4	5.0
021	44	3.1	21.4	21.0	4.6
022	47	.7	17.6	17.2	4.7
023	65	1.2	17.4	17.1	4.7
024	87	1.4	19.3	18.9	4.7
025	108	1.4	19.3	18.9	4.7
026	137	1.5	19.1	18.7	4.7
027	152	1.5	19.6	19.3	4.9
028	108	3	24.3	23.9	4.9
029	102	3.3	20.9	20.5	4.9
030	140	4.3	20.6	20.2	4.9
031	162	3.4	22.6	22.2	5.0
032	176	3.3	21.1	20.7	4.9
033	192	3.1	21.9	21.5	5.0
034	231	4.4	19.9	19.5	4.7
035	134	12	18.6	18.2	5.1
036	114	13	22.9	22.5	5.1
037	150	15	20.1	19.8	4.8
TRANSIT DOSE = .1		+/- .2	; 3.8		


SUSQUEHANNA
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	19.8 +- .1	2
11.25-33.75 (NNE)	19.1 +- 0.0	2
33.75-56.25 (NE)	19.6 +- 2.1	3
56.25-78.75 (ENE)	19.2 +- 3.0	2
78.75-101.25 (E)	18.9 +- 0.0	1
101.25-123.75 (ESE)	20.1 +- 1.1	3
123.75-146.25 (SE)	19.5 +- 1.1	2
146.25-168.75 (SSE)	20.7 +- 2.1	2
168.75-191.25 (S)	18.9 +- 2.6	2
191.25-213.75 (SSW)	21.5 +- 0.0	1
213.75-236.25 (SW)	20.2 +- 1.0	2
236.25-258.75 (WSW)	17.5 +- .9	3
258.75-281.25 (W)	19.5 +- .9	2
281.25-303.75 (WNW)	19.7 +- .8	2
303.75-326.25 (NW)	17.8 +- .8	2
326.25-348.75 (NNW)	19.5 +- .7	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.5 +- 1.2	15
2-5	20.2 +- 1.2	16
>5	19.4 +- 1.6	2
UPWIND CONTROL DATA	20.2 +- 2.1	3

NRC TLD DOSES FOR SUSQUEHANNA AREA
(mR per 90 days)



THREE MILE ISLAND
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860703 108 DAYS
 FIELD TIME 91 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	95 5.9	16.1 +- .5	2.4 NO NET DATA
002	101 3.9	18.3 +- .5	2.7 NO NET DATA
003	109 2.7	16.2 +- .5	2.4 NO NET DATA
004	163 1.8	15.3 +- .5	2.3 NO NET DATA
005	161 2.2	16.3 +- .5	2.4 NO NET DATA
006	150 1	16.8 +- .5	2.4 NO NET DATA
007	136 .6	14.6 +- .4	2.2 NO NET DATA
008	83 .4	18.6 +- .6	2.0 NO NET DATA
009	68 .5	15.5 +- .5	2.3 NO NET DATA
010	1 1.7	15.4 +- .5	2.3 NO NET DATA
011	25 .9	15.8 +- .5	2.4 NO NET DATA
012	46 2.0	15.6 +- .5	2.3 NO NET DATA
013	19 2.5	15.8 +- .5	2.4 NO NET DATA
014	358 2.5	15.0 +- .4	2.2 NO NET DATA
015	133 2.5	16.5 +- .6	2.3 NO NET DATA
016	0 3.1	14.7 +- .4	2.2 NO NET DATA
018	349 3.5	19.9 +- .6	2.8 NO NET DATA
019	343 3.2	15.6 +- .5	2.5 NO NET DATA
020	318 5.1	15.9 +- .5	2.4 NO NET DATA
021	348 1.3	12.4 +- .4	1.9 NO NET DATA
022	17 3.1	16.0 +- .5	2.4 NO NET DATA
023	64 3.8	13.5 +- .4	2.0 NO NET DATA
024	44 3.6	17.1 +- .5	2.6 NO NET DATA
025	335 0.5	MISSING OR DAMAGED DOSIMETER	
027	006 7.4	21.4 +- .6	3.2 NO NET DATA
029	293 0.4	MISSING OR DAMAGED DOSIMETER	
030	317 1.2	MISSING OR DAMAGED DOSIMETER	
031	306 9.5	13.7 +- .4	2.1 NO NET DATA
032	297 7.4	17.2 +- .5	2.6 NO NET DATA
033	301 5.9	14.1 +- .4	2.1 NO NET DATA
034	267 2.3	16.1 +- .5	2.4 NO NET DATA
035	299 1.0	16.9 +- .5	2.5 NO NET DATA
036	267 1.2	12.9 +- .4	1.9 NO NET DATA
037	256 1.4	14.5 +- .4	2.2 NO NET DATA
038	225 1.9	17.5 +- .5	2.6 NO NET DATA
039	200 2.1	14.2 +- .4	2.1 NO NET DATA
040	204 2.5	15.2 +- .5	2.3 NO NET DATA
041	185 13.	16.5 +- .5	2.5 NO NET DATA
042	259 2.3	16.2 +- .5	2.4 NO NET DATA
043	269 5.0	19.9 +- .6	3.0 NO NET DATA
044	263 4.7	15.5 +- .5	2.3 NO NET DATA
045	230 0.5	MISSING OR DAMAGED DOSIMETER	
046	177 3	14.2 +- .4	2.1 NO NET DATA
047	177 5.7	15.0 +- .5	2.3 NO NET DATA
048	182 9	22.0 +- .7	3.3 NO NET DATA
049	206 0.9	MISSING OR DAMAGED DOSIMETER	
050	145 4.9	15.5 +- .5 ; 2.3	NO NET DATA

NO TRANSIT DOSE CALCULATED (TLD CONTROLS MISSING OR OTHERWISE NOT COMPLETE)


THREE MILE ISLAND
FOR THE PERIOD 860318-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	17.1 +- 3.1	5
11.25-33.75 (NNE)	15.7 +- .1	3
33.75-56.25 (NE)	16.1 +- 1.0	2
56.25-78.75 (ENE)	14.3 +- 1.4	2
78.75-101.25 (E)	17.5 +- 1.3	3
101.25-123.75 (ESE)	16.0 +- 0.0	1
123.75-146.25 (SE)	16.0 +- 2.0	3
146.25-168.75 (SSW)	15.7 +- .5	3
168.75-191.25 (S)	16.7 +- 3.5	4
191.25-213.75 (SSW)	14.5 +- .7	2
213.75-236.25 (SW)	17.3 +- 0.0	1
236.25-258.75 (WSW)	NO DATA+-NO DATA	0
258.75-281.25 (W)	16.7 +- 2.0	4
281.25-303.75 (WNW)	15.5 +- 2.1	2
303.75-326.25 (NW)	14.6 +- 1.5	2
326.25-348.75 (NNW)	14.3 +- 3.0	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.5 +- 1.7	9
2-5	15.7 +- 1.5	18
>5	17.0 +- 2.7	12
UPWIND CONTROL DATA	14.6 +- 2.0	3

NRC TLD DOSES FOR TMI AREA
(mR per 90 days)



TROJAN

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860806 154 DAYS
 FIELD TIME 99 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE mR/Std.Qtr.		
		+- Rdm	;	+ Tot.	+- Rdm	;	+ Tot.
001	340	0.6	19.4	+- .6	2.9	10.9	+- .7 ; 6.5
002	334	1.5	22.7	+- .7	3.4	13.9	+- .7 ; 6.7
003	340	1.7	19.8	+- .6	3.9	11.2	+- .7 ; 6.6
004	328	3.9	20.6	+- .6	3.1	12.0	+- .7 ; 6.6
005	308	4.6	23.8	+- .7	3.5	14.2	+- .3 ; 6.7
006	312	4.8	MISSING OR DAMAGED DOSIMETER				
007	267	4.6	22.4	+- .7	3.4	13.7	+- .7 ; 6.7
008	274	3.9	23.7	+- .7	3.5	14.8	+- .8 ; 6.8
009	279	1.7	22.7	+- .7	3.4	13.9	+- .7 ; 6.7
010	263	2.0	23.2	+- .7	3.5	14.3	+- .8 ; 6.8
011	245	1.6	25.1	+- .8	3.3	16.1	+- .8 ; 6.9
012	223	1.2	23.2	+- .7	3.6	14.4	+- .8 ; 6.8
013	196	1.1	23.1	+- .7	3.5	14.3	+- .8 ; 6.8
014	180	1.2	21.6	+- .6	3.2	12.9	+- .7 ; 6.7
015	165	1.7	21.2	+- .6	3.2	12.5	+- .7 ; 6.6
016	212	3.9	23.7	+- .7	3.6	14.8	+- .8 ; 6.8
017	230	3.6	24.9	+- .7	3.6	15.1	+- .8 ; 6.8
018	162	3.9	24.7	+- .7	3.7	15.7	+- .8 ; 6.9
019	172	3.6	23.8	+- .7	3.6	14.9	+- .8 ; 6.8
020	334	5.8	19.9	+- .6	3.8	11.4	+- .7 ; 6.6
021	345	5.5	21.5	+- .6	3.2	12.8	+- .7 ; 6.7
022	356	5.5	20.7	+- .6	3.1	12.1	+- .7 ; 6.6
023	8	3.9	20.1	+- .6	3.8	11.5	+- .7 ; 6.6
024	15	3.7	21.1	+- .6	3.2	12.4	+- .7 ; 6.6
025	27	1.9	MISSING OR DAMAGED DOSIMETER				
026	37	2.1	23.4	+- .7	3.5	14.5	+- .8 ; 6.8
027	60	2.9	22.9	+- .7	3.4	14.1	+- .8 ; 6.7
028	55	4.5	21.3	+- .6	3.2	12.6	+- .7 ; 6.6
029	69	1.6	22.4	+- .7	3.4	13.7	+- .7 ; 6.7
030	83	3.9	20.6	+- .6	3.1	12.8	+- .7 ; 6.6
031	93	2.7	23.0	+- .7	3.5	14.2	+- .8 ; 6.7
032	119	2.2	23.8	+- .7	3.6	14.9	+- .8 ; 6.8
033	106	5.3	20.8	+- .6	3.1	12.2	+- .7 ; 6.6
034	134	2.5	19.8	+- .6	3.8	11.3	+- .7 ; 6.6
035	145	4.7	20.7	+- .7	3.1	12.1	+- .7 ; 6.6
036	270	17.	23.2	+- .7	3.5	14.3	+- .8 ; 6.8
037	270	17.	23.8	+- .7	3.6	14.9	+- .8 ; 6.8
038	270	17.	24.2	+- .7	3.6	15.2	+- .8 ; 6.8

TRANSIT DOSE = 7.4 +- .5 ; 6.6


TROJAN
FOR THE PERIOD 860306-860806

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	11.8 +- .4	2
11.25-33.75 (NNE)	12.4 +- 0.0	1
33.75-56.25 (NE)	13.6 +- 1.3	2
56.25-78.75 (ENE)	13.9 +- .3	2
78.75-101.25 (E)	13.1 +- 1.6	2
101.25-123.75 (ESE)	13.5 +- 1.9	2
123.75-146.25 (SE)	11.7 +- .6	2
146.25-168.75 (SSW)	14.1 +- 2.3	2
168.75-191.25 (S)	13.9 +- 1.4	2
191.25-213.75 (SSW)	14.6 +- .4	2
213.75-236.25 (SW)	14.7 +- .5	2
236.25-258.75 (WSW)	16.1 +- 0.0	1
258.75-281.25 (W)	14.2 +- .5	4
281.25-303.75 (WNW)	NO DATA+-NO DATA	0
303.75-326.25 (NW)	14.2 +- 0.0	1
326.25-348.75 (NNW)	12.0 +- 1.1	6

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	13.5 +- 1.5	11
2-5	13.5 +- 1.4	17
>5	12.9 +- 1.7	5
UPWIND CONTROL DATA	14.8 +- .5	3

NRC TLD DOSES FOR TROJAN AREA
(mR per 90 days)



TURKEY POINT

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
FOR THE PERIOD 860306-860715 132 DAYS
FIELD TIME 88 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)	NET EXPOSURE RATE mR/Std.Otr.
001	318	1.3	+ Rdm;Tot.	+ Rdm;Tot.
002	292	2.4	15.3	11.4
003	340	1.9	14.6	10.0
004	354	2.6	16.0	12.3
005	314	3.0	16.0	12.4
006	331	4.2	15.0	11.6
007	291	5.4	15.0	11.6
008	263	7.1	16.1	12.6
009	242	7.7	17.4	13.4
010	234	9.2	16.3	12.6
011	220	9.9	15.0	11.6
012	213	9.9	15.0	11.6
013	199	10.	15.0	11.6
014	190	10.	15.0	11.6
015	180	10.	17.4	13.4
016	171	9.0	18.0	14.0
017	165	9.0	17.8	13.6
018	200	9.0	16.0	12.0
019	203	9.0	15.0	11.6
020	203	9.0	15.0	11.6
021	266	9.0	15.0	11.6
022	256	8.7	14.0	12.0
023	275	8.0	15.0	11.6
024	285	8.0	16.0	12.0
025	293	8.7	17.7	13.4
026	301	8.4	16.3	12.0
027	311	8.3	MISSING OR DAMAGED	11.0
028	327	8.2	17.6	13.4
029	339	8.3	16.2	12.0
030	350	8.9	15.0	11.6
031	359	9.9	16.1	12.0
032	2	18.	15.0	11.6
033	12	22.	16.0	12.1
034	18	24.	15.4	11.9
035	28	22.	21.7	18.0
036	15	9.3	14.9	11.9
037	228	5.5	16.0	12.0
TRANSIT DOSE =	4.1	+-	+-	+-


TURKEY POINT
FOR THE PERIOD 860306-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	12.0 +- .3	4
11.25-33.75 (NNE)	13.2 +- 3.2	4
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	13.8 +- 0.0	1
168.75-191.25 (S)	13.4 +- .9	3
191.25-213.75 (SW)	11.5 +- .0	2
213.75-236.25 (SW)	12.3 +- .7	3
236.25-258.75 (WSW)	12.6 +- 1.4	2
258.75-281.25 (W)	11.2 +- .9	3
281.25-303.75 (WNW)	12.2 +- 1.4	5
303.75-326.25 (NW)	12.1 +- .9	2
326.25-348.75 (NNW)	12.5 +- .9	4

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	12.0 +- .8	5
2-5	11.5 +- 1.4	3
>5	12.6 +- 1.5	25
UPWIND CONTROL DATA	12.6 +- .8	3

NRC TLD DOSES FOR TURKEY POINT AREA
 (mR per 90 days)



VERMONT YANKEE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860821 157 DAYS
 FIELD TIME 72 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE	
		+/- Rdm;Tot.	+/- Rdm;Tot.	mR/Std.Qtr.	+/- Rdm;Tot.
001	142	1.	23.9 +/- .7	16.6 +/- 1.1	9.5
002	158	1	23.3 +/- .7	15.8 +/- 1.1	9.5
003	184	1.3	24.2 +/- .7	16.9 +/- 1.1	9.5
004	201	1.4	23.3 +/- .7	15.8 +/- 1.1	9.4
005	220	1.6	24.1 +/- .7	16.8 +/- 1.1	9.5
006	157	3.4	22.4 +/- .7	14.7 +/- 1.0	9.5
007	189	4.9	23.6 +/- .7	16.2 +/- 1.1	9.4
008	201	13.	22.7 +/- .7	15.1 +/- 1.1	9.4
009	208	5.8	24.6 +/- .7	17.4 +/- 1.1	9.5
010	232	3.7	24.9 +/- .7	17.7 +/- 1.1	9.5
011	277	2.9	24.6 +/- .7	17.4 +/- 1.1	9.5
012	292	1.4	24.1 +/- .7	16.8 +/- 1.1	9.5
013	314	1.4	23.8 +/- .7	16.4 +/- 1.1	9.5
014	318	4.2	23.5 +/- .7	16.1 +/- 1.1	9.5
015	299	4.3	23.8 +/- .7	16.4 +/- 1.1	9.5
016	270	4.5	22.7 +/- .7	15.6 +/- 1.1	9.5
017	331	5	23.9 +/- .7	16.4 +/- 1.1	9.5
018	290	19.	24.9 +/- .7	17.0 +/- 1.1	9.5
019	290	19.	25.5 +/- .7	18.3 +/- 1.1	9.5
020	290	19.	25.6 +/- .7	18.6 +/- 1.1	9.5
021	359	3.2	24.6 +/- .7	17.4 +/- 1.1	9.5
023	334	2.2	23.3 +/- .7	15.8 +/- 1.1	9.5
024	4	.9	23.1 +/- .7	15.6 +/- 1.1	9.5
025	38	1	23.9 +/- .7	16.5 +/- 1.1	9.5
026	72	1.5	23.0 +/- .7	16.3 +/- 1.1	9.5
027	44	2.9	24.1 +/- .7	16.3 +/- 1.1	9.5
028	39	2.9	25.1 +/- .7	19.1 +/- 1.2	9.5
029	25	2.9	25.0 +/- .7	18.7 +/- 1.1	9.5
030	72	2.9	25.0 +/- .7	18.9 +/- 1.1	9.5
031	85	2.2	23.9 +/- .7	16.6 +/- 1.1	9.5
032	111	1.8	22.5 +/- .7	14.7 +/- 1.0	9.5
033	134	4	22.5 +/- .7	15.0 +/- 1.1	9.5
034	151	6	21.3 +/- .7	13.2 +/- 1.0	9.5
035	111	4.3	25.4 +/- .7	18.4 +/- 1.1	9.6
036	92	4.7	25.1 +/- .7	18.0 +/- 1.1	9.6
037	50	15	MISSING OR DAMAGED DOSIMETER		
039	222	.3	25.3 +/- .7	18.2 +/- 1.1	9.6
040	250	3	24.2 +/- .7	16.9 +/- 1.1	9.6
TRANSIT DOSE =	10.7	+- .5 ; 6.7			

VERMONT YANKEE
FOR THE PERIOD 860318-860821


197

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-311.25 (N)	16.5 +- 1.4	2
11.25-33.75 (NNE)	17.6 +- 1.6	2
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	18.9 +- 0.0	1
78.75-101.25 (E)	17.3 +- 1.0	2
101.25-123.75 (ESE)	16.6 +- 2.6	2
123.75-146.25 (SE)	15.8 +- 1.1	2
146.25-168.75 (SSE)	14.6 +- 1.3	3
168.75-191.25 (S)	16.5 +- .5	2
191.25-213.75 (SSW)	16.1 +- 1.2	3
213.75-236.25 (SW)	17.6 +- .7	3
236.25-258.75 (WSW)	16.9 +- 0.0	1
258.75-281.25 (W)	16.2 +- 1.7	2
281.25-303.75 (WNW)	17.6 +- .9	5
303.75-326.25 (NW)	16.2 +- .3	2
326.25-348.75 (NNW)	16.1 +- .4	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	16.4 +- .9	12
2-5	16.8 +- 1.3	16
>5	16.7 +- 2.1	6
UPWIND CONTROL DATA	17.4 +- 1.4	3

NRC TLD DOSES FOR VERMONT YANKEE AREA
(mR per 90 days)



VOGTLE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860730 136 DAYS
 FIELD TIME 98 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	298	1.6	16.3 +- .8 6.9
002	309	1.6	12.5 +- .7 6.7
003	336	1.4	14.0 +- .8 6.8
004	270	1.3	13.3 +- .7 6.7
005	247	1.2	13.5552 +- .7 6.7
006	215	1.2	17.552 +- .8 7.0
007	235	1.2	18.2 +- .9 7.1
008	180	1.1	18.6 +- .9 7.1
009	153	1.2	12.8 +- .7 6.7
010	134	1.3	15.3 +- .8 6.9
011	103	1.1	11.2 +- .7 6.6
012	134	3.3	13.0 +- .7 6.7
013	123	4.2	13.3 +- .7 6.7
014	141	4.6	12.2 +- .7 6.6
015	153	5.3	11.9 +- .7 6.6
016	162	5.3	14.1 +- .8 6.8
017	157	5.3	20.1 +- .9 7.2
018	191	4.9	12.3 +- .7 6.7
019	208	4.7	11.4 +- .7 6.6
020	232	4.9	12.8 +- .7 6.7
021	250	5.6	13.1 +- .7 6.7
022	264	4.3	13.0 +- .7 6.7
023	301	4.2	12.6 +- .7 6.7
024	308	4.6	16.5562 +- .8 6.9
025	329	6.7	14.0 +- .8 6.8
026	258	15.	16.9992 +- .8 7.0
027	300	13.	18.5562 +- .9 7.1
028	330	30.	13.5562 +- .7 6.7
031	357	5.62	10.7 +- .7 6.6
032	26	4.9	8.2 +- .6 6.4
033	17	3.2	8.3 +- .6 6.4
034	36	3.9	9.9 +- .7 6.5
035	48	2.4	13.0552 +- .7 6.7
036	69	2.0	10.8 +- .7 6.5
037	74	4.4	10.8 +- .6 6.4
038	94	4.5	10.8 +- .6 6.4

TRANSIT DOSE = 7.4 +- .5 ; 6.5


VOGTLE
FOR THE PERIOD 860317-860730

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	10.7 +- 0.0	1
11.25-33.75 (NNE)	8.2 +- .0	2
33.75-56.25 (NE)	11.5 +- 2.5	2
56.25-78.75 (ENE)	9.6 +- 1.4	2
78.75-101.25 (E)	7.7 +- 0.0	1
101.25-123.75 (ESE)	12.3 +- 1.5	2
123.75-146.25 (SE)	13.5 +- 1.6	3
146.25-168.75 (SSE)	14.7 +- 3.7	4
168.75-191.25 (S)	15.5 +- 4.4	2
191.25-213.75 (SSW)	15.0 +- 5.2	2
213.75-236.25 (SW)	15.1 +- 3.3	2
236.25-258.75 (WSW)	13.3 +- .3	2
258.75-281.25 (W)	13.1 +- .2	2
281.25-303.75 (WNW)	14.4 +- 2.6	2
303.75-326.25 (NW)	14.5 +- 2.8	2
326.25-348.75 (NNW)	14.0 +- .0	2

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	14.9 +- 2.6	11
2-5	11.5 +- 2.4	16
>5	14.0 +- 3.2	6
UPWIND CONTROL DATA	16.3 +- 2.5	3

NRC TLD DOSES FOR VOGTLE AREA
(mR per 90 days)



WASHINGTON NUCLEAR 2
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860708 125 DAYS
 FIELD TIME 84 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR)			NET EXPOSURE RATE	
		+- Rdm	+- Tot.	+- Rdm	+- Std.Otr.	+-
001	174	12.	21.8	+- .7	3.3	18.0
002	163	11.	20.6	+- .6	3.1	16.7
003	161	9.0	20.1	+- .6	3.0	16.2
004	152	5.0	22.6	+- .7	3.4	18.0
005	195	2.0	21.6	+- .6	3.2	17.0
006	220	1.5	21.7	+- .7	3.3	17.9
007	92	3.0	21.8	+- .7	3.3	18.0
008	155	1.0	20.1	+- .6	3.0	16.2
009	130	0.5	20.1	+- .6	3.0	16.2
010	70	0.5	21.3	+- .6	3.2	17.5
011	25	0.0	21.0	+- .6	3.1	17.1
012	315	0.5	22.7	+- .7	3.4	18.9
013	290	0.5	23.2	+- .7	3.5	19.5
014	270	0.5	21.5	+- .6	3.2	17.7
015	245	1.0	21.9	+- .7	3.3	18.1
016	285	3.0	22.0	+- .7	3.4	19.1
017	240	4.0	20.4	+- .6	3.1	16.5
018	198	7.0	20.7	+- .7	3.1	16.9
019	173	8.0	21.9	+- .7	3.3	18.1
020	150	20.	22.4	+- .7	3.4	18.6
021	114	7.0	21.5	+- .6	3.2	17.7
022	120	8.0	20.9	+- .7	3.1	17.0
023	134	6.0	23.6	+- .7	3.5	19.9
024	110	4.0	24.7	+- .7	3.2	21.1
025	85	5.0	22.0	+- .7	3.3	18.2
026	65	5.0	23.4	+- .6	3.1	19.7
027	53	4.0	20.9	+- .7	3.0	17.1
028	44	8.0	23.2	+- .7	3.5	19.5
029	33	10.	21.9	+- .7	3.3	18.1
030	8	9.5	23.0	+- .7	3.5	19.3
031	215	15.	21.7	+- .6	3.2	17.9
TRANSIT DOSE =		5.0	+- .4	; 5.1		


WASHINGTON NUCLEAR 2
FOR THE PERIOD 860306-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVGR. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	19.3 +- 0.0	1
11.25-33.75 (NNE)	17.6 +- .2	2
33.75-56.25 (NE)	18.3 +- 1.7	2
56.25-78.75 (ENE)	18.6 +- 1.6	2
78.75-101.25 (E)	18.1 +- .2	2
101.25-123.75 (ESE)	18.6 +- 2.2	3
123.75-146.25 (SE)	18.1 +- 2.6	2
146.25-168.75 (SSE)	17.3 +- 1.3	5
168.75-191.25 (S)	18.1 +- 0.0	1
191.25-213.75 (SSW)	17.3 +- .6	2
213.75-236.25 (SW)	17.9 +- 0.0	1
236.25-258.75 (WSW)	17.3 +- 1.1	2
258.75-281.25 (W)	17.2 +- 0.0	1
281.25-303.75 (WNW)	19.3 +- .3	2
303.75-326.25 (NW)	18.9 +- 0.0	1
326.25-348.75 (NNW)	NO DATA+-NO DATA	0

DISTANCE (mi) FROM THE REACTOR	AVGR. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	17.7 +- 1.1	10
2-5	18.6 +- 1.5	8
>5	18.0 +- 1.2	11
UPWIND CONTROL DATA	18.0 +- .1	2

NRC TLD DOSES FOR WASHINGTON AREA
(mR per 90 days)



WATERFORD
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860703 120 DAYS
 FIELD TIME 94 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Qtr. +- Rdm;Tot.
001	101 0.4	19.3 +-	17.2 +- .6
002	116 1.1	17.4 +-	15.4 +- 4.0
003	132 1.3	18.1 +-	16.1 +- 4.9
004	160 1.8	17.1 +-	15.1 +- 4.8
005	183 1.4	17.1 +-	14.7 +- 4.9
006	202 1.2	16.7 +-	16.4 +- 4.9
007	226 1.2	16.3 +-	15.5 +- 4.9
008	248 1.3	18.2 +-	16.4 +- 4.9
009	265 1.9	17.2 +-	15.6 +- 4.9
010	186 4.2	18.5 +-	16.5 +- 4.9
011	315 4.4	18.5 +-	16.4 +- 4.9
012	328 4.1	19.2 +-	17.1 +- 5.0
013	309 6.8	17.7 +-	15.2 +- 4.8
014	273 6.9	17.7 +-	13.4 +- 4.8
015	292 6.8	15.3 +-	12.5 +- 4.7
016	335 6.5	14.4 +-	13.9 +- 4.7
017	120 4.3	15.1 +-	15.2 +- 4.7
018	145 3.5	15.9 +-	13.9 +- 4.7
019	153 8.1	17.2 +-	15.2 +- 4.9
020	133 8.1	18.5 +-	16.4 +- 4.9
021	116 6.7	15.6 +-	14.6 +- 4.9
022	95 4.3	16.9 +-	16.8 +- 4.9
023	86 2.6	16.9 +-	14.9 +- 4.9
024	66 4.2	18.2 +-	16.0 +- 4.9
025	37 3.3	18.2 +-	14.9 +- 4.7
026	23 3.0	16.2 +-	16.2 +- 4.7
027	350 5.4	15.1 +-	14.2 +- 4.7
028	335 5.8	17.1 +-	15.1 +- 4.7
029	6 2.8	14.9 +-	12.9 +- 4.6
030	356 1.1	15.7 +-	13.7 +- 4.7
031	15 6.9	19.8 +-	16.9 +- 4.9
032	40 6.8	MISSING OR DAMAGED	DOSIMETER
033	69 1.1	MISSING OR DAMAGED	DOSIMETER
034	292 15.	16.1 +-	14.1 +- 4.7
035	282 27.	19.4 +-	17.3 +- 5.0
036	268 21.	16.4 +-	14.4 +- 4.7
TRANSIT DOSE = 1.3 +- .3 ; 4.3			5.0


WATERFORD
FOR THE PERIOD 860306-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
348.75-11.25 (N)	13.6 +- .6	3
11.25-33.75 (NNE)	15.6 +- 1.9	2
33.75-56.25 (NE)	16.2 +- 0.0	1
56.25-78.75 (ENE)	16.8 +- 0.0	1
78.75-101.25 (E)	15.6 +- 1.4	3
101.25-123.75 (ESE)	14.0 +- 1.2	3
123.75-146.25 (SE)	15.5 +- 1.4	3
146.25-168.75 (SSW)	15.1 +- .1	2
168.75-191.25 (S)	15.8 +- 1.0	2
191.25-213.75 (SSW)	14.7 +- 0.0	1
213.75-236.25 (SW)	14.3 +- 0.0	1
236.25-258.75 (WSW)	16.4 +- 0.0	1
258.75-281.25 (W)	15.6 +- 0.0	2
281.25-303.75 (WNW)	13.4 +- 0.0	1
303.75-326.25 (NW)	15.8 +- .9	2
326.25-348.75 (NNW)	14.9 +- 2.3	3

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	# IN GROUP
0-2	15.1 +- 1.3	15
2-5	15.1 +- 1.4	13
>5	15.1 +- 1.5	3
UPWIND CONTROL DATA	15.2 +- 1.7	3

NRC TLD DOSES FOR WATERFORD AREA
(mR per 90 days)



WATTS BAR
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860317-860708 114 DAYS
 FIELD TIME 90 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)		MISSING OR DAMAGED DOSE METER	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.	
			+- Rdmt;Tot.	+- Rdmt;Tot.		+-	+-
001	337	0.9	18.6	+-	13.4	+-	.7
002	314	2.1	20.5	+-	15.3	+-	.7
003	297	1.9	19.2	+-	14.6	+-	.7
004	272	2.0	20.2	+-	15.6	+-	.7
005	251	1.9	22.4	+-	16.9	+-	.6
006	235	1.8	23.4	+-	18.3	+-	.6
007	230	3.0	23.4	+-	15.8	+-	.6
008	208	3.0	20.2	+-	13.2	+-	.6
009	249	4.2	18.4	+-	11.9	+-	.6
010	266	3.1	18.2	+-	13.8	+-	.6
011	289	3.3	16.9	+-	11.7	+-	.6
012	310	4.7	16.9	+-	11.7	+-	.6
013	337	3.6	MISSING OR DAMAGED DOSE METER		12.3	+-	.6
014	330	7.0	17.5	+-	15.6	+-	.6
015	350	4.7	20.0	+-	17.1	+-	.4
016	7	1.1	22.3	+-	11.8	+-	.4
017	23	1.6	16.2	+-	13.5	+-	.4
018	41	2.3	18.7	+-	16.3	+-	.4
019	69	1.3	21.0	+-	17.4	+-	.4
020	89	1.2	22.0	+-	13.1	+-	.4
021	114	1.1	18.0	+-	16.3	+-	.4
022	141	1.0	21.0	+-	18.6	+-	.4
023	163	1.1	23.0	+-	16.0	+-	.4
024	187	1.1	22.0	+-	15.8	+-	.4
025	203	1.1	21.0	+-	13.2	+-	.4
026	184	1.1	18.0	+-	14.6	+-	.4
027	176	1.1	20.0	+-	12.9	+-	.4
028	161	1.1	18.1	+-	14.7	+-	.4
029	144	1.1	19.9	+-	12.7	+-	.4
030	117	3.1	17.9	+-	12.8	+-	.4
031	97	4.0	18.0	+-	11.8	+-	.4
032	76	4.1	16.0	+-	15.6	+-	.4
033	32	4.1	16.0	+-	11.6	+-	.4
034	36	4.7	16.0	+-	13.8	+-	.4
035	338	19	18.0	+-	12.7	+-	.4
036	338	19	17.0	+-	14.9	+-	.4
037	338	19	20.1	+-	17	+-	.4
TRANSIT DOSE = 5.2 +- .4 ; 5.4							

WATTS BAR
FOR THE PERIOD 860317-860708


209

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	16.3 +- 1.1	2
11.25-33.75 (NNE)	13.0 +- 2.8	2
33.75-56.25 (NE)	12.3 +- 1.7	2
56.25-78.75 (ENE)	13.6 +- 3.7	2
78.75-101.25 (E)	15.1 +- 3.3	2
101.25-123.75 (ESE)	12.9 +- .3	2
123.75-146.25 (SE)	15.5 +- 1.1	2
146.25-168.75 (SSE)	15.8 +- 4.0	2
168.75-191.25 (S)	14.9 +- 1.8	3
191.25-213.75 (SSW)	15.4 +- .6	2
213.75-236.25 (SW)	18.3 +- .0	2
236.25-258.75 (WSW)	15.1 +- 2.6	2
258.75-281.25 (W)	14.0 +- 1.4	2
281.25-303.75 (WNW)	12.7 +- 1.8	2
303.75-326.25 (NW)	13.5 +- 2.5	2
326.25-348.75 (NNW)	12.9 +- .8	2

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.7 +- 2.2	14
2-5	13.6 +- 1.9	17
>5	12.8 +- .6	2
UPWIND CONTROL DATA	13.5 +- 1.2	3

NRC TLD DOSES FOR WATTS BAR AREA
(mR per 90 days)



WOLF CR.
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860306-860708 125 DAYS
 FIELD TIME 92 DAYS

NRC STATION	LOCATION (deg.)	AZIMUTH/DIST (mi.)	GROSS EXPOSURE(mR)		NET EXPOSURE RATE mR/Std.Qtr.	
			+ Rdm;Tot.	- Rdm;Tot.	+ Rdm;Tot.	- Rdm;Tot.
001	316	2.9	24.6	+-	19.5	+-
002	330	1.8	22.5	+-	17.5	+-
003	360	2.0	23.5	+-	18.5	+-
004	355	1.6	24.3	+-	19.2	+-
005	031	1.8	22.6	+-	17.6	+-
006	47	2.	23.1	+-	18.1	+-
007	70	1.6	21.5	+-	16.5	+-
008	90	1.7	24.7	+-	19.7	+-
009	111	2.4	24.3	+-	19.2	+-
010	137	2.5	24.8	+-	19.8	+-
011	157	3.4	23.9	+-	18.8	+-
012	184	3.3	23.6	+-	18.6	+-
013	213	2.9	24.7	+-	19.7	+-
014	233	2.4	24.3	+-	19.3	+-
015	248	2.2	23.9	+-	18.8	+-
016	278	2.1	24.1	+-	19.1	+-
017	270	3.4	19.3	+-	14.4	+-
018	263	4.2	26.0	+-	20.9	+-
019	257	5.8	24.6	+-	19.6	+-
020	280	3.9	21.0	+-	16.8	+-
021	298	3.9	23.0	+-	18.0	+-
022	319	4.8	24.5	+-	19.4	+-
023	332	5.0	23.6	+-	18.5	+-
024	19	3.9	23.5	+-	18.4	+-
025	35	4.4	20.5	+-	15.5	+-
026	67	4.3	MISSING OR DAMAGED DOSIMETER		6.2	
027	88	4.1	22.9	+-	17.9	+-
028	110	4.5	23.9	+-	18.8	+-
029	128	4.4	24.6	+-	19.6	+-
030	112	16.	20.0	+-	15.0	+-
031	127	9.4	20.0	+-	15.0	+-
032	162	11.	23.2	+-	18.2	+-
033	153	5.2	23.4	+-	18.4	+-
034	174	4.7	24.5	+-	19.5	+-
035	197	5.2	25.0	+-	19.9	+-
036	224	4.0	21.4	+-	16.4	+-
037	220	14.	19.0	+-	14.0	+-
038	253	6.5	24.5	+-	19.4	+-
039	278	10.	23.0	+-	17.9	+-
040	285	15.	21.7	+-	16.7	+-
041	292	6.7	23.5	+-	18.5	+-
042	345	13.	25.0	+-	19.9	+-
043	5	7.5	24.0	+-	18.9	+-
044	020	8.3	24.4	+-	19.3	+-
045	315	7.5	26.1	+-	21.0	+-
046	341	7.7	23.5	+-	18.4	+-
047	355	1	23.6	+-	18.6	+-
TRANSIT DOSE =			4.6	+-	4 ; 5.3	


WOLF CR.
FOR THE PERIOD 860306-860708

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.8 +- .3	4
11.25-33.75 (NNE)	18.4 +- .9	3
33.75-56.25 (NE)	16.8 +- 1.8	2
56.25-78.75 (ENE)	16.5 +- 0.8	1
78.75-101.25 (E)	18.8 +- 1.2	2
101.25-123.75 (ESE)	17.9 +- 1.9	3
123.75-146.25 (SE)	18.1 +- 2.0	3
146.25-168.75 (SSW)	18.5 +- .3	3
168.75-191.25 (S)	19.0 +- .6	2
191.25-213.75 (SSW)	19.8 +- .2	2
213.75-236.25 (SW)	16.6 +- 2.6	3
236.25-258.75 (WSW)	19.3 +- .4	3
258.75-281.25 (W)	17.8 +- 2.5	5
281.25-303.75 (WNW)	18.0 +- 1.1	3
303.75-326.25 (NW)	20.0 +- .9	3
326.25-348.75 (NNW)	18.6 +- 1.0	4

DISTANCE (mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	18.2 +- 1.1	7
2-5	18.5 +- 1.4	24
>5	18.1 +- 1.9	15
UPWIND CONTROL DATA	NO DATA	NO DATA

NRC TLD DOSES FOR WOLF CREEK AREA
(mR per 90 days)



YANKEE ROWE

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860318-860715 120 DAYS
 FIELD TIME 90 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE (mR)		NET EXPOSURE RATE mR/Std. 0tr. +- Rdm; Tot.	
		+- Rdm	Tot.	+- Rdm	Tot.
001	0	.8	23.6	19.1	.8
002	265	14.	21.0	16.6	.7
003	137	12.	19.4	15.0	.7
005	85	2.2	19.1	14.6	.7
006	118	2.6	19.0	14.6	.7
007	137	2.1	22.0	17.6	.7
008	153	1.7	21.2	16.7	.7
009	176	1.1	20.0	15.6	.7
010	203	.5	22.4	18.0	.7
011	219	.6	21.8	17.3	.7
012	239	1.1	24.4	20.0	.7
013	272	1.0	22.2	17.8	.7
014	292	1.3	22.1	17.7	.7
015	315	1.6	22.4	18.0	.7
016	348	1.4	22.4	17.9	.7
017	358	2.0	21.6	17.2	.7
018	21	2.0	20.5	16.1	.7
019	43	2.0	21.2	16.8	.7
020	75	2.0	21.9	17.5	.7
021	98	2.0	20.0	15.5	.7
022	104	2.0	18.6	14.2	.7
023	133	2.0	17.7	13.3	.7
024	157	2.0	19.7	15.2	.7
025	184	2.0	20.7	16.3	.7
027	225	2.0	21.8	17.4	.7
029	269	2.0	21.7	17.2	.7
032	342	2.0	22.0	17.5	.7
034	48	2.0	22.1	17.7	.7
035	39	2.0	19.7	15.3	.7
047	260	9.6	21.5	17.0	.7
048	261	9	23.4	19.0	.8
TRANSIT DOSE =		4.4	+- .4 ; 5.2		6.3


YANKEE ROWE
FOR THE PERIOD 860318-860715

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

AZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-11.25 (N)	18.2 +- 1.4	2
11.25-33.75 (NNE)	16.1 +- 0.0	1
33.75-56.25 (NE)	16.6 +- 1.2	3
56.25-78.75 (ENE)	17.5 +- 0.0	1
78.75-101.25 (E)	15.1 +- .6	2
101.25-123.75 (ESE)	14.4 +- .3	2
123.75-146.25 (SE)	15.3 +- 2.2	3
146.25-168.75 (SSW)	16.0 +- 1.1	2
168.75-191.25 (S)	15.9 +- .5	2
191.25-213.75 (SSW)	18.0 +- 0.0	1
213.75-236.25 (SW)	17.4 +- .0	2
236.25-258.75 (WSW)	20.0 +- 0.0	1
258.75-281.25 (W)	17.2 +- .6	3
281.25-303.75 (WNW)	17.2 +- 0.0	1
303.75-326.25 (NW)	18.0 +- 0.0	1
326.25-348.75 (NNW)	17.2 +- .3	2

DISTANCE(m) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	17.8 +- 1.2	10
2-5	16.3 +- 1.3	8
>5	15.9 +- 1.4	11
UPWIND CONTROL DATA	18.0 +- 1.4	2

NRC TLD DOSES FOR YANKEE ROWE AREA
 (mR per 90 days)



ZION
 TLD DIRECT RADIATION ENVIRONMENTAL MONITORING
 FOR THE PERIOD 860307-860703 119 DAYS
 FIELD TIME 95 DAYS

NRC STATION	LOCATION AZIMUTH/DIST (deg.) (mi.)	GROSS EXPOSURE(mR) +- Rdm;Tot.	NET EXPOSURE RATE mR/Std.Otr. +- Rdm;Tot.
001	298	0.8	18.1 +- 1.1
002	192	1.0	15.6 +- 1.0
003	187	1.5	16.9 +- 1.0
004	227	2.4	18.3 +- 1.0
005	257	1.8	18.4 +- 1.0
006	264	1.2	18.8 +- 1.0
007	287	1.0	19.0 +- 1.0
008	320	1.2	16.0 +- 1.0
009	343	1.2	15.9 +- 1.0
010	356	4.2	15.4 +- 1.0
011	337	4.2	20.0 +- 1.0
012	310	3.4	20.0 +- 1.0
013	293	3.4	19.0 +- 1.0
014	280	4.2	20.0 +- 1.0
015	239	3.3	19.0 +- 1.0
016	227	3.3	18.0 +- 1.0
017	210	4.2	17.0 +- 1.0
018	206	2.2	16.5 +- 1.0
019	342	2.2	16.5 +- 1.0
020	197	15.0	20.0 +- 1.0
021	352	7.9	17.0 +- 1.0
022	348	8.3	MISSING OR DAMAGED DOSIMETER
023	336	8.3	18.2 +- 1.0
024	314	8.3	18.0 +- 1.0
025	220	6.3	17.3 +- 1.0
026	195	8.0	16.0 +- 1.0
028	197	15.0	20.0 +- 1.0
030	320	9.0	19.0 +- 1.0
031	229	8.0	17.0 +- 1.0
032	193	14	22.0 +- 1.0
TRANSIT DOSE = 1.3 +- .3 ; 4.4		2.6	14.8 +- 1.0
		2.7	16.0 +- 1.0
		3.0	15.5 +- 1.0
		3.3	14.4 +- 1.0
		3.3	13.0 +- 1.0
		3.3	18.4 +- 1.0
		3.3	17.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3	14.8 +- 1.0
		3.3	16.0 +- 1.0
		3.3	17.0 +- 1.0
		3.3	18.0 +- 1.0
		3.3	19.0 +- 1.0
		3.3	15.6 +- 1.0
		3.3</	


ZION
FOR THE PERIOD 860307-860703

TLD DIRECT RADIATION ENVIRONMENTAL MONITORING

RZIMUTH (deg.)	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
348.75-31.25 (N)	14.2 +- .9	2
11.25-33.75 (NNE)	NO DATA+-NO DATA	0
33.75-56.25 (NE)	NO DATA+-NO DATA	0
56.25-78.75 (ENE)	NO DATA+-NO DATA	0
78.75-101.25 (E)	NO DATA+-NO DATA	0
101.25-123.75 (ESE)	NO DATA+-NO DATA	0
123.75-146.25 (SE)	NO DATA+-NO DATA	0
146.25-168.75 (SSW)	NO DATA+-NO DATA	0
168.75-191.25 (S)	13.9 +- 0.0	1
191.25-213.75 (SSW)	14.3 +- .6	4
213.75-236.25 (SW)	15.7 +- .5	4
236.25-258.75 (WSW)	16.6 +- .9	2
258.75-281.25 (W)	17.0 +- 1.2	2
281.25-303.75 (WNW)	16.7 +- .9	3
303.75-326.25 (NW)	16.4 +- 1.7	4
326.25-348.75 (NNW)	15.5 +- 1.8	4

DISTANCE(mi) FROM THE REACTOR	AVER. EXPOSURE RATE (mR/Std.Qtr.) +-Std.Dev.	* IN GROUP
0-2	15.2 +- 1.3	7
2-5	16.0 +- 1.7	12
>5	15.6 +- .9	7
UPWIND CONTROL DATA	18.8 +- .6	3

NRC TLD DOSES FOR ZION AREA
 (mR per 90 days)



NUREG-0837

Vol. 6, No. 2

SEE INSTRUCTIONS ON THE REVERSE

3. LEAVE BLANK

2. TITLE AND SUBTITLE
NRC TLD Direct Radiation Monitoring Network
 Progress Report
 April - June 1986

5. AUTHOR(S)

J. Jang, K. Rabatin, L. Cohen

7. PERFORMING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Region I
 U.S. Nuclear Regulatory Commission
 King of Prussia, PA 19406

10. SPONSORING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Same as 7, above.

4. DATE REPORT COMPLETED

MONTH	YEAR
September	1986

6. DATE REPORT ISSUED

MONTH	YEAR
October	1986

8. PROJECT/TASK/WORK UNIT NUMBER

9. FIN OR GRANT NUMBER

11a. TYPE OF REPORT

Quarterly

b. PERIOD COVERED (Inclusive dates)

April - June 1986

12. SUPPLEMENTARY NOTES

13. ABSTRACT (200 words or less)

This report provides the status and results of the NRC Thermoluminescent Dosimeter (TLD) Direct Radiation Monitoring Network. It presents the radiation levels measured in the vicinity of NRC licensed facility sites throughout the country for the second quarter of 1986.

14. DOCUMENT ANALYSIS - a. KEYWORDS/DESCRIPTORS

Thermoluminescent Dosimeter (TLD) Direct Radiation Monitoring Network
 ambient radiation levels

15. AVAILABILITY STATEMENT

Unlimited

16. SECURITY CLASSIFICATION

(This page)
Unclassified(This report)
Unclassified

17. NUMBER OF PAGES

18. PRICE

b. IDENTIFIERS/OPEN-ENDED TERMS

UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555

SPECIAL FOURTH CLASS RATE
POSTAGE & FEES PAID
USNRC
WASH D.C.
PERMIT No. G-67

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

120555078877 1 1AN1NG
US NRC
ADM-DIV OF TIDC
POLICY & PUB MGT BR-PDR NUREG
W-501 DC 20555
WASHINGTON