



U.S. Department  
of Transportation

Research and  
Special Programs  
Administration

Transportation  
Systems Center

Kendall Square  
Cambridge, Massachusetts 02142

May 8, 1986


Mr. John Glenn  
U.S. Nuclear Regulatory Commission  
Region I  
631 Park Avenue  
King of Prussia, PA 19406

Dear Mr. Glenn:

Per our telephone conversation of Monday May 5, 1986, I am writing to request a minor change in our recently amended NRC License. We amended our License No. 20-14010-01, Docket No. 030-04679, Control No. 105332, to permit the purchase of two Scintrex explosives detectors for field evaluation. In our Application we inadvertently did not indicate that these devices were to be used outside our premises and that Condition 10 should be changed for Item C, the two tritium foils used in the Scintrex explosives detectors, so that temporary operation in the field may be allowed. Of course, these foils will always be used under my supervision. We therefore request a change in Condition 10 of our amended License to permit the temporary operation of these detectors in locations remote from the DOT/Transportation Systems Center, Cambridge, MA.

Thanking you for your time and consideration, I am

Sincerely,



Dr. John R. Hobbs  
Chemist

8608140034 860730  
REG1 LIC30  
20-14010-01 PDR

FEE EXEMPT

RECEIVED-REGION 1  
MAY 13 PM 1:51

"OFFICIAL RECORD COPY"

105534

ML10

MAY 13 1986