

AUG 1 1986

Humana Women's Hospital
ATTN: Laura A. Johnson, R.T., R.D.M.S.
Director of Diagnostic Imaging
8111 Township Line Road
Indianapolis, IN 46260

Gentlemen:

Enclosed is Amendment No. 01 to your NRC License No. 13-24433-01 in accordance with your request.

In accordance with the telephone conversation on June 17, 1986 with Laura Johnson, R.T., R.D.M.S., the Medical Isotopes Committee shall meet on a quarterly basis to carry out responsibilities and duties as specified in Appendix B of Regulatory Guide 10.8, October, 1980.

Please note that Condition 18. has been added to address servicing and maintenance of the bone densitometer. If you wish to change or delete this condition, please submit procedures, precautions, and a description of training and experience for performing these services on this device.

Please review the enclosed document carefully and be sure that you understand all conditions. You must conduct your program involving radioactive materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Possess radioactive material only in the quantity and form indicated in your license.
3. Use radioactive material only for the purpose(s) indicated in your license.
4. Notify NRC in writing of any change in mailing address.
5. Request and obtain appropriate amendment if you plan to change ownership of your organization, change locations of radioactive material, or make any other changes in your facility or program which are contrary to your license conditions or representations made in your license application and any supplemental correspondence with NRC. Any amendment request should be accompanied by the appropriate fee specified in 10 CFR Part 170.

8609300549 860801
REG3 LIC30
13-24433-01 PDR

6. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.
7. Request termination of your license if you plan to permanently discontinue activities involving radioactive material prior to your expiration date.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions and representations in your license application will result in enforcement action against you in accordance with the General Policy and Procedures for NRC Enforcement Actions, 10 CFR Part 2, Appendix C.

If you have any questions or require clarification of any of the above stated information, contact us at (312) 790-5625.

Sincerely,

Original Signed By
Kathy J. Graden
Materials Licensing Section

Enclosure: Amendment No. 01

RIII

KSG
Graden/pd
7/30/86