

## NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

July 26, 1999

Mr. Edward F. McDonough Sr. License Administrator Export Compliance Westinghouse Electric Company (WELCO) P. O. Box 355 Pittsburgh, PA 15230-0355

Dear Mr. McDonough:

As you know, China recently selected a company other than WELCO to supply lead assemblies and reload fuel for the Daya Bay Nuclear Power Station Units 1&2. Without a supply contract in force or the near-term prospect of such a contract with WELCO, the reviewing authorities in China and the U.S. cannot proceed in their consideration of WELCO export application XSNM3034, dated April, 13, 1999. The application is hereby returned to you without action.

Sincerely,

Ronald D. Hauber, Director Division of Non-proliferation,

Conned D Hauber

Exports and Multilateral Relations
Office of International Programs

Enclosure: Application XSNM3034, dtd. 4/13/99

cc w/o encl: Robin DeLaBarre, Dept. of State

9907300188 990726 PDR XPORT XSNM-3034 PDF

300090

DRO31/1

/See	ON FOR LICI MATERIAL A	ENSE T	DUIPMENT	ESTIMATED BURDE HOURS THIS MAN REGULATORY AND BURDEN ESTIMATE REGULATORY COM	EXPIRES  IN PER RESPONSE TO COMPLY Y  IDATORY SUBMITTAL IS REVER  IDATORY SUBMITTAL IS REVER  AT TO THE BIFORMATION AND RECI  IMISSION, WASHINGTON, DC 21  77, OFFICE OF MANAGEMENT AND	MB: NO. 3150-0027  R: 3-31-97  R: 3-31-97  RED TO ENSURE THAT THE APPLICABLE STATES  RE SATISFED. FORWARD COMMENTS RECORDS MANAGEMENT BRANCH (T. 6-732), U.S. NO 0555-0901, AND TO THE PAPERWORK RECORDS MASHINGTON, DC 20500.
The second secon	04/13/98		-98-0038	2. NRC	A. DOCKET NUMB	The second secon
3. APPLICANT'S NAME		RIS	1-30-0036	USE>	V10050	Minounnaneunaphraden ifanasawasurateneenacasusanasi
* NAMEWestingh division of C C/O Fdward F. b. STREET ADDRESS /A 4350 Northern	ecility Site	ic Com	pany, a 5 <b>69</b>	Complete if epp	NAME AND ADDRESS plicent is not supplier of r	
c. CITY	* 4.750		e. ZIP CODE	b. STREET ADD		al Nuclear Fuel Di
Monroeville  1. TELEPHONE NUMBER	(4	PA	15146	5801 Blu	iff Road	
(412) 374-475		er - Extensio	on)	c. city Columbia		SC 29205
6. FIRST SHIPMENT	8. FINAL SHIPME	ENT	7. APPLICANT'S CO	NTRACTUAL	B. PROPOSED LICENSE	
SCHEDULED	SCHEDULED		DELIVERY DATE		EXPIRATION DATE	CONTRACT NO. (If known)
12/98	12/31/20 Estimate				12/31/2015	
10. ULTIMATE FOREIGN	CONSIGNEE	RIS		11. ULTIMATE		USE CODE
. NAME Guangdo	ng Nuclear	Power	Joint Ventur		nt or facility name)	OUT DODE
Nuclear Power Central Shenz correspondence Guangdong	City Province	d. COUN	TRY hina		1 and 2	r Power Station,
12. INTERMEDIATE FORE		RIS	CASTORIE MODELINE AND RESIDENCE OF ESTIMATE AND RESIDENCE OF STREET	13. INTERME	ATE END USE	USE CODE
b. STREET ADDRESS		d. COUN	TRY			
	IGN CONSIGNEE	d. COUN	TRY	13a. DATE REQ 16. INTERMEDIA		USE CODE
c. CITY  14. INTERMEDIATE FORE			TRY			USE CODE
14. INTERMEDIATE FORE  NAME  STREET ADDRESS (A				16. INTERMEDIA	ATE END USE	USE CODE
c. CITY  14. INTERMEDIATE FORE  B. NAME  D. STREET ADDRESS (A	ecility Site)	d. COUNT	TRY	16. INTERMEDIA	UIRED	
c. CITY  14. INTERMEDIATE FORE  a. NAME  b. STREET ADDRESS (A)  c. CITY  18. COM (Include c)	ecility Site) hemical and physical nuclear equ	d. COUNT	TION clear material; give do	16. INTERMEDIA	UIRED  18. MAX. ELEMENT 18	MAX. 20. MAX ISOTOPE .2
c. CITY  14. INTERMEDIATE FORE  a. NAME  b. STREET ADDRESS (A)  c. CITY  18. COM (Include city)  Uranium	hemical and physical nuclear equidioxide pe	d. COUNT	TION clear material: give do: componental encapsulate	16. INTERMEDIA	UIRED  18. MAX. ELEMENT 18  WEIGHT V	MAX. 20. MAX ISOBOPE 20 WEIGHT 91 Kg
c. CITY  14. INTERMEDIATE FORE  A. NAME  b. STREET ADDRESS (A. C. CITY)  16. COM (Include c. C. CODE Uranium sealed)	hemical and physical nuclear equ dioxide pe fuel rods a	d. COUNT	TRY  TION  cleer material: give do i componental  encapsulate embled into	16. INTERMEDIA	UIRED  18. MAX. ELEMENT 18  WEIGHT V	MAX. 20. MAX. 150 BOPE 20 WEIGHT 9,150 Kg
14. INTERMEDIATE FORE  NAME  D. STREET ADDRESS (A)  C CITY  18. COM (Include city)  Uranium sealed complete	hemical and physical nuclear equidioxide pe	d. COUNT 7. DESCRIP I form of num suppment and sillets, and assistant	TRY  TION  clear material; give do: components;  encapsulate embled into	16. INTERMEDIA	UIRED  18. MAX. ELEMENT 18  WEIGHT V	MAX. 20. MAX. ISOTOPE 2 MT. % WEIGHT 9,150 3 Kg 1.5 U235
14. INTERMEDIATE FORE A NAME  b. STREET ADDRESS IA C. CITY  16. COM CODE  Uranium Sealed Complete 9,150 K	dioxide per fuel ass  gs U235 in	d. COUNTY 7. DESCRIPTORM of numbers and assemblie 203,41	TION  clear material: give do components)  encapsulate embled into s.  2 Kgs U	16. INTERMEDIA	UIRED  18. MAX. ELEMENT 18  WEIGHT V	MAX. 20. MAX. 150 BOPE 20 WEIGHT 9,150 Kg
14. INTERMEDIATE FORE  A NAME  b. STREET ADDRESS (A CODE (Include of CODE (Include of CODE))  Uranium sealed complete 9,150 K	dioxide per fuel ass  gs U235 in	d. COUNTY 7. DESCRIPTORM of number and assemblie 203,41	TION  clear material: give do components)  encapsulate embled into s.  2 Kgs U	16. INTERMEDIA  16. DATE REQ  Her value of   Ed in	UIRED  18. MAX. ELEMENT 18  WEIGHT  203,412 U U 4 U	MAX. 20. MAX. ISOTOPE 2 MT. % WEIGHT 9,150 3 Kg 1.5 U235
14. INTERMEDIATE FORE  NAME  STREET ADDRESS IF  C CITY  16. COM Include of Uranium sealed complete  9,150 K  Cyp L  22. COUNTRY OF ORIGIN	dioxide per dioxid	d. COUNTY 7. DESCRIPTORM of number and assemblie 203,41	TRY  TION  Clear meterial: give do  components)  encapsulate embled into  s.  2 Kgs U  4//7 AVL  COUNTRY OF ORIGINAL	16. INTERMEDIA  16. DATE REQ  Her value of   Ed in	UIRED  18. MAX. ELEMENT 18  WEIGHT  203,412 U U 4 U	MAX. 20. MAX. 150 BOPE 20. WEIGHT 69. 150 3 Kg U.235
14. INTERMEDIATE FORE  A NAME  b. STREET ADDRESS IA  C CITY  18. COM CODE  Uranium Scaled Complete  9,150 K  222. COUNTRY OF ORIGIN SOURCE MATERIAL U.S./Unknow Due to the	hemicel end physical nuclear equipment of the lass of	d. COUNTY 7. DESCRIPTORM of numbers and assemblie 203,41	TRY  TION  clear material: give do  components)  encapsulate embled into s.  2 Kgs U  4//7 AVC  COUNTRY OF ORIGIN WHERE ENRICHED O  Unknown  Uses, and product t requirement	16. INTERMEDIA  16. DATE REQ  Her value of  Ped in   DESCRIPTION (ats, it wo	UIRED  18. MAX. ELEMENT 18 WEIGHT  203,412 U U 4 U	MAX. 20. MAX. ISOBOPE 28 WEIGHT 9,150 J Kg 1.5 U235 235
14. INTERMEDIATE FORE  A NAME  b. STREET ADDRESS (A  C CITY  16. COM CODE  Uranium Sealed COMPleto  9,150 K  22. COUNTRY OF ORIGIN SOURCE MATERIAL  U.S./Unknow  26. ADDITIONAL INFORM Due to the NRC Would e  26. The applicant certifies	hemical and physical nuclear aga dioxide per fuel rods a ed fuel ass gs U235 in the formulation on consider near-term sypedite the attest this application.	d. COUNTY  7. DESCRIPTION of NUMBERS, END (123).  NEES, END (123).  NEES, END (123).	TRY  TION  Clear meterial: give do  components)  encapsulate  embled into  s.  2 Kgs U  4//7 AV  COUNTRY OF ORIGIN  WHERE ENRICHED O  Unknown  USES AND PRODUCT  t requirement  nce of this	16. INTERMEDIA  16. DATE REQ  16. DATE REQ	UIRED  18. MAX. ELEMENT 18 WEIGHT 203,412 U 4 U  24. COUNTR SAFEGU  Use seperate sheet if necould be appreciated a	MAX. 20. MAX. ISOBOPE 28 WEIGHT 9,150 J Kg 1.5 U235 235
14. INTERMEDIATE FORE  A NAME  b. STREET ADDRESS (A  C CITY  16. COM CODE  Uranium Sealed COMPleto 9,150 K  22. COUNTRY OF ORIGIN SOURCE MATERIAL U.S./Unknow Due to the NRC would e	hemicel end physical nuclear equipment of the last of	d. COUNTY 7. DESCRIPTORM of number and assemblie 203,41	TRY  TION  Clear meterial: give do  components)  encapsulate  embled into  s.  2 Kgs U  4//7 AV  COUNTRY OF ORIGIN  WHERE ENRICHED O  Unknown  USES AND PRODUCT  t requirement  nce of this	16. INTERMEDIA  16. DATE REQ  Her value of  ed in  DESCRIPTION ( nts, it wo  license.	URED  18. MAX. ELEMENT 18 WEIGHT  203,412 U  4 U  24. COUNTR SAFEGU  Ould be appreceded appreceded by the country of the count	MAX. 20. MAX. ISOTOPE 2 WEIGHT 9,150 3 Kg 15 U235 235  DIES WHICH ATTACH ARDS (If known)



## Westinghouse Electric Company

A Division of CBS Corporation

## Westinghouse Proprietary Energy Systems

Box 355 Pittsburgh, Pennsylvania 15230-0355

EFM-98-0038 April 13, 1998

Mr. Ronald D. Hauber, Director
Division of Nonproliferation, Exports and Multilateral Relations
Office of International Programs
11555 Rockville Pike
Mail Station 04E9
U.S. Nuclear Regulatory Commission
Rockville, MD 20852-2738

Subject:

**NRC Export Application** 

Dear Mr. Hauber:

Please find enclosed a license application covering the proposed export of reload fuel assemblies by Westinghouse Electric Company, a division of CBS Corporation, to Daya Bay Units 1 & 2 located in China. The quantity of material covers the supply of up to 18 fuel assemblies beginning in late 1998, for qualification/test burnup and then six reload regions of nuclear fuel. The initial shipment of up to 18 fuel assemblies will not utilize any Canadian or Australian source material and will be U.S. Enriched. The six reload regions uranium source and country of enrichment will be identified once procured by the Chinese customer. We are not certain at this point how the fuel will be split between the two Daya Bay Units as one unit shuts down right after the other, and the customer has not yet determined which reloads will go to which unit. The total reload regions are six, which will be split between both units.

A check for \$8,100 is enclosed covering the fee for this application request.

<u>Please note</u>: We are required by the customer, Guangdong Nuclear Power Joint Venture, Ltd. to deliver the first assemblies of fuel in December 1998, so please process this fuel application on an <u>urgent basis</u>.

Should there be any questions on this request, please call the undersigned at (412) 374-4754

Sincerely,

Edward FOK Donorgh

Edward F. McDonough Senior License Administrator

Enclosures

Westinghouse Proprietary

990436373 H

THE LEASE OF THE PARTY OF THE P