Mr. Brendan C. Ryan, Manager KSU Nuclear Reactor Facility Department of Mechanical and Nuclear Engineering 112 Ward Hall Kansas State University Manhattan, KS 66506-5204

SUBJECT: NRC ROUTINE, ANNOUNCED INSPECTION REPORT NO. 50-188/99-201

Dear Mr. Ryan:

This refers to the inspection conducted on August 30 - September 2, 1999, at the Kansas State University TRIGA MK-II research reactor. The enclosed report presents the results of that inspection.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records. interviews with personnel, and observations of activities in progress.

Based on the results of this inspection, no safety concern or noncompliance to NRC requirements was identified. No response to this letter is required.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be placed in the NRC Public Document Room.

Should you have any questions concerning this inspection, please contact Mr. Thomas M. Burdick at (630) 829-9864.

Sincerely.

Original signed by

Ledvard B. Marsh, Chief Events Assessment, Generic Communications and Non-Power Reactors Branch Division of Regulatory Improvement Programs Office of Nuclear Reactor Regulation

MARC FRE PERITER

9910010109 990924

Docket No. 50-188

License No. R-88

310054

Enclosure: NRC Inspection Report No. 50-188/99-201

cc w/enclosure: See next page **DISTRIBUTION**: See next page

DOCUMENT NAME: G:\REXB\BURDICK\kansas99201.wpd

To receive a copy of this document, indicate in the box C=Copy w/o attachment/enclosure E=Copy with attachment/enclosure N = No copy

OFFICE	REXB:RIII	E	REXB	E	LA:REXB	E	C:REXB	E
NAME	TBurdick Km for		TMichaels 15M		Edition		LMarsh	
DATE	9/2499	'	9/2499		902199		9,2499	

CC:

Office of the Governor State of Kansas Topeka, KS 66612

Mayor of Manhattan P.O. Box 748 Manhattan, KS 66502

Test, Research, and Training Reactor Newsletter Universities of Florida 202 Nuclear Sciences Center Gainesville, FL 32611