



2139 Greenville Road • LaGrange, Georgia 30241

Phone: 706-884-7967 • Fax: 706-882-4683

Web: www.amfire.com/hesco.html

email: Hesco@worldnet.att.net

DATE: 3 March 1998

REF: B119/98

U. S. Nuclear Regulatory Commission
Division of Industrial and
Medical Nuclear Safety, NMSS
Source Containment and Devices Branch
Sealed Source Safety Section
Washington D.C. 20555

ATTN: Mr. John W. Lubinski, Mechanical Engineer

SUBJECT: Tritium Illuminated Gun Sights License Information
Our License: HESCO - #10-23564-01E

1. Please find herein updated information regarding our tritium illuminated night sights. While there are no changes to the scope of the license (our annual distribution remains around 4000 Ci) or to its contents, we have once again expanded the number of models for which we supply tritium illuminated gunsights. As agreed upon in the past, since we have made only small modifications to the cosmetic appearance of the various metal sight housings, we are notifying you of the additional model numbers to be covered under the renewed license. One new "typical drawing" has been added to represent the family of optical reflex sights discussed with you during your last meeting with Scopus Light.
2. Enclosed is a new listing of our ML numbers and their descriptions, an updated Guide to Tritium Light Sources, an updated Summary Table and an updated Cross Reference List identifying those different model types for which our license and amendments were issued, and showing the model numbers of sights which qualify for incorporation under the license by virtue of similarity. The submission includes:

One)Cross Reference List: Updated version of the listing which has been used for all previous licenses and amendments. It is arranged by groupings of sight models per NRC Device number.

Two)ML Listing and Descriptions: A descriptive list of each night sight model arranged numerically by model number. The list describes the sight and the weapon on which it is designed to be used.

Three)Summary Table: A table showing the various models categorized by each NRC Device Number, with "allowed by license" and actual amounts of tritium, and codes depicting the type of mounting to the weapon and the type of installation used for the tritium light source.

The codes used are alpha-numeric in nature with alpha prefix indicating how the tritium light source is installed, and the numerical suffix indicating how the sight mounts to the weapon. A description of the codes follows:

"A" represents light sources which are installed such that the end of the light is seen through the sight "window" when aiming the sight.

"B" represents light sources which are installed such that the side of the light is seen through the sight "window" when aiming the sight.

"1", "2", "3" and "4" represent sights which mount to the weapon via a dovetail, a screw, a pin, or the swaging of a tenon respectively.

As an example of the code, "A1" indicates a sight whose light is installed so that its end is viewed through the sight "window" when the weapon is being aimed, and which mounts by means of a dovetail.

Four)Drawing: A 14th drawing is provided to demonstrate the code for the optical reflex sight which is under license. The drawing is of an actual optical sight, is marked with the Code, and has a legend which provides dimensional information. The information provided is:

- Maximum and minimum length, width and height of all the sights in the particular group
- Actual nominal length, width and height of the specific representative sight (model number shown in the legend) being shown.
- The minimum protective distance "P" to the light source, from the closest outside spot on the sight. In this case, the metal housing encasing the light source.

Five)Guide to Tritium Light Sources: An updated listing of all Tritium Light Sources used in the sights. The list shows the activity per source, the model number and the manufacturer of the light source.

3. All sight housings are manufactured from metal. Some sights within the type "A" classification utilize a flexible or rigid plastic protective insert, between the light and the metal; and, some also have a crystal window to afford additional protection and more uniform light output. All sights utilize the MV glueing/sealing method as has been described in all our applications. The optical reflex sight depicted by the new drawing has one small (18 mCi) light source, encased in a cavity in the metal housing and encapsulated using the MV glueing/sealing method (all identical to the other gun sights). Then, at one end of the encapsulated light - and at a distance of 0.5 mm from it, a fiber optic is permanently afixed in position using the same MV glueing/sealing method. The light source is totally inaccessible to the user and, in fact, not even visible since the light output is carried to its imaging plane by means of the fiber optic. The sight is mounted to the weapon by means of screw clamp connection, either directly or by means of an adapter supplied with the sight.

4. To keep you abreast of developments in the OEM area, please be advised that during the year, approximately 10000 sets of sights (containing a total of around 380 Ci of tritium) were distributed directly to these OEMs. In keeping with our past discussions and agreements, we have provided these OEM with safety information for care and temporary storage of the sights, as well as specific installation instructions for mounting the sights on their weapons.
5. If any additional information or clarification is required, please do not hesitate to contact us.

Best Regards,

Kerry L. Kinder



LIST OF TRITIUM LIGHT SOURCES

MAX ACTIVITY PER SOURCE	SOURCE MANUFACTURER	MODEL	DEVICE MANUFACTURER	MODEL	
18 millicuries	mb microtec	T 4725-1	Scopus Light	Note 1	Gunsights
14 millicuries	mb microtec	T 4966-1	Scopus Light	Note 2	Gunsights
20 millicuries	mb microtec	T 5019-1 T 5020-1 T 5021-1	Scopus Light	Note 3	Bowsights & Gunsights
16 millicuries	mb microtec	T 4577-1	Scopus Light	Note 4	Gunsights
12 millicuries	mb microtec	T 4777-1	Scopus Light	Note 5	Gunsights
6 millicuries	mb microtec	T 4678-1	Scopus Light	Note 6	Gunsights
15 millicuries	mb microtec	T 5307-1	Scopus Light	Note 7	Gunsights
5 millicuries	mb microtec	T 4511-1	Scopus Light	Note 8	Gunsights

Note 1: Various older models of S&W gunsights and some TRU-DOT style sights

Note 2: Various models of shotgun and rifle front sights, and newer model pistol front sights

Note 3: All colors of ML-105, ML-106, ML-105PP and ML-106PP bow sight pins, and ML-115O and ML-115P device style front sights

Note 4: Various models of TRU-DOT style rear hand gun sights

Note 5: Various models of rear hand gun sights

Note 6: Various models of rear rifle sights and older model S&W sights

Note 7: Various models of newer model TRU-DOT front sights

Note 8: Various models of rifle rear sights



SUMMARY TABLE

NRC DEVICE NUMBER	H-3 (mCi) PER SET ALLOWED	ML NUMBER	H-3 (mCi) PER SET ACTUAL	FRONT SIGHT		REAR SIGHT	
				TYPE	mCi H-3	TYPE	mCi H-3
ML-100	20	ML-100	12	B2	12	NONE	NONE
		ML-51001*	20	B2	20	NONE	NONE
		ML-51002*	20	B2	20	NONE	NONE
		ML-51003*	20	B2	20	NONE	NONE
		ML-51006*	20	B2	20	NONE	NONE
		ML-51007*	20	B2	20	NONE	NONE
		ML-51008*	20	B2	20	NONE	NONE
		ML-51020	14	A2	14	NONE	NONE
		ML-51021	14	A2	14	NONE	NONE
		ML-51022	14	A2	14	NONE	NONE
		ML-51030	20	B2	20	NONE	NONE
		ML-51031	20	B2	20	NONE	NONE
		ML-51035	20	B2	20	NONE	NONE
		ML-51036	20	B2	20	NONE	NONE
		ML-51050	18	A2	18	NONE	NONE
		ML-51051	18	A2	18	NONE	NONE
		ML-51052	18	A2	18	NONE	NONE
		ML-51091**	6	A2	6	NONE	NONE
		ML-51092**	6	A2	6	NONE	NONE
		ML-51093**	6	A2	6	NONE	NONE
		ML-51096**	6	A2	6	NONE	NONE
		ML-51097**	6	A2	6	NONE	NONE
		ML-51098**	6	A2	6	NONE	NONE
ML-1150	32	ML-1150	32	B2	20	B2	12
		ML-31616	32	B2	20	B2	12
		ML-33110	32	B2	20	B3	12
		ML-33111	32	B2	20	B3	12
		ML-33535	30	B2	18	A3	12
		ML-35011	32	B2	20	B2	12
		ML-39520	32	B3	20	B3	12
		ML-39522	32	B2	20	B2	12
ML-115P	20	ML-39540	32	B2	20	B2	12
		ML-115P	20	B2	20	NONE	NONE
		ML-31615	20	B2	20	NONE	NONE
		ML-31617	20	B2	20	NONE	NONE
ML-200A	30	ML-31810	20	B2	20	NONE	NONE
		ML-200A	30	B1	6	B2	24
		ML-500	6	B1	6	NONE	NONE

* Also packaged as ML-51004 and ML-51009, 3 pins to a package (60 mCi total)

** Also packaged as ML-51094 and ML-51099, 3 pins to a package (18 mCi total)



NRC DEVICE NUMBER	H-3 (mCi) PER SET ALLOWED	ML NUMBER	H-3 (mCi) PER SET ACTUAL	FRONT SIGHT		REAR SIGHT	
				TYPE	mCi H-3	TYPE	mCi H-3
ML-260	24	ML-260	24	B3	12	B1	12
ML-300A	28	ML-39510	28	B2	12	B2	16
ML-300N	28	ML-39511	28	B2	12	B2	16
ML-400	18	ML-400	18	B2	18	NONE	NONE
		ML-34045	18	A2	18	NONE	NONE
ML-750	54	ML-736	38	A1	14	B2	24
		ML-740	42	A3	18	B1	24
		ML-745	50	A1	18	B1	32
		ML-750	54	A3	18	B1	36
		ML-755	50	A1	18	B1	32
		ML-756	38	A1	14	B2	24
		ML-760	50	B3	18	B1	32
		ML-768	38	A1	14	A1	24
		ML-770	50	A4	18	B1	32
		ML-775	50	A4	18	B1	32
		ML-2768	38	A1	14	A1	24
		ML-10110	39	A1	15	A1	24
		ML-10129	39	A1	15	A1	24
		ML-10222	39	A2	15	A1	24
		ML-10224	39	A2	15	A1	24
		ML-10225	39	A4	15	A1	24
		ML-10226	39	A2 & A4	15	A1	24
		ML-10662	39	A3	15	A1	24
		ML-10663	39	A1	15	A1	24
		ML-10664	39	A1	15	A1	24
		ML-10665	39	A1	15	A1	24
		ML-10735	39	A1	15	A1	24
		ML-10755	39	A1	15	A1	24
		ML-10771	39	A4	15	A1	24
		ML-10774	39	A1	15	A1	24
		ML-10775	38	A1	14	A1	24
		ML-10776	39	A4	15	A1	24
		ML-10785	39	A1	15	A1	24
		ML-10882	39	A3	15	A1	24
		ML-10884	39	A1	15	A1	24
		ML-10885	39	A1	15	A1	24
		ML-10990	39	A3	15	A1	24
		ML-10991	39	A3	15	A1	24
		ML-10994	39	A3	15	A1	24
		ML-11515	39	A1	15	A1	24
		ML-11516	39	A1	15	A1	24
		ML-11517	39	A1	15	A1	24


MEPROLIGHT®

NRC DEVICE NUMBER	H-3 (mCi) PER SET ALLOWED	ML NUMBER	H-3 (mCi) PER SET ACTUAL	<u>FRONT SIGHT</u>		<u>REAR SIGHT</u>	
				TYPE	mCi H-3	TYPE	mCi H-3
ML-750	54	ML-11735	39	A1	15	A1	24
		ML-11744	39	A1	15	A1	24
		ML-11755	39	A1	15	A1	24
		ML-12730	42	A1	18	B2	24
		ML-12735	39	A1	15	A1	24
		ML-12740	39	A2	15	A1	24
		ML-12745	39	A1	15	A1	24
		ML-12791	39	A1	15	A1	24
		ML-14467	39	A1	15	A1	24
		ML-14468	39	A1	15	A1	24
		ML-15109	39	A1	15	A1	24
		ML-15209	39	A1	15	A1	24
		ML-16565	39	A3	15	A1	24
		ML-16767	39	A3	15	A1	24
		ML-17777	39	A1	15	A1	24
		ML-17778	39	A4	15	A1	24
		ML-17979	39	A1	15	A1	24
		ML-18800	39	A1	15	A2	24
		ML-19595	39	A1	15	A1	24
		ML-19596	39	A1	15	A1	24
		ML-20110	39	A1	15	A1	24
		ML-20224	39	A2	15	A1	24
		ML-20225	39	A4	15	A1	24
		ML-20662	39	A3	15	A1	24
		ML-20761	39	A4	15	A3	24
		ML-20766	39	A4	15	A3	24
		ML-20771	39	A4	15	A1	24
		ML-20772	39	A3	15	A3	24
		ML-20773	39	A3	15	A3	24
		ML-20776	39	A4	15	A1	24
		ML-20882	39	A3	15	A1	24
		ML-20885	39	A1	15	A1	24
		ML-20990	39	A3	15	A1	24
		ML-20991	39	A3	15	A1	24
		ML-20996	39	A3	15	A3	24
		ML-21516	39	A1	15	A1	24
		ML-21755	39	A1	15	A1	24
		ML-22735	38	A1	14	A1	24
		ML-22736	38	A1	14	A2	24
		ML-22769	14	A1	14	NONE	NONE
		ML-22770	39	A1	15	A2	24
		ML-22775	39	A1	15	A2	24



NRC DEVICE NUMBER	H-3 (mCi) PER SET ALLOWED	ML NUMBER	H-3 (mCi) PER SET ACTUAL	FRONT SIGHT		REAR SIGHT	
				TYPE	mCi H-3	TYPE	mCi H-3
ML-750	54	ML-26565	39	A3	15	A1	24
		ML-26566	39	A1	15	A1	24
		ML-26767	39	A1	15	A1	24
		ML-27777	38	A1	14	A1	24
		ML-29595	39	A1	15	A1	24
		ML-29596	39	A1	15	A1	24
		ML-30660	39	A1	15	A3	24
		ML-30922	26	A3	14	B2	12
		ML-31505	14	A3	14	NONE	NONE
		ML-31506	38	A3	14	A2	24
		ML-31507	38	A3	14	A2	24
		ML-34301	38	A2	14	A1	24
		ML-34660	42	A1	14	B2	28
		ML-34661	42	A1	14	B2	28
		ML-34662	14	A1	14	NONE	NONE
		ML-35010	10	NONE	NONe	A3	10
		ML-35034	44	B2	20	A3	24
		ML-35501	24	NONE	NONE	A1	24
		ML-35502	24	NONE	NONE	A1	24
		ML-35503	24	NONE	NONE	A1	24
		ML-35504	24	NONE	NONE	A1	24
		ML-35505	14	A1	14	NONE	NONE
		ML-35506	14	A1	14	NONE	NONE
		ML-35507	14	A1	14	NONE	NONE
		ML-35508	14	A1	14	NONE	NONE
		ML-35509	14	A1	14	NONE	NONE
		ML-35510	14	A1	14	NONE	NONE
		ML-36006	42	A1	14	B2	28
		ML-38010	38	A3	14	A3	24
		ML-38501	14	A3	14	NONE	NONE
		ML-68001	18	A2	18	NONE	NONE
		ML-68002	18	A2	18	NONE	NONE
		ML-68003	18	A2	18	NONE	NONE



MEPROLIGHT CROSS REFERENCE LIST FOR NRC

NRC DEVICE SERIES	NEW MODEL NUMBERS	OLD CROSS REFERENCE MODELS
ML-100	NONE	ML-100
	ML-51001 (G)	ML-105 (G)
	ML-51002 (R)	ML-105 (R)
	ML-51003 (Y)	ML-105 (Y)
	ML-51004	ML-105PP (3 Colors)
	ML-51006 (G)	ML-106 (G)
	ML-51007 (R)	ML-106 (R)
	ML-51008 (Y)	ML-106 (Y)
	ML-51009	ML-106PP (3 Colors)
	ML-51020	NONE
	ML-51021	NONE
	ML-51022	NONE
	ML-51030	NONE
	ML-51031	NONE
	ML-51035	NONE
	ML-51036	NONE
	ML-51050	NONE
	ML-51051	NONE
	ML-51052	NONE
ML-115O	ML-51091	NONE
	ML-51092	NONE
	ML-51093	NONE
	ML-51094	NONE
	ML-51096	NONE
	ML-51097	NONE
	ML-51098	NONE
	ML-51099	NONE
	ML-31616	ML-116O
	ML-33110	ML-310
ML-115P	ML-33111	ML-311
	ML-33535	ML-350
	ML-35011	NONE
	ML-39520	NONE
	ML-39522	NONE
ML-200A	ML-39540	NONE
	ML-31615	ML-116P
	ML-31617	NONE
ML-260	ML-31810	NONE
	NONE	ML-200A
	NONE	ML-500
ML-260	NONE	ML-260
	NONE	ML-250



ML-300A	ML-39510	ML-300A
ML-300N	ML-39511	ML-300N
ML-400	NONE	ML-400
	ML-34045	ML-405
ML-750	NONE	ML-745
	NONE	ML-750
	NONE	ML-755
	NONE	ML-756
	NONE	ML-760
	NONE*	ML-768
	NONE	ML-770
	NONE	ML-775
	NONE*	ML-2768
	ML-10110	ML-710
	ML-10129	NONE
	ML-10222	NONE
	ML-10224	ML-724
	ML-10225	ML-725
	ML-10226	ML-726
	ML-10662	ML-762
	ML-10663	NONE
	ML-10664	NONE
	ML-10665	NONE
	ML-10735	NONE
	ML-10755	NONE
	ML-10771	ML-771
	ML-10774	ML-1774
	ML-10775	NONE
	ML-10776	ML-776
	ML-10785	NONE
	ML-10882	ML-782
	ML-10884	ML-787
	ML-10885	ML-785
	ML-10990	ML-790
	ML-10991	ML-791
	ML-10994	NONE
	ML-11515	ML-715
	ML-11516	NONE
	ML-11517	NONE
	ML-11735	ML-1735
	ML-11744	ML-1744
	ML-11755	ML-1755
	ML-12730	ML-730
	ML-12735	ML-735
	ML-12740	ML-740
	ML-12745	NONE
	ML-12791	NONE



ML-14467	NONE
ML-14468	NONE
ML-15109	NONE
ML-15209	NONE
ML-16565	ML-765
ML-16767	ML-767
ML-17777	NONE
ML-17778	ML-777
ML-17979	ML-779
ML-18800	NONE
ML-19595	ML-795*
ML-19596	NONE
ML-20110	ML-2710
ML-20224	ML-2724
ML-20225	ML-2725
ML-20662	ML-2762
ML-20761	NONE
ML-20766	NONE
ML-20771	ML-2771
ML-20772	ML-2772
ML-20773	ML-2773
ML-20776	ML-2776
ML-20882	ML-2782
ML-20885	ML-2785
ML-20990	ML-2790
ML-20991	ML-2791
ML-20996	ML-2796
ML-21516	NONE
ML-21755	ML-2755
ML-22735	ML-2735
ML-22736	ML-736
ML-22769	NONE
ML-22770	ML-2700
ML-22775	ML-2705
ML-26565	ML-2765
ML-26566	NONE
ML-26767	ML-2767
ML-27777	NONE
ML-29595	ML-2795"
ML-29596	NONE
ML-30660	NONE
ML-30922	NONE
ML-31505	ML-305
ML-31506	NONE
ML-31507	NONE
ML-34301	NONE

MEPROLIGHT®

ML-34660	ML-460
ML-34661	ML-461
ML-34662	ML-462
ML-35010	NONE
ML-35034	NONE
ML-35501	NONE
ML-35502	NONE
ML-35503	NONE
ML-35504	NONE
ML-35505	NONE
ML-35506	NONE
ML-35507	NONE
ML-35508	NONE
ML-35509	NONE
ML-35510	NONE
ML-36006	ML-600
ML-38010	NONE
ML-38501	NONE
ML-68001	NONE
ML-68002	NONE
ML-68003	NONE

* Erroneously listed previously as ML-768 and ML-2768



MEPROLIGHT ML LISTING & DESCRIPTIONS

<u>MODEL</u>	<u>DESCRIPTION</u>
ML-100	Archery pin - 8-32 thread size
ML-115O	Sight set for AR15/M16 with open rear sight (4-slot front)
ML-115P	Sight set for AR15/M16 with peep rear sight (4-slot front)
ML-200A	Sight set for S&W K, L, N frames w/adjustable sights
ML-260	Sight set for Beretta 92F, 92Fc with fixed sights
ML-400	Shotgun bead front sight - 6-48 thread size
ML-500	Universal front sight for fixed sight revolvers
ML-736	Sight set for S&W 3900, 4000 & 5900 series with adjustable sights
ML-740	Sight set for S&W 459, 659 with fixed rear sight
ML-745	Sight set for S&W 6900 series with fixed sights
ML-750	Sight set for S&W 645 with fixed sights
ML-755	Sight set for S&W 4506 with (non-Novak) fixed sights
ML-756	Sight set for S&W 4506 with adjustable rear sight
ML-760	Sight set for Beretta 92F, 92Fc with fixed sights
ML-768	Sight set for Jericho & Springfield pistols with dovetails
ML-770	Sight set for Colt series 70 pistols with .055 front tenon
ML-775	Sight set for Colt series 80 & 90 with .125 front tenon
ML-2768	Adjustable sight set for Jericho & Springfield pistols with dovetails
ML-10110	Sight set for Sig Sauer P220, P225, P226, P228 with fixed sights
ML-10129	Sight set for Sig Sauer P229 pistol with fixed sights
ML-10222	Sight set for Glock 20, 21 w/screw-on front
ML-10224	Sight set for Glock 17, 19, 22, 23 w/screw-on front
ML-10225	Sight set for Glock 17, 19, 22, 23 w/stake-on front
ML-10226	Sight set (Novak style) for Glock compact pistol w/screw-on front
ML-10662	Sight set for Beretta 92F series pistols with fixed sights
ML-10663	Sight set for Beretta Cougar pistol
ML-10664	Sight set for Beretta Brigadier pistol
ML-10665	Sight set for Beretta Stock pistol
ML-10735	Sight set for S&W 5904, 5906 w/fixed sights (Novak to S&W)
ML-10755	Sight set for S&W 4506 w/fixed sights (Novak to S&W)
ML-10771	Sight set for Colt Gov't series pistols with .055 front tenon
ML-10774	Sight set for Colt 2000 pistol
ML-10775	Competition sight set for Colt Gov't pistols
ML-10776	Sight set for Colt Gov't series with .125 front tenon
ML-10785	Sight set for Browning Hi-power MKIII w/dovetail sights (to Browning)
ML-10882	Sight set for Browning Hi-power with fixed sights
ML-10884	Sight set for Browning "BDM"
ML-10885	Sight set for Browning Hi-power MKIII with dovetail sights
ML-10990	Sight set for Ruger P-85 or P-89 pistols with fixed sights
ML-10991	Sight set for Ruger P-90 or P-91 pistols with fixed sights
ML-10994	Sight set for Ruger P-94 pistols with fixed sights

MEPROLIGHT®

<u>MODEL</u>	<u>DESCRIPTION</u>
ML-11515	Sight set for H&K P7-8 & P7-13 with fixed sights
ML-11516	Sight set for H&K USP pistol
ML-11517	Sight set for H&K USP compact pistol
ML-11735	Sight set for S&W 3rd Generation 3900, 5900 & 6900 series pistols
ML-11744	Sight set for S&W 1000 & 4500 compact pistol
ML-11755	Sight set for S&W 3rd Generation 1000 & 4500 series pistols
ML-12730	Sight set for S&W 459, 659 with adjustable rear sight
ML-12735	Sight set for S&W 915, 3900, 5900 & 6900 series with (non-Novak) fixed sights
ML-12740	Sight set for S&W Sigma pistols
ML-12745	Sight set for S&W 457 pistol
ML-12791	Sight set for S&W 908/910 pistols
ML-14467	Sight set for Wilson pistols
ML-14468	Sight set for Ed Brown pistols
ML-15109	Sight set for Kahr K-9 and K-40 pistols
ML-15209	Sight set for Kimber pistol
ML-16565	Sight set for Taurus PT-92 series pistol
ML-16767	Sight set for Tanfoglio TA-90 E A A. "Witness" pistols
ML-17777	Sight set for CZ-75 Compact and CZ-83 pistols
ML-17778	Sight set for CZ-75 and CZ-85 pistols
ML-17979	Sight set for Star "Firestar" 9mm & .40 cal pistols
ML-18800	Sight set for Walther P99 pistol
ML-19595	Sight set for Baby Eagle pistol with dovetails
ML-19596	Sight set for Desert Eagle pistol
ML-20110	Adjustable sight set for Sig Sauer P225, P226, P228
ML-20224	Sight set for Glock 17, 19, 22, 23 w/screw-on front & adjustable rear
ML-20225	Adjustable sight set for Glock 17, 19, 22, 23 w/stake-on front
ML-20662	Adjustable sight set for Beretta 92F series pistols
ML-20761	Adjustable sight set for Colt Gold Cup with .055 front tenon
ML-20766	Adjustable sight set for Colt Gold Cup with .125 front tenon
ML-20771	Adjustable sight set for Colt Gov't series pistols with .055 front tenon
ML-20772	Adjustable sight set for Colt revolver (Python)
ML-20773	Adjustable sight set for Colt revolver (King Cobra)
ML-20776	Adjustable sight set for Colt Gov't series with .125 front tenon
ML-20882	Adjustable sight set for Browning Hi-power with fixed sights
ML-20885	Adjustable sight set for Browning Hi-power MKIII with dovetail sights
ML-20990	Adjustable sight set for Ruger P-85 or P-89 pistols
ML-20991	Adjustable sight set for Ruger P-90 or P-91 pistols
ML-20996	Adjustable sight set for Ruger GP100 and Super Redhawk revolvers
ML-21516	Adjustable sight set for H&K USP pistol
ML-21755	Adjustable sight set for S&W 3rd Generation 1000 & 4500 series pistols
ML-22735	Adjustable sight set for S&W 3rd Generation 3900, 5900 & 6900 series pistols
ML-22736	Adjustable sight set for S&W 3900, 4000 & 5900 series pistols
ML-22769	Universal TRU-DOT front sight for fixed sight revolvers
ML-22770	Sight set for S&W K, L & N frame revolvers with adjustable rear sight
ML-22775	Sight set for Taurus revolver with adjustable rear sight










<u>MODEL</u>	<u>DESCRIPTION</u>
ML-26565	Adjustable sight set for Taurus PT-92 series pistol
ML-26566	Adjustable sight set for Taurus revolver
ML-26767	Adjustable sight set for Tanfoglio TA-90 E.A.A. "Witness" pistols
ML-27777	Adjustable sight set for CZ-85 pistol
ML-29595	Adjustable sight set for Baby Eagle pistol with dovetails
ML-29596	Adjustable sight set for Desert Eagle pistol
ML-30660	Sight set for Beretta rifle
ML-30922	Sight set for Ruger Mini-14
ML-31505	H&K SR9, SP89, M91, M93, MP5 rifle front sight only
ML-31506	Sight set for H&K SR9, SP89, M91, M93, MP5
ML-31507	Sight set for H&K G3/G41
ML-31615	Front sight for AR15/M16 (5-slots)
ML-31616	Sight set for AR15/M16 with open rear sight (5-slot front)
ML-31617	Sight set for AR15/M16 with peep rear sight (5-slot front)
ML-31810	Front sight for Ultimax rifle
ML-33110	Sight set for Kalashnikov AK-47 rifle
ML-33111	Sight set for Simonov SKS rifle
ML-33535	Sight set for Calico model 900 & 950
ML-34045	Shotgun bead front sight - 6-48 thread size (new improved)
ML-34301	Sight set for Benelli M1/M3 model shotguns with ghost rear
ML-34660	Sight set for Remington 4, 6, 870, 1100, 7400, 7600, 11-87 slug guns
ML-34661	Sight set for Remington 7LW, 700 series, 552BDL, 572BDL bolt action rifles
ML-34662	Remington Border Patrol front sight
ML-35010	Sight set for FN 7.62 MAG machine gun
ML-35011	Sight set for FN 5.56 FNC rifle
ML-35034	Sight set for FN 5.56 Minimi light machine gun and FNMI M249 SAW
ML-35501	Rear ghost ring for Remington, Winchester, Browning
ML-35502	Rear sight for Remington, Winchester, Browning
ML-35503	Rear sight for Remington, Winchester, Browning
ML-35504	Rear sight for Remington, Winchester, Browning
ML-35505	Front sight (narrow base) for Remington, Winchester, Browning
ML-35506	Front sight (narrow base) for Remington, Winchester, Browning
ML-35507	Front sight (narrow base) for Remington, Winchester, Browning
ML-35508	Front sight (medium base) for Remington, Winchester, Browning
ML-35509	Front sight (medium base) for Remington, Winchester, Browning
ML-35510	Front sight (medium base) for Remington, Winchester, Browning
ML-36006	Hawken series CVA black powder rifle sights
ML-38010	Sight set for Crossfire twin barrel combination rifle
ML-38501	Front sight for Mossberg M500 and M590
ML-39510	Sight set for Mini-Uzi & Uzi with adjustable rear
ML-39511	Sight set for Uzi with non-adjustable rear
ML-39520	Sight set for Galil rifle
ML-39522	Sight set for Micro-Galil rifle
ML-39540	Sight set for Micro-Uzi



<u>MODEL</u>	<u>DESCRIPTION</u>
ML-51001	Archery pin - 8-32 thread size (green)
ML-51002	Archery pin - 8-32 thread size (red)
ML-51003	Archery pin - 8-32 thread size (yellow)
ML-51004	Archery pin - 8-32 thread size (3 color pro-pack)
ML-51006	Archery pin - 6-32 thread size (green)
ML-51007	Archery pin - 6-32 thread size (red)
ML-51008	Archery pin - 6-32 thread size (yellow)
ML-51009	Archery pin - 6-32 thread size (3 color pro-pack)
ML-51020	Optical archery sight 2X
ML-51021	Optical archery sight 4X
ML-51022	Optical archery sight 6X
ML-51030	Archery pin (pendulum) 8-32 thread size (green)
ML-51031	Archery pin (pendulum) 8-32 thread size (yellow)
ML-51035	Archery pin (pendulum) 6-32 thread size (green)
ML-51036	Archery pin (pendulum) 6-32 thread size (yellow)
ML-51050	Archery pin (fiber optic) green
ML-51051	Archery pin (fiber optic) red
ML-51052	Archery pin (fiber optic) yellow
ML-51091	Archery pin 90° - 8-32 thread size (green)
ML-51092	Archery pin 90° - 8-32 thread size (red)
ML-51093	Archery pin 90° - 8-32 thread size (yellow)
ML-51094	Archery pin 90° - 8-32 thread size (3 color pro-pack)
ML-51096	Archery pin 90° - 6-32 thread size (green)
ML-51097	Archery pin 90° - 6-32 thread size (red)
ML-51098	Archery pin 90° - 6-32 thread size (yellow)
ML-51099	Archery pin 90° - 6-32 thread size (3 color pro-pack)
ML-68001	MEPOR21 reflex sight - Professional
ML-68002	MEPOR21 reflex sight - Standard
ML-68003	MEPOR21 reflex sight - Military

TYPE A2		680XX
MIN	MAX	NOMINAL
L	90	120
W	28	55
H	35	74
P	MINIMUM PROTECTIVE DISTANCE TO LIGHT SOURCE 1 mm.	



OPTICAL SIGHT TYPE A2

DATE 10.01.98