

Facility: Sequoyah		Date of Exam: 3/18/2020		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading		N/A	blc		
2. Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted)		N/A	blc		
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)		N/A	blc		
4. Grading for all borderline cases (80% ±2% overall and 70% or 80%, as applicable, ±4% on the SRO-only exam) reviewed in detail		N/A	blc		
5. All other failing examinations checked to ensure that grades are justified		N/A	blc		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants		N/A	blc		
Printed Name/Signature		Date			
a. Grader	Jason Bundy	04/13/2020			
b. Facility Reviewer(*)	N/A	N/A			
c. NRC Chief Examiner (*)	Bruno Caballero/	04/13/2020			
d. NRC Supervisor (*)					
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.					