NRC FORM 374 PAGE 1 OF 4 PAGES **U.S. NUCLEAR REGULATORY COMMISSION** Amendment No. 11 MATERIALS LICENSE Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below. Licensee 4. Expiration Date: August 31, 2021 In accordance with letter dated June 4, 2020, 1. Monroe County Road Commission REGI 5. Docket No.: 030-17361 2. 840 South Telegraph Road 3. License No.: 21-18924-01 Reference No.: Monroe, MI 48161 is amended in its entirety to read as follows: 7. Chemical and/or physical form Byproduct, source, 8. Maximum amount that licensee 9. Authorized use 6. and/or special nuclear may possess at any one time material under this license A. Cesium-137 A. 9 millicuries per source A. For use in Troxler Model 3400 series A. Sealed sources (AEA) Technology/QSA, Inc., Model and 18 millicuries total portable gauging devices for measuring CDCW556; Isotope Product physical properties of materials. Labs, Model HEG-137) B. Americium-241 B. 44 millicuries per source B. Sealed sources (AEA) B. For use in Troxler Model 3400 series and 88 millicuries total Technology/QSA, Inc., Model portable gauging devices for measuring AMNV.997; Isotope Product physical properties of materials. Labs, Model 3021, 3027 and Am1.NO2)

NRC FORM 374A		U.S. NUCLEAR REGULATORY	COMMISSION	PAGE 2 OF 4 PAGES				
	MATERIALS LICENSE	License No.: 21-18924-01	Docket or Reference No.: 030-17361					
	SUPPLEMENTARY SHEET	Amendment No. 11						
CONDITIONS								
10.	 Licensed material may be stored at the licensee's facilities located at 840 South Telegraph Road, Monroe, Michigan, and may be used at temporary job sites of the licensee throughout Monroe County, Michigan. 							
11.	The Radiation Safety Officer (RSO) for this license is Ross A. Brown.							
12.	 Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the application dated April 14, 2011 (ML11150105). The licensee shall maintain records of individuals designated as users for three years following the last use of licensed material by the individual. 							
13.	A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months, or at such other intervals as specified.							
	registration issued by the U.S. N	m a transferor indicating that a leak tes uclear Regulatory Commission under 1 ther person shall not be put into use ur	0 CFR 32.210 or by an Agreement	State, prior to the transfer, a				
	or transferred to another person,	ed if they are in storage and are not be and have not been tested within the re be stored for a period of more than 10	quired leak test interval, they shall	be tested before use or				
	sample. If the test reveals the pu filed with the U.S. Nuclear Regul	detecting the presence of 185 becquer esence of 185 becquerels (0.005 micro atory Commission in accordance with contaminated, repaired, or disposed of	ocuries) or more of removable cont 0 CFR 30.50(c)(2), and the source	amination, a report shall be shall be removed				

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE ³ OF ⁴ PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET	License No.: 21-18924-01 Amendment No. 11	Docket or Reference No.: 030-17361	

- E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for three years.
- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
- 15. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
- 16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for three years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 17. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.
- 18. Any cleaning, maintenance, or repair of the gauge(s) that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 4 OF 4 PAGES
MATERIALS LICENSE	License No.: 21-18924-01	Docket or Reference No.:	
SUPPLEMENTARY SHEET	Amendment No. 11	030-17361	

19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Letter dated April 14, 2011 (ML111150105)

B. Letter dated June 27, 2013 (ML15209A573)

C. Letter dated June 4, 2020 (ML20157A090)

FOR THE U. S. NUCLEAR REGULATORY COMMISSION

Date: August 13, 2020

By:

Bryan A. Parker Region III