



DCD  
~~11/1~~

June 23, 1998  
GDP 98-1051


United States Nuclear Regulatory Commission  
Region III  
801 Warrenville Road  
Lisle, Illinois 60532-4351

**Paducah Gaseous Diffusion Plant (PGDP)**  
**Docket No. 70-7001**  
**Weekly Summary of 10CFR95.57(b) Reports**

Pursuant to the temporary exemption from the immediate notification requirement of 10CFR95.57(b) granted to PGDP by letter dated October 28, 1997 (Carl J. Paperiello to Steven A. Toelle), enclosed are six reports filed for the week ending at midnight June 21, 1998.

Any questions regarding this matter should be directed to Larry Jackson at (502) 441-6796.

Sincerely,

  
Howard Pulley  
General Manager  
Paducah Gaseous Diffusion Plant

Enclosures

cc: NRC Division of Security  
NRC Resident Inspector - PGDP

11

IE72

9807020305 980623  
PDR ADOCK 07007001  
C PDR

020039

JUN 29 1998

NRC FORM 361C

(2-97)

# **GASEOUS DIFFUSION PLANT EVENT NOTIFICATION WORKSHEET**

U. S. NUCLEAR REGULATORY COMMISSION  
OPERATIONS CENTER

NRC OPERATIONS TELEPHONE NUMBER: PRIMARY — 301-816-5100/BACKUP 1 — 301-951-0550/BACKUP 2 — 301-415-0550  
NRC OPERATIONS FAX NUMBER: 301-816-5151

REPORT TIME	FACILITY Paducah Gaseous Diffusion Plant	NAME OF CALLER	CALLBACK TELEPHONE NUMBER (502) 441-6211
EVENT TIME 0805 CDT	EVENT DATE 6 / 15 / 98	LOCATION OF EVENT (INCLUDE COUNTY AND STATE) PGDP - McCracken County, Kentucky	PORTION OF PLANT AFFECTED C-100
EVENT CLASSIFICATIONS		EVENT TYPES	
<input type="checkbox"/> SITE AREA EMERGENCY	<input checked="" type="checkbox"/>	GASEOUS DIFFUSION	
<input type="checkbox"/> ALERT		FUEL CYCLE	
<input checked="" type="checkbox"/> INCIDENT REPORT		TRANSPORTATION	
<input type="checkbox"/> TRANSPORTATION EVENT		OTHER (Specify)	
<input type="checkbox"/> INFORMATION ONLY			
<input type="checkbox"/> OTHER (Specify)			
		INCIDENT REPORTS (SPECIFIC TO 76.120)	
		20.2201 LOSS/THEFT	(a)(1) CRITICALITY/SUM LOST
		20.2202 ACTUAL/THREATENED OVEREXPOSURE	(a)(2) ACTUAL/ATTEMPTED THEFT
		20.2202 ACTUAL/THREATENED RELEASE	(b) PROTECTIVE ACTION PREVENTED
		21.21 DEFECT/ NONCOMPLIANCE	(c)(1) UNPLANNED CONTAMINATION
		73.71 SAFEGUARDS EVENTS	(c)(2) SAFETY EQUIPMENT FAILURE
		CRITICALITY CONTROL 4-HOUR (BULLETIN 91-01)	(c)(3) MEDICAL TREATMENT WITH CONTAMINATION
		CRITICALITY CONTROL 24-HOUR (BULLETIN 91-01)	(c)(4) FIRE/EXPLOSION
			OTHER NON-COMP REQUIREMENT
NOTIFICATIONS	YES	NO	WILL BE
NRC RESIDENT	<input checked="" type="checkbox"/>		
STATE(S)		<input checked="" type="checkbox"/>	
LOCAL		<input checked="" type="checkbox"/>	
OTHER GOVERNMENT AGENCIES		<input checked="" type="checkbox"/>	
MEDIA/PRESS RELEASE		<input checked="" type="checkbox"/>	
ANYTHING UNUSUAL OR NOT UNDERSTOOD			
DID ALL SYSTEMS FUNCTION AS REQUIRED?			
ADDITIONAL INFORMATION ON BACK?			
Yes (Explain below)			
No			
Yes			
No (Explain below)			
Yes			
No			

## **EVENT DESCRIPTION (Continue on separate sheet if necessary)**

On 6-15-98 at 0805 CDT, the Plant Shift Superintendent was notified that a drawing had been found during the classified material sweep of the plant which was not properly marked to its classification and had not been properly protected to prevent its compromise. This document was discovered in the C-100 vault (a classified repository). The document had been brought to the C-100 vault on 10-14-97, but had not been protected prior to that date. This drawing was reviewed today and determined to contain Confidential-Restricted Data (CRD). The document was properly destroyed.

This event report is being submitted in accordance with 10 CFR 95.57(b) regarding the compromise, or possible compromise, of National Security Information and/or Restricted Data or classified documents not falling within 10 CFR 95.57(a). This is a grouped report and NRA should ensure that this report is submitted to the NRC as required by UE2-RA-RE1030, Rev. 2, Appendix D, Criteria L.4, Note 1.

The NRC Resident Inspector has been notified of this event.

DP Problem Report No. ATR-98/3782; PGDP Event Report No. PAD-1998-062  
Responsible Division: Site & Facilities Support



11/13/97

NRC FORM 361C

(2-97)

# **GASEOUS DIFFUSION PLANT EVENT NOTIFICATION WORKSHEET**

U. S. NUCLEAR REGULATORY COMMISSION  
OPERATIONS

NRC OPERATIONS TELEPHONE NUMBER: PRIMARY — 301-816-5100/BACKUP 1 — 301-951-0550/BACKUP 2 — 301-415-0550  
NRC OPERATIONS FAX NUMBER: 301-816-5151

REPORT TIME	FACILITY Paducah Gaseous Diffusion Plant		NAME OF CALLER	CALLBACK TELEPHONE NUMBER (502) 441-6211			
EVENT TIME 0805 CDT	EVENT DATE 6 / 15 / 98	LOCATION OF EVENT (INCLUDE COUNTY AND STATE) PGDP - McCracken County, Kentucky		PORTION OF PLANT AFFECTED C-100			
EVENT CLASSIFICATIONS		EVENT TYPES		INCIDENT REPORTS (SPECIFIC TO 76.120)			
<input type="checkbox"/>	SITE AREA EMERGENCY	<input checked="" type="checkbox"/>	GASEOUS DIFFUSION	20.2201 LOSS/THEFT (a)(1) CRITICALITY/SUM LOST			
<input type="checkbox"/>	ALERT	<input type="checkbox"/>	FUEL CYCLE	20.2202 ACTUAL/THREATENED OVEREXPOSURE (a)(2) ACTUAL/ATTEMPTED THEFT			
<input checked="" type="checkbox"/>	INCIDENT REPORT	<input type="checkbox"/>	TRANSPORTATION	20.2202 ACTUAL/THREATENED RELEASE (b) PROTECTIVE ACTION PREVENTED			
<input type="checkbox"/>	TRANSPORTATION EVENT	<input type="checkbox"/>	OTHER (Specify)	21.21 DEFECT/NONCOMPLIANCE (c)(1) UNPLANNED CONTAMINATION			
<input type="checkbox"/>	INFORMATION ONLY			73.71 SAFEGUARDS EVENTS (c)(2) SAFETY EQUIPMENT FAILURE			
<input type="checkbox"/>	OTHER (Specify)			CRITICALITY CONTROL 4-HOUR (BULLETIN 91-01) (c)(3) MEDICAL TREATMENT WITH CONTAMINATION			
				CRITICALITY CONTROL 24-HOUR (BULLETIN 91-01) (c)(4) FIRE/EXPLOSION			
				OTHER NON-CFR REQUIREMENT			
NOTIFICATIONS		YES	NO	WILL BE	ANYTHING UNUSUAL OR NOT UNDERSTOOD	<input type="checkbox"/>	Yes (Explain below)
NRC RESIDENT		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	No
STATE(S)		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DID ALL SYSTEMS FUNCTION AS REQUIRED?	<input type="checkbox"/>	Yes
LOCAL		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	No (Explain below)
OTHER GOVERNMENT AGENCIES		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ADDITIONAL INFORMATION ON BACK?	<input type="checkbox"/>	Yes
MEDIA/PRESS RELEASE		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	No

## **EVENT DESCRIPTION (Continue on separate sheet if necessary)**

On 6-15-98 at 0805 CDT, the Plant Shift Superintendent was notified that one document and nine drawings had been found during the classified material sweep of the plant which was not properly marked as to its classification and had not been properly protected to prevent its compromise. This documents were discovered in the C-100 vault (a classified repository). The document had been brought from C-720 to the C-100 vault in 11-97, but had not been protected prior to that date. The documents were reviewed and determined to contain classified information. The documents will be properly destroyed.

This event report is being submitted in accordance with 10 CFR 95.57(b) regarding the compromise, or possible compromise, of National Security Information and/or Restricted Data or classified documents not falling within 10 CFR 95.57(a). This is a grouped report and NRA should ensure that this report is submitted to the NRC as required by UE2-RA-RE1030, Rev. 2, Appendix D, Criteria L.4, Note 1.

The NRC Resident Inspector has been notified of this event.

EDP Problem Report No. ATR-98/3783; PGDP Event Report No. PAD-1993-063  
Responsible Division: Site & Facilities Support

NRC FORM 361C

U. S. NUCLEAR REGULATORY COMMISSION

(2-97)

# **GASEOUS DIFFUSION PLANT EVENT NOTIFICATION WORKSHEET**

OPERATIONS CENTER

NRC OPERATIONS TELEPHONE NUMBER: PRIMARY — 301-816-5100/BACKUP 1 — 301-951-0550/BACKUP 2 — 301-415-0550  
NRC OPERATIONS FAX NUMBER: 301-816-5151

REPORT TIME	FACILITY Paducah Gaseous Diffusion Plant		NAME OF CALLER		CALLBACK TELEPHONE NUMBER (502) 441-6211	
EVENT TIME 1615 CDT	EVENT DATE 6 / 18 / 98	LOCATION OF EVENT (INCLUDE COUNTY AND STATE) PGDP - McCracken County, Kentucky			PORTION OF PLANT AFFECTED C-100	
EVENT CLASSIFICATIONS		EVENT TYPES		INCIDENT REPORTS (SPECIFIC TO 76.120)		
<input type="checkbox"/> SITE AREA EMERGENCY	<input checked="" type="checkbox"/>	GASEOUS DIFFUSION		20.2201	LOSS/THEFT	(a)(1) CRITICALITY/SUM LOST
<input type="checkbox"/> ALERT	<input type="checkbox"/>	FUEL CYCLE		20.2202	ACTUAL/THREATENED OVEREXPOSURE	(a)(2) ACTUAL/ATTEMPTED THEFT
<input checked="" type="checkbox"/> INCIDENT REPORT	<input type="checkbox"/>	TRANSPORTATION		20.2202	ACTUAL/THREATENED RELEASE	(b) PROTECTIVE ACTION PREVENTED
<input type="checkbox"/> TRANSPORTATION EVENT	<input type="checkbox"/>	OTHER (Specify)		21.21	DEFECT/ NONCOMPLIANCE	(c)(1) UNPLANNED CONTAMINATION
<input type="checkbox"/> INFORMATION ONLY	<input type="checkbox"/>			73.71	SAFEGUARDS EVENTS	(c)(2) SAFETY EQUIPMENT FAILURE
<input type="checkbox"/> OTHER (Specify)	<input type="checkbox"/>				CRITICALITY CONTROL 4-HOUR (BULLETIN 91-01)	(c)(3) MEDICAL TREATMENT WITH CONTAMINATION
	<input type="checkbox"/>				CRITICALITY CONTROL 24-HOUR (BULLETIN 91-01)	(c)(4) FIRE/EXPLOSION
	<input type="checkbox"/>					OTHER NON-CFR REQUIREMENT
NOTIFICATIONS	YES	NO	WILL BE			Yes (Explain below)
NRC RESIDENT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ANYTHING UNUSUAL OR NOT UNDERSTOOD		<input checked="" type="checkbox"/> No
STATE(S)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DID ALL SYSTEMS FUNCTION AS REQUIRED?		<input type="checkbox"/> Yes
LOCAL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			<input checked="" type="checkbox"/> No (Explain below)
OTHER GOVERNMENT AGENCIES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ADDITIONAL INFORMATION ON BACK?		<input type="checkbox"/> Yes
MEDIA/PRESS RELEASE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			<input checked="" type="checkbox"/> No

## **EVENT DESCRIPTION (Continue on separate sheet if necessary)**

On 6-18-98 at 1615 CDT, the Plant Shift Superintendent was notified that one drawings had been found during the classified material sweep of the plant which was not properly marked as to its classification and had not been properly protected to prevent its compromise. This documents were discovered in the C-100 vault (a classified repository). The document had been brought from C-335 to the C-100 vault on 10-15-98, but had not been protected prior to that date. The documents were reviewed and determined to contain classified information. The documents will be properly destroyed.

This event report is being submitted in accordance with 10 CFR 95.57(b) regarding the compromise, or possible compromise, of National Security Information and/or Restricted Data or classified documents not falling within 10 CFR 95.57(a). This is a grouped report and NRA should ensure that this report is submitted to the NRC as required by UE2-RA-RE1030, Rev. 2, Appendix D, Criteria L.4, Note 1.

The NRC Resident Inspector has been notified of this event.

PGDP Problem Report No. ATR-98/3891; PGDP Event Report No. PAD-1998-054  
Responsible Division: Site & Facilities Support



NRC FORM 361C

(2-97)

# **CASEOUS DIFFUSION PLANT EVENT NOTIFICATION WORKSHEET**

U. S. NUCLEAR REGULATORY COMMISSION  
OPERATIONS CENTER

NRC OPERATIONS TELEPHONE NUMBER: PRIMARY — 301-816-5100/BACKUP 1 — 301-951-0550/BACKUP 2 — 301-415-0550

NRC OPERATIONS FAX NUMBER: 301-816-5151

REPORT TIME	FACILITY Paducah Gaseous Diffusion Plant		NAME OF CALLER	CALLBACK TELEPHONE NUMBER (502) 441-6211
EVENT TIME 1615 CDT	EVENT DATE 6 / 18 / 98	LOCATION OF EVENT (INCLUDE COUNTY AND STATE) PGDP - McCracken County, Kentucky		PORTION OF PLANT AFFECTED C-100

EVENT CLASSIFICATIONS		EVENT TYPES		INCIDENT REPORTS (SPECIFIC TO 76.120)	
<input type="checkbox"/>	SITE AREA EMERGENCY	<input checked="" type="checkbox"/>	GASEOUS DIFFUSION	20.2201	LOSS/THEFT (a)(1) CRITICALITY/SUM LOST
<input type="checkbox"/>	ALERT	<input type="checkbox"/>	FUEL CYCLE	20.2202	ACTUAL/THREATENED OVEREXPOSURE (a)(2) ACTUAL/ATTEMPTED THEFT
<input checked="" type="checkbox"/>	INCIDENT REPORT	<input type="checkbox"/>	TRANSPORTATION	20.2202	ACTUAL/THREATENED RELEASE (b) PROTECTIVE ACTION PREVENTED
<input type="checkbox"/>	TRANSPORTATION EVENT	<input type="checkbox"/>	OTHER (Specify)	21.21	DEFECT/ NONCOMPLIANCE (c)(1) UNPLANNED CONTAMINATION
<input type="checkbox"/>	INFORMATION ONLY	<input type="checkbox"/>		73.71	SAFEGUARDS EVENTS (c)(2) SAFETY EQUIPMENT FAILURE
<input type="checkbox"/>	OTHER (Specify)	<input type="checkbox"/>			CRITICALITY CONTROL 4-HOUR (BULLETIN 91-01) (c)(3) MEDICAL TREATMENT WITH CONTAMINATION
<input type="checkbox"/>		<input type="checkbox"/>			CRITICALITY CONTROL 24-HOUR (BULLETIN 91-01) (c)(4) FIRE/EXPLOSION
<input type="checkbox"/>		<input type="checkbox"/>			OTHER NON-CFR REQUIREMENT

NOTIFICATIONS	YES	NO	WILL BE		Yes (Explain below)
NRC RESIDENT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ANYTHING UNUSUAL OR NOT UNDERSTOOD	<input checked="" type="checkbox"/> No
STATE(S)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DID ALL SYSTEMS FUNCTION AS REQUIRED?	<input type="checkbox"/> Yes
LOCAL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> No (Explain below)
OTHER GOVERNMENT AGENCIES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ADDITIONAL INFORMATION ON BACK?	<input type="checkbox"/> Yes
MEDIA/PRESS RELEASE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> No

## **EVENT DESCRIPTION (Continue on separate sheet if necessary)**

On 6-18-98 at 1615 CDT, the Plant Shift Superintendent was notified that three drawings had been found during the classified material sweep of the plant which was not properly marked as to its classification and had not been properly protected to prevent its compromise. This documents were discovered in the C-100 vault (a classified repository). The document had been brought from C-333 to the C-100 vault on 3-12-98, but had not been protected prior to that date. The documents were reviewed and determined to contain classified information. The documents will be properly destroyed.

This event report is being submitted in accordance with 10 CFR 95.57(b) regarding the compromise, or possible compromise, of National Security Information and/or Restricted Data or classified documents not falling within 10 CFR 95.57(a). This is a grouped report and NRA should ensure that this report is submitted to the NRC as required by UE2-RA-RE1030, Rev. 2, Appendix D, Criteria L.4, Note 1.

The NRC Resident Inspector has been notified of this event.

PGDP Problem Report No. ATR-98/3892; PGDP Event Report No. PAD-1998-065  
Responsible Division: Site & Facilities Support

NRC FORM 361C

U. S. NUCLEAR REGULATORY COMMISSION  
OPERATIONS CENTER

**GASEOUS DIFFUSION PLANT  
EVENT NOTIFICATION WORKSHEET**

NRC OPERATIONS TELEPHONE NUMBER: PRIMARY — 301-816-5100/BACKUP 1 — 301-951-0550/BACKUP 2 — 301-415-0550  
NRC OPERATIONS FAX NUMBER: 301-816-5151

REPORT TIME	FACILITY Paducah Gaseous Diffusion Plant	NAME OF CALLER	CALLBACK TELEPHONE NUMBER (502) 441-6211
EVENT TIME 0830 CDT	EVENT DATE 6 / 19 / 98	LOCATION OF EVENT (INCLUDE COUNTY AND STATE) PGDP - McCracken County, Kentucky	PORTION OF PLANT AFFECTED C-100
EVENT CLASSIFICATIONS		EVENT TYPES	
<input type="checkbox"/> SITE AREA EMERGENCY	<input checked="" type="checkbox"/>	GASEOUS DIFFUSION	
<input type="checkbox"/> ALERT		FUEL CYCLE	
<input checked="" type="checkbox"/> INCIDENT REPORT		TRANSPORTATION	
<input type="checkbox"/> TRANSPORTATION EVENT		OTHER (Specify)	
<input type="checkbox"/> INFORMATION ONLY			
<input type="checkbox"/> OTHER (Specify)			
		INCIDENT REPORTS (SPECIFIC TO 76.120)	
		20.2201 LOSS/THEFT	(a)(1) CRITICALITY/SUM LOST
		20.2202 ACTUAL/THREATENED OVEREXPOSURE	(a)(2) ACTUAL/ATTEMPTED THEFT
		20.2202 ACTUAL/THREATENED RELEASE	(b) PROTECTIVE ACTION PREVENTED
		21.21 DEFECT/NONCOMPLIANCE	(c)(1) UNPLANNED CONTAMINATION
		73.71 SAFEGUARDS EVENTS	(c)(2) SAFETY EQUIPMENT FAILURE
		CRITICALITY CONTROL 4-HOUR (BULLETIN 91-01)	(c)(3) MEDICAL TREATMENT WITH CONTAMINATION
		CRITICALITY CONTROL 24-HOUR (BULLETIN 91-01)	(c)(4) FIRE/EXPLOSION
			OTHER NON-CFR REQUIREMENT
NOTIFICATIONS	YES	NO	WILL BE
NRC RESIDENT	<input checked="" type="checkbox"/>		
STATE(S)		<input checked="" type="checkbox"/>	
LOCAL		<input checked="" type="checkbox"/>	
OTHER GOVERNMENT AGENCIES		<input checked="" type="checkbox"/>	
MEDIA/PRESS RELEASE		<input checked="" type="checkbox"/>	
		ANYTHING UNUSUAL OR NOT UNDERSTOOD	Yes (Explain below)
			No
		DID ALL SYSTEMS FUNCTION AS REQUIRED?	Yes
			No (Explain below)
		ADDITIONAL INFORMATION ON BACK?	Yes
			No

**EVENT DESCRIPTION (Continue on separate sheet if necessary)**

On 6-19-98 at 0830 CDT, the Plant Shift Superintendent was notified that classified information with legacy issues was discovered on an unclassified computer system during the classified material sweep of the plant. The information had not been properly protected to prevent its compromise. This information was discovered in the Controlled Access Area and access was very limited. The information was reviewed and determined to contain classified information. Access to the system was terminated. Hard copies of the information were retrieved and secured in a classified repository.

This event report is being submitted in accordance with 10 CFR 95.57(b) regarding the compromise, or possible compromise, of National Security Information and/or Restricted Data or classified documents not falling within 10 CFR 95.57(a). This is a grouped report and NRA should ensure that this report is submitted to the NRC as required by UE2-RA-RE1030, Rev. 2, Appendix D, Criteria L 4, Note 1.

The NRC Resident Inspector has been notified of this event.

DP Problem Report No. ATR-98-3905; PGDP Event Report No. PAD-1998-066  
Responsible Division: Site & Facilities Support



NRC FORM 361C

U. S. NUCLEAR REGULATORY COMMISSION  
OPERATIONS CENTER

(2-97)

**GASEOUS DIFFUSION PLANT  
EVENT NOTIFICATION WORKSHEET**NRC OPERATIONS TELEPHONE NUMBER: PRIMARY — 301-816-5100/BACKUP 1 — 301-951-0550/BACKUP 2 — 301-415-0550  
NRC OPERATIONS FAX NUMBER: 301-816-5151

REPORT TIME	FACILITY Paducah Gaseous Diffusion Plant	NAME OF CALLER	CALLBACK TELEPHONE NUMBER (502) 441-6211
EVENT TIME 1420 CDT	EVENT DATE 6 / 19 / 98	LOCATION OF EVENT (INCLUDE COUNTY AND STATE) PGDP - McCracken County, Kentucky	PORTION OF PLANT AFFECTED C-100

EVENT CLASSIFICATIONS		EVENT TYPES		INCIDENT REPORTS (SPECIFIC TO 76.120)			
<input type="checkbox"/>	SITE AREA EMERGENCY	<input checked="" type="checkbox"/>	GASEOUS DIFFUSION	20.2201	LOSS/THEFT	<input type="checkbox"/>	(a)(1) CRITICALITY/SUM LOST
<input type="checkbox"/>	ALERT	<input type="checkbox"/>	FUEL CYCLE	20.2202	ACTUAL/THREATENED OVEREXPOSURE	<input type="checkbox"/>	(a)(2) ACTUAL/ATTEMPTED THEFT
<input checked="" type="checkbox"/>	INCIDENT REPORT	<input type="checkbox"/>	TRANSPORTATION	20.2202	ACTUAL/THREATENED RELEASE	<input type="checkbox"/>	(b) PROTECTIVE ACTION PREVENTED
<input type="checkbox"/>	TRANSPORTATION EVENT	<input type="checkbox"/>	OTHER (Specify)	21.21	DEFECT/ NONCOMPLIANCE	<input type="checkbox"/>	(c)(1) UNPLANNED CONTAMINATION
<input type="checkbox"/>	INFORMATION ONLY			73.71	SAFEGUARDS EVENTS	<input type="checkbox"/>	(c)(2) SAFETY EQUIPMENT FAILURE
<input type="checkbox"/>	OTHER (Specify)				CRITICALITY CONTROL 4-HOUR (BULLETIN 91-01)	<input type="checkbox"/>	(c)(3) MEDICAL TREATMENT WITH CONTAMINATION
					CRITICALITY CONTROL 24-HOUR (BULLETIN 91-01)	<input type="checkbox"/>	(c)(4) FIRE/EXPLOSION
						<input type="checkbox"/>	OTHER NON-CFR REQUIREMENT

NOTIFICATIONS	YES	NO	WILL BE	ANYTHING UNUSUAL OR NOT UNDERSTOOD	Yes (Explain below)
NRC RESIDENT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> No
STATE(S)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DID ALL SYSTEMS FUNCTION AS REQUIRED?	<input type="checkbox"/> Yes
LOCAL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> No (Explain below)
OTHER GOVERNMENT AGENCIES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ADDITIONAL INFORMATION ON BACK?	<input type="checkbox"/> Yes
MEDIA/PRESS RELEASE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> No

**EVENT DESCRIPTION (Continue on separate sheet if necessary)**

On 6-19-98 at 1420 CDT, the Plant Shift Superintendent was notified that a document had been found during the classified material sweep of the plant which was not properly marked as to its classification and had not been properly protected to prevent its compromise. The document was discovered in the C-100 vault (a classified repository). The document had been brought from C-331 to the C-100 vault on 9-13-98, but had not been protected prior to that date. The document was reviewed and determined to contain classified information. The document was properly destroyed.

This event report is being submitted in accordance with 10 CFR 95.57(b) regarding the compromise, or possible compromise, of National Security Information and/or Restricted Data or classified documents not falling within 10 CFR 95.57(a). This is a grouped report and NRA should ensure that this report is submitted to the NRC as required by UE2-RA-RE1030, Rev. 2, Appendix D, Criteria L.4, Note 1.

The NRC Resident Inspector has been notified of this event.

PGDP Problem Report No. ATR-98-3924; PGDP Event Report No. PAD-1998-067  
Responsible Division: Site & Facilities Support