

JUL - 8 1985

Scott Engineering Company  
ATTN: John J. Scott, P.E.  
President  
Post Office Box 1414  
1904 Ninth Avenue Southeast  
Watertown, South Dakota 57201

Gentlemen:

This refers to your letter dated June 11, 1985, for an amendment to Materials License 49-19605-02 to change the storage location, etc.

An amendment fee of \$50 is required as specified in Section 170.31 (3P) of revised 10 CFR 170, copy enclosed. Payment should be made to the U.S. Nuclear Regulatory Commission and mailed to my attention at our Washington, D.C. address.

Your application will be processed by the Region IV Licensing staff located at 611 Ryan Plaza Drive, Suite 1000, Arlington, Texas 76011. The fee, however, is required prior to issuance of the amendment. When submitting the fee, please refer to CONTROL NUMBER 460682.

Sincerely,

Original Signed by  
Glenda Jackson

Glenda Jackson  
License Fee Management Branch  
Office of Administration

Enclosure:  
10 CFR 170

cc: Region IV

DISTRIBUTION:  
Pending Fee File  
Weekly Reading File  
Materials Reading File

8708040249 851112  
REG4 LIC30  
40-23187-01 PDR

OFFICE	LFMB:ADM	LFMB:ADM					
SURNAME	RJacques	GJackson					
DATE	7/9/85	7/8/85					



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION IV  
611 RYAN PLAZA DRIVE, SUITE 1000  
ARLINGTON, TEXAS 76011

BETWEEN: William O. Miller, Chief  
License Fee Management Branch  
Office of Administration

R. J. Everett, Chief  
Material Radiation Protection Section. TPB,  
DV&TP, RIV

SEP 4 3 1985

LICENSEE FEE TRANSMITTAL

A. REGION *IV*

1. APPLICATION ATTACHED

Applicant/Licensee: *Scott Eng. Co.*

Application Dated: *June 18, 1985*

Control No.: *460682*

License No.: *(030-28748)*

2. FEE ATTACHED

Amount: */*

Check No.: */*

3. COMMENTS

Signed *Laura Hurling*

Date *June 24, 1985*

B. LICENSEE FEE MANAGEMENT BRANCH

1. Fee Category and Amount: \_\_\_\_\_

2. Correct Fee Paid. Application may be processed for:

Amendment \_\_\_\_\_

Renewal \_\_\_\_\_

License \_\_\_\_\_

Signed \_\_\_\_\_

Date \_\_\_\_\_

*No info*